

Brian S Buckley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5271138/publications.pdf>

Version: 2024-02-01

74
papers

2,018
citations

218592

26
h-index

265120

42
g-index

79
all docs

79
docs citations

79
times ranked

3306
citing authors

#	ARTICLE	IF	CITATIONS
1	Mobile technologies to support healthcare provider to healthcare provider communication and management of care. The Cochrane Library, 2020, 2020, CD012927.	1.5	58
2	A rapid research needs appraisal methodology to identify evidence gaps to inform clinical research priorities in response to outbreaks—results from the Lassa fever pilot. BMC Medicine, 2019, 17, 107.	2.3	10
3	Conservative interventions for treating functional daytime urinary incontinence in children. The Cochrane Library, 2019, 9, CD012367.	1.5	12
4	Interventions for treating recurrent stress urinary incontinence after failed minimally invasive synthetic midurethral tape surgery in women. The Cochrane Library, 2019, 2019, CD009407.	1.5	13
5	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. The Cochrane Library, 2019, 2019, CD009613.	1.5	15
6	Factors affecting continuation of clean intermittent catheterisation in people with multiple sclerosis: Results of the COSMOS mixed-methods study. Multiple Sclerosis Journal, 2019, 25, 727-739.	1.4	9
7	User perspectives, preferences and priorities relating to products for managing bladder and bowel dysfunctions. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2019, 233, 7-18.	1.0	4
8	Surgery for recurrent stress urinary incontinence: the views of surgeons and women. International Urogynecology Journal, 2018, 29, 45-54.	0.7	17
9	Mobile-based technologies to support client to healthcare provider communication and management of care. The Cochrane Library, 2018, , .	1.5	5
10	Ribavirin for treating Crimean Congo haemorrhagic fever. The Cochrane Library, 2018, 2018, CD012713.	1.5	37
11	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. The Cochrane Library, 2017, 6, CD009613.	1.5	22
12	Ribavirin for treating Crimean Congo haemorrhagic fever. The Cochrane Library, 2017, , .	1.5	2
13	A pragmatic multicentre randomised controlled trial comparing stapled haemorrhoidopexy with traditional excisional surgery for haemorrhoidal disease: the eTHoS study. Health Technology Assessment, 2017, 21, 1-224.	1.3	28
14	Understanding variations in patient screening and recruitment in a multicentre pilot randomised controlled trial: a vignette-based study. Trials, 2016, 17, 522.	0.7	4
15	Re: Hilton P, Bryant A, Howel D, McColl E, Buckley BS, Lucas MG, et al. Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourol Urodyn. 2012;31(8):1223-30. Neurourology and Urodynamics. 2016. 35. 750-751.	0.8	0
16	A New Scale for Assessing the Severity of Uncomplicated Diaper Dermatitis in Infants: Development and Validation. Pediatric Dermatology, 2016, 33, 632-639.	0.5	20
17	Compliance with international guidelines on antibiotic prophylaxis for elective surgeries at a tertiary-level hospital in the Philippines. Healthcare Infection, 2015, 20, 145-151.	0.6	8
18	The Multicentre study: creating an evidence base. British Journal of Nursing, 2015, 24, S4-S5.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Giving intermittent catheter users more choice. <i>British Journal of General Practice</i> , 2015, 65, 419-419.	0.7	4
20	A mixed methods study to assess the feasibility of a randomised controlled trial of invasive urodynamic testing versus clinical assessment and non-invasive tests prior to surgery for stress urinary incontinence in women: the INVESTIGATE-I study. <i>Trials</i> , 2015, 16, 400.	0.7	9
21	Specifying the target difference in the primary outcome for a randomised controlled trial: guidance for researchers. <i>Trials</i> , 2015, 16, 12.	0.7	52
22	Primary care organisational interventions for secondary prevention of ischaemic heart disease: a systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2015, 65, e460-e468.	0.7	16
23	INVESTIGATE-I (INvasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq1 1 0.784314 rgBT /Ove invasive urodynamic testing prior to surgery for stress urinary incontinence in women. <i>Health Technology Assessment</i> , 2015, 19, 1-274.	1.3	11
24	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. , 2014, , CD009613.		14
25	Methods for Specifying the Target Difference in a Randomised Controlled Trial: The Difference ELicitation in TriAls (DELTA) Systematic Review. <i>PLoS Medicine</i> , 2014, 11, e1001645.	3.9	27
26	Use of methods for specifying the target difference in randomised controlled trial sample size calculations: Two surveys of trialistsâ€™ practice. <i>Clinical Trials</i> , 2014, 11, 300-308.	0.7	8
27	A pragmatic, multicentre, randomised controlled trial comparing stapled haemorrhoidopexy to traditional excisional surgery for haemorrhoidal disease (eTHoS): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 439.	0.7	10
28	Topical petrolatum gel alone versus topical silver sulfadiazine with standard gauze dressings for the treatment of superficial partial thickness burns in adults: A randomized controlled trial. <i>Burns</i> , 2014, 40, 1267-1273.	1.1	24
29	Cohort study on clustering of lifestyle risk factors and understanding its association with stress on health and wellbeing among school teachers in Malaysia (CLUSTer) â€” a study protocol. <i>BMC Public Health</i> , 2014, 14, 611.	1.2	31
30	We need another guideline. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 958-959.	2.4	0
31	Assessing methods to specify the target difference for a randomised controlled trial: DELTA (Difference ELicitation in TriAls) review. <i>Health Technology Assessment</i> , 2014, 18, v-vi, 1-175.	1.3	68
32	Assessment of total cardiovascular risk using WHO/ISH risk prediction charts in three low and middle income countries in Asia. <i>BMC Public Health</i> , 2013, 13, 539.	1.2	86
33	A Randomized, Doubleâ€”blinded Placeboâ€”controlled Clinical Trial of the Routine Use of Preoperative Antibiotic Prophylaxis in Modified Radical Mastectomy. <i>World Journal of Surgery</i> , 2013, 37, 59-66.	0.8	30
34	Case study: A patientâ€”clinician collaboration that identified and prioritized evidence gaps and stimulated research development. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 483-489.	2.4	29
35	Conservative treatment options for women with stress urinary incontinence: clinical update. <i>British Journal of General Practice</i> , 2013, 63, 218-220.	0.7	7
36	Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women. <i>The Cochrane Library</i> , 2013, , CD009407.	1.5	29

#	ARTICLE	IF	CITATIONS
37	Systematic archiving and access to health research data: rationale, current status and way forward. Bulletin of the World Health Organization, 2012, 90, 932-939.	1.5	33
38	The people that the ostomy industry forgot. British Journal of General Practice, 2012, 62, 544-545.	0.7	13
39	Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial. Lancet, The, 2012, 380, 1927-1935.	6.3	203
40	Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourology and Urodynamics, 2012, 31, 1223-1230.	0.8	25
41	Individual-based primary prevention of cardiovascular disease in Cambodia and Mongolia: early identification and management of hypertension and diabetes mellitus. BMC Public Health, 2012, 12, 254.	1.2	33
42	Repeated in vivo inguinal measurements to estimate a single optimal mesh size for inguinal herniorrhaphy. BMC Surgery, 2012, 12, 19.	0.6	9
43	The effect of urinary incontinence on health utility and health-related quality of life in men following prostate surgery. Neurourology and Urodynamics, 2012, 31, 465-469.	0.8	28
44	Urinary incontinence in men after formal one-to-one pelvic-floor muscle training following radical prostatectomy or transurethral resection of the prostate (MAPS): two parallel randomised controlled trials. Lancet, The, 2011, 378, 328-337.	6.3	105
45	Risk of prostate cancer associated with benign prostate disease: a primary care case-control study. British Journal of General Practice, 2011, 61, e684-e691.	0.7	6
46	Impact of palliative urinary diversion by percutaneous nephrostomy drainage and ureteral stenting among patients with advanced cervical cancer and obstructive uropathy: A prospective cohort. Journal of Obstetrics and Gynaecology Research, 2011, 37, 1061-1070.	0.6	42
47	Improving health research governance and management in the Western Pacific: A WHO Expert Consultation. Journal of Evidence-Based Medicine, 2011, 4, 204-213.	0.7	16
48	INVESTIGATE-I (INvasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq0 0 0 rgBT /Overlock 10 controlled trial of the clinical utility of invasive urodynamic testing. Trials, 2011, 12, 169.	0.7	13
49	Medical interns' knowledge and training regarding urethral catheter insertion and insertion-related urethral injury in male patients. BMC Medical Education, 2011, 11, 73.	1.0	34
50	Public attitudes to the use in research of personal health information from general practitioners' records: a survey of the Irish general public. Journal of Medical Ethics, 2011, 37, 50-55.	1.0	65
51	Five-Year Prognosis in an Incident Cohort of People Presenting with Acute Myocardial Infarction. PLoS ONE, 2011, 6, e26573.	1.1	28
52	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. Neurourology and Urodynamics, 2010, 29, 708-714.	0.8	50
53	Service organisation for the secondary prevention of ischaemic heart disease in primary care. The Cochrane Library, 2010, , CD006772.	1.5	22
54	Drugs for treatment of urinary retention after surgery in adults. The Cochrane Library, 2010, , CD008023.	1.5	26

#	ARTICLE	IF	CITATIONS
55	Considerable differences exist between prevalent and incident myocardial infarction cohorts derived from the same population. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1351-1357.	2.4	8
56	Prevalence of Urinary Incontinence in Men, Women, and Children—Current Evidence: Findings of the Fourth International Consultation on Incontinence. <i>Urology</i> , 2010, 76, 265-270.	0.5	259
57	Reaching a consensus and ranking research priorities in urinary incontinence. <i>Nursing Times</i> , 2010, 106, 36-7.	0.2	4
58	Commentary: Conventional medicine is less than perfect. <i>British Journal of General Practice</i> , 2009, 59, 519-519.	0.7	2
59	Five year prognosis in patients with angina identified in primary care: incident cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3058-b3058.	2.4	37
60	Developing a pelvic floor muscle training regimen for use in a trial intervention. <i>Physiotherapy</i> , 2009, 95, 199-208.	0.2	44
61	What is the most effective management of neurogenic bladder dysfunction?. <i>BMJ: British Medical Journal</i> , 2009, 338, b659-b659.	2.4	7
62	The need for wider public understanding of health care research. <i>Primary Health Care Research and Development</i> , 2008, 9, .	0.5	2
63	Multimorbidity and risk among patients with established cardiovascular disease: a cohort study. <i>British Journal of General Practice</i> , 2008, 58, 488-494.	0.7	56
64	Research Priorities for Continence Care and Urogenital Health. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2008, 35, 610-616.	0.6	0
65	Identifying uncertainties to prioritise research. <i>Nursing Times</i> , 2008, 104, 38-9.	0.2	0
66	Selection bias resulting from the requirement for prior consent in observational research: a community cohort of people with ischaemic heart disease. <i>Heart</i> , 2007, 93, 1116-1120.	1.2	54
67	Chronic kidney disease and mortality and morbidity among patients with established cardiovascular disease: a West of Ireland community-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2586-2594.	0.4	26
68	It's the Way You Ask That Matters. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2006, 33, 26-29.	0.6	10
69	There's a Will. . .but Is There a Way?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2005, 32, 53-56.	0.6	1
70	Closed versus open approach in laparoscopic colorectal surgery. <i>The Cochrane Library</i> , 0, , .	1.5	0
71	Drugs for the prevention of postoperative urinary retention in adults. <i>The Cochrane Library</i> , 0, , .	1.5	1
72	Mobile-based technologies to support healthcare provider to healthcare provider communication and management of care. <i>The Cochrane Library</i> , 0, , .	1.5	12

#	ARTICLE	IF	CITATIONS
73	Closed versus open approach in laparoscopic colorectal surgery. The Cochrane Library, 0, , .	1.5	0
74	Conservative treatment for functional daytime urinary incontinence in children. The Cochrane Library, 0, , .	1.5	2