

Ezequiel M Vázquez-López

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5273111/publications.pdf>

Version: 2024-02-01

201
papers

3,182
citations

201385

27
h-index

288905

40
g-index

208
all docs

208
docs citations

208
times ranked

2727
citing authors

#	ARTICLE	IF	CITATIONS
1	Coordination modes of hydrazone and acyl-hydrazone ligands containing a pyridine group with the $\{Re(CO)_3\}^+$ fragment. <i>Polyhedron</i> , 2022, 222, 115917.	1.0	2
2	Effect of <i>N</i> -salicylidene hydrazone protonation on the solid state structural diversity of its Cu , Ni and Zn complexes. <i>CrystEngComm</i> , 2021, 23, 153-162.	1.3	2
3	Polymorphism in a two-dimensional copper metal-organic framework with the ligand bis(4-pyridylthio)methane. <i>CrystEngComm</i> , 2021, 23, 4658-4666.	1.3	1
4	Neutral and Cationic Chelidonate Coordination Polymers with <i>N,N</i> -Bridging Ligands. <i>Chemistry</i> , 2021, 3, 256-268.	0.9	1
5	Combined Effect of Caspase-Dependent and Caspase-Independent Apoptosis in the Anticancer Activity of Gold Complexes with Phosphine and Benzimidazole Derivatives. <i>Pharmaceuticals</i> , 2021, 14, 10.	1.7	8
6	Chemical and biological studies of $Re(I)/Tc(I)$ thiosemicarbazonate complexes relevant for the design of radiopharmaceuticals. <i>Journal of Inorganic Biochemistry</i> , 2020, 203, 110917.	1.5	12
7	Synthesis, spectral analysis, crystal structure, Hirshfeld surface analyses, thermal behavior of two new nickel complexes and usage as precursor for preparation of Ni/NiO nanoparticles. <i>Polyhedron</i> , 2020, 176, 114287.	1.0	10
8	Synthesis of Novel Dinuclear <i>N</i> -Substituted 4-(Dimethylamino)benzaldehyde Thiosemicarbazonates of Rhenium(I): Formation of Four- and/or Five-Membered Chelate Rings, Conformational Analysis, and Reactivity. <i>Inorganic Chemistry</i> , 2020, 59, 14101-14117.	1.9	11
9	Metallosupramolecular Compounds Based on Copper(II) Chloride and Two Bis-Tetrazole Organosulfur Ligands. <i>Chemistry</i> , 2020, 2, 33-49.	0.9	4
10	Iridium(III) coordination of <i>N</i> (6) modified adenine derivatives with aminoacid chains. <i>Journal of Inorganic Biochemistry</i> , 2020, 205, 111000.	1.5	7
11	Crystal structures of <i>N</i> 6-modified-amino acid related nucleobase analogs (II): hybrid adenine- β -alanine and adenine-GABA molecules. <i>New Journal of Chemistry</i> , 2019, 43, 9680-9688.	1.4	13
12	Synthesis, spectral and structure analysis of mono and binuclear cadmium and mercury complexes. <i>Polyhedron</i> , 2019, 163, 91-97.	1.0	6
13	Thiosemicarbazonate complexes with affinity for amyloid- β fibers: synthesis, characterization and biological studies. <i>Future Medicinal Chemistry</i> , 2019, 11, 2527-2546.	1.1	7
14	Triphenyltin derivatives of sulfanylcarboxylic esters. <i>Journal of Inorganic Biochemistry</i> , 2018, 180, 163-170.	1.5	3
15	Chiral and achiral 1D copper coordination polymers based on glycolato and chelating aromatic diamine ligands. <i>CrystEngComm</i> , 2018, 20, 2455-2464.	1.3	8
16	Crystal structures of <i>N</i> ⁶ -modified-aminoacid/peptide nucleobase analogs: hybrid adenine-glycine and adenine-glycylglycine molecules. <i>New Journal of Chemistry</i> , 2018, 42, 14742-14750.	1.4	9
17	Structural study of mono-, di- and tetranuclear complexes of the $\{Re(CO)_3\}^+$ fragment with thiosemicarbazonate/thiosemicarbazonate ligands containing benzothiazole or benzoxazole groups. <i>CrystEngComm</i> , 2018, 20, 4781-4792.	1.3	8
18	Supramolecular metal-organic frameworks based on neutral and cationic copper(II) β -hydroxycarboxylate complexes with 2,2'-dipyridylamine. <i>Polyhedron</i> , 2018, 154, 398-406.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Crystal nickel(II) complexes with a bidentate hydrazone ligand. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e396-e396.	0.0	0
20	The dimeric nature of the Rel complexes of the thiosemicarbazone derived of 4-(dimethylamino)benzaldehyde. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e376-e376.	0.0	0
21	Polymorphism in a 2D copper(I) coordination polymer based on a flexible ligand. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e337-e337.	0.0	0
22	New Tin-Oxometallates from the Hydrolysis of SnEt ₂ ²⁺ in the Presence of 2,6-Lutidine-1,3-Diol and different Anions. <i>ChemistrySelect</i> , 2017, 2, 1983-1991.	0.7	2
23	Supramolecular Synthesis and Experimental and Theoretical Studies of Cocrystal Systems Based on Resorcinol-Thiosemicarbazones and N,N-Divergent Dipyridines. <i>Crystal Growth and Design</i> , 2017, 17, 3338-3349.	1.4	6
24	A spectroscopic study on new phthalonitrile derivative and its computational background: 4-[(4,5-Diphenyl-4H-1,2,4-triazol-3-yl)sulfanyl]benzene-phthalonitrile. <i>Journal of Molecular Structure</i> , 2017, 1127, 539-548.	1.8	7
25	Crystal structure of N-(4-hydroxybenzyl)acetone thiosemicarbazone. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 1382-1384.	0.2	2
26	Crystal structure of fac-tricarbonylchloridobis(4-hydroxypyridine)rhenium(I) pyridin-4(1H)-one (1/1). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 1551-1554.	0.2	2
27	Relevance of weak intermolecular forces on the supramolecular structure of free or DMSO solvated 5-(4-X-benzylidene)rhodanines (X = F, Cl, Br, I). <i>Journal of Molecular Structure</i> , 2016, 1120, 100-114.	1.8	1
28	A Hexameric Cationic Copper(II) Metallacrown as a Pertechnetate and Perrhenate Scavenger. <i>Chemistry - A European Journal</i> , 2016, 22, 1847-1853.	1.7	10
29	A new metal-organic polymeric system capable of stimuli-responsive controlled release of the drug ibuprofen. <i>Dalton Transactions</i> , 2016, 45, 1614-1621.	1.6	19
30	Tin Oxometallates from the Hydrolysis of SnMe ₂ ²⁺ in the Presence of 2,6-Lutidine-1,3-diol and Different Anions. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2387-2401.	1.0	3
31	Rhenium Complexes of Ligands Based on Stilbene – Synthesis, Characterization, Reactivity, and Conformational Analysis. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4402-4411.	1.0	4
32	Two novel unsymmetrical ferrocene based azines and their complexing abilities towards Cu(II): Spectroscopy, crystal structure, electrochemistry and DFT calculations. <i>Polyhedron</i> , 2015, 88, 182-189.	1.0	18
33	Homo- and Heteronuclear Compounds with a Symmetrical Bis-hydrazone Ligand: Synthesis, Structural Studies, and Luminescent Properties. <i>Chemistry - A European Journal</i> , 2015, 21, 6605-6616.	1.7	20
34	New diorganolead(IV) sulfanylpropenoates: Synthesis, characterization and analysis of their evolution in DMSO solution. <i>Journal of Organometallic Chemistry</i> , 2015, 789-790, 29-39.	0.8	1
35	External anion effect on the synthesis of new MOFs based on formate and a twisted divergent ligands. <i>Journal of Solid State Chemistry</i> , 2015, 231, 145-151.	1.4	6
36	Exploration of the solid state metallosupramolecular chemistry of mononuclear nickel(II) complexes with 1-hydroxycarboxylates and 2,2'-dipyridylamine. <i>Polyhedron</i> , 2015, 85, 124-130.	1.0	2

#	ARTICLE	IF	CITATIONS
37	Crystal structure of 1-(4-formylbenzylidene)thiosemicarbazone. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o970-o970.	0.2	4
38	Crystal structure of 1-(4-formylbenzylidene)-4-methylthiosemicarbazone. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o926-o926.	0.2	2
39	Structural evidence of an intramolecular proton transfer leading to keto-amine tautomer in the crystals of Schiff bases derived from tyrosine and histidine esters. Journal of Molecular Structure, 2014, 1062, 110-115.	1.8	11
40	Synthesis, characterization and binding affinities of rhenium(I) thiosemicarbazone complexes for the estrogen receptor ($\text{ER}\alpha$). Journal of Inorganic Biochemistry, 2014, 140, 53-63.	1.5	20
41	Heteronuclear gold(I)-silver(I) sulfanylcarboxylates: Synthesis, structure and cytotoxic activity against cancer cell lines. Journal of Inorganic Biochemistry, 2014, 131, 68-75.	1.5	17
42	Copper(II) Acetate/Bis(4-pyridylthio)methane System: Synthesis, Structural Diversity, and Single-Crystal to Single-Crystal Transformation. Crystal Growth and Design, 2014, 14, 3096-3109.	1.4	13
43	Mono and dinuclear phosphinegold(I) sulfanylcarboxylates: Influence of nuclearity and substitution of PPh 3 for PEt 3 on cytotoxicity. Journal of Inorganic Biochemistry, 2014, 138, 89-98.	1.5	7
44	Reaction of a Bis(benzoylhydrazone) with Copper(II): Complex Formation, Hydroxylation, and DNA Cleavage Activity. European Journal of Inorganic Chemistry, 2013, 2013, 5843-5853.	1.0	14
45	Hydrogen bonded water-halide $\{[(\text{H}_2\text{O})_4\text{X}]_2\}_n$ (X=Cl, Br) tapes as organizing units in crystals containing $[\text{SnMe}_2(\text{MePN}=\text{H})]^{2+}$ cations (MePN=N-methylpyridoxine). Inorganic Chemistry Communication, 2013, 30, 156-158.	1.8	7
46	Preparation and characterization of rhenium(I) complexes with thiosemicarbazone ligands derived from resorcinol. Polyhedron, 2013, 65, 221-228.	1.0	10
47	Metallosupramolecular compounds based on Cu(ii)/oxalate/twisted NSSL ligands showing a new in situ C bond cleavage. CrystEngComm, 2013, 15, 10550.	1.3	19
48	Control over the preparation of two pH-dependent Cu(ii) supramolecular isomers based on 1,3,5-benzenetricarboxylic acid and the bis(4-pyridylthio)methane ligand. CrystEngComm, 2013, 15, 1563.	1.3	20
49	The Chelating Behaviour of 3-(4-X-Phenyl)-2-sulfanylpropenoic Acids with the Pb(II) - Relevance of the Lone Electron Pair in the Supramolecular Structures of the 2:1 Complexes. European Journal of Inorganic Chemistry, 2013, 2013, 5110-5120.	1.0	5
50	A novel hexanuclear silver(I) cluster containing a regular Ag_6 ring with short $\text{Ag}\cdots\text{Ag}$ distances and an argentophilic interaction. Dalton Transactions, 2013, 42, 5916.	1.6	38
51	Solid-State Coordinative Behavior of a New Asymmetrical Bis-hydrazone Ligand Containing Two Different Binding Pockets. Crystal Growth and Design, 2013, 13, 1193-1205.	1.4	15
52	Synthesis and structural characterization of a binary metal cluster and a coordination polymer based on the mercury Bis(phenylselenolate) unit. Polyhedron, 2012, 43, 170-175.	1.0	5
53	3-(2-Furyl)-2-sulfanylpropenoic Acid as a Chelating Agent for Lead(II) and Diorganolead(IV) Compounds - Chemical Behaviour and In Vitro Protective Effect against Dimethyllead(IV) Toxicity. European Journal of Inorganic Chemistry, 2012, 2012, 4822-4832.	1.0	3
54	Supramolecular networks through second-sphere coordination based on 1D metal-4,4'-dipyridyldisulfide coordination polymers and hydrogenfumarate or sulfonate anions. Polyhedron, 2012, 31, 118-127.	1.0	6

#	ARTICLE	IF	CITATIONS
55	Mercury(II) Complexes Containing the $[Hg(L)_2]^{2+}$, $[Hg(L)(HL)]^+$, and $[Hg(HL)_2]$ Units [$H_2L = 3-(2\text{-Chlorophenyl})\text{-2-sulfanylpropenoic Acid}$]. Structural and Spectroscopic Effects of the Different Degrees of Ligand Protonation. <i>Crystal Growth and Design</i> , 2011, 11, 5370-5377.	1.4	0
56	Metal to Ligand Interactions and Hydrogen Bonding in the Design of Metallosupramolecular Compounds: Effect of pH and Aprotic Solvents on the Nature of Materials Based on Bis(4-pyridylthio)methane and Copper(II) Chloride. <i>Crystal Growth and Design</i> , 2011, 11, 59-68.	1.4	21
57	Mononuclear discrete complexes and coordination polymers based on metal(chelidonate) complexes with aromatic N,N-chelating ligands. <i>CrystEngComm</i> , 2011, 13, 941-951.	1.3	10
58	A Dinuclear Gold(I)-Silver(I) Derivative of 2-Cyclopentylidene-2-sulfanylacetic Acid and Related Complexes: Synthesis, Crystal Structures, Properties and Antitumor Activity. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1322-1332.	1.0	23
59	Coordination polymers with chelidonate (4-oxo-4H-pyran-2,6-dicarboxylate) anions and dmsol: $[Zn(chel)(dmsol)_2]$ and linkage isomers of $[Co(chel)(dmsol)(OH_2)_3] \cdot H_2O$. <i>Journal of Molecular Structure</i> , 2011, 1003, 121-128.	1.8	4
60	Synthesis, characterization, reactivity and computational studies of new rhenium(I) complexes with thiosemicarbazone ligands derived from 4-(methylthio)benzaldehyde. <i>Polyhedron</i> , 2011, 30, 2146-2156.	1.0	11
61	Non-Covalent Interactions in a Nickel(II) Complex with Benzilate and 1,10-Phenanthroline. <i>Journal of Chemical Crystallography</i> , 2011, 41, 1949-1954.	0.5	7
62	A Conspicuous Deprotonation in Complexes of Diphenyllead(IV) with Ligands Containing Both Semicarbazone and Thiosemicarbazone Chains. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 868-878.	1.0	3
63	Synthesis, spectral studies, crystal structures and TDDFT studies of the rhenium(I) complexes of 2,4-dihydroxy-N-(4-hydroxybenzylidene) benzohydrazide. <i>Polyhedron</i> , 2011, 30, 953-962.	1.0	14
64	A new $[Cu(ox)(Im)_2]$ complex resulting from the oxidation of chelidonate to oxalate. <i>Journal of Molecular Structure</i> , 2010, 968, 81-84.	1.8	1
65	Tricarbonyl Rhenium(I) and Technetium(I) Complexes with Hydrazones Derived from 4,5-Diazafluorenone and 1,10-Phenanthroline-5,6-dione. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4622-4630.	1.0	22
66	Metal coordination and in situ $S-C$ bond cleavage of the bis(2-pyridylthio)methane ligand. <i>Dalton Transactions</i> , 2010, 39, 10076.	1.6	10
67	Molecular metallocycles, acyclic metallodimers and 2D coordination polymers containing the twisted ligand bis(pyrimidin-2-ylthio)methane. <i>Dalton Transactions</i> , 2010, 39, 2385.	1.6	8
68	Chemical and in vitro study of the potential of 3-(aryl)-2-sulfanylpropenoic acids and their Zn(II) complexes as protective agents against cadmium toxicity. <i>Dalton Transactions</i> , 2010, 39, 3931.	1.6	7
69	On the Use of Mercury Bis(Phenylselenolate) for the Synthesis of Polymeric Clusters: Synthesis and X-ray Structural Characterization of $[Hg_5Cl_3(PhSe)_7]_n$, $[Hg_7Cl_3(PhSe)_{11}]_n$ and $[Hg_7Br_3(PhSe)_{11}]_n$. <i>Journal of Cluster Science</i> , 2009, 20, 467-479.	1.7	19
70	A novel complex of mercury with double π -aryl interactions. <i>Inorganica Chimica Acta</i> , 2009, 362, 3385-3387.	1.2	6
71	Structural evidence for metalloaromaticity in a new molecular complex with the divergent ligand 4,4'-dipyridyldisulfide. <i>Journal of Molecular Structure</i> , 2009, 936, 87-91.	1.8	13
72	Role of inorganic and organic anions in the formation of metallosupramolecular assemblies of silver(I) coordination polymers with the twisted ligand bis(4-pyridylthio)methane. <i>Polyhedron</i> , 2009, 28, 923-932.	1.0	18

#	ARTICLE	IF	CITATIONS
73	Synthesis and characterization of thiosemicarbazone derivatives of 2-chloro-4-hydroxy-benzaldehyde and their rhenium(I) complexes. <i>Polyhedron</i> , 2009, 28, 3915-3922.	1.0	18
74	Synthesis and characterization of several rhenium(I) complexes of 2-acetylpyridine and ferrocenyl carbaldehyde derivatives of 2-hydroxybenzoic acid hydrazide. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 3102-3111.	0.8	19
75	From copper(II) carboxylate to copper(II) 4-pyridylsulfonate coordination polymers as a consequence of the copper(II)-assisted oxidative cleavage of the 4,4'-dipyridyldisulfide ligand. <i>CrystEngComm</i> , 2009, 11, 817.	1.3	34
76	Synthesis, Characterization, and Photophysical Properties of 2-Hydroxybenzaldehyde [(1-E)-1-(2-pyridin-2-ylethylidene)hydrazono and Its Rhenium(I) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2713-2720.	1.0	26
77	3-(Aryl)-2-sulfanylpropenoates of mercury(II) and phenylmercury(II). <i>Polyhedron</i> , 2008, 27, 2436-2446.	1.0	19
78	Synthesis and characterization of thiosemicarbazone derivatives of 2-ethoxy-3-methoxy-benzaldehyde and their rhenium(I) complexes. <i>Polyhedron</i> , 2008, 27, 2867-2876.	1.0	32
79	Anion effect on the construction of copper(II) coordination polymers with the twisted ligand bis(4-pyridylthio)methane. <i>Polyhedron</i> , 2008, 27, 3247-3254.	1.0	10
80	Synthesis and antimicrobial activities of silver(I) 3-(substituted phenyl)sulfanylpropenoates. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 2489-2497.	2.6	19
81	Solid state coordination chemistry of copper(II) lactate complexes with the twisted ligands 4,4'-dipyridyldisulfide and bis(4-pyridylthio)methane. <i>Journal of Molecular Structure</i> , 2008, 892, 427-432.	1.8	23
82	Synthesis and Characterization of Some New Tetraaldehyde and Tetraketone Derivatives and X-ray Structure of 1,1'-(4,4'-(2-(1,3-bis(4-Acetylphenoxy)propan-2-ylidene)propane-1,3-diyl)) Tj ETQq0 0 0 rgBT /Overlock.1.10 Tf 50 247 Td (bis	1.0	27
83	Structural Versatility in Copper(II) \pm -Hydroxycarboxylate Complexes with the Twisted Ligands 4,4'-Dipyridyldisulfide and Bis(4-pyridylthio)methane: From Molecular Compounds to Two-Dimensional Coordination Polymers. <i>Crystal Growth and Design</i> , 2008, 8, 995-1004.	1.4	43
84	Stabilization of Discrete (H ₂ O) ₁₄ Water Clusters in the Supramolecular Crystal Host of [Ni(phen) ₃](HB) ₂ ·7H ₂ O (HB ⁺ =benzilate). <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2008, 38, 49-54.	0.6	9
85	Supramolecular Architectures and Magnetic Behavior of Coordination Polymers from Copper(II) Carboxylates and 1,2-Bis(4-pyridyl)ethane as a Flexible Bridging Ligand. <i>Crystal Growth and Design</i> , 2007, 7, 1069-1077.	1.4	55
86	The Influence of 5-Substituents on the Supramolecular Structures of Rhodanine Derivatives. <i>Crystal Growth and Design</i> , 2007, 7, 1964-1973.	1.4	17
87	Synthesis and antimicrobial activities of silver(i) sulfanylcarboxylates. Structural isomers with identically or unequally coordinated Ag centers in an Ag ₄ S ₄ ring. <i>Dalton Transactions</i> , 2007, , 3074-3085.	1.6	26
88	Synthesis and structure of 2-acetylpyridine-salicyloylhydrazono and its copper(ii) and zinc(ii) complexes. The effect of the metal coordination on the weak intermolecular interactions. <i>CrystEngComm</i> , 2007, 9, 668.	1.3	23
89	Synthesis, structure and cytotoxicity of diorganotin(IV) complexes of 2,6-lutidine- \pm 2,3-diol (Lu): The crystal structures of Lu and [SnMe ₂ (H ₂ O)(Lu-2H)]. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3547-3554.	0.8	6
90	4-[3-(1H-Imidazol-1-yl)propyl]-3-phenyl-1H-1,2,4-triazol-5(4H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o2449-o2451.	0.2	4

#	ARTICLE	IF	CITATIONS
91	(E)-4,4â€²-(But-2-ene-1,4-diylldioxy)bis(3-methoxybenzaldehyde). Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o2452-o2452.	0.2	1
92	1-(Acetyl)-3-(2-thienylmethyl)-4-(4H-1,2,4-triazol-4-yl)-1H-1,2,4-triazol-5(4H)-one. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o2774-o2775.	0.2	3
93	1-(Benzoylmethyl)-4-[(2,4-dichlorobenzylidene)amino]-3-(2-thienylmethyl)-4,5-dihydro-1H-1,2,4-triazol-5-one. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o2982-o2983.	0.2	7
94	Supramolecular Architecture of a Copper(II) Complex with Lactato and 2,2â€²-Dipyridylamine Showing Embedded Water Chains. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 687-689.	0.6	11
95	Synthesis, Crystal Structure and Supramolecular Organization of the 1D Coordination Polymer [Cu(HCOO)2(4-bpytm)], (4-bpytm = Bis(4-pyridylthio)methane). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 780-782.	0.6	20
96	Synthesis and Characterization of Triphenylphosphinesilver(I) Sulfanylcarboxylates of Types [(AgPPh3)(HL)] and [Ag(PPh3)3(HL)]. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 795-801.	0.6	5
97	Synthesis and Structures of Two One-dimensional Coordination Polymers: [Co(NCS)2(dpds)2] and [Cu(ox)(lm)2]. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1787-1790.	0.6	15
98	Synthesis of Mixedâ€¦ligand Complexes of Copper(II) with Lactate and 2,2â€²-Dipyridylamine: Study of the Effect of Weak Interactions on their Crystal Packing. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1791-1795.	0.6	13
99	Synthesis and Characterization of Triphenylphosphinesilver(I) Sulfanylcarboxylates of the Type [HQ][Ag(PPh₃)(L)] [HQ] = Diisopropylammonium. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1883-1889.	0.6	1
100	Supramolecular architectures of neutral and cationic complexes of transition metals with lactate and 1,10-phenanthroline. CrystEngComm, 2006, 8, 167.	1.3	22
101	Supramolecular Aggregation of Hexameric Water Clusters into a 2D Water Polymer Containing (H2O)18Holes. Crystal Growth and Design, 2006, 6, 629-631.	1.4	71
102	Synthesis and Characterization of New Trimeric Rhenium(I) Complexes. The Influence of Steric Factors on the Size of Pyrazolonaterhenium(I) Metallomacrocycles. Inorganic Chemistry, 2006, 45, 7323-7330.	1.9	21
103	(2RS,3SR,5RS,6SR)-Bicyclo[2.2.1]heptane-2,3,5,6-tetrayl tetraacetate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o1149-o1150.	0.2	1
104	Cyclooctane-1,2,5,6-tetrayl tetraacetate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2401-o2402.	0.2	5
105	3,3â€²-Bis(2-thienylmethyl)-4,4â€²-(butane-1,4-diyl)bis(4,5-dihydro-1H-1,2,4-triazol-5-one). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o3938-o3939.	0.2	6
106	(1RS,2SR,6SR,7SR)-4,10-Dioxatricyclo[5.2.1.0.2,6]dec-8-en-3-one. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o4209-o4210.	0.2	2
107	1-Acetyl-4-(3,5-diethyl-4H-1,2,4-triazol-4-yl)-3-(2-thienylmethyl)-1H-1,2,4-triazol-5(4H)-one. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o4265-o4267.	0.2	2
108	2,2â€²-[2,3-Bis(1-formyl-2-naphthylloxymethyl)but-2-ene-1,4-diylldioxy]bis(naphthalene-1-carbaldehyde). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o5006-o5007.	0.2	1

#	ARTICLE	IF	CITATIONS
109	4-[(5-Nitrothiophen-2-ylmethylene)amino]-5-(thiophen-2-ylmethyl)-1H-1,2,4-triazol-5(4H)-one. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o5520-o5522.	0.2	2
110	Synthesis and characterization of ferrocenylcarbaldehyde benzoylhydrazone and its rhenium(I) complex. Polyhedron, 2006, 25, 3343-3348.	1.0	21
111	Synthesis, characterization and antibacterial activity of some new triphenyltin(IV) sulfanylcarboxylates: Crystal structure of [(SnPh ₃) ₂ (p-mpspa)], [(SnPh ₃) ₂ (cpa)] and [(SnPh ₃) ₂ (tspa)(DMSO)]. Journal of Organometallic Chemistry, 2006, 691, 45-52.	0.8	19
112	Formation of 3-Sulfanylcoumarins by SnPh ₃ OH-Promoted Cyclization of 3-Aryl-2-Sulfanylpropenoic Acids. European Journal of Inorganic Chemistry, 2005, 2005, 4425-4429.	1.0	11
113	Crystallographic report: Benzilate of diaquabis(ethylenediamine)copper(II) dihydrate and benzilate of aquabenzylatobis(ethylenediamine)copper(II). Applied Organometallic Chemistry, 2005, 19, 394-395.	1.7	11
114	(Δ ±)-(1SR,8RS,10RS)-9,9,10-Tribromotricyclo[6.2.1.0 ^{2,7}]undeca-2,4,6-triene. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o263-o265.	0.2	2
115	2-Amino-4-(2-naphthyl)thiophene-3-carbonitrile. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1680-o1682.	0.2	1
116	1-(Benzoylmethyl)-4-(3,5-dimethyl-4H-1,2,4-triazol-4-yl)-3-(2-thienylmethyl)-1H-1,2,4-triazol-5(4H)-one. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1785-o1787.	0.2	2
117	Ethene-1,1,2,2-tetrayltetramethylene tetrathiocyanate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o3529-o3531.	0.2	4
118	Mixed-Ligand Complexes of Zinc(II) with β -Hydroxycarboxylates and Aromatic N-N Donor Ligands: Synthesis, Crystal Structures and Effect of Weak Interactions on their Crystal Packing. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 785-792.	0.6	34
119	Hydrothermal Synthesis, Crystal Structures and Effect of Non Bonding Interactions in Crystal Packing of Two Mixed-Ligand Metal Complexes with Glycolato and 2,2'-Dipyridylamine and with Benzilato and Imidazole. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2006-2010.	0.6	35
120	Study of the Interaction of Bis(4-pyridylthio)methane with Copper(II) Chloride and Bromide. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2241-2246.	0.6	22
121	New structural features in triphenylphosphinesilver(I) sulfanylcarboxylates. Dalton Transactions, 2005, , 1707-1715.	1.6	24
122	Mono- and Dinuclear Tricarbonyltechnetium(I) Complexes with Thiosemicarbazones. Inorganic Chemistry, 2005, 44, 834-836.	1.9	35
123	One-dimensional fluorescent stacking structure based on zinc mixed-complex salt encapsulated within an "ice-like" three-dimensional hydrogen-bonded water network. CrystEngComm, 2005, 7, 294-296.	1.3	89
124	Dimeric rhenium(I) thiosemicarbazone complexes: formation, crystal structures, and the role of Nâ€“Hâ€“O and Câ€“Hâ€“O interactions. CrystEngComm, 2005, 7, 113-120.	1.3	25
125	Controlled Ligand Deprotonation in Lanthanide Chelates with Asymmetric Semicarbazone/Benzoylhydrazone or Semicarbazone/Thiosemicarbazone Coordination Spheres. Inorganic Chemistry, 2005, 44, 5738-5744.	1.9	30
126	Tricarbonylrhenium(I) Complexes with Thiosemicarbazone Derivatives of 2-Acetylpyridine and 2-Pyridine Formamide Showing Two Unusual Coordination Modes of Tridentate Thiosemicarbazone Ligands. Inorganic Chemistry, 2004, 43, 1834-1836.	1.9	60

#	ARTICLE	IF	CITATIONS
127	Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B6). The crystal structures of [SnEt ₂ (PNâ€“2H)]âˆ•CH ₃ OH, [SnEt ₂ (PNâ€“2H)(DMSO)] and [SnBu ₂ (PNâ€“2H)]. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 620-626.	0.8	20
128	Synthesis and Structure of the Clusters [Hg ₂ (Î¼ ₄ â€“SePh) ₂ (SePh) ₂ (PPh ₃) ₂] and [Hg ₃ Br ₃ (Î¼ ₄ â€“SePh) ₃]âˆ• 2 DMSO. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 462-465.	0.6	23
129	Supramolecular Assembling of Complex Tellurium Salts: Synthesis and Crystal Structures of {Cs[PhTeCl ₄]âˆ•CH ₃ OH} and Cs[PhTeBr ₄]. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 717-721.	0.6	12
130	The Crystal Structure of [Pt(NH ₃) ₄][PtI ₄]: Comparison with Magnus' Green Salt. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 980-982.	0.6	7
131	Dimeric Rhenium(I) Carbonyl Complexes with Thiosemicarbazone Backbone. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 1665-1670.	0.6	27
132	Complex Tellurium Salts with Supramolecular Bidimensional Lattices: Synthesis and X-ray Characterization of (2-Br-C ₅ NH ₅) ₂ [TeX ₆] (X = Cl, Br). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 2687-2691.	0.6	14
133	exo-(1RS,8SR,9RS,11SR)-10-Chloromethyltetracyclo[6.3.2.02,709,11]undecane-2,4,6,12-tetraene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o350-o352.	0.2	0
134	(1RS,8SR,9RS,10RS,11RS,12RS)-10,11-Dibromotetracyclo[6.4.2.02,7.09,12]tetradeca-2,4,6,13-tetraene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o703-o705.	0.2	0
135	Crystallographic report: Bis(2-diphenylglycolato-O)bis(1,10-phenanthroline-N,Nâ€“2)zinc(II), [Zn(C ₁₄ H ₁₁ O ₃) ₂ (C ₁₂ H ₈ N ₂) ₂]. <i>Applied Organometallic Chemistry</i> , 2004, 18, 201-202.	1.7	7
136	Crystallographic report: Diisopropylammonium[3-(2-thienyl)-2-sulfanylpropenoato]triphenylstannate. <i>Applied Organometallic Chemistry</i> , 2004, 18, 421-422.	1.7	2
137	Cycloaddition Reactions of 1,4-Dihydronaphthalene-1,4-epoxide with Cyclohexadiene and 7-(Methoxycarbonyl)cycloheptatriene: Selectivity in Additions. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 1143-1148.	1.2	6
138	Solid state coordination chemistry of mononuclear mixed-ligand complexes of Ni(II), Cu(II) and Zn(II) with Î±-hydroxycarboxylic acids and imidazole. <i>Polyhedron</i> , 2004, 23, 1505-1518.	1.0	71
139	Synthesis and characterization of the first aryltellurium(II) halide complex stabilized by a Teâ€“Te bond from a tellurium ether. <i>Inorganic Chemistry Communication</i> , 2004, 7, 478-480.	1.8	27
140	Induced crystallization of polymeric Cd(II)-DMPYS assemblies (DMPYS=4,6-dimethyl-pyrimidine-2-thiolato): synthesis and chaining structures of Î±- and Î²-[Cd(DMPYS) ₂] _n . <i>Inorganic Chemistry Communication</i> , 2003, 6, 1297-1301.	1.8	14
141	The interaction of 2-methylactic acid (H ₂ mL) with divalent metal cations. The structures of [M(HmL) ₂ (H ₂ O) ₂], M=Mn(II), Zn(II). <i>Polyhedron</i> , 2003, 22, 1051-1057.	1.0	18
142	Bis(2-pyridylthio)methane complexes of cadmium(II) halides. <i>Polyhedron</i> , 2003, 22, 1077-1083.	1.0	21
143	Synthesis and characterization of the first [Q] ⁺ [PhTeX ₄] ⁻ complex salt (Q=2-Brâ€“C ₅ NH ₅ ; Ph=C ₆ H ₅); Tj ETQq1 1.0.784314 rgBT /Ove	1.8	18
144	1-Acetyl-3-(p-chlorobenzyl)-4-(p-chlorobenzylidenamino)-4,5-dihydro-1H-1,2,4-triazol-5-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o750-o752.	0.2	10

#	ARTICLE	IF	CITATIONS
145	A new polymorph of fac-tris(4,6-dimethylpyrimidine-2-thiolato- λ^2 N,S)cobalt(III) monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m396-m398.	0.2	0
146	(OC-6-32)-Diaquabis(glycolato)cobalt(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m588-m590.	0.2	1
147	Rhenium(I)-Induced Cyclization of Thiosemicarbazones Derived from λ^2 -Keto Esters. <i>Inorganic Chemistry</i> , 2003, 42, 6395-6403.	1.9	39
148	Au \cdots O Interactions and others in triphenylphosphinegold(I) sulfanylpropenoates with diverse structures. <i>Dalton Transactions</i> , 2003, , 4754-4761.	1.6	21
149	Note: Synthesis of the Dinuclear Halogeno-Bridged Complexes $[\text{Re}_2(\lambda^1/4\text{-X})_2(\text{CO})_6(\text{CH}_3\text{CN})_2]$, (X = Cl, Br). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2003, 58, 1021-1023.	0.3	5
150	The Interaction of λ^1 -Hydroxycarboxylic Acids with Metal Ions: Lactic Acid (H2L1) and 2-Methylactic Acid (H2L2) with Cobalt(II) Crystal and Molecular Structures of $[\text{Co}(\text{HL1})_2(\text{H}_2\text{O})_2]\cdot\text{H}_2\text{O}$ and $[\text{Co}(\text{HL2})_2(\text{H}_2\text{O})_2]$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 468-472.	0.6	19
151	A New Preparative Route of the α -Stepped-Cubane \cdot Tetranuclear Copper(II) Compound, $[\text{Cu}_4(\lambda^1/4\text{-OH})_2(\lambda^1/4\text{-OH})_2\text{Cl}_2(\text{bipy})_4]\text{Cl}_2 \cdot 6\text{H}_2\text{O}$ Dedicated to Professor Joachim Strähle on the Occasion of his 65th Birthday. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 907.	0.6	10
152	The Coordination Chemistry of the Versatile Ligand Bis(2-pyridylthio)methane Dedicated to Professor Joachim Strähle on the Occasion of his 65th Birthday. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 939.	0.6	23
153	$[\text{Hg}_8(\lambda^1/4\text{-n-C}_3\text{H}_7\text{Te})_{12}(\lambda^1/4\text{-Br})\text{Br}_3] \cdot \text{H}_2\text{O}$ Synthesis and Structure. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 2815-2817.	0.6	16
154	2,5-Dihydro-3,4-dimethyl-5-oxo-1H-pyrazole-1-carbothioamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o787-o789.	0.2	5
155	4,4'-[2,2'-(Piperidine-1,4-diyl)diethylene]di(tosylimino)diphthalonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o896-o897.	0.2	1
156	4,4'-[2,2'-Methylenebis(4-chlorophenoxy)]diphthalonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o953-o955.	0.2	0
157	Organotin(IV) complexes of 4,6-dimethylpyrimidine-2-thione, Me2PymtH. Preparation, characterization and crystal structure determination of cis- $[\text{Ph}_2\text{Sn}(\text{Me}_2\text{Pymt})_2]$ and $[\text{Ph}_3\text{Sn}(\text{Me}_2\text{Pymt})]$. <i>Polyhedron</i> , 2002, 21, 1149-1153.	1.0	19
158	Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands. <i>Journal of Organometallic Chemistry</i> , 2002, 656, 1-10.	0.8	45
159	Crystal and molecular structure of $(\lambda^1\text{-naphthyl})\text{TeI}_3$. <i>Journal of Organometallic Chemistry</i> , 2002, 664, 306-309.	0.8	16
160	Reaction of Thiamine Diphosphate Hydrochloride (H3TDPCl) With Methylphenyltin(IV) Dichloride in Water. Molecular and Crystal Structures of the Oxygen \cdot Capped Cluster $[\{\text{SnMe}(\text{HTDP})(\text{OH})\}_3\text{O}](\text{OH})\cdot 21\text{H}_2\text{O}$, in Which Thiamine Diphosphate Coordinates via Its Terminal Phosphate Group. <i>Inorganic Chemistry</i> , 2001, 40, 946-951.	1.9	11
161	Coordination polymers of copper(II) based on mixed N- and O-donor ligands: the crystal structures of $[\text{CuL}_2(4,4'\text{-bipy})]_n$ (L=lactate or 2-methylactate). <i>Polyhedron</i> , 2001, 20, 899-904.	1.0	34
162	Methyl- and phenylmercury(II) complexes of 5-(4'-dimethylaminobenzylidene)rhodanine (HDABRd) and 5-(2'-thiophenomethylene)rhodanine (HTRd). The crystal and molecular structure of $[\text{HgPh}(\text{DABRd})]$ and $[\text{HgMe}(\text{TRd})]$. <i>Polyhedron</i> , 2001, 20, 1845-1850.	1.0	8

#	ARTICLE	IF	CITATIONS
163	Synthesis, structure and reactivity of bromo- and aquatricarbonylrhenium(I) phosphinite and phosphonite derivatives. <i>Polyhedron</i> , 2001, 20, 2371-2383.	1.0	20
164	Synthesis and characterization of a potassium complex of magnesium: $[K(HL)(OH_2)_2] \cdot [H_2L=4-(4\text{-nitrophenylazo})\text{resorcinol (magneson)}]$. <i>Polyhedron</i> , 2001, 20, 2415-2420.	1.0	10
165	Tetracarbonyl(diphenyldithiophosphinato-S, δ^2)rhenium(I). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 532-533.	0.4	2
166	Bis(acetato-O)diaqua(2,2 δ^2 -bipyridyl-N, δ^2)cobalt(II) (OC-13): a two-dimensional material. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, m597-m599.	0.2	3
167	Benzeneselenolates of Mercury(II). Crystal and Molecular Structures of $[Hg(SePh)_2]$ and $(Bu_4N)[Hg(SePh)_3]$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2000, 626, 784-788.	0.6	30
168	Dichlorobis(3,5-dimethylpyrazole-N2)methylphenyltin(IV). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 932-933.	0.4	2
169	(Dicyclohexyldithiophosphinato-S, δ^2)[2-(2-pyridyl-N)phenyl]mercury(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 182-183.	0.4	3
170	Reactions of diorganotin(IV) oxides with isatin 3- and 2-thiosemicarbazones and with isatin 2,3-bis(thiosemicarbazone): influence of diphenyldithiophosphinic acid (isatin δ^2 -1H-indole-2,3-dione). <i>Dalton Transactions RSC</i> , 2000, , 4056-4063.	2.3	35
171	Diorganotin(IV) complexes of imidazole-2-carbaldehyde thiosemicarbazone (H ₂ ImTSC). The crystal and molecular structures of the δ^2 -free ligand and of $[SnMe_2(ImTSC)]$. <i>Dalton Transactions RSC</i> , 2000, , 2267-2272.	2.3	34
172	Synthesis and characterization of the bromide and hydride derivatives of rhenium(I) 1,2-bis(diphenylphosphinite)ethane complexes. <i>Polyhedron</i> , 1999, 18, 1431-1436.	1.0	24
173	Electrochemical synthesis of nickel(II) complexes of tosylamides: crystal structures of [(4-methylphenyl)sulfonyl]-imino-1H-pyridine, 2,2 δ^2 -bipyridine bis{[(4-methylphenyl)sulfonyl]-2-pyridyl-amide}nickel(II) and 1,10-phenanthroline bis{[(4-methylphenyl)sulfonyl]-2-pyridyl-amide}nickel(II). <i>Polyhedron</i> , 1999, 18, 1669-1674.	1.0	41
174	Methylmercury and dimethylthallium complexes of 5-(4 δ^2 -dimethylaminobenzylidene)-2-thiohydantoin (HDABTd). <i>Polyhedron</i> , 1999, 18, 3653-3659.	1.0	12
175	Synthesis of phenethylenamides and their radical cyclization to 3-benzazepines. <i>Tetrahedron</i> , 1999, 55, 5599-5610.	1.0	45
176	Cadmium(II) complexes with [(4-methylphenyl)sulfonyl]-2-pyridyl-amine: crystal structures of bis{[(4-methylphenyl)sulfonyl]-2-pyridyl-amide}cadmium(II); aquo-bis(pyridine) bis{[(4-methylphenyl)sulfonyl]-2-pyridyl-amide}cadmium(II) and 1,10-phenanthroline bis{[(4-methylphenyl)sulfonyl]-2-pyridyl-amide}cadmium(II). <i>Inorganica Chimica Acta</i> , 1999, 294, 87-94.	1.2	26
177	Synthesis and crystal structure of (Z)-1-(phenylsulphenyl)-2-phenylethenyl p-toluenesulfonate. <i>Journal of Chemical Crystallography</i> , 1999, 29, 677-680.	0.5	2
178	Structures of Iodophenyltellurium(II) and Diiododi-(1 δ^2 -naphthyl)tellurium(IV). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1999, 625, 1401-1404.	0.6	53
179	N,N-Diethylmonothiocarbamates of group 12 metals. The crystal and molecular structures of the hexameric complex $[Hg\{S(O)CNEt_2\}_2]_6$. <i>Polyhedron</i> , 1998, 17, 2417-2424.	1.0	5

#	ARTICLE	IF	CITATIONS
181	Symmetrisation, isomerism and structural studies on novel phenylmercury(II) thiosemicarbonates: correlation of the energy barrier to rotation of the amino group with the bonding parameters of the thioamide group. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 4289-4300.	1.1	105
182	Protodemetalation of pyridinephenylmercury(II) compounds by diphenyldithiophosphinic acid. The molecular and crystal structure of [Hg ₂ (S ₂ PPh ₂) ₄]. <i>Inorganica Chimica Acta</i> , 1997, 256, 211-216.	1.2	15
183	Supramolecular self-organization in methyl(di phenylphos hinothioato)mercury(II), HgMeOPPh ₂ , a polymer containing 1 Hg ₂ O ₂ P ₂ S ₂ eight-membered rings interconnected through secondary Hg-Cl-O bonds. <i>Polyhedron</i> , 1997, 16, 781-787.	1.0	22
184	and [TiPh ₂ (S ₂ PEt ₂)]. <i>Polyhedron</i> , 1997, 16, 3609-3614.	1.0	8
185	Deprotonation reactions of 2-thiouracil with [2-(pyridin-2-yl)phenyl]mercury(II) acetate. Structural and spectroscopic effects. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 1973-1978.	1.1	26
186	The molecular structure of acetato[2-(pyridin-2-yl)phenyl]mercury(II). <i>Journal of Chemical Crystallography</i> , 1996, 26, 123-126.	0.5	7
187	The influence of hydrogen bonding, hydration and the R substituent on the structure of [SnR ₂ (Hmimt) ₄](NO ₃) ₂ complexes [Hmimt = 1-methyl-2(3H)-imidazolinethione]. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diphenyltin(IV) nitrate dihydrate. <i>Polyhedron</i> , 1996, 15, 891-896.	1.0	16
188	Diphenyldithiophosphinates of diphenylthallium(III). Crystal and molecular structure of [Et ₄ N][TiPh ₂ (S ₂ PPh ₂) ₂]. <i>Polyhedron</i> , 1996, 15, 861-865.	1.0	8
189	Synthesis, structure and spectral properties of [(HgPh) ₂ TbSMe]; a dinuclear 2-S-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism. <i>Journal of Organometallic Chemistry</i> , 1996, 525, 49-55.	0.8	16
190	The reaction of cadmium dicyclohexyldithiophosphinate with tributylphosphine. The crystal and molecular structures of tetrakis (dicyclohexyldithiophosphinato) dicadmium (II) chloroform solvate, [Cd ₂ (S ₂ PCy ₂) ₄] · CHCl ₃ , and of the tributylphosphine adduct [Cd(S ₂ PCy ₂) ₂ (PBu ₃)]. <i>Inorganica Chimica Acta</i> , 1995, 239, 87-91.	1.2	6
191	Crystal and molecular structure of diphenylthallium(III) tetraphenyldithioimidodiphosphinate, [TiPh ₂ {(SPPh ₂) ₂ N}], containing a new inorganic (carbon-free) TIS ₂ P ₂ N metallocycle. <i>Polyhedron</i> , 1995, 14, 805-809.	1.0	19
192	The X-ray crystal structure of bis(dicyclohexyldithiophosphato)cadmium(II). <i>Polyhedron</i> , 1995, 14, 2055-2058.	1.0	19
193	Protodemetalation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of [TiPh ₂ {S ₂ P(C ₆ H ₁₁) ₂ }], [TiPh{S ₂ P(C ₆ H ₁₁) ₂ } ₂] and [Ti{S ₂ P(C ₆ H ₁₁) ₂ } ₃] · CHCl ₃ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1403-1409.	1.1	19
194	Dicyclohexyldithiophosphinates and diethyldithiophosphinates of methylmercury(II) and phenylmercury(II): crystal and molecular structure of [HgPh(S ₂ PEt ₂)]. <i>Journal of Organometallic Chemistry</i> , 1994, 468, 1-6.	0.8	29
195	Crystal and molecular structure of spirobicyclic bis(tetraphenyldithioimidodiphosphinato)lead(II), [Pb(SPPh ₂) ₂ N] ₂ , containing a new inorganic (carbon-free) PbS ₂ P ₂ N chelate ring and Pb(I-6-C ₆ H ₅) interactions. <i>Polyhedron</i> , 1994, 13, 2873-2879.	1.0	52
196	Synthesis, crystal structure and spectroscopic properties of bis(diphenyldithiophosphinato)cadmium(II). <i>Inorganica Chimica Acta</i> , 1994, 219, 115-119.	1.2	29
197	Supramolecular self-organization in catena-poly [dimethyl(diphenylphosphinothioato)thallium(III)], [TlMe ₂ {S(O)PPh ₂ }] _n , a polymer with secondary interactions between the chain segments. <i>Polyhedron</i> , 1994, 13, 1805-1809.	1.0	23
198	Vibrational and NMR spectroscopic studies of cadmium(II) bis(dialkyl dithiophosphinates). <i>Inorganica Chimica Acta</i> , 1993, 209, 137-142.	1.2	17

#	ARTICLE	IF	CITATIONS
199	Dimethylthallium(iii) compounds of diphenyl dithiophosphinate. Crystal and molecular structure of [TlMe ₂ (S ₂ PPh ₂)] and [Et ₄ N][TlMe ₂ (S ₂ PPh ₂) ₂]. Polyhedron, 1992, 11, 2889-2896.	1.0	18
200	Phenylmercury(II) dithiophosphates. Crystal structure of (O,O'-diethyldithiophosphate) phenylmercury(II). Journal of Crystallographic and Spectroscopic Research, 1992, 22, 403-409.	0.3	17
201	Synthesis and structural characterization of diphenyldithiophosphinates of methyl- and phenylmercury(II). Crystal structure of MeHgS ₂ PPh ₂ . Journal of Organometallic Chemistry, 1991, 405, 67-74.	0.8	34