

Sarah Ettinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5273649/publications.pdf>

Version: 2024-02-01

23
papers

467
citations

687363

13
h-index

713466

21
g-index

25
all docs

25
docs citations

25
times ranked

573
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioabsorbable magnesium versus standard titanium compression screws for fixation of distal metatarsal osteotomies â€” 3 year results of a randomized clinical trial. <i>Journal of Orthopaedic Science</i> , 2018, 23, 321-327.	1.1	96
2	Early results using a biodegradable magnesium screw for modified chevron osteotomies. <i>Journal of Orthopaedic Research</i> , 2016, 34, 2207-2214.	2.3	83
3	Operative Treatment of the Insertional Achilles Tendinopathy Through a Transtendinous Approach. <i>Foot and Ankle International</i> , 2016, 37, 288-293.	2.3	56
4	Surgical Management of Charcot Deformity for the Foot and Ankleâ€”Radiologic Outcome After Internal/External Fixation. <i>Journal of Foot and Ankle Surgery</i> , 2016, 55, 522-528.	1.0	26
5	Results of HemiCAP Â® Implantation as a Salvage Procedure for Osteochondral Lesions of the Talus. <i>Journal of Foot and Ankle Surgery</i> , 2017, 56, 788-792.	1.0	22
6	Tibio-calcaneal arthrodesis as a limb salvage procedure for complex hindfoot deformities. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 457-462.	2.4	21
7	The value of arthroscopic neosynovium biopsies to diagnose periprosthetic knee joint low-grade infection. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1753-1759.	2.4	20
8	Placement of Plantar Plates for Lapidus Arthrodesis. <i>Foot and Ankle International</i> , 2016, 37, 427-432.	2.3	19
9	Concomitant ankle instability has a negative impact on the quality of life in patients with osteochondral lesions of the talus: data from the German Cartilage Registry (KnorpelRegister DGOU). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3339-3346.	4.2	19
10	Outcomes of Evans Versus Hintermann Calcaneal Lengthening Osteotomy for Flexible Flatfoot. <i>Foot and Ankle International</i> , 2019, 40, 661-671.	2.3	18
11	Does a foot-drop implant improve kinetic and kinematic parameters in the foot and ankle?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 499-506.	2.4	16
12	Short term results of dynamic splinting for hallux valgus â€” A prospective randomized study. <i>Foot and Ankle Surgery</i> , 2020, 26, 146-150.	1.7	15
13	Relevance of SPECT-CT in Complex Cases of Foot and Ankle Surgery: A Comparison With MRI. <i>Foot and Ankle Specialist</i> , 2020, 13, 451-462.	1.0	15
14	Stability of supramalleolar osteotomies using different implants in a sawbone model. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1359-1363.	2.4	8
15	Comparison of Isolated Screw to Plate and Screw Fixation for Tarsometatarsal Arthrodesis Including Clinical Outcome Predictors. <i>Foot and Ankle International</i> , 2021, 42, 734-743.	2.3	8
16	First Metatarsophalangeal Joint Arthrodesis: A Retrospective Comparison of Crossed-screws, Locking and Non-Locking Plate Fixation with Lag Screw. <i>Archives of Bone and Joint Surgery</i> , 2017, 5, 221-225.	0.2	8
17	Biomechanical Evaluation of Tarsometatarsal Fusion Comparing Crossing Lag Screws and Lag Screw With Locking Plate. <i>Foot and Ankle International</i> , 2022, 43, 77-85.	2.3	5
18	Biomechanical evaluation of naviculocuneiform fixation with lag screw and locking plates. <i>Foot and Ankle Surgery</i> , 2021, 27, 911-919.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Hip and knee effects after implantation of a drop foot stimulator. <i>Technology and Health Care</i> , 2017, 25, 599-606.	1.2	3
20	The computed tomography-based anatomy of the ossa cuneiformia. <i>Orthopedic Reviews</i> , 2019, 11, 7876.	1.3	2
21	The Ankle Spacerâ€™sâ€™ hemiarthroplasty for treatment of severe osteochondral defects of the talus. <i>Operative Orthopadie Und Traumatologie</i> , 2021, , 1.	2.2	1
22	Foot and Ankle Surgical Incision Closure with Three Different Materials. <i>Journal of Foot and Ankle Surgery</i> , 2021, , .	1.0	1
23	Feasibility and reliability of DEXA analysis after total ankle arthroplasty: A cadaver study. <i>Foot and Ankle Surgery</i> , 2021, 27, 110-115.	1.7	0