

# Bruno Grignard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5275132/publications.pdf>

Version: 2024-02-01

63  
papers

2,356  
citations

185998

28  
h-index

223531

46  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2038  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced and Reusable Poly(hydroxy urethane)-Based Low Temperature Hot-Melt Adhesives. ACS Polymers Au, 2022, 2, 194-207.	1.7	15
2	En Route to CO <sub>2</sub> -Based (a)Cyclic Carbonates and Polycarbonates from Alcohols Substrates by Direct and Indirect Approaches. Catalysts, 2022, 12, 124.	1.6	13
3	Divergent Aminolysis Approach for Constructing Recyclable Self-Blown Nonisocyanate Polyurethane Foams. ACS Macro Letters, 2022, 11, 236-242.	2.3	33
4	Cascade Transformation of Carbon Dioxide and Alkyne-1,2-diols into Densely Substituted Cyclic Carbonates. ACS Catalysis, 2022, 12, 2854-2860.	5.5	7
5	Exovinylene Cyclic Carbonates: Multifaceted CO <sub>2</sub> -Based Building Blocks for Modern Chemistry and Polymer Science. Angewandte Chemie - International Edition, 2022, 61, .	7.2	39
6	Exovinylene Cyclic Carbonates: Multifaceted CO <sub>2</sub> -Based Building Blocks for Modern Chemistry and Polymer Science. Angewandte Chemie, 2022, 134, .	1.6	4
7	Facile construction of functional poly(monothiocarbonate) copolymers under mild operating conditions. Polymer Chemistry, 2022, 13, 3076-3090.	1.9	7
8	Unifying Step-Growth Polymerization and On-Demand Cascade Ring-Closure Depolymerization via Polymer Skeletal Editing. Macromolecules, 2022, 55, 4637-4646.	2.2	4
9	Catalyst-Free Approach for the Degradation of Bio- and CO <sub>2</sub> -Sourced Polycarbonates: A Step toward a Circular Plastic Economy. ACS Sustainable Chemistry and Engineering, 2022, 10, 8863-8875.	3.2	7
10	Water-Borne Isocyanate-Free Polyurethane Hydrogels with Adaptable Functionality and Behavior. Macromolecular Rapid Communications, 2021, 42, e2000482.	2.0	17
11	Synergetic Effect of Dopamine and Alkoxysilanes in Sustainable Nonisocyanate Polyurethane Adhesives. Macromolecular Rapid Communications, 2021, 42, e2000538.	2.0	18
12	A supercritical fluid technology for liposome production and comparison with the film hydration method. International Journal of Pharmaceutics, 2021, 592, 120093.	2.6	30
13	Access to Biorenewable and CO <sub>2</sub> -Based Polycarbonates from Exovinylene Cyclic Carbonates. ACS Sustainable Chemistry and Engineering, 2021, 9, 1714-1728.	3.2	22
14	Functional Polyethylenes by Organometallic-Mediated Radical Polymerization of Biobased Carbonates. ACS Macro Letters, 2021, 10, 313-320.	2.3	14
15	Poly(hydroxyurethane) Adhesives and Coatings: State-of-the-Art and Future Directions. ACS Sustainable Chemistry and Engineering, 2021, 9, 9541-9562.	3.2	60
16	Self-foaming polymers: Opportunities for the next generation of personal protective equipment. Materials Science and Engineering Reports, 2021, 145, 100628.	14.8	42
17	Introducing Polyhydroxyurethane Hydrogels and Coatings for Formaldehyde Capture. ACS Applied Materials & Interfaces, 2021, 13, 54396-54408.	4.0	10
18	Advancing the Synthesis of Isocyanate-Free Poly(oxazolidones)s: Scope and Limitations. Macromolecules, 2020, 53, 6396-6408.	2.2	20

#	ARTICLE	IF	CITATIONS
19	Chemo- and Regioselective Additions of Nucleophiles to Cyclic Carbonates for the Preparation of Self-Blowing Non-isocyanate Polyurethane Foams. <i>Angewandte Chemie</i> , 2020, 132, 17181-17189.	1.6	20
20	A Catalytic Domino Approach toward Oxo-Alkyl Carbonates and Polycarbonates from CO <sub>2</sub> , Propargylic Alcohols, and (Mono- and Di-)Alcohols. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 9698-9710.	3.2	21
21	Chemo- and Regioselective Additions of Nucleophiles to Cyclic Carbonates for the Preparation of Self-Blowing Non-isocyanate Polyurethane Foams. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17033-17041.	7.2	60
22	Monocomponent Non-isocyanate Polyurethane Adhesives Based on a Sol-Gel Process. <i>ACS Applied Polymer Materials</i> , 2020, 2, 1839-1847.	2.0	35
23	Influence of the Cyclic versus Linear Carbonate Segments in the Properties and Performance of CO <sub>2</sub> -Sourced Polymer Electrolytes for Lithium Batteries. <i>ACS Applied Polymer Materials</i> , 2020, 2, 922-931.	2.0	36
24	Advances in the use of CO <sub>2</sub> as a renewable feedstock for the synthesis of polymers. <i>Chemical Society Reviews</i> , 2019, 48, 4466-4514.	18.7	438
25	A Switchable Domino Process for the Construction of Novel CO <sub>2</sub> -Sourced Sulfur-Containing Building Blocks and Polymers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11768-11773.	7.2	26
26	A Switchable Domino Process for the Construction of Novel CO <sub>2</sub> -Sourced Sulfur-Containing Building Blocks and Polymers. <i>Angewandte Chemie</i> , 2019, 131, 11894-11899.	1.6	8
27	Optimizing support properties of heterogeneous catalysts for the coupling of carbon dioxide with epoxides. <i>Chemical Engineering Journal</i> , 2019, 371, 719-729.	6.6	10
28	CO <sub>2</sub> -sourced polycarbonates as solid electrolytes for room temperature operating lithium batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9844-9853.	5.2	29
29	CO <sub>2</sub> -Sourced Non-isocyanate Poly(Urethane)s with pH-Sensitive Imine Linkages. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 355-365.	2.1	20
30	Heterogenization of a cyclocarbonation catalyst: Optimization and kinetic study. <i>Catalysis Today</i> , 2019, 334, 140-155.	2.2	10
31	Merging CO <sub>2</sub> -Based Building Blocks with Cobalt-Mediated Radical Polymerization for the Synthesis of Functional Poly(vinyl alcohol)s. <i>Macromolecules</i> , 2018, 51, 3379-3393.	2.2	18
32	Bio-based poly(hydroxyurethane) glues for metal substrates. <i>Polymer Chemistry</i> , 2018, 9, 2650-2659.	1.9	63
33	Boosting the Catalytic Performance of Organic Salts for the Fast and Selective Synthesis of $\alpha$ -Alkylidene Cyclic Carbonates from Carbon Dioxide and Propargylic Alcohols. <i>ChemCatChem</i> , 2018, 10, 2584-2592.	1.8	38
34	Tetrabutylammonium Salts: Cheap Catalysts for the Facile and Selective Synthesis of $\alpha$ -Alkylidene Cyclic Carbonates from Carbon Dioxide and Alkynols. <i>ChemCatChem</i> , 2018, 10, 956-960.	1.8	33
35	Catechol Containing Polyhydroxyurethanes as High-Performance Coatings and Adhesives. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14936-14944.	3.2	65
36	Organocatalytic Coupling of CO <sub>2</sub> with a Propargylic Alcohol: A Comprehensive Mechanistic Study. <i>ChemSusChem</i> , 2017, 10, 1241-1248.	3.6	32

#	ARTICLE	IF	CITATIONS
37	CO <sub>2</sub> -Sourced $\beta$ -Alkylidene Cyclic Carbonates: A Step Forward in the Quest for Functional Regioregular Poly(urethane)s and Poly(carbonate)s. <i>Angewandte Chemie</i> , 2017, 129, 10530-10534.	1.6	29
38	CO <sub>2</sub> -Sourced $\beta$ -Alkylidene Cyclic Carbonates: A Step Forward in the Quest for Functional Regioregular Poly(urethane)s and Poly(carbonate)s. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10394-10398.	7.2	109
39	Organocatalytic Coupling of CO <sub>2</sub> with Oxetane. <i>ChemSusChem</i> , 2017, 10, 1128-1138.	3.6	45
40	A photocleavable stabilizer for the preparation of PHEMA nanogels by dispersion polymerization in supercritical carbon dioxide. <i>Polymer Chemistry</i> , 2017, 8, 581-591.	1.9	7
41	Ring opening polymerization of $\beta$ -caprolactone in the presence of wet $\beta$ -cyclodextrin: effect of the operative pressure and of water molecules in the $\beta$ -cyclodextrin cavity. <i>RSC Advances</i> , 2016, 6, 90290-90299.	1.7	17
42	Cobalt-Mediated Radical Polymerization of Vinyl Acetate and Acrylonitrile in Supercritical Carbon Dioxide. <i>Macromolecular Rapid Communications</i> , 2016, 37, 539-544.	2.0	16
43	Fluorinated Alcohols as Activators for the Solvent-Free Chemical Fixation of Carbon Dioxide into Epoxides. <i>ChemSusChem</i> , 2015, 8, 1845-1849.	3.6	102
44	Small-Angle X-ray Scattering Insights into the Architecture-Dependent Emulsifying Properties of Amphiphilic Copolymers in Supercritical Carbon Dioxide. <i>Journal of Physical Chemistry B</i> , 2015, 119, 1706-1716.	1.2	15
45	Gold Nanorods with Phase-Changing Polymer Corona for Remotely Near-Infrared-Triggered Drug Release. <i>Chemistry - an Asian Journal</i> , 2014, 9, 275-288.	1.7	34
46	Block, random and palm-tree amphiphilic fluorinated copolymers: controlled synthesis, surface activity and use as dispersion polymerization stabilizers. <i>Polymer Chemistry</i> , 2014, 5, 5273-5282.	1.9	22
47	Metal-Free Strategies for the Synthesis of Functional and Well-Defined Polyphosphoesters. <i>Macromolecules</i> , 2012, 45, 4476-4486.	2.2	121
48	Synthesis of microsphere-loaded porous polymers by combining emulsion and dispersion polymerisations in supercritical carbon dioxide. <i>Chemical Communications</i> , 2012, 48, 8356.	2.2	15
49	Online Monitoring of Heterogeneous Polymerizations in Supercritical Carbon Dioxide by Raman Spectroscopy. <i>ChemPhysChem</i> , 2012, 13, 2666-2670.	1.0	13
50	Electrospinning of a Functional Perfluorinated Block Copolymer as a Powerful Route for Imparting Superhydrophobicity and Corrosion Resistance to Aluminum Substrates. <i>Langmuir</i> , 2011, 27, 335-342.	1.6	90
51	One-pot dispersion ATRP and alkyne-azide Huisgen's 1,3-dipolar cycloaddition in supercritical carbon dioxide: Towards the formation of functional microspheres. <i>Journal of Supercritical Fluids</i> , 2010, 53, 151-155.	1.6	22
52	Correlation between Superhydrophobicity and the Power Spectral Density of Randomly Rough Surfaces. <i>Langmuir</i> , 2010, 26, 17798-17803.	1.6	21
53	Dispersion nitroxide mediated polymerization of methyl methacrylate in supercritical carbon dioxide using in situ formed stabilizers. <i>Polymer Chemistry</i> , 2010, 1, 837.	1.9	22
54	Superhydrophobic Aluminum Surfaces by Deposition of Micelles of Fluorinated Block Copolymers. <i>Langmuir</i> , 2010, 26, 2057-2067.	1.6	42

#	ARTICLE	IF	CITATIONS
55	First example of a copper(i) catalyzed azide-alkyne cycloaddition in supercritical carbon dioxide: application to the functionalization of aliphatic polyesters. <i>Green Chemistry</i> , 2009, 11, 1525.	4.6	18
56	Atom transfer radical polymerization of MMA with a macromolecular ligand in a fluorinated solvent and in supercritical carbon dioxide. <i>European Polymer Journal</i> , 2008, 44, 861-871.	2.6	36
57	Supported ATRP of fluorinated methacrylates in supercritical carbon dioxide: preparation of scCO <sub>2</sub> soluble polymers with low catalytic residues. <i>Chemical Communications</i> , 2008, , 5803.	2.2	16
58	Synthesis of Biodegradable Poly- $\epsilon$ -caprolactone Microspheres by Dispersion Ring-Opening Polymerization in Supercritical Carbon Dioxide. <i>Biomacromolecules</i> , 2008, 9, 3141-3149.	2.6	17
59	Copper bromide complexed by fluorinated macroligands: towards microspheres by ATRP of vinyl monomers in scCO <sub>2</sub> . <i>Chemical Communications</i> , 2008, , 314-316.	2.2	29
60	Dispersion Atom Transfer Radical Polymerization of Vinyl Monomers in Supercritical Carbon Dioxide. <i>Macromolecules</i> , 2008, 41, 8575-8583.	2.2	50
61	Structure and Properties of a Semifluorinated Diblock Copolymer Modified Epoxy Blend. <i>Macromolecules</i> , 2007, 40, 4068-4074.	2.2	88
62	Controlled synthesis of carboxylic acid end-capped poly(heptadecafluorodecyl acrylate) and copolymers with 2-hydroxyethyl acrylate. <i>Journal of Polymer Science Part A</i> , 2007, 45, 1499-1506.	2.5	29
63	Fast and Facile One-Pot One-Step Preparation of Nonisocyanate Polyurethane Hydrogels in Water at Room Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 0, , .	3.2	7