Holendro Singh Chungkham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5275399/publications.pdf

Version: 2024-02-01

26 707 15 23 g-index

26 26 26 26 1011

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Office design's impact on sick leave rates. Ergonomics, 2014, 57, 139-147.	1.1	109
2	Nurses' practice environment and satisfaction with schedule flexibility is related to intention to leave due to dissatisfaction: A multi-country, multilevel study. International Journal of Nursing Studies, 2016, 58, 47-58.	2.5	78
3	Factor Structure and Longitudinal Measurement Invariance of the Demand Control Support Model: An Evidence from the Swedish Longitudinal Occupational Survey of Health (SLOSH). PLoS ONE, 2013, 8, e70541.	1.1	70
4	Nurses' Practice Environment and Work-Family Conflict in Relation to Burn Out: A Multilevel Modelling Approach. PLoS ONE, 2014, 9, e96991.	1.1	70
5	The Role of Sleep Disturbances in the Longitudinal Relationship Between Psychosocial Working Conditions, Measured by Work Demands and Support, and Depression. Sleep, 2014, 37, 1977-1985.	0.6	38
6	The impact of involuntary exit from employment in later life on the risk of major depression and being prescribed anti-depressant medication. Aging and Mental Health, 2015, 19, 381-389.	1.5	36
7	Religion, spirituality, social support and quality of life: measurement and predictors CASP-12(v2) amongst older Ethiopians living in Addis Ababa. Aging and Mental Health, 2015, 19, 610-621.	1.5	34
8	Hospital organizational factors influence work–family conflict in registered nurses: Multilevel modeling of a nation-wide cross-sectional survey in Sweden. International Journal of Nursing Studies, 2014, 51, 744-751.	2.5	31
9	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. European Journal of Public Health, 2019, 29, 267-272.	0.1	28
10	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. Occupational and Environmental Medicine, 2018, 75, 486-493.	1.3	26
11	Quality of Life amongst Older Brazilians: A Cross-Cultural Validation of the CASP-19 into Brazilian-Portuguese. PLoS ONE, 2014, 9, e94289.	1.1	25
12	Work–home interference and its prospective relation to major depression and treatment with antidepressants. Scandinavian Journal of Work, Environment and Health, 2014, 40, 66-73.	1.7	25
13	Threats of dismissal and symptoms of major depression: a study using repeat measures in the Swedish working population. Journal of Epidemiology and Community Health, 2015, 69, 963-969.	2.0	22
14	Place, community education, gender and child mortality in North-east India. Population, Space and Place, 2006, 12, 65-76.	1.2	21
15	Birth interval and childhood undernutrition: Evidence from a large scale survey in India. Clinical Epidemiology and Global Health, 2020, 8, 1189-1194.	0.9	18
16	Inpatient length of stay: a finite mixture modeling analysis. European Journal of Health Economics, 2010, 11, 119-126.	1.4	17
17	Physical occupational exposures and health expectancies in a French occupational cohort. Occupational and Environmental Medicine, 2017, 74, 176-183.	1.3	16
18	Purchases of prescription antidepressants in the Swedish population in relation to major workplace downsizing. Epidemiology, 2015, 27, 1.	1.2	15

#	Article	lF	Citations
19	Psychosocial work characteristics, sleep disturbances and risk of subsequent depressive symptoms: a study of timeâ€varying effect modification. Journal of Sleep Research, 2017, 26, 266-276.	1.7	8
20	A structured additive modeling of diabetes and hypertension in Northeast India. PLoS ONE, 2022, 17, e0262560.	1.1	7
21	Longitudinal Mediation Modeling of Unhealthy Behaviors as Mediators between Workplace Demands/Support and Depressive Symptoms. PLoS ONE, 2016, 11, e0169276.	1.1	6
22	The public-private differential in health care and health-care costs in India: the case of inpatients. Zeitschrift Fur Gesundheitswissenschaften, 2009, 17, 401-407.	0.8	5
23	Identifying the latent classes of modifiable risk behaviours among diabetic and hypertensive individuals in Northeastern India: a population-based cross-sectional study. BMJ Open, 2022, 12, e053757.	0.8	2
24	Lessons and future research directions from work environment research in India. , 2017, , .		0
25	Introduction: Work, stress and health in India. , 2017, , .		O
26	Work, stress and health: Theories and models. , 2017, , .		0