

So-Young Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5275957/publications.pdf>

Version: 2024-02-01

118
papers

3,898
citations

126907

33
h-index

144013

57
g-index

119
all docs

119
docs citations

119
times ranked

6122
citing authors

#	ARTICLE	IF	CITATIONS
1	Peroxiredoxin 2 deficiency does not affect insulin resistance and oxidative stress in high-fat diet-fed obese mice. <i>Archives of Physiology and Biochemistry</i> , 2022, 128, 859-868.	2.1	2
2	Journal title changes from <i>Yeungnam University Journal of Medicine</i> to <i>Journal of Yeungnam Medical Science</i> . , 2022, 39, 1-2.		1
3	Characterization of adipose depot-specific stromal cell populations by single-cell mass cytometry. <i>IScience</i> , 2022, 25, 104166.	4.1	5
4	MIF1 and MIF2 Myostatin Peptide Inhibitors as Potent Muscle Mass Regulators. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4222.	4.1	7
5	Simultaneous monitoring of the middle cerebral and basilar arteries to detect right-to-left shunts using transcranial Doppler by agitated saline administration. <i>Scientific Reports</i> , 2022, 12, 6658.	3.3	0
6	Drug-Induced Vitamin Deficiency. , 2022, 14, 20-31.		1
7	Particulate-Based Single-Dose Local Immunosuppressive Regimen for Inducing Tolerogenic Dendritic Cells in Xenogeneic Islet Transplantation. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001157.	7.6	12
8	Methionine sulfoxide reductase B3 deficiency inhibits the development of diet-induced insulin resistance in mice. <i>Redox Biology</i> , 2021, 38, 101823.	9.0	6
9	Targeting integrins for cancer management using nanotherapeutic approaches: Recent advances and challenges. <i>Seminars in Cancer Biology</i> , 2021, 69, 325-336.	9.6	38
10	Targeting and clearance of senescent foamy macrophages and senescent endothelial cells by antibody-functionalized mesoporous silica nanoparticles for alleviating aorta atherosclerosis. <i>Biomaterials</i> , 2021, 269, 120677.	11.4	54
11	Can antioxidants be effective therapeutics for type 2 diabetes?. <i>Yeungnam University Journal of Medicine</i> , 2021, 38, 83-94.	1.4	11
12	An Analysis on Distribution of Handgrip Strength and Associated Factors in Korean Adults. <i>Korean Journal of Clinical Pharmacy</i> , 2021, 31, 231-236.	0.3	1
13	Isolation and Characterization of Compounds from <i>Glycyrrhiza uralensis</i> as Therapeutic Agents for the Muscle Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 876.	4.1	21
14	Mitochondrial dysfunction in skeletal muscle contributes to the development of acute insulin resistance in mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1925-1939.	7.3	33
15	Inhibiting serotonin signaling through HTR2B in visceral adipose tissue improves obesity-related insulin resistance. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	16
16	Peroxiredoxin2 Deficiency Aggravates Aging-Induced Insulin Resistance and Declines Muscle Strength. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 147-154.	3.6	14
17	Beta-lapachone attenuates immobilization-induced skeletal muscle atrophy in mice. <i>Experimental Gerontology</i> , 2019, 126, 110711.	2.8	5
18	Selenoprotein W deficiency does not affect oxidative stress and insulin sensitivity in the skeletal muscle of high-fat diet-fed obese mice. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C1172-C1182.	4.6	12

#	ARTICLE	IF	CITATIONS
19	FMK, an Inhibitor of p90RSK, Inhibits High Glucose-Induced TXNIP Expression via Regulation of ChREBP in Pancreatic β Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4424.	4.1	7
20	Adipose sirtuin 6 drives macrophage polarization toward M2 through IL-4 production and maintains systemic insulin sensitivity in mice and humans. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-10.	7.7	25
21	Obesity and Erectile Dysfunction: From Bench to Clinical Implication. <i>World Journal of Men's Health</i> , 2019, 37, 138.	3.3	40
22	Transthyretin Maintains Muscle Homeostasis through the Novel Shuttle Pathway of Thyroid Hormones during Myoblast Differentiation. <i>Cells</i> , 2019, 8, 1565.	4.1	15
23	Embryonic Stem Cell-Derived mmu-miR-291a-3p Inhibits Cellular Senescence in Human Dermal Fibroblasts Through the TGF- β Receptor 2 Pathway. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1359-1367.	3.6	51
24	Succinate induces hepatic fibrogenesis by promoting activation, proliferation, and migration, and inhibiting apoptosis of hepatic stellate cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 673-678.	2.1	44
25	Metformin ameliorates activation of hepatic stellate cells and hepatic fibrosis by succinate and GPR91 inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2649-2656.	2.1	36
26	Clusterin deficiency induces lipid accumulation and tissue damage in kidney. <i>Journal of Endocrinology</i> , 2018, 237, 175-191.	2.6	9
27	Fibromodulin and regulation of the intricate balance between myoblast differentiation to myocytes or adipocyte-like cells. <i>FASEB Journal</i> , 2018, 32, 768-781.	0.5	41
28	Multifaceted Interweaving Between Extracellular Matrix, Insulin Resistance, and Skeletal Muscle. <i>Cells</i> , 2018, 7, 148.	4.1	50
29	Elicitor treatment potentiates the preventive effect of <i>Saururus chinensis</i> leaves on stress-induced gastritis. <i>Applied Biological Chemistry</i> , 2018, 61, 423-431.	1.9	6
30	Udenafil, a Phosphodiesterase 5 Inhibitor, Reduces Body Weight in High-Fat-Fed Mice. <i>World Journal of Men's Health</i> , 2018, 36, 41.	3.3	10
31	LY2405319, an analog of fibroblast growth factor 21 ameliorates β -smooth muscle actin production through inhibition of the succinate-G-protein couple receptor 91 (GPR91) pathway in mice. <i>PLoS ONE</i> , 2018, 13, e0192146.	2.5	21
32	Polymeric microsphere-facilitated site-specific delivery of quercetin prevents senescence of pancreatic islets in vivo and improves transplantation outcomes in mouse model of diabetes. <i>Acta Biomaterialia</i> , 2018, 75, 287-299.	8.3	29
33	Epac2a-knockout mice are resistant to dexamethasone-induced skeletal muscle atrophy and short-term cold stress. <i>BMB Reports</i> , 2018, 51, 39-44.	2.4	5
34	Nutritional regulation of renal lipogenic factor expression in mice: comparison to regulation in the liver and skeletal muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F887-F898.	2.7	5
35	Myeloid Sirtuin 6 Deficiency Causes Insulin Resistance in High-Fat Diet-Fed Mice by Eliciting Macrophage Polarization Toward an M1 Phenotype. <i>Diabetes</i> , 2017, 66, 2659-2668.	0.6	91
36	Methionine sulfoxide reductase B1 deficiency does not increase high-fat diet-induced insulin resistance in mice. <i>Free Radical Research</i> , 2017, 51, 24-37.	3.3	8

#	ARTICLE	IF	CITATIONS
37	Transthyretin: A Transporter Protein Essential for Proliferation of Myoblast in the Myogenic Program. <i>International Journal of Molecular Sciences</i> , 2017, 18, 115.	4.1	12
38	Response: Regulating Hypothalamus Gene Expression in Food Intake: Dietary Composition or Calorie Density? (<i>Diabetes Metab J</i> 2017;41:121-7). <i>Diabetes and Metabolism Journal</i> , 2017, 41, 225.	4.7	0
39	Regulating Hypothalamus Gene Expression in Food Intake: Dietary Composition or Calorie Density?. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 121.	4.7	4
40	Effect of High Glucose on MUC5B Expression in Human Airway Epithelial Cells. <i>Clinical and Experimental Otorhinolaryngology</i> , 2017, 10, 77-84.	2.1	1
41	Synchronized Cell Cycle Arrest Promotes Osteoclast Differentiation. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1292.	4.1	11
42	Inhibition of Pyruvate Dehydrogenase Kinase 2 Protects Against Hepatic Steatosis Through Modulation of Tricarboxylic Acid Cycle Anaplerosis and Ketogenesis. <i>Diabetes</i> , 2016, 65, 2876-2887.	0.6	53
43	Fibromodulin: a master regulator of myostatin controlling progression of satellite cells through a myogenic program. <i>FASEB Journal</i> , 2016, 30, 2708-2719.	0.5	63
44	Hepatic expression of cytochrome P450 in Zucker diabetic fatty rats. <i>Food and Chemical Toxicology</i> , 2016, 96, 244-253.	3.6	16
45	Delphinidin prevents high glucose-induced cell proliferation and collagen synthesis by inhibition of NOX-1 and mitochondrial superoxide in mesangial cells. <i>Journal of Pharmacological Sciences</i> , 2016, 130, 235-243.	2.5	18
46	Interleukin-10 deficiency aggravates angiotensin II-induced cardiac remodeling in mice. <i>Life Sciences</i> , 2016, 146, 214-221.	4.3	17
47	CCL5 Inhibits Elevation of Blood Pressure and Expression of Hypertensive Mediators in Developing Hypertension State Spontaneously Hypertensive Rats. <i>Journal of Bacteriology and Virology</i> , 2015, 45, 138.	0.1	4
48	Hexane Extract of <i>Orthosiphon stamineus</i> Induces Insulin Expression and Prevents Glucotoxicity in INS-1 Cells. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 51.	4.7	8
49	TLR2 deficiency attenuates skeletal muscle atrophy in mice. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 534-540.	2.1	26
50	Inhibitory effects of (α)-loliolide on cellular senescence in human dermal fibroblasts. <i>Archives of Pharmacal Research</i> , 2015, 38, 876-884.	6.3	21
51	Inhibitory Activities of Ethanol Extracts from <i>Saururus chinensis</i> L. against Stress-Induced Hemorrhagic Gastritis. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2015, 44, 800-808.	0.9	3
52	Efficient Delivery of Plasmid DNA Using Cholesterol-Based Cationic Lipids Containing Polyamines and Ether Linkages. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7293-7312.	4.1	14
53	Effect of Exercise Intensity on Unfolded Protein Response in Skeletal Muscle of Rat. <i>Korean Journal of Physiology and Pharmacology</i> , 2014, 18, 211.	1.2	32
54	Inhibitory effects of juglanin on cellular senescence in human dermal fibroblasts. <i>Journal of Natural Medicines</i> , 2014, 68, 473-480.	2.3	29

#	ARTICLE	IF	CITATIONS
55	Deficiency of Clusterin Exacerbates High-Fat Diet-Induced Insulin Resistance in Male Mice. <i>Endocrinology</i> , 2014, 155, 2089-2101.	2.8	29
56	Quercetin-3-O- β -D-glucuronide isolated from <i>Polygonum aviculare</i> inhibits cellular senescence in human primary cells. <i>Archives of Pharmacal Research</i> , 2014, 37, 1219-1233.	6.3	26
57	Inhibition of CYP4A Reduces Hepatic Endoplasmic Reticulum Stress and Features of Diabetes in Mice. <i>Gastroenterology</i> , 2014, 147, 860-869.	1.3	47
58	Hemin Improves Insulin Sensitivity in Skeletal Muscle in High Fat-Fed Mice. <i>Journal of Pharmacological Sciences</i> , 2014, 126, 115-125.	2.5	16
59	Insulin-like growth factor-1 induces MUC8 and MUC5B expression via ERK1 and p38 MAPK in human airway epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 430, 683-688.	2.1	21
60	Hemin, heme oxygenase-1 inducer, attenuates immobilization-induced skeletal muscle atrophy in mice. <i>Life Sciences</i> , 2013, 92, 740-746.	4.3	17
61	Combined Treatment of Betulinic Acid, a PTP1B Inhibitor, with <i>Orthosiphon stamineus</i> Extract Decreases Body Weight in High-Fat-Fed Mice. <i>Journal of Medicinal Food</i> , 2013, 16, 2-8.	1.5	15
62	IGFBP5 mediates high glucose-induced cardiac fibroblast activation. <i>Journal of Molecular Endocrinology</i> , 2013, 50, 291-303.	2.5	33
63	Estrogen Rather Than Progesterone Cause Constipation in Both Female and Male Mice. <i>Korean Journal of Physiology and Pharmacology</i> , 2013, 17, 423.	1.2	32
64	Effect of <i>Onchocerca volvulus</i> Chitinase on MUC5B Expression in Human Airway Epithelial Cells. <i>American Journal of Rhinology and Allergy</i> , 2013, 27, 3-7.	2.0	8
65	Effect of Epigallocatechin-3-Gallate on PMA-Induced MUC5B Expression in Human Airway Epithelial Cells. <i>Clinical and Experimental Otorhinolaryngology</i> , 2013, 6, 237.	2.1	8
66	Deficiency of inducible nitric oxide synthase attenuates immobilization-induced skeletal muscle atrophy in mice. <i>Journal of Applied Physiology</i> , 2012, 113, 114-123.	2.5	20
67	Inhibition of fatty acid translocase cluster determinant 36 (CD36), stimulated by hyperglycemia, prevents glucotoxicity in INS-1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 420, 462-466.	2.1	28
68	Intracerebroventricular Injection of Metformin Induces Anorexia in Rats. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 293.	4.7	29
69	AMPK induces MUC5B expression via p38 MAPK in NCI-H292 airway epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 669-674.	2.1	17
70	Individual Variation in Growth Factor Concentrations in Platelet-rich Plasma and Its Influence on Human Mesenchymal Stem Cells. <i>Annals of Laboratory Medicine</i> , 2011, 31, 212-218.	2.5	93
71	ATP-Sensitive Potassium Channel-Deficient Mice Show Hyperphagia but Are Resistant to Obesity. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 219.	4.7	18
72	Reparixin, an Inhibitor of CXCR1 and CXCR2 Receptor Activation, Attenuates Blood Pressure and Hypertension-Related Mediators Expression in Spontaneously Hypertensive Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 120-127.	1.4	23

#	ARTICLE	IF	CITATIONS
73	Lack of Inducible Nitric Oxide Synthase Prevents Lipid-Induced Skeletal Muscle Insulin Resistance Without Attenuating Cytokine Level. <i>Journal of Pharmacological Sciences</i> , 2011, 117, 77-86.	2.5	14
74	Inhibition of Inducible Nitric Oxide Synthase Attenuates Monosodium Urate-induced Inflammation in Mice. <i>Korean Journal of Physiology and Pharmacology</i> , 2011, 15, 363.	1.2	8
75	Effect of Geranium Essential Oil on Food Intake via Olfactory Stimulus. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 766.	0.2	5
76	Lack of inducible nitric oxide synthase does not prevent aging-associated insulin resistance. <i>Experimental Gerontology</i> , 2010, 45, 711-718.	2.8	19
77	Metformin Inhibits Isoproterenol-induced Cardiac Hypertrophy in Mice. <i>Korean Journal of Physiology and Pharmacology</i> , 2010, 14, 377.	1.2	33
78	Adiponectin inhibits palmitate-induced apoptosis through suppression of reactive oxygen species in endothelial cells: involvement of cAMP/protein kinase A and AMP-activated protein kinase. <i>Journal of Endocrinology</i> , 2010, 207, 35-44.	2.6	83
79	The Effect of Metformin on Liver Lipid Accumulation in Mice Fed a High-fat Diet. <i>Journal of the Korean Society for Applied Biological Chemistry</i> , 2010, 53, 198-205.	0.9	6
80	Inducible Nitric Oxide Synthase Deficiency in Myeloid Cells Does Not Prevent Diet-Induced Insulin Resistance. <i>Molecular Endocrinology</i> , 2010, 24, 1413-1422.	3.7	19
81	Leptin up-regulates MUC5B expression in human airway epithelial cells via mitogen-activated protein kinase pathway. <i>Experimental Lung Research</i> , 2010, 36, 262-269.	1.2	38
82	Deficiency of iNOS Does Not Prevent Isoproterenol-induced Cardiac Hypertrophy in Mice. <i>Korean Journal of Physiology and Pharmacology</i> , 2009, 13, 153.	1.2	7
83	COMP-angiopoietin-1 enhances skeletal muscle blood flow and insulin sensitivity in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E402-E409.	3.5	22
84	The Effect of Black Tea on Biomarkers of Metabolic Syndrome in High Fat Diet Fed Rats. <i>Journal of the Korean Society for Applied Biological Chemistry</i> , 2009, 52, 193-197.	0.9	3
85	Inhibition of Lipid Infusion-Induced Skeletal Muscle Insulin Resistance by Cotreatment With Tempol and Glutathione in Mice. <i>Journal of Pharmacological Sciences</i> , 2009, 110, 370-380.	2.5	22
86	AMPK activator, AICAR, inhibits palmitate-induced apoptosis in osteoblast. <i>Bone</i> , 2008, 43, 394-404.	2.9	80
87	Effect of Different Bone Substitutes on the Concentration of Growth Factors in Platelet-rich Plasma. <i>Journal of Biomaterials Applications</i> , 2008, 22, 545-557.	2.4	7
88	AMP-Activated Protein Kinase Activation by 5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside (AICAR) Inhibits Palmitate-Induced Endothelial Cell Apoptosis Through Reactive Oxygen Species Suppression. <i>Journal of Pharmacological Sciences</i> , 2008, 106, 394-403.	2.5	88
89	Motor Control Via Spared Peri-infarct Corticospinal Tract in Patients With Pontine Infarct. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 159-162.	0.9	3
90	Naloxone Increases the Anorexic Effect of MTH in OLETF Rats. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 18.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Effect of Bone Marrow Cell Collection Techniques and Donor Site Locations on In-Vitro Growth of Bone Forming Cells. <i>Asian Spine Journal</i> , 2008, 2, 59.	2.0	3
92	The Effect of Leptin Level Fluctuations by a Repeated Fasting/Refeeding on the Leptin Sensitivity in OLETF Rats. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 310.	0.1	4
93	Hyperglycemia, maturity-onset obesity, and insulin resistance in NONcNZO10/LtJ males, a new mouse model of type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E327-E336.	3.5	51
94	Lignans from <i>Arctium lappa</i> and Their Inhibition of LPS-Induced Nitric Oxide Production. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 150-152.	1.3	76
95	Metformin Restores the Penile Expression of Nitric Oxide Synthase in High-Fat-Fed Obese Rats. <i>Journal of Andrology</i> , 2007, 28, 555-560.	2.0	34
96	Time-Course Changes of Hormones and Cytokines by Lipopolysaccharide and Its Relation with Anorexia. <i>Journal of Physiological Sciences</i> , 2007, 57, 159-165.	2.1	46
97	Metformin Restores Leptin Sensitivity in High-Fat-Fed Obese Rats With Leptin Resistance. <i>Diabetes</i> , 2006, 55, 716-724.	0.6	130
98	Age-associated changes in fat metabolism in the rat and its relation to sympathetic activity. <i>Life Sciences</i> , 2006, 79, 2228-2233.	4.3	23
99	Mechanism of glucose intolerance in mice with dominant negative mutation of CEACAM1. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E517-E524.	3.5	42
100	Regulation of Metabolic Responses by Adipocyte/ Macrophage Fatty Acid-Binding Proteins in Leptin-Deficient Mice. <i>Diabetes</i> , 2006, 55, 1915-1922.	0.6	85
101	Hormone-sensitive lipase knockout mice have increased hepatic insulin sensitivity and are protected from short-term diet-induced insulin resistance in skeletal muscle and heart. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E30-E39.	3.5	79
102	Caveolin-3 knockout mice show increased adiposity and whole body insulin resistance, with ligand-induced insulin receptor instability in skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 288, C1317-C1331.	4.6	94
103	Cardiac-Specific Overexpression of Peroxisome Proliferator-Activated Receptor- α Causes Insulin Resistance in Heart and Liver. <i>Diabetes</i> , 2005, 54, 2514-2524.	0.6	113
104	Adipocyte-Specific Overexpression of FOXC2 Prevents Diet-Induced Increases in Intramuscular Fatty Acyl CoA and Insulin Resistance. <i>Diabetes</i> , 2005, 54, 1657-1663.	0.6	68
105	Unraveling the Temporal Pattern of Diet-Induced Insulin Resistance in Individual Organs and Cardiac Dysfunction in <i>scp</i> ^{c57bl/6} Mice. <i>Diabetes</i> , 2005, 54, 3530-3540.	0.6	251
106	Interrelation between long-chain fatty acid oxidation rate and carnitine palmitoyltransferase 1 activity with different isoforms in rat tissues. <i>Life Sciences</i> , 2005, 77, 435-443.	4.3	33
107	Leptin-like effects of MTII are augmented in MSG-obese rats. <i>Regulatory Peptides</i> , 2005, 127, 63-70.	1.9	26
108	Syntaxin 4 Transgenic Mice Exhibit Enhanced Insulin-Mediated Glucose Uptake in Skeletal Muscle. <i>Diabetes</i> , 2004, 53, 2223-2231.	0.6	58

#	ARTICLE	IF	CITATIONS
109	Cardiac-specific Knock-out of Lipoprotein Lipase Alters Plasma Lipoprotein Triglyceride Metabolism and Cardiac Gene Expression. <i>Journal of Biological Chemistry</i> , 2004, 279, 25050-25057.	3.4	107
110	Differential Effects of Interleukin-6 and -10 on Skeletal Muscle and Liver Insulin Action In Vivo. <i>Diabetes</i> , 2004, 53, 1060-1067.	0.6	459
111	Lidocaine Instilled into the Endotracheal Tube Suppresses the Cough Reflex during Emergence and Extubation. <i>Daehan Macwi'gwa Haghoeji</i> , 2002, 42, 36.	0.2	0
112	Effect of High Fat Diet on Insulin Resistance: Dietary Fat Versus Visceral Fat Mass. <i>Journal of Korean Medical Science</i> , 2001, 16, 386.	2.5	16
113	Change in activity of the sympathetic nervous system in diet-induced obese rats. <i>Journal of Korean Medical Science</i> , 2000, 15, 635.	2.5	1
114	Effects of BCG, lymphotoxin and bee venom on insulinitis and development of IDDM in non-obese diabetic mice. <i>Journal of Korean Medical Science</i> , 1999, 14, 648.	2.5	19
115	Increased binding at 5-HT1A, 5-HT1B, and 5-HT2A receptors and 5-HT transporters in diet-induced obese rats. <i>Brain Research</i> , 1999, 847, 90-97.	2.2	59
116	Effects of Regular Treadmill Running on GLUT4 Protein of Skeletal Muscle in STZ-diabetic Rats. <i>Yeungnam University Journal of Medicine</i> , 1998, 15, 341.	0.1	0
117	Obesity and Erectile Dysfunction: From Bench to Clinical Implication. <i>World Journal of Men's Health</i> , 0, 36, .	3.3	0
118	Myostatin and its Regulation: A Comprehensive Review of Myostatin Inhibiting Strategies. <i>Frontiers in Physiology</i> , 0, 13, .	2.8	19