
Erica Schytt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5276375/publications.pdf Version: 2024-02-01



FDICA SCHVTT

1	Gestational diabetes mellitus by maternal country of birth and length of residence in immigrant women in Norway. Diabetic Medicine, 2021, 38, e14493.	2.3	
			19
2	Placental abruption in immigrant women in Norway: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 658-665.	2.8	9
3	The community-based bilingual doula – A new actor filling gaps in labour care for migrant women. Findings from a qualitative study of midwives' and obstetricians' experiences. Sexual and Reproductive Healthcare, 2021, 28, 100614.	1.2	6
4	Community-based bilingual doulas for migrant women in labour and birth – findings from a Swedish register-based cohort study. BMC Pregnancy and Childbirth, 2020, 20, 721.	2.4	9
5	Community-based doula support for migrant women during labour and birth: study protocol for a randomised controlled trial in Stockholm, Sweden (NCT03461640). BMJ Open, 2020, 10, e031290.	1.9	9
6	Epidural analgesia for labour pain in nulliparous women in Norway in relation to maternal country of birth and migration related factors. Sexual and Reproductive Healthcare, 2020, 26, 100553.	1.2	9
7	Country of first birth and neonatal outcomes in migrant and Norwegian-born parous women in Norway: a population-based study. BMC Health Services Research, 2020, 20, 540.	2.2	8
8	Paternal country of origin and adverse neonatal outcomes in births to foreign-born women in Norway: A population-based cohort study. PLoS Medicine, 2020, 17, e1003395.	8.4	8
9	Title is missing!. , 2020, 17, e1003395.		0
10	Title is missing!. , 2020, 17, e1003395.		0
11	Title is missing!. , 2020, 17, e1003395.		0
12	Title is missing!. , 2020, 17, e1003395.		0
13	Title is missing!. , 2020, 17, e1003395.		0
14	Title is missing!. , 2020, 17, e1003395.		0
15	Title is missing!. , 2020, 17, e1003395.		0
16	Preconception Folic Acid Supplement Use in Immigrant Women (1999–2016). Nutrients, 2019, 11, 2300.	4.1	8
17	Stillbirth in relation to maternal country of birth and other migration related factors: a population-based study in Norway. BMC Pregnancy and Childbirth, 2019, 19, 5.	2.4	44
18	Antenatal care for Somali-born women in Sweden: Perspectives from mothers, fathers and midwives. Midwifery, 2019, 74, 107-115.	2.3	32

ERICA SCHYTT

#	Article	IF	CITATIONS
19	Rationale, development and feasibility of group antenatal care for immigrant women in Sweden: a study protocol for the Hooyo Project. BMJ Open, 2019, 9, e030314.	1.9	6
20	Preeclampsia by maternal reasons for immigration: a population-based study. BMC Pregnancy and Childbirth, 2018, 18, 423.	2.4	17
21	Caesarean Birth is Associated with Both Maternal and Paternal Origin in Immigrants in Sweden: a Populationâ€Based Study. Paediatric and Perinatal Epidemiology, 2017, 31, 509-521.	1.7	23
22	Acupuncture with manual and electrical stimulation for labour pain: a two month follow up of recollection of pain and birth experience. BMC Complementary and Alternative Medicine, 2015, 15, 180.	3.7	8
23	First-time fathers' expectations and experiences of childbirth in relation to age. Midwifery, 2014, 30, 82-88.	2.3	30
24	Satisfaction with life during pregnancy and early motherhood in first-time mothers of advanced age: a population-based longitudinal study. BMC Pregnancy and Childbirth, 2014, 14, 86.	2.4	25
25	Acupuncture with manual and electrical stimulation for labour pain: a longitudinal randomised controlled trial. BMC Complementary and Alternative Medicine, 2014, 14, 187.	3.7	27
26	Experience of childbirth in first-time mothers of advanced age – a Norwegian population-based study. BMC Pregnancy and Childbirth, 2013, 13, 53.	2.4	18
27	Manual and Electroacupuncture for Labour Pain: Study Design of a Longitudinal Randomized Controlled Trial. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-9.	1.2	7
28	Characteristics of women who are pregnant with their first baby at an advanced age. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 353.	2.8	50
29	Physical and emotional self-rated health among Swedish women and men during pregnancy and the first year of parenthood. Sexual and Reproductive Healthcare, 2011, 2, 57-64.	1.2	63
30	Epidural analgesia for labor pain: whose choice?. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 238-242.	2.8	32
31	Selfâ€rated health – what does it capture at 1 year after childbirth? Investigation of a survey question employing thinkaloud interviews. Scandinavian Journal of Caring Sciences, 2009, 23, 711-720.	2.1	14
32	A comparison of Swedish and English primiparae's experiences of birth. Journal of Reproductive and Infant Psychology, 2008, 26, 277-294.	1.8	8
33	Risk Factors for Poor Self-Rated Health in Women at 2 Months and 1 Year after Childbirth. Journal of Women's Health, 2007, 16, 390-405.	3.3	79
34	First time mothers' pregnancy and birth experiences varying by age. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 1328-1336.	2.8	40
35	Physical symptoms after childbirth: prevalence and associations with self-rated health. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 210-217.	2.3	121
36	Symptoms of stress incontinence 1 year after childbirth: prevalence and predictors in a national Swedish sample. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 928-936.	2.8	78

#	Article	IF	CITATIONS
37	Symptoms of stress incontinence 1 year after childbirth: prevalence and predictors in a national Swedish sample. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 928-936.	2.8	31