

Kazuhide Kamiya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5276391/publications.pdf>

Version: 2024-02-01

74
papers

4,807
citations

201575

27
h-index

91828

69
g-index

80
all docs

80
docs citations

80
times ranked

7022
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterometallic Benzenhexathiolato Coordination Nanosheets: Periodic Structure Improves Crystallinity and Electrical Conductivity. <i>Advanced Materials</i> , 2022, 34, e2106204.	11.1	24
2	Two-Dimensional Metal-Organic Framework Acts as a Hydrogen Evolution Cocatalyst for Overall Photocatalytic Water Splitting. <i>ACS Catalysis</i> , 2022, 12, 3881-3889.	5.5	32
3	Coordination chemistry for innovative carbon-related materials. <i>Coordination Chemistry Reviews</i> , 2022, 466, 214577.	9.5	5
4	Slip-Stacking of Benzothiadiazole Can Provide a Robust Structural Motif for Porous Hydrogen-Bonded Organic Frameworks. <i>Crystal Growth and Design</i> , 2022, 22, 4472-4479.	1.4	2
5	Synthesis and electrocatalysis of ordered carbonaceous frameworks from Ni porphyrin with four ethynyl groups. <i>Catalysis Today</i> , 2022, , .	2.2	1
6	CO ₂ Electrolysis in Integrated Artificial Photosynthesis Systems. <i>Chemistry Letters</i> , 2021, 50, 166-179.	0.7	17
7	Iron porphyrin-derived ordered carbonaceous frameworks. <i>Catalysis Today</i> , 2021, 364, 164-171.	2.2	12
8	Metal-doped bipyridine linked covalent organic framework films as a platform for photoelectrocatalysts. <i>Journal of Materials Chemistry A</i> , 2021, 9, 11073-11080.	5.2	25
9	Force-responsive ordered carbonaceous frameworks synthesized from Ni-porphyrin. <i>Chemical Communications</i> , 2021, 57, 6007-6010.	2.2	10
10	Effect of Cobalt Speciation and the Graphitization of the Carbon Matrix on the CO ₂ Electroreduction Activity of Co/N-Doped Carbon Materials. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 15122-15131.	4.0	13
11	Sn Atoms on Cu Nanoparticles for Suppressing Competitive H ₂ Evolution in CO ₂ Electrolysis. <i>ACS Applied Nano Materials</i> , 2021, 4, 4994-5003.	2.4	16
12	Isotopic Depth Profiling of Discharge Products Identifies Reactive Interfaces in an Aprotic Li-O ₂ Battery with a Redox Mediator. <i>Journal of the American Chemical Society</i> , 2021, 143, 7394-7401.	6.6	29
13	Rational Design of Electrocatalysts Comprising Single-Atom-Modified Covalent Organic Frameworks for the N ₂ Reduction Reaction: A First-Principles Study. <i>Journal of Physical Chemistry C</i> , 2021, 125, 10983-10990.	1.5	22
14	Grafting chelating groups on 2D carbon for selective heavy metal adsorption. <i>Nanoscale Advances</i> , 2021, 3, 5823-5829.	2.2	2
15	Rational Molecular Design of Electrocatalysts Based on Single-Atom Modified Covalent Organic Frameworks for Efficient Oxygen Reduction Reaction. <i>ACS Applied Energy Materials</i> , 2020, 3, 1644-1652.	2.5	44
16	Selective single-atom electrocatalysts: a review with a focus on metal-doped covalent triazine frameworks. <i>Chemical Science</i> , 2020, 11, 8339-8349.	3.7	53
17	Dynamic Changes in Charge Transfer Resistances during Cycling of Aprotic Li-O ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42803-42810.	4.0	10
18	Synergistic Effect of Binary Electrolyte on Enhancement of the Energy Density in Li-O ₂ Batteries. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 7657-7663.	2.1	5

#	ARTICLE	IF	CITATIONS
19	Glycerol Oxidation Catalyzed by High-valency Ruthenium Species at Electrochemical Interfaces. <i>Chemistry Letters</i> , 2020, 49, 513-516.	0.7	3
20	Carbon-rich materials with three-dimensional ordering at the angstrom level. <i>Chemical Science</i> , 2020, 11, 5866-5873.	3.7	28
21	Aqueous Electrochemical Partial Oxidation of Gaseous Ethylbenzene by a Ru-Modified Covalent Triazine Framework. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 29376-29382.	4.0	5
22	“Click”™ conjugated porous polymer nanofilm with a large domain size created by a liquid/liquid interfacial protocol. <i>Chemical Communications</i> , 2020, 56, 3677-3680.	2.2	5
23	Light-Intensity-Responsive Changes of Products in Photocatalytic Reduction of Nitrous Acid on a Cu-Doped Covalent Triazine Framework-TiO ₂ Hybrid. <i>ChemSusChem</i> , 2020, 13, 3462-3468.	3.6	16
24	Synthesis of Ordered Carbonaceous Framework with Microporosity from Porphyrin with Ethynyl Groups. <i>Chemistry Letters</i> , 2020, 49, 619-623.	0.7	14
25	Development of Robust Electrocatalysts Comprising Single-atom Sites with Designed Coordination Environments. <i>Electrochemistry</i> , 2020, 88, 489-496.	0.6	5
26	Electrochemical CO ₂ Reduction Using Gas Diffusion Electrode Loading Ni-doped Covalent Triazine Frameworks in Acidic Electrolytes. <i>Electrochemistry</i> , 2020, 88, 359-364.	0.6	17
27	Metal-Doped Bipyridine-Linked Covalent Organic Framework Nanosheets As a Novel Platform for Photoelectrocatalysts. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3872-3872.	0.0	0
28	Aqueous Electrochemical Partial Oxidation of Hydrocarbons By a Gas Diffusion Electrode Carrying Ru-Doped Covalent Triazine Framework. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2846-2846.	0.0	0
29	Electrochemical Reduction of CO ₂ Using Carbon-Based Materials Modified with 3d-Metal Atoms As Electrocatalysts. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3142-3142.	0.0	0
30	The endogenous redox rhythm is controlled by a central circadian oscillator in cyanobacterium <i>Synechococcus elongatus</i> PCC7942. <i>Photosynthesis Research</i> , 2019, 142, 203-210.	1.6	5
31	Negative differential resistance as a critical indicator for the discharge capacity of lithium-oxygen batteries. <i>Nature Communications</i> , 2019, 10, 596.	5.8	16
32	Electrochemical impedance analysis of the Li/Au-Li ₇ La ₃ Zr ₂ O ₁₂ interface during Li dissolution/deposition cycles: Effect of pre-coating Li ₇ La ₃ Zr ₂ O ₁₂ with Au. <i>Journal of Electroanalytical Chemistry</i> , 2019, 835, 143-149.	1.9	33
33	Electrochemical Formation of Fe(IV)=O Derived from H ₂ O ₂ on a Hematite Electrode as an Active Catalytic Site for Selective Hydrocarbon Oxidation Reactions. <i>ChemPhysChem</i> , 2019, 20, 648-650.	1.0	12
34	Electrochemical Formation of Fe(IV)=O Derived from H ₂ O ₂ on a Hematite Electrode as an Active Catalytic Site for Selective Hydrocarbon Oxidation Reactions. <i>ChemPhysChem</i> , 2019, 20, 647-647.	1.0	0
35	Expansion of the Potential Region for Sustained Discharge of Non-aqueous Li-O ₂ Batteries Using an Oxygen-enriched Carbon Cathode. <i>Chemistry Letters</i> , 2019, 48, 562-565.	0.7	8
36	Selective Reduction of Nitrate by a Local Cell Catalyst Composed of Metal-Doped Covalent Triazine Frameworks. <i>ACS Catalysis</i> , 2018, 8, 2693-2698.	5.5	41

#	ARTICLE	IF	CITATIONS
37	Electrochemical biotechnologies minimizing the required electrode assemblies. <i>Current Opinion in Biotechnology</i> , 2018, 50, 182-188.	3.3	29
38	Sulfur-Linked Covalent Triazine Frameworks Doped with Coordinatively Unsaturated Cu(I) as Electrocatalysts for Oxygen Reduction. <i>ChemElectroChem</i> , 2018, 5, 805-810.	1.7	26
39	Cooperative Electrocatalytic Reduction of Nitrobenzene to Aniline in Aqueous Solution by Copper-modified Covalent Triazine Framework. <i>Chemistry Letters</i> , 2018, 47, 304-307.	0.7	11
40	Covalent triazine framework modified with coordinatively-unsaturated Co or Ni atoms for CO ₂ electrochemical reduction. <i>Chemical Science</i> , 2018, 9, 3941-3947.	3.7	164
41	Dynamic changes in charge-transfer resistance at Li metal/Li ₇ La ₃ Zr ₂ O ₁₂ interfaces during electrochemical Li dissolution/deposition cycles. <i>Journal of Power Sources</i> , 2018, 376, 147-151.	4.0	95
42	Covalent organic frameworks (COFs) to create new catalytic materials. <i>Impact</i> , 2018, 2018, 57-59.	0.0	3
43	Photo-induced direct interfacial charge transfer at TiO ₂ modified with hexacyanoferrate(III). <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 1153-1156.	1.6	2
44	Critical Indicator Determining the Discharge Capacity of Li-Oxygen Batteries. <i>ECS Meeting Abstracts</i> , 2018, , .	0.0	0
45	Oxygen-Tolerant Electrodes with Single-Atom Platinum Modified Covalent Triazine Frameworks for the Hydrogen Oxidation Reaction. <i>ECS Meeting Abstracts</i> , 2018, , .	0.0	0
46	Specific Interaction between Redox Phospholipid Polymers and Plastoquinone in Photosynthetic Electron Transport Chain. <i>ChemPhysChem</i> , 2017, 18, 878-881.	1.0	8
47	Real-time monitoring of intracellular redox changes in <i>Methylococcus capsulatus</i> (Bath) for efficient bioconversion of methane to methanol. <i>Bioresource Technology</i> , 2017, 241, 1157-1161.	4.8	18
48	Effects of contaminant water on coulombic efficiency of lithium deposition/dissolution reactions in tetraglyme-based electrolytes. <i>Journal of Power Sources</i> , 2017, 350, 73-79.	4.0	34
49	Ru atom-modified covalent triazine framework as a robust electrocatalyst for selective alcohol oxidation in aqueous electrolytes. <i>Chemical Communications</i> , 2017, 53, 10437-10440.	2.2	45
50	Synthesis of ordered carbonaceous frameworks from organic crystals. <i>Nature Communications</i> , 2017, 8, 109.	5.8	60
51	Selective electrochemical reduction of nitrogen oxides by covalent triazine frameworks modified with single Pt atoms. <i>Journal of Electroanalytical Chemistry</i> , 2017, 800, 54-59.	1.9	24
52	Catalytic methane combustion over iron/nitrogen-doped silicon carbide. <i>RSC Advances</i> , 2016, 6, 85559-85563.	1.7	3
53	Oxygen-Tolerant Electrodes with Platinum-Loaded Covalent Triazine Frameworks for the Hydrogen Oxidation Reaction. <i>Angewandte Chemie</i> , 2016, 128, 13378-13382.	1.6	25
54	Oxygen-Tolerant Electrodes with Platinum-Loaded Covalent Triazine Frameworks for the Hydrogen Oxidation Reaction. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13184-13188.	7.2	134

#	ARTICLE	IF	CITATIONS
55	Nickelâ€Nitrogenâ€Modified Graphene: An Efficient Electrocatalyst for the Reduction of Carbon Dioxide to Carbon Monoxide. <i>Small</i> , 2016, 12, 6083-6089.	5.2	228
56	Electrocatalytic Reduction of Nitrate to Nitrous Oxide by a Copper-Modified Covalent Triazine Framework. <i>Journal of Physical Chemistry C</i> , 2016, 120, 15729-15734.	1.5	117
57	Efficient oxygen reduction reaction electrocatalysts synthesized from an iron-coordinated aromatic polymer framework. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3858-3864.	5.2	20
58	Copperâ€Modified Covalent Triazine Frameworks as Nonâ€Nobleâ€Metal Electrocatalysts for Oxygen Reduction. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11068-11072.	7.2	237
59	Efficient Bifunctional Fe/C/N Electrocatalysts for Oxygen Reduction and Evolution Reaction. <i>Journal of Physical Chemistry C</i> , 2015, 119, 2583-2588.	1.5	150
60	Heat-treated 3,5-diamino-1,2,4-triazole/graphene hybrid functions as an oxygen reduction electrocatalyst with high activity and stability. <i>Electrochimica Acta</i> , 2015, 180, 173-177.	2.6	28
61	In Situ CO ₂ -Emission Assisted Synthesis of Molybdenum Carbonitride Nanomaterial as Hydrogen Evolution Electrocatalyst. <i>Journal of the American Chemical Society</i> , 2015, 137, 110-113.	6.6	278
62	Platinum-modified covalent triazine frameworks hybridized with carbon nanoparticles as methanol-tolerant oxygen reduction electrocatalysts. <i>Nature Communications</i> , 2014, 5, 5040.	5.8	289
63	Graphene Defects as Active Catalytic Sites that are Superior to Platinum Catalysts in Electrochemical Nitrate Reduction. <i>ChemElectroChem</i> , 2014, 1, 858-862.	1.7	28
64	Ironâ€Nitrogen Coordination in Modified Graphene Catalyzes a Fourâ€Electronâ€Transfer Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2014, 1, 877-884.	1.7	16
65	Nitrogen-doped carbon nanomaterials as non-metal electrocatalysts for water oxidation. <i>Nature Communications</i> , 2013, 4, 2390.	5.8	923
66	Hydrogen Evolution by Tungsten Carbonitride Nanoelectrocatalysts Synthesized by the Formation of a Tungsten Acid/Polymer Hybrid Inâ€Situ. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13638-13641.	7.2	133
67	Instantaneous one-pot synthesis of Feâ€N-modified graphene as an efficient electrocatalyst for the oxygen reduction reaction in acidic solutions. <i>Chemical Communications</i> , 2012, 48, 10213.	2.2	106
68	Acceleration effect of adsorbed thiocyanate ions on electrodeposition of CuSCN, causing spontaneous electrochemical oscillation. <i>Chemical Physics Letters</i> , 2012, 530, 77-80.	1.2	21
69	Photocatalytic and Electrochemical Characterizations of Cu(II)-Grafted TiO ₂ . <i>Electrochemistry</i> , 2011, 79, 793-796.	0.6	11
70	Bistability in the surface dipole of silicon grafted with copper nanoparticles: An in-situ electrochemical MIR-FTIR study. <i>Electrochemistry Communications</i> , 2011, 13, 1447-1450.	2.3	0
71	Characterization of Cr(III)-grafted TiO ₂ for photocatalytic reaction under visible light. <i>Applied Catalysis B: Environmental</i> , 2010, 96, 142-147.	10.8	78
72	Direct electron-transfer conduits constructed at the interface between multicopper oxidase and nanocrystalline semiconductive Fe oxides. <i>Chemical Physics Letters</i> , 2010, 498, 307-311.	1.2	12

#	ARTICLE	IF	CITATIONS
73	Visible Light-Sensitive Cu(II)-Grafted TiO ₂ Photocatalysts: Activities and X-ray Absorption Fine Structure Analyses. Journal of Physical Chemistry C, 2009, 113, 10761-10766.	1.5	393
74	Efficient visible light-sensitive photocatalysts: Grafting Cu(II) ions onto TiO ₂ and WO ₃ photocatalysts. Chemical Physics Letters, 2008, 457, 202-205.	1.2	468