

# Richard A Layfield

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5276880/publications.pdf>

Version: 2024-02-01

101  
papers

9,127  
citations

117625

34  
h-index

40979

93  
g-index

130  
all docs

130  
docs citations

130  
times ranked

4888  
citing authors

#	ARTICLE	IF	CITATIONS
1	f-Element Organometallic Single-Molecule Magnets. , 2022, , 211-248.		1
2	Dominance of Cyclobutadienyl Over Cyclopentadienyl in the Crystal Field Splitting in Dysprosium Single-Molecule Magnets. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	6
3	Dominance of Cyclobutadienyl Over Cyclopentadienyl in the Crystal Field Splitting in Dysprosium Single-Molecule Magnets. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	32
4	Discovery of a Dysprosium Metallocene Single-Molecule Magnet with Two High-Temperature Orbach Processes. <i>Inorganic Chemistry</i> , 2022, 61, 6017-6025.	4.0	28
5	Spin-Crossover Properties of an Iron(II) Coordination Nanohoop. <i>Angewandte Chemie</i> , 2021, 133, 3557-3560.	2.0	0
6	Spin-Crossover Properties of an Iron(II) Coordination Nanohoop. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3515-3518.	13.8	14
7	Synthesis, bonding properties and ether activation reactivity of cyclobutadienyl-ligated hybrid uranocenes. <i>Chemical Science</i> , 2021, 12, 2948-2954.	7.4	11
8	Synthesis and single-molecule magnet properties of a trimetallic dysprosium metallocene cation. <i>Chemical Communications</i> , 2021, 57, 6396-6399.	4.1	17
9	Isolation of a Perfectly Linear Uranium(II) Metallocene. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 2299-2303.	13.8	60
10	Isolation of a Perfectly Linear Uranium(II) Metallocene. <i>Angewandte Chemie</i> , 2020, 132, 2319-2323.	2.0	4
11	Double Ligand Activation in Silyl-Substituted Rare-Earth Cyclobutadienyl Complexes. <i>Organometallics</i> , 2020, 39, 8-12.	2.3	18
12	Carbonyl Back-Bonding Influencing the Rate of Quantum Tunnelling in a Dysprosium Metallocene Single-Molecule Magnet. <i>Inorganic Chemistry</i> , 2020, 59, 642-647.	4.0	16
13	Uranium( <sup>IV</sup> ) cyclobutadienyl sandwich compounds: synthesis, structure and chemical bonding. <i>Chemical Communications</i> , 2020, 56, 944-947.	4.1	24
14	Ethene Activation and Catalytic Hydrogenation by a Low-Valent Uranium Pentalene Complex. <i>Journal of the American Chemical Society</i> , 2020, 142, 89-92.	13.7	18
15	Berichtigung: A Dysprosium Metallocene Single-Molecule Magnet Functioning at the Axial Limit. <i>Angewandte Chemie</i> , 2020, 132, 19004-19004.	2.0	0
16	Fulvalene as a platform for the synthesis of a dimetallic dysprosocenium single-molecule magnet. <i>Chemical Science</i> , 2020, 11, 5745-5752.	7.4	33
17	Enhanced single-molecule magnetism in dysprosium complexes of a pristine cyclobutadienyl ligand. <i>Chemical Communications</i> , 2020, 56, 4708-4711.	4.1	30
18	Coupling of Nitric Oxide and Release of Nitrous Oxide from Rare-Earth-Dinitrosyliron Complexes. <i>Journal of the American Chemical Society</i> , 2020, 142, 4104-4107.	13.7	9

#	ARTICLE	IF	CITATIONS
19	Electronic structure and magnetic properties of rare-earth organometallic sandwich compounds. <i>Fundamental Theories of Physics</i> , 2019, , 89-121.	0.3	2
20	Lanthanide Organometallics as Single-Molecule Magnets. <i>Topics in Organometallic Chemistry</i> , 2019, , 253-280.	0.7	9
21	Main Group Chemistry at the Interface with Molecular Magnetism. <i>Chemical Reviews</i> , 2019, 119, 8479-8505.	47.7	159
22	Uranocenium: Synthesis, Structure, and Chemical Bonding. <i>Angewandte Chemie</i> , 2019, 131, 10269-10273.	2.0	11
23	Uranocenium: Synthesis, Structure, and Chemical Bonding. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10163-10167.	13.8	34
24	From double-shelled grids to supramolecular frameworks. <i>Chemical Communications</i> , 2018, 54, 12097-12100.	4.1	30
25	Magnetic hysteresis up to 80 kelvin in a dysprosium metallocene single-molecule magnet. <i>Science</i> , 2018, 362, 1400-1403.	12.6	1,337
26	Rare-Earth Cyclobutadienyl Sandwich Complexes: Synthesis, Structure and Dynamic Magnetic Properties. <i>Chemistry - A European Journal</i> , 2018, 24, 16779-16782.	3.3	40
27	Single-molecule magnet properties of a monometallic dysprosium pentalene complex. <i>Chemical Communications</i> , 2018, 54, 7085-7088.	4.1	36
28	New Talent: Europe, 2018. <i>Dalton Transactions</i> , 2018, 47, 10319-10319.	3.3	2
29	Geoff Cloke at 65: a pioneer in organometallic chemistry. <i>Dalton Transactions</i> , 2018, 47, 9929-9933.	3.3	1
30	Cyclopentadienyl Ligands in Lanthanide Single-Molecule Magnets: One Ring To Rule Them All?. <i>Accounts of Chemical Research</i> , 2018, 51, 1880-1889.	15.6	198
31	Strong direct exchange coupling and single-molecule magnetism in indigo-bridged lanthanide dimers. <i>Chemical Communications</i> , 2017, 53, 3130-3133.	4.1	124
32	A Dysprosium Metallocene Single-Molecule Magnet Functioning at the Axial Limit. <i>Angewandte Chemie</i> , 2017, 129, 11603-11607.	2.0	149
33	Antimony-ligated dysprosium single-molecule magnets as catalysts for stibine dehydrocoupling. <i>Chemical Science</i> , 2017, 8, 2073-2080.	7.4	77
34	A Zinc Catalyzed C(sp <sup>3</sup> )-C(sp <sup>2</sup> ) Suzuki-Miyaura Cross-Coupling Reaction Mediated by Arylzincates. <i>Chemistry - A European Journal</i> , 2017, 23, 15889-15893.	3.3	32
35	Thermal expansion and magnetic properties of benzoquinone-bridged dinuclear rare-earth complexes. <i>Dalton Transactions</i> , 2017, 46, 13582-13589.	3.3	19
36	Activation of C-H bonds by rare-earth metallocene-butyl complexes. <i>Chemical Communications</i> , 2017, 53, 9990-9993.	4.1	16

#	ARTICLE	IF	CITATIONS
37	A Dysprosium Metallocene Single-Molecule Magnet Functioning at the Axial Limit. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 11445-11449.	13.8	888
38	Innenr¼cktitelbild: Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex ( <i>Angew. Chem.</i> 18/2016). <i>Angewandte Chemie</i> , 2016, 128, 5701-5701.	2.0	0
39	Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex. <i>Angewandte Chemie</i> , 2016, 128, 5611-5615.	2.0	23
40	Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5521-5525.	13.8	53
41	Magnetic frustration in a hexaazatrinaphthylene-bridged trimetallic dysprosium single-molecule magnet. <i>Dalton Transactions</i> , 2016, 45, 16556-16560.	3.3	30
42	A Low-Symmetry Dysprosium Metallocene Single-Molecule Magnet with a High Anisotropy Barrier. <i>Angewandte Chemie</i> , 2016, 128, 11248-11251.	2.0	35
43	A Low-Symmetry Dysprosium Metallocene Single-Molecule Magnet with a High Anisotropy Barrier. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 11082-11085.	13.8	162
44	A three-coordinate iron-silylene complex stabilized by ligand-ligand dispersion forces. <i>Dalton Transactions</i> , 2016, 45, 11301-11305.	3.3	23
45	Iron- and Cobalt-Catalyzed Synthesis of Carbene Phosphinidenes. <i>Angewandte Chemie</i> , 2016, 128, 1722-1725.	2.0	18
46	Iron- and Cobalt-Catalyzed Synthesis of Carbene Phosphinidenes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1690-1693.	13.8	63
47	Magneto-structural correlations in arsenic- and selenium-ligated dysprosium single-molecule magnets. <i>Chemical Science</i> , 2016, 7, 2128-2137.	7.4	105
48	Yttrium Complexes of Arsine, Arsenide, and Arsinidene Ligands. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4255-4258.	13.8	28
49	Directed Lithiation of Pentadienylsilanes. <i>Organometallics</i> , 2015, 34, 2348-2355.	2.3	7
50	Influencing the properties of dysprosium single-molecule magnets with phosphorus donor ligands. <i>Nature Communications</i> , 2015, 6, 7492.	12.8	126
51	Molecular and electronic structures of donor-functionalized dysprosium pentadienyl complexes. <i>Dalton Transactions</i> , 2015, 44, 7109-7113.	3.3	17
52	Open-shell doublet character in a hexaazatrinaphthylene trianion complex. <i>Chemical Communications</i> , 2015, 51, 11478-11481.	4.1	23
53	Divalent Transition Metal Silylamide Ate Complexes. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 4302-4309.	2.0	24
54	Addition of pnictogen atoms to chromium(II): synthesis, structure and magnetic properties of a chromium(IV) phosphide and a chromium(III) arsenide. <i>Chemical Science</i> , 2014, 5, 2443-2448.	7.4	10

#	ARTICLE	IF	CITATIONS
55	Fast magnetic relaxation in an octahedral dysprosium tetramethyl-aluminate complex. Dalton Transactions, 2014, 43, 3035-3038.	3.3	47
56	Organometallic Single-Molecule Magnets. Organometallics, 2014, 33, 1084-1099.	2.3	352
57	Reactivity of three-coordinate iron <sup>II</sup> -NHC complexes towards phenylselenol and lithium phenylselenide. Dalton Transactions, 2014, 43, 4251-4254.	3.3	22
58	Carbene Rearrangements in Three-Coordinate N-Heterocyclic Carbene Complexes of Cobalt(II) Bis(trimethylsilyl)amide. Inorganic Chemistry, 2014, 53, 10578-10584.	4.0	38
59	Chapter 5. Highlights in low-coordinate group 14 organometallic chemistry. Organometallic Chemistry, 2014, , 148-164.	0.6	2
60	Structural Influences in Lithium Pentadienylsilane Complexes. Organometallics, 2013, 32, 4448-4451.	2.3	9
61	Normal-to-Abnormal Rearrangement and NHC Activation in Three-Coordinate Iron(II) Carbene Complexes. Journal of the American Chemical Society, 2013, 135, 13338-13341.	13.7	110
62	A hydride-ligated dysprosium single-molecule magnet. Chemical Communications, 2013, 49, 901-903.	4.1	75
63	Transmetalation of Chromocene by Lithium-Amide, -Phosphide, and -Arsenide Nucleophiles. Inorganic Chemistry, 2013, 52, 3878-3883.	4.0	12
64	Exchange-coupled oxygen- and sulfur-bridged cyclopentadienyl-manganese(ii) cages. Dalton Transactions, 2013, 42, 71-74.	3.3	6
65	Lanthanide Single-Molecule Magnets. Chemical Reviews, 2013, 113, 5110-5148.	47.7	2,379
66	Single-Molecule Magnetism in Tetrametallic Terbium and Dysprosium Thiolate Cages. Organometallics, 2013, 32, 1224-1229.	2.3	67
67	Single-molecule magnetism in cyclopentadienyl-dysprosium chlorides. Chemical Communications, 2012, 48, 1508-1510.	4.1	136
68	Frontiers in Molecular Main Group Chemistry: a web themed issue. Chemical Communications, 2012, 48, 10161.	4.1	0
69	Spin crossover in phosphorus- and arsenic-bridged cyclopentadienyl-manganese(ii) dimers. Chemical Communications, 2012, 48, 8087.	4.1	26
70	N-Heterocyclic carbene chemistry of iron: fundamentals and applications. Chemical Communications, 2012, 48, 3579.	4.1	183
71	Synthesis, Structure, and Paramagnetism of Manganese(II) Iminophosphate Complexes. Inorganic Chemistry, 2012, 51, 9104-9109.	4.0	7
72	A High Anisotropy Barrier in a Sulfur-Bridged Organodysprosium Single-Molecule Magnet. Angewandte Chemie - International Edition, 2012, 51, 6976-6980.	13.8	254

#	ARTICLE	IF	CITATIONS
73	Synthesis and structure of cationic guanidinate-bridged bimetallic {Li <sub>7</sub> M} cubes (M = Mn, Co, Zn) with inverse crown counter anions. Dalton Transactions, 2011, 40, 10918.	3.3	9
74	Benzotriazolate cage complexes of tin(ii) and lithium: halide-influenced serendipitous assembly. Dalton Transactions, 2011, 40, 7559.	3.3	5
75	A donor-functionalized, silyl-substituted pentadienyllithium: structural insight from experiment and theory. Chemical Communications, 2011, 47, 6162.	4.1	14
76	Iron(II) Cage Complexes of N-Heterocyclic Amide and Bis(trimethylsilyl)amide Ligands: Synthesis, Structure, and Magnetic Properties. Inorganic Chemistry, 2011, 50, 2521-2526.	4.0	39
77	Structure and bonding in three-coordinate N-heterocyclic carbene adducts of iron(ii) bis(trimethylsilyl)amide. Chemical Communications, 2011, 47, 10623.	4.1	89
78	Influence of the N-Bridging Ligand on Magnetic Relaxation in an Organometallic Dysprosium Single-Molecule Magnet. Chemistry - A European Journal, 2010, 16, 4442-4446.	3.3	221
79	The coordination chemistry of silyl-substituted allyl ligands. Dalton Transactions, 2010, 39, 2469-2483.	3.3	42
80	Alkali Metal Complexes of Silyl-Substitutedansa-(Tris)allyl Ligands: Metal-, Co-Ligand- and Substituent-Dependent Stereochemistry. European Journal of Inorganic Chemistry, 2009, 2009, 4157-4167.	2.0	15
81	s-Block metal complexes of a bulky, donor-functionalized allyl ligand. Chemical Communications, 2008, , 3142.	4.1	29
82	Manganese(ii): the black sheep of the organometallic family. Chemical Society Reviews, 2008, 37, 1098.	38.1	88
83	Ansa-tris(allyl) complexes of alkali metals: tripodal analogues of cyclopentadienyl and ansa-metallocene ligands. Chemical Communications, 2007, , 5081.	4.1	24
84	The cationic cluster Grignard [{MgCl(thf) <sub>2</sub> }] <sub>3</sub> ( $\mu$ -3-C <sub>3</sub> H <sub>5</sub> ) <sub>2</sub> +. Chemical Communications, 2006, , 2039-2041.	4.1	18
85	Structure, Bonding, and Paramagnetism in the Manganese(II) Tris-Allyl Anions [Mn( $\mu$ -x-(C <sub>3</sub> H <sub>3</sub> R <sub>2</sub> ) <sub>3</sub> )] <sup>-</sup> (R = H, Tj ETQq1 1 0.784314 rgB 2.3 21	4.1	18
86	Structural and Magnetic Studies of the Tris(cyclopentadienyl)manganese(II) "Paddle-Wheel" Anions [Cp <sub>3</sub> $\mu$ -n(MeCp) <sub>n</sub> Mn] $\mu$ (n=0-3, MeCp=C <sub>5</sub> H <sub>4</sub> CH <sub>3</sub> , Cp=C <sub>5</sub> H <sub>5</sub> ). Chemistry - A European Journal, 2006, 12, 3053-3060.	3.3	29
87	A structural and magnetic study of organolanthanide(iii) amides. Dalton Transactions, 2006, , 1660-1666.	3.3	18
88	Highly selective epoxidation of styrene using a transition metal "aluminium(iii) complex containing the [MeAl(2-py) <sub>3</sub> ] $\mu$ -anion (2-py = 2-pyridyl). Chemical Communications, 2005, , 198-200.	4.1	39
89	Synthesis and Structure of [trans-{1,2-Bis( $\mu$ -2-O,O-N- Tj ETQq1 1 0.784314 rgB /Overlock 10 Tf 50 102 Td (phenyl)carbamoyl)cyclopent	4.1	6
90	A Manganese(II) Allyl Complex: Synthesis, Structure, and Magnetic Properties of [Li(thf) <sub>4</sub> ][Mn( $\mu$ -3-(Me <sub>3</sub> Si) <sub>2</sub> C <sub>3</sub> H <sub>3</sub> )] $\mu$ -1-(Me <sub>3</sub> Si) <sub>2</sub> C <sub>3</sub> H <sub>3</sub> ]. Angewandte Chemie - International Edition, 2004, 43, 3067-3069.	13.8	33

#	ARTICLE	IF	CITATIONS
91	Syntheses, structures and magnetic properties of Mn(ii) dimers $[\text{CpMn}(\eta^5\text{-X})_2]$ ( $\text{Cp} = \text{C}_5\text{H}_5$ ; $\text{X} = \text{RNH}, \text{R}_1\text{R}_2\text{N}$ ) <i>Tj</i> $\text{ETOC}$ 1 0.784314	3.3	37
92	Synthesis and Structure of the Novel "Paddle-Wheel" Complex $[(\eta^5\text{-Cp})_2\text{Pb}(\eta^{1/4}\text{-Cp})\text{K}]\cdot 2\text{THF}$ . <i>Organometallics</i> , 2003, 22, 2528-2530.	2.3	13
93	Applications of manganocene in the synthesis of Mn(ii) amide and imide cages. <i>Dalton Transactions</i> , 2003, , 3002.	3.3	27
94	Interpreting Molecular Crystal Disorder in Plumbocene, $\text{Pb}(\text{C}_5\text{H}_5)_2$ : Insight from Theory. <i>Journal of the American Chemical Society</i> , 2002, 124, 6775-6780.	13.7	17
95	Syntheses and magnetic properties of hexanuclear $[\text{Cp}_2\text{Mn}_3(\text{L}_1)_4]_2$ and octanuclear $[\text{Mn}_8(\text{L}_2)_{12}(\eta^{1/4}\text{-O})_2]$ ( $\text{L}_1 = 2\text{-HNC}_5\text{H}_5\text{N}$ , $\text{L}_2 = 2\text{-NH-3-Br-5-MeC}_5\text{H}_3\text{N}$ , $\text{Cp} = \text{C}_5\text{H}_5$ ). <i>Chemical Communications</i> , 2002, , 2980-2981.	4.1	33
96	A new, tetragonal, helical phase of plumbocene, $\text{Cp}_2\text{Pb}$ ; variations on a molecular string ( $\text{Cp} = \text{C}_5\text{H}_5$ ). <i>Journal of Organometallic Chemistry</i> , 2002, 650, 75-76.	1.8	8
97	The first observation of the $[\text{Cp}_3\text{Mn}]^{\ominus}$ anion; structures of hexagonal $[(\eta^2\text{-Cp})_3\text{MnK}\cdot 1.5\text{thf}]$ and ion-separated $[(\eta^2\text{-Cp})_3\text{Mn}]_2[\text{Mg}(\text{thf})_6]\cdot 2\text{thf}$ . <i>Chemical Communications</i> , 2001, , 1956-1957.	4.1	37
98	Synthesis and Structure of the Octanuclear Manganese(II) Cage $[(\eta^1\text{-Cp})\text{Mn}\{2\text{-NH}(4,6\text{-Me}_2\text{pm})\}]\cdot \text{Mn}\{2\text{-N}(4,6\text{-Me}_2\text{Pm})\}]_4$ ( $\text{Cp} = \text{C}_5\text{H}_5$ , $\text{pm} = \text{Pyrimidine}$ ). <i>Organometallics</i> , 2001, 20, 4135-4137.	2.3	33
99	Synthesis and structure of $[\text{Cp}_2\text{PbCp}(\text{thf})\cdot \text{Na}]\cdot 0.5\text{thf}$ ; implications to the control of dimensionality in p block metallocene anion systems ( $\text{Cp} = \text{C}_5\text{H}_5$ , $\text{Cp}(\text{thf})\cdot \text{Na}\cdot \text{C}_5\text{H}_4\text{CH}_2\text{C}_4\text{H}_7\text{O}$ ). <i>Dalton Transactions RSC</i> 2000, ,5 2247-2248.	3.3	20
100	Group 14: silicon, germanium, tin and lead. <i>Organometallic Chemistry</i> , 0, , 155-165.	0.6	4
101	Highlights in low-coordinate group 14 organometallic chemistry. <i>Organometallic Chemistry</i> , 0, , 133-148.	0.6	1