

Gwanpyo Koh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277006/publications.pdf>

Version: 2024-02-01

56
papers

819
citations

566801

15
h-index

500791

28
g-index

56
all docs

56
docs citations

56
times ranked

1383
citing authors

#	ARTICLE	IF	CITATIONS
1	Current Status of Low-Density Lipoprotein Cholesterol Target Achievement in Patients with Type 2 Diabetes Mellitus in Korea Compared with Recent Guidelines. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 464-475.	1.8	8
2	A double-blind, randomized controlled trial on glucose-lowering effects and safety of adding 0.25 or 0.5 mg lomeglitazone in type 2 diabetes patients with inadequate control on metformin and dipeptidyl peptidase-4 inhibitor therapy: REFIND study. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1800-1809.	2.2	4
3	The Change in Glucagon Following Meal Ingestion Is Associated with Glycemic Control, but Not with Incretin, in People with Diabetes. <i>Journal of Clinical Medicine</i> , 2021, 10, 2487.	1.0	1
4	Systemic overexpression prevents 2-deoxy-d-ribose-induced β -cell damage. <i>Free Radical Biology and Medicine</i> , 2020, 153, 17-25.	1.3	6
5	Efficacy and Safety of High-Dose Atorvastatin in Moderate-to-High Cardiovascular Risk Postmenopausal Korean Women with Dyslipidemia. <i>Journal of Lipid and Atherosclerosis</i> , 2020, 9, 162.	1.1	6
6	Fasting and Postprandial Hyperglycemia: Their Predictors and Contributions to Overall Hyperglycemia in Korean Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2020, 35, 290-297.	1.3	6
7	Clinical Evidence and Mechanisms of High-Protein Diet-Induced Weight Loss. <i>Journal of Obesity and Metabolic Syndrome</i> , 2020, 29, 166-173.	1.5	78
8	Factors Related to Blood Intact Incretin Levels in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 495.	1.8	1
9	SUN-145 Factors Related to Blood Intact Incretin Levels in Patients with Type 2 Diabetes. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	0
10	Postmeal increment in intact glucagon-like peptide 1 level, but not intact glucose-dependent insulinotropic polypeptide levels, is inversely associated with metabolic syndrome in patients with type 2 diabetes. <i>Endocrine Research</i> , 2018, 43, 47-54.	0.6	3
11	Association between Serum Dipeptidyl Peptidase-4 Concentration and Obesity-Related Factors in Health Screen Examinees (<i>J Obes Metab Syndr</i> 2017;26:188-96). <i>Journal of Obesity and Metabolic Syndrome</i> , 2018, 27, 71-72.	1.5	1
12	Thyroid Volume Measured by ^{99m}Tc -Pertechnetate Scintigraphy and Its Relationship with Clinical Parameters in Korean Patients with Autoimmune Thyroiditis. <i>International Journal of Thyroidology</i> , 2016, 9, 137.	0.1	0
13	Obesity and Left Ventricular Diastolic Dysfunction. <i>The Korean Journal of Obesity</i> , 2016, 25, 129-130.	0.2	1
14	Rodent Models of Diet-induced Obesity. <i>The Korean Journal of Obesity</i> , 2016, 25, 45-49.	0.2	0
15	Intracellular glutathione production, but not protein glycation, underlies the protective effects of captopril against 2-deoxy-D-ribose-induced β -cell damage. <i>Molecular Medicine Reports</i> , 2015, 12, 5314-5320.	1.1	2
16	Apolipoprotein B Is Related to Metabolic Syndrome Independently of Low Density Lipoprotein Cholesterol in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2015, 30, 208.	1.3	23
17	A case of exogenous corticosteroid-induced Kaposi's sarcoma that developed after a cure of endogenous hypercortisolism. <i>International Journal of Clinical Pharmacy</i> , 2015, 37, 988-991.	1.0	5
18	A relationship between serum potassium concentration and insulin resistance in patients with type 2 diabetes mellitus. <i>International Urology and Nephrology</i> , 2015, 47, 991-999.	0.6	18

#	ARTICLE	IF	CITATIONS
19	Hypoglycemia at Admission in Patients With Acute Myocardial Infarction Predicts a Higher 30-Day Mortality in Patients With Poorly Controlled Type 2 Diabetes Than in Well-Controlled Patients. <i>Diabetes Care</i> , 2014, 37, 2366-2373.	4.3	38
20	Letter: Association between Smoking Status and Metabolic Syndrome in Men (Korean J Obes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	0.2	0
21	Gut Hormone Response to Diet. <i>The Korean Journal of Obesity</i> , 2014, 23, 6.	0.2	1
22	CD26/DPP4 Levels in Peripheral Blood and T Cells in Patients With Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2553-2561.	1.8	103
23	Effect of Jeju Water on Blood Glucose Levels in Diabetic Patients: A Randomized Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	0.5	2
24	Alpha-Lipoic Acid Treatment Reverses 2-Deoxy-D-ribose-Induced Oxidative Damage and Suppression of Insulin Expression in Pancreatic Beta-Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 1570-1576.	0.6	11
25	Relationship Between Obesity Indices and Cardiovascular Risk Score in Korean Type 2 Diabetes Patients. <i>The Korean Journal of Obesity</i> , 2013, 22, 148.	0.2	6
26	A Case of Painful Hashimoto Thyroiditis that Mimicked Subacute Thyroiditis. <i>Chonnam Medical Journal</i> , 2012, 48, 69.	0.5	8
27	Gliclazide Does Not Fully Prevent 2-Deoxy-D-Ribose-Induced Oxidative Damage Because It Does Not Restore Glutathione Content in a Pancreatic β -Cell Line. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-7.	1.9	4
28	Serum Vitamin D Status and Its Relationship to Metabolic Parameters in Patients with Type 2 Diabetes Mellitus. <i>Chonnam Medical Journal</i> , 2012, 48, 108.	0.5	32
29	Resveratrol improves insulin signaling in a tissue-specific manner under insulin-resistant conditions only: in vitro and in vivo experiments in rodents. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 424-433.	1.5	92
30	Characteristics of Subjects with Very Low Serum Low-Density Lipoprotein Cholesterol and the Risk for Intracerebral Hemorrhage. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 317.	0.7	12
31	A Case of Paroxysmal Pheochromocytoma with Normal Catecholamine Levels. <i>Korean Journal of Medicine</i> , 2012, 83, 503.	0.1	0
32	A Case of Metastatic Renal Cell Carcinoma to Thyroid Gland. <i>Chonnam Medical Journal</i> , 2011, 47, 130.	0.5	12
33	Changes in Adenosine Deaminase Activity in Patients with Type 2 Diabetes Mellitus and Effect of DPP-4 Inhibitor Treatment on ADA Activity. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 149.	1.8	36
34	Intraoperative and Postoperative Glycemic Management in Patients with Diabetes. <i>Journal of Korean Diabetes</i> , 2011, 12, 150.	0.1	1
35	2-Deoxy-d-ribose induces cellular damage by increasing oxidative stress and protein glycation in a pancreatic β -cell line. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 325-332.	1.5	24
36	Clinical Characteristics of Type 2 Diabetes Patients according to Family History of Diabetes. <i>Korean Diabetes Journal</i> , 2010, 34, 222.	0.8	16

#	ARTICLE	IF	CITATIONS
37	A Case of Kallmann's Syndrome with Frontal Lobe Atrophy and Mental Retardation. <i>Endocrinology and Metabolism</i> , 2010, 25, 142.	1.3	0
38	Prevalence of the Metabolic Syndrome in Type 2 Diabetic Patients. <i>Korean Diabetes Journal</i> , 2009, 33, 40.	0.8	16
39	A Nationwide Survey about the Current Status of Glycemic Control and Complications in Diabetic Patients in 2006 - The Committee of the Korean Diabetes Association on the Epidemiology of Diabetes Mellitus -. <i>Korean Diabetes Journal</i> , 2009, 33, 48.	0.8	45
40	Clinical Experience of the Reverse Iontophoresis Based Glucose Measuring System:Glucallâ,,ç. <i>Korean Diabetes Journal</i> , 2009, 33, 167.	0.8	0
41	P0579 CLINICAL CHARACTERISTICS ACCORDING TO A FAMILY HISTORY IN TYPE 2 DIABETES PATIENTS. <i>European Journal of Internal Medicine</i> , 2009, 20, S191-S192.	1.0	0
42	P-11 2-Deoxy-d-ribose produces oxidative damage through mechanisms of protein glycation in pancreatic Î²-cells. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S59.	1.1	0
43	P-116 Relation of C-reactive protein to Framingham risk score and UKPDS risk engine in Korean patients with Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S98.	1.1	1
44	Clinical Experience of an Iontophoresis Based Glucose Measuring System. <i>Journal of Korean Medical Science</i> , 2007, 22, 70.	1.1	20
45	Mechanism of 2-Deoxy-D-ribose-induced Damage in Pancreatic Î²-cells. <i>The Journal of Korean Diabetes Association</i> , 2007, 31, 105.	0.1	2
46	Clinical Usefulness of Glucose Testing from the Forearm in Diabetic Patients. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 281.	0.1	1
47	Acute Hyperglycemia and Activation of the .BETA.-Adrenergic System do not Exhibit Synergistic Inhibitory Actions on Thyrotropin-releasing Hormone (TRH)-induced Thyroid Stimulating Hormone (TSH) Secretion. <i>Endocrine Journal</i> , 2005, 52, 69-74.	0.7	4
48	Analysis of Korean Carotid Intima-Media Thickness in Korean Healthy Subjects and Patients with Risk Factors: Korea Multi-Center Epidemiological Study. <i>Korean Circulation Journal</i> , 2005, 35, 513.	0.7	26
49	A Case Of Transient Hyporeninemic Hypoaldosteronism After Unilateral Adrenalectomy for Aldosterone-Producing Adenoma. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 502.	0.1	1
50	Mutational Analysis of GsÎ± Protein in Fibrous dysplasia of the Bone. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 142.	0.1	0
51	A Case of Thyroid Abscess Associated with Lymphocytic Thyroiditis. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 385.	0.1	0
52	Prevention of Metabolic Syndrome. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2005, 48, 1188.	0.1	1
53	Elevated cAMP level attenuates 2-deoxy-d-ribose-induced oxidative damage in pancreatic Î²-cells. <i>Archives of Biochemistry and Biophysics</i> , 2005, 438, 70-79.	1.4	43
54	Polymorphisms in Interleukin-1Î² and Interleukin-1 Receptor Antagonist Genes Are Associated with Kidney Failure in Korean Patients with Type 2 Diabetes mellitus. <i>American Journal of Nephrology</i> , 2004, 24, 410-414.	1.4	35

#	ARTICLE	IF	CITATIONS
55	Soybean isoflavones inhibit tumor necrosis factor- α -induced apoptosis and the production of interleukin-6 and prostaglandin E2 in osteoblastic cells. <i>Phytochemistry</i> , 2003, 63, 209-215.	1.4	49
56	Effect of <i>Scutellariae Radix</i> Extract on the High Glucose-Induced Apoptosis in Cultured Vascular Endothelial Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 1629-1632.	0.6	14