

# Javier Vaquero

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277208/publications.pdf>

Version: 2024-02-01

27  
papers

2,161  
citations

361413

20  
h-index

526287

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

3693  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | The TGF- $\beta$ Pathway: A Pharmacological Target in Hepatocellular Carcinoma?. <i>Cancers</i> , 2021, 13, 3248.   | 3.7  | 37        |
| 2  | Zinc Finger E $\alpha$ Box Binding Homeobox 1 Promotes Cholangiocarcinoma Progression Through Tumor Dedifferentiation and Tumor- $\alpha$ Stroma Paracrine Signaling. <i>Hepatology</i> , 2021, 74, 3194-3212.                        | 7.3  | 20        |
| 3  | Deciphering FAK in intrahepatic cholangiocarcinoma: A novel therapeutic target?. <i>Journal of Hepatology</i> , 2021, 75, 765-767.  | 3.7  | 1         |
| 4  | Cancer-associated fibroblasts in cholangiocarcinoma. <i>Current Opinion in Gastroenterology</i> , 2020, 36, 63-69.  | 2.3  | 43        |
| 5  | Photothermal Depletion of Cancer-Associated Fibroblasts Normalizes Tumor Stiffness in Desmoplastic Cholangiocarcinoma. <i>ACS Nano</i> , 2020, 14, 5738-5753.   | 14.6 | 54        |
| 6  | Cold-Atmospheric Plasma Induces Tumor Cell Death in Preclinical In Vivo and In Vitro Models of Human Cholangiocarcinoma. <i>Cancers</i> , 2020, 12, 1280.   | 3.7  | 43        |
| 7  | Signalling networks in cholangiocarcinoma: Molecular pathogenesis, targeted therapies and drug resistance. <i>Liver International</i> , 2019, 39, 43-62.  | 3.9  | 54        |
| 8  | Atmospheric pressure plasma jets applied to cancerology: correlating electrical configuration with in vivo toxicity and therapeutic efficiency. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 245201.                         | 2.8  | 20        |
| 9  | The IGF2/IR/IGF1R Pathway in Tumor Cells and Myofibroblasts Mediates Resistance to EGFR Inhibition in Cholangiocarcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 4282-4296.  | 7.0  | 68        |
| 10 | Role of ErbB/HER family of receptor tyrosine kinases in cholangiocyte biology. <i>Hepatology</i> , 2018, 67, 762-773.   | 7.3  | 48        |
| 11 | MicroRNA- $\alpha$ 506 promotes primary biliary cholangitis- $\alpha$ like features in cholangiocytes and immune activation. <i>Hepatology</i> , 2018, 67, 1420-1440.   | 7.3  | 72        |
| 12 | Unveiling resistance mechanisms to EGFR inhibitors in cholangiocarcinoma. <i>Oncotarget</i> , 2018, 9, 37274-37275.   | 1.8  | 6         |
| 13 | Role of the PDZ-scaffold protein NHERF1/EBP50 in cancer biology: from signaling regulation to clinical relevance. <i>Oncogene</i> , 2017, 36, 3067-3079.  | 5.9  | 69        |
| 14 | Epithelial-mesenchymal transition in cholangiocarcinoma: From clinical evidence to regulatory networks. <i>Journal of Hepatology</i> , 2017, 66, 424-441.   | 3.7  | 115       |
| 15 | Involvement of UDP-Glucuronosyltransferases and Sulfotransferases in the Excretion and Tissue Distribution of Resveratrol in Mice. <i>Nutrients</i> , 2017, 9, 1347.  | 4.1  | 41        |
| 16 | Loss of ezrin in human intrahepatic cholangiocarcinoma is associated with ectopic expression of E $\alpha$ -cadherin. <i>Histopathology</i> , 2016, 69, 211-221.  | 2.9  | 4         |
| 17 | Cholangiocarcinoma: current knowledge and future perspectives consensus statement from the European Network for the Study of Cholangiocarcinoma (ENS-CCA). <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 261-280. | 17.8 | 964       |
| 18 | Rac1 and EMT: a dangerous liaison?. <i>Translational Cancer Research</i> , 2016, 5, S1483-S1485.  | 1.0  | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | E-cadherin, guardian of liver physiology. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015, 39, 3-6.   | 1.5 | 18        |
| 20 | Differential activation of the human farnesoid X receptor depends on the pattern of expressed isoforms and the bile acid pool composition. <i>Biochemical Pharmacology</i> , 2013, 86, 926-939.                                 | 4.4 | 88        |
| 21 | FXR-dependent and -independent interaction of glucocorticoids with the regulatory pathways involved in the control of bile acid handling by the liver. <i>Biochemical Pharmacology</i> , 2013, 85, 829-838.                     | 4.4 | 25        |
| 22 | Activation of the nuclear receptor FXR enhances hepatocyte chemoprotection and liver tumor chemoresistance against genotoxic compounds. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2212-2219. | 4.1 | 46        |
| 23 | Expression of <i>SLC22A1</i> variants may affect the response of hepatocellular carcinoma and cholangiocarcinoma to sorafenib. <i>Hepatology</i> , 2013, 58, 1065-1073.   | 7.3 | 124       |
| 24 | Characterization of the Role of ABCG2 as a Bile Acid Transporter in Liver and Placenta. <i>Molecular Pharmacology</i> , 2012, 81, 273-283.  | 2.3 | 63        |
| 25 | Up-regulation of FXR isoforms is not required for stimulation of the expression of genes involved in the lack of response of colon cancer to chemotherapy. <i>Pharmacological Research</i> , 2012, 66, 419-427.                 | 7.1 | 9         |
| 26 | Cisplatin-Induced Chemoresistance in Colon Cancer Cells Involves FXR-Dependent and FXR-Independent Up-Regulation of ABC Proteins. <i>Molecular Pharmaceutics</i> , 2012, 9, 2565-2576.  | 4.6 | 55        |
| 27 | No Correlation between the Expression of FXR and Genes Involved in Multidrug Resistance Phenotype of Primary Liver Tumors. <i>Molecular Pharmaceutics</i> , 2012, 9, 1693-1704.   | 4.6 | 73        |