

Marcin Gajek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277257/publications.pdf>

Version: 2024-02-01

22
papers

356
citations

1163117

8
h-index

839539

18
g-index

22
all docs

22
docs citations

22
times ranked

461
citing authors

#	ARTICLE	IF	CITATIONS
1	Roughness and Fiber Fraction Dominated Wetting of Electrospun Fiber-Based Porous Meshes. <i>Polymers</i> , 2019, 11, 34.	4.5	140
2	Fiber-Based Composite Meshes with Controlled Mechanical and Wetting Properties for Water Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1665-1676.	8.0	59
3	Development of anorthite based white porcelain glaze without ZrSiO ₄ content. <i>Ceramics International</i> , 2017, 43, 1703-1709.	4.8	23
4	Thermal, structural and mechanical analysis of polymer/clay nanocomposites with controlled degradation. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017, 127, 389-398.	3.6	20
5	Gahnite white colour glazes in ZnO-R ₂ O-Al ₂ O ₃ -SiO ₂ system. <i>Ceramics International</i> , 2018, 44, 15845-15850.	4.8	19
6	Effects of Process Parameters on Structure and Properties of Melt-Blown Poly(Lactic Acid) Nonwovens for Skin Regeneration. <i>Journal of Functional Biomaterials</i> , 2021, 12, 16.	4.4	16
7	Thermal characterisation of raw aluminosilicate glazes in SiO ₂ -Al ₂ O ₃ -CaO-K ₂ O-Na ₂ O-ZnO system with variable content of ZnO. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017, 128, 1343-1351.	3.6	14
8	Structure and thermal properties of the fritted glazes in SiO ₂ -Al ₂ O ₃ -CaO-MgO-Na ₂ O-K ₂ O-ZnO system. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017, 130, 165-176.	3.6	13
9	Microstructure and mechanical properties of diopside and anorthite glazes with high abrasion resistance. <i>Ceramics International</i> , 2022, 48, 6792-6798.	4.8	7
10	The crystallization and structure features of glass within the K ₂ O-MgO-CaO-Al ₂ O ₃ -SiO ₂ -(BaO) system. <i>Journal of Molecular Structure</i> , 2020, 1220, 128747.	3.6	6
11	The Utilisation of Solid Fuels Derived from Waste Pistachio Shells in Direct Carbon Solid Oxide Fuel Cells. <i>Materials</i> , 2021, 14, 6755.	2.9	6
12	Utilisation of methylcellulose as a shaping agent in the fabrication of Ba _{0.95} Ca _{0.05} Ce _{0.9} Y _{0.1} O ₃ proton-conducting ceramic membranes via the gelcasting method. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 2077-2090.	3.6	5
13	Multifunctional porous membranes with antibacterial properties. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2019, 68, 19-26.	3.4	5
14	Influence of SrO content on microstructure and crystallization of glazes in the SiO ₂ -Al ₂ O ₃ -CaO-MgO-K ₂ O system. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4177-4186.	3.6	4
15	Structural studies on the low-melting boron frits modified with bismuth (III) oxide. <i>Journal of Molecular Structure</i> , 2021, 1223, 128979.	3.6	4
16	Effects of Montmorillonite and Gentamicin Addition on the Properties of Electrospun Polycaprolactone Fibers. <i>Materials</i> , 2021, 14, 6905.	2.9	4
17	Study of the correlation between the composition, structure and crystallization in frits designed for single fast-firing glazes with variable BaO content. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4229-4236.	3.6	3
18	Multifunctional biodegradable polymer/clay nanocomposites with antibacterial properties in drug delivery systems. <i>Acta of Bioengineering and Biomechanics</i> , 2020, 22, 83-92.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Modification of TiAlV Alloys with Hybrid Layers Containing Metallic Nanoparticles Obtained by the Sol-Gel Method: Surface and Structural Properties. International Journal of Molecular Sciences, 2022, 23, 2283.	4.1	3
20	The effect of the addition of bismuth (III) oxide on the properties of low-melting boron frits: part 1. Journal of the Australian Ceramic Society, 2020, 56, 363-369.	1.9	2
21	Rheological Properties of Soft Waste Granulates Produced in the Fabrication Process of Ceramic Tiles and the Possibility of Their Reuse. Materials, 2022, 15, 1366.	2.9	0
22	$\text{NiO} \cdot \text{Ba}_{0.95}\text{Ca}_{0.05}\text{Ce}_{0.9}\text{Y}_{0.1}\text{O}_3$ as a Modified Anode Material Fabricated by the Tape Casting Method. Materials, 2022, 15, 2489.	2.9	0