

Yu-Xiang Yan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277451/publications.pdf>

Version: 2024-02-01

30
papers

738
citations

643344

15
h-index

620720

26
g-index

33
all docs

33
docs citations

33
times ranked

1198
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of household solid fuel use and long-term exposure to PM2.5 with arthritis in middle-aged and older population in China: A cohort study. <i>Ecotoxicology and Environmental Safety</i> , 2022, 230, 113104.	2.9	8
2	Association between insulin resistance and incidence of carotid atherosclerotic plaque: A cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 981-993.	1.1	4
3	Gender-specific predictive ability for the risk of hypertension incidence related to baseline level or trajectories of adiposity indices: a cohort study of functional community. <i>International Journal of Obesity</i> , 2022, 46, 1036-1043.	1.6	2
4	Short-term effects of gaseous air pollutants on outpatient visits for respiratory diseases: a case-crossover study in Baotou, China. <i>Environmental Science and Pollution Research</i> , 2022, 29, 49937-49946.	2.7	4
5	CircRNA hsa_circ_0071336 is associated with type 2 diabetes through targeting the miR-93a/5p/GLUT4 axis. <i>FASEB Journal</i> , 2022, 36, e22324.	0.2	6
6	Trends of cancer mortality in Xi'an City, China: 2005–2020. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, , 1.	1.2	0
7	Pri-miR-144 rs9279 is associated with type 2 diabetes and regulation of stress response. <i>Journal of Cellular Physiology</i> , 2021, 236, 561-569.	2.0	8
8	Identification of Circulating hsa_circ_0063425 and hsa_circ_0056891 as Novel Biomarkers for Detection of Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2688-e2699.	1.8	17
9	Effect of Metabolite Levels on Type 2 Diabetes Mellitus and Glycemic Traits: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 3439-3447.	1.8	2
10	1197 Identification of insulin signaling pathway-related circulating circRNAs as novel biomarkers of type 2 diabetes. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
11	63 Identification of insulin signaling pathway-related circulating circRNAs as biomarkers of type 2 diabetes. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
12	hsa_circ_0111707 Is Associated With Risk of Stress-Related Type 2 Diabetes via Sponging miR-144-3p. <i>Frontiers in Endocrinology</i> , 2021, 12, 790591.	1.5	2
13	Identification of stress-related microRNA biomarkers in type 2 diabetes mellitus: A systematic review and meta-analysis. <i>Journal of Diabetes</i> , 2020, 12, 633-644.	0.8	50
14	Metabolomics Signatures in Type 2 Diabetes: A Systematic Review and Integrative Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1000-1008.	1.8	90
15	A novel strategy of identifying circRNA biomarkers in cardiovascular disease by meta-analysis. <i>Journal of Cellular Physiology</i> , 2019, 234, 21601-21612.	2.0	24
16	Optimal Cut-off Point of Waist to Height Ratio in Beijing and Its Association with Clusters of Metabolic Risk Factors. <i>Current Medical Science</i> , 2019, 39, 330-336.	0.7	8
17	Relationship between stress-related psychosocial work factors and suboptimal health among Chinese medical staff: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e018485.	0.8	20
18	A meta-analysis of dysregulated miRNAs in coronary heart disease. <i>Life Sciences</i> , 2018, 215, 170-181.	2.0	33

#	ARTICLE	IF	CITATIONS
19	Latent class analysis to evaluate performance of plasma cortisol, plasma catecholamines, and SHSQ-25 for early recognition of suboptimal health status. <i>EPMA Journal</i> , 2018, 9, 299-305.	3.3	18
20	Identification of Neuroendocrine Stress Response-Related Circulating MicroRNAs as Biomarkers for Type 2 Diabetes Mellitus and Insulin Resistance. <i>Frontiers in Endocrinology</i> , 2018, 9, 132.	1.5	45
21	Association analysis of copy number variations in type 2 diabetes-related susceptible genes in a Chinese population. <i>Acta Diabetologica</i> , 2018, 55, 909-916.	1.2	8
22	Expression of miR-18a and miR-34c in circulating monocytes associated with vulnerability to type 2 diabetes mellitus and insulin resistance. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 3372-3380.	1.6	39
23	Potential Role of Lipometabolism-Related MicroRNAs in Peripheral Blood Mononuclear Cells as Biomarkers for Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 430-441.	0.9	36
24	Investigation of the Relationship Between Chronic Stress and Insulin Resistance in a Chinese Population. <i>Journal of Epidemiology</i> , 2016, 26, 355-360.	1.1	43
25	Integration of suboptimal health status and endothelial dysfunction as a new aspect for risk evaluation of cardiovascular disease. <i>EPMA Journal</i> , 2016, 7, 19.	3.3	52
26	Let-7 related genetic variation and risk of metabolic syndrome in a Chinese population. <i>Endocrine Journal</i> , 2015, 62, 887-896.	0.7	9
27	Association of suboptimal health status with psychosocial stress, plasma cortisol and mRNA expression of glucocorticoid receptor β in lymphocyte. <i>Stress</i> , 2015, 18, 29-34.	0.8	53
28	Polymorphisms in NR3C1 gene associated with risk of metabolic syndrome in a Chinese population. <i>Endocrine</i> , 2014, 47, 740-748.	1.1	16
29	Associations Between Polymorphisms in the Glucocorticoid-Receptor Gene and Cardiovascular Risk Factors in a Chinese Population. <i>Journal of Epidemiology</i> , 2013, 23, 389-395.	1.1	18
30	Development and Evaluation of a Questionnaire for Measuring Suboptimal Health Status in Urban Chinese. <i>Journal of Epidemiology</i> , 2009, 19, 333-341.	1.1	123