

# Weizong Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277890/publications.pdf>

Version: 2024-02-01

68  
papers

2,364  
citations

218677

26  
h-index

214800

47  
g-index

69  
all docs

69  
docs citations

69  
times ranked

1713  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Permeation by Electrowetting Actuation: Revealing the Prospect of a Micro-valve Based on Ionic Liquid. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 114-119.  | 9.4 | 8         |
| 2  | Molecular dynamics simulation of ionic liquid electrospray: Microscopic presentation of the effects of mixed ionic liquids. <i>International Journal of Heat and Mass Transfer</i> , 2022, 182, 121983.                   | 4.8 | 11        |
| 3  | Radio-frequency biasing of ion acceleration grids with different propellants. <i>Plasma Sources Science and Technology</i> , 2022, 31, 035009.  | 3.1 | 8         |
| 4  | Mode transition of the cylindrical Hall thruster with the near-anode cusp magnetic field. <i>Plasma Sources Science and Technology</i> , 2022, 31, 045004.  | 3.1 | 3         |
| 5  | A study on the ionization mechanisms in a miniaturized cylindrical Hall thruster. <i>Vacuum</i> , 2022, 201, 111060.  | 3.5 | 2         |
| 6  | Dry reforming of methane in a nanosecond repetitively pulsed discharge: chemical kinetics modeling. <i>Plasma Sources Science and Technology</i> , 2022, 31, 055014.  | 3.1 | 8         |
| 7  | Influence of the upstream axial magnetic mirror field on the plume characteristics in the full cylindrical Hall thruster. <i>Acta Astronautica</i> , 2022, 196, 186-193.  | 3.2 | 9         |
| 8  | Molecular dynamics simulation of ionic liquid electrospray: Revealing the effects of interaction potential models. <i>Acta Astronautica</i> , 2021, 179, 581-593.   | 3.2 | 14        |
| 9  | Exosomes secreted from mesenchymal stem cells mediate the regeneration of endothelial cells treated with rapamycin by delivering pro-angiogenic microRNAs. <i>Experimental Cell Research</i> , 2021, 399, 112449.         | 2.6 | 9         |
| 10 | Numerical investigation of ion collection by a planar probe in stationary and parallel flowing plasmas. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 245202.   | 2.8 | 2         |
| 11 | Plasma propagation in a single bead DBD reactor at different dielectric constants: insights from fluid modelling. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 214004.   | 2.8 | 16        |
| 12 | Association of dipeptidyl peptidase IV polymorphism, serum lipid profile, and coronary artery stenosis in patients with coronary artery disease and type 2 diabetes. <i>Medicine (United States)</i> , 2021, 100, e25209. | 1.0 | 6         |
| 13 | Ionic liquid electrospray behavior in a hybrid emitter electrospray thruster. <i>International Journal of Heat and Mass Transfer</i> , 2021, 175, 121369.   | 4.8 | 11        |
| 14 | Numerical investigation of plasma behavior in a micro DC ion thruster using the particle-in-cell/Monte Carlo collision (PIC/MCC) method. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 445202.                    | 2.8 | 8         |
| 15 | The dynamic evolution and interaction with dielectric material of the discharge in packed bed reactor. <i>Plasma Sources Science and Technology</i> , 2020, 29, 055004.   | 3.1 | 29        |
| 16 | H <sub>2</sub> S Decomposition into H <sub>2</sub> and S <sub>2</sub> by Plasma Technology: Comparison of Gliding Arc and Microwave Plasma. <i>Plasma Chemistry and Plasma Processing</i> , 2020, 40, 1163-1187.          | 2.4 | 13        |
| 17 | Burning questions of plasma catalysis: Answers by modeling. <i>Catalysis Today</i> , 2019, 337, 3-14.   | 4.4 | 62        |
| 18 | Sputtering distribution of LIPS200 ion thruster plume. <i>Acta Astronautica</i> , 2019, 160, 7-14.  | 3.2 | 13        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Modeling Plasma-based CO <sub>2</sub> and CH <sub>4</sub> Conversion in Mixtures with N <sub>2</sub> , O <sub>2</sub> , and H <sub>2</sub> O: The Bigger Plasma Chemistry Picture. Journal of Physical Chemistry C, 2018, 122, 8704-8723.               | 3.1  | 111       |
| 20 | Streamer propagation in a packed bed plasma reactor for plasma catalysis applications. Chemical Engineering Journal, 2018, 334, 2467-2479.  | 12.7 | 141       |
| 21 | Plasma activation of methane for hydrogen production in a N <sub>2</sub> rotating gliding arc warm plasma: A chemical kinetics study. Chemical Engineering Journal, 2018, 345, 67-78.   | 12.7 | 81        |
| 22 | Modelling of plasma-based dry reforming: how do uncertainties in the input data affect the calculation results?. Journal Physics D: Applied Physics, 2018, 51, 204003.  | 2.8  | 24        |
| 23 | Modeling for a Better Understanding of Plasma-Based CO <sub>2</sub> Conversion. , 2018, , .   |      | 1         |
| 24 | Plasma-based multi-reforming for Gas-To-Liquid: tuning the plasma chemistry towards methanol. Scientific Reports, 2018, 8, 15929.   | 3.3  | 33        |
| 25 | Warm plasma activation of CO <sub>2</sub> in a rotating gliding arc discharge reactor. Journal of CO <sub>2</sub> Utilization, 2018, 27, 472-479.   | 6.8  | 60        |
| 26 | Ammonia Synthesis by Radio Frequency Plasma Catalysis: Revealing the Underlying Mechanisms. ACS Applied Energy Materials, 2018, 1, 4824-4839.   | 5.1  | 116       |
| 27 | Importance of surface charging during plasma streamer propagation in catalyst pores. Plasma Sources Science and Technology, 2018, 27, 065009.   | 3.1  | 35        |
| 28 | Association of pre-ablation level of potential blood markers with atrial fibrillation recurrence after catheter ablation: a meta-analysis. Europace, 2017, 19, euw088.  | 1.7  | 42        |
| 29 | Wall ablation of heated compound-materials into non-equilibrium discharge plasmas. Journal Physics D: Applied Physics, 2017, 50, 074005.  | 2.8  | 19        |
| 30 | Nitrogen Fixation by Gliding Arc Plasma: Better Insight by Chemical Kinetics Modelling. ChemSusChem, 2017, 10, 2145-2157.   | 6.8  | 155       |
| 31 | Numerical analysis of direct-current microdischarge for space propulsion applications using the particle-in-cell/Monte Carlo collision (PIC/MCC) method. Journal Physics D: Applied Physics, 2017, 50, 165203.  | 2.8  | 13        |
| 32 | CO <sub>2</sub> conversion by plasma technology: insights from modeling the plasma chemistry and plasma reactor design. Plasma Sources Science and Technology, 2017, 26, 063001.  | 3.1  | 90        |
| 33 | Gliding Arc Plasmatron: Providing an Alternative Method for Carbon Dioxide Conversion. ChemSusChem, 2017, 10, 2642-2652.  | 6.8  | 114       |
| 34 | Nitrogen Fixation by Gliding Arc Plasma: Better Insight by Chemical Kinetics Modelling. ChemSusChem, 2017, 10, 2110-2110.   | 6.8  | 17        |
| 35 | Altered long non-coding RNA expression profile in rabbit atria with atrial fibrillation: TCONS_00075467 modulates atrial electrical remodeling by sponging miR-328 to regulate CACNA1C. Journal of Molecular and Cellular Cardiology, 2017, 108, 73-85. | 1.9  | 64        |
| 36 | CO <sub>2</sub> Conversion in a Gliding Arc Plasmatron: Multidimensional Modeling for Improved Efficiency. Journal of Physical Chemistry C, 2017, 121, 24470-24479.   | 3.1  | 46        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Thermodynamic properties and transport coefficients of a two-temperature polytetrafluoroethylene vapor plasma for ablation-controlled discharge applications. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 395204.           | 2.8  | 6         |
| 38 | Gliding arc plasma for CO <sub>2</sub> conversion: Better insights by a combined experimental and modelling approach. <i>Chemical Engineering Journal</i> , 2017, 330, 11-25.   | 12.7 | 97        |
| 39 | Quasi-Neutral Modeling of Gliding Arc Plasmas. <i>Plasma Processes and Polymers</i> , 2017, 14, 1600110.  | 3.0  | 24        |
| 40 | Modeling plasma-based CO <sub>2</sub> conversion: crucial role of the dissociation cross section. <i>Plasma Sources Science and Technology</i> , 2016, 25, 055016.  | 3.1  | 87        |
| 41 | Effective ionisation coefficients and critical breakdown electric field of CO <sub>2</sub> at elevated temperature: effect of excited states and ion kinetics. <i>Plasma Sources Science and Technology</i> , 2016, 25, 055025.       | 3.1  | 23        |
| 42 | CO <sub>2</sub> conversion in a gliding arc plasma: 1D cylindrical discharge model. <i>Plasma Sources Science and Technology</i> , 2016, 25, 065012.  | 3.1  | 65        |
| 43 | Atrial Heterogeneous Autonomic Neural Remodeling in Rabbits with Experimental Atrial Fibrillation and the Effect of Intervention by Rosuvastatin. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 598-606.            | 1.2  | 4         |
| 44 | Long-Term Effects of Atrial Ganglionated Plexi Ablation on Function and Structure of Sinoatrial and Atrioventricular Node in Canine. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1181-1191.                       | 1.2  | 3         |
| 45 | Transcriptome Analysis of Canine Cardiac Fat Pads: Involvement of Two Novel Long Non-Coding RNAs in Atrial Fibrillation Neural Remodeling. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 809-821.                              | 2.6  | 25        |
| 46 | Long-Term Effects of Ganglionated Plexi Ablation on Electrophysiological Characteristics and Neuron Remodeling in Target Atrial Tissues in a Canine Model. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 1276-1283. | 4.8  | 18        |
| 47 | Influence of ablated PTFE vapor entrainment on critical dielectric strength of hot SF <sub>6</sub> gas. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014, 21, 1478-1485.                                      | 2.9  | 7         |
| 48 | Transport Coefficients of High Temperature SF <sub>6</sub> -He Mixtures Used in Switching Applications as an Alternative to Pure SF <sub>6</sub> . <i>Plasma Chemistry and Plasma Processing</i> , 2014, 34, 899-916.                 | 2.4  | 11        |
| 49 | Perioperative Anticoagulation Management in Patients on Chronic Oral Anticoagulant Therapy Undergoing Cardiac Devices Implantation: A Meta-Analysis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1573-1586.       | 1.2  | 27        |
| 50 | Prediction of critical dielectric strength of hot CF <sub>4</sub> gas in the temperature range of 300-3500 K. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014, 21, 129-137.                                  | 2.9  | 21        |
| 51 | Fundamental properties of high-temperature SF <sub>6</sub> mixed with CO <sub>2</sub> as a replacement for SF <sub>6</sub> in high-voltage circuit breakers. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 255201.            | 2.8  | 18        |
| 52 | Transport Coefficients of High Temperature SF <sub>6</sub> in Local Thermodynamic Equilibrium Using a Phenomenological Approach. <i>Chinese Physics Letters</i> , 2014, 31, 035202.   | 3.3  | 2         |
| 53 | Investigation of $\{m SF_6\}$ Arc Characteristics Under Shock Condition in a Supersonic Nozzle With Hollow Contact. <i>IEEE Transactions on Plasma Science</i> , 2013, 41, 915-928.   | 1.3  | 20        |
| 54 | Theoretical investigation of the decay of an SF <sub>6</sub> gas-blast arc using a two-temperature hydrodynamic model. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 065203.  | 2.8  | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Nonuniqueness of two-temperature Guldberg-Waage and Saha equations: Influence on thermophysical properties of SF <sub>6</sub> plasmas. <i>Physics of Plasmas</i> , 2013, 20, .   | 1.9 | 16        |
| 56 | Dielectric breakdown properties of hot SF <sub>6</sub> /He mixtures predicted from basic data. <i>Physics of Plasmas</i> , 2013, 20, .   | 1.9 | 27        |
| 57 | Investigation on critical breakdown electric field of hot sulfur hexafluoride/carbon tetrafluoride mixtures for high voltage circuit breaker applications. <i>Journal of Applied Physics</i> , 2013, 114, 103301.  | 2.5 | 41        |
| 58 | MicroRNA-1 Accelerates the Shortening of Atrial Effective Refractory Period by Regulating KCNE1 and KCNB2 Expression: An Atrial Tachypacing Rabbit Model. <i>PLoS ONE</i> , 2013, 8, e85639.   | 2.5 | 72        |
| 59 | Thermodynamic and transport properties of two-temperature SF <sub>6</sub> plasmas. <i>Physics of Plasmas</i> , 2012, 19, .   | 1.9 | 39        |
| 60 | Theoretical computation of thermophysical properties of high-temperature F <sub>2</sub> , CF <sub>4</sub> , C <sub>2</sub> F <sub>2</sub> , C <sub>2</sub> F <sub>4</sub> , C <sub>2</sub> F <sub>6</sub> , C <sub>3</sub> F <sub>6</sub> and C <sub>3</sub> F <sub>8</sub> plasmas. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 285201. | 2.8 | 22        |
| 61 | Thermophysical Properties of High Temperature Reacting Mixtures of Carbon and Water in the Range 400–30,000 K and 0.1–10 atm. Part 2: Transport Coefficients. <i>Plasma Chemistry and Plasma Processing</i> , 2012, 32, 495-518.   | 2.4 | 23        |
| 62 | The Reactive Thermal Conductivity of Thermal Equilibrium and Nonequilibrium Plasmas: Application to Nitrogen. <i>IEEE Transactions on Plasma Science</i> , 2012, 40, 980-989.  | 1.3 | 25        |
| 63 | Thermophysical Properties of High-Temperature Reacting Mixtures of Carbon and Water in the Range 400–30,000 K and 0.1–10 atm. Part 1: Equilibrium Composition and Thermodynamic Properties. <i>Plasma Chemistry and Plasma Processing</i> , 2012, 32, 75-96.   | 2.4 | 27        |
| 64 | Transport coefficients of high temperature CF <sub>4</sub> , C <sub>2</sub> F <sub>2</sub> , C <sub>2</sub> F <sub>4</sub> , C <sub>2</sub> F <sub>6</sub> , and C <sub>3</sub> F <sub>6</sub> plasmas; as candidate of SF <sub>6</sub> . , 2011, , .  |     | 2         |
| 65 | Thermophysical properties of carbon–argon and carbon–helium plasmas. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 355207.   | 2.8 | 48        |
| 66 | Thermophysical properties of nitrogen plasmas under thermal equilibrium and non-equilibrium conditions. <i>Physics of Plasmas</i> , 2011, 18, .  | 1.9 | 68        |
| 67 | Simulation of Arc Characteristics in Miniature Circuit Breaker. <i>IEEE Transactions on Plasma Science</i> , 2010, 38, 2306-2311.  | 1.3 | 71        |
| 68 | Plume neutralization of ionic liquid electrospray thruster: Better insights from Particle-in-cell modelling. <i>Plasma Sources Science and Technology</i> , 0, , .   | 3.1 | 2         |