

Fernanda Bruschi Marinho Priviero

List of Publications by Year in Descending Order

Source:
<https://exaly.com/author-pdf/5277924/fernanda-bruschi-marinho-priviero-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 papers	942 citations	21 h-index	28 g-index
74 ext. papers	1,088 ext. citations	3.5 avg, IF	3.95 L-index

#	Paper	IF	Citations
65	Exosomes as Intercellular Messengers in Hypertension. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
64	Vascular Stress Signaling in Hypertension. <i>Circulation Research</i> , 2021 , 128, 969-992	15.7	4
63	Macrophage-Specific Toll Like Receptor 9 (TLR9) Causes Corpus Cavernosum Dysfunction in Mice Fed a High Fat Diet. <i>Journal of Sexual Medicine</i> , 2021 , 18, 723-731	1.1	1
62	Impaired HSP70 Expression in the Aorta of Female Rats: A Novel Insight Into Sex-Specific Differences in Vascular Function. <i>Frontiers in Physiology</i> , 2021 , 12, 666696	4.6	2
61	Dissecting the interaction between HSP70 and vascular contraction: role of [Formula: see text] handling mechanisms. <i>Scientific Reports</i> , 2021 , 11, 1420	4.9	4
60	Biology of iatrogenic sexual dysfunction in men and women survivors of cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 ,	2.8	1
59	COVID-19 and hypertension: Is there a role for dsRNA and activation of Toll-like receptor 3?. <i>Vascular Pharmacology</i> , 2021 , 140, 106861	5.9	0
58	O-GlcNAc impairs endothelial function in uterine arteries from virgin but not pregnant rats: The role of GSK3 β . <i>European Journal of Pharmacology</i> , 2020 , 880, 173133	5.3	2
57	Blockade of Toll-like receptor 4 (TLR4) reduces oxidative stress and restores phospho-ERK1/2 levels in Leydig cells exposed to high glucose. <i>Life Sciences</i> , 2020 , 245, 117365	6.8	8
56	Trimethylamine N-Oxide (TMAO) Impairs Endothelium-Dependent Relaxation in Mouse Mesenteric Resistance Artery and Aorta. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
55	Chemerin Increases Contractility of the Uterine Artery and Leads to Placentomegalia. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
54	L-Arginase induces Vascular Dysfunction in Old Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
53	Piezo1 Mechanosensor is Impaired in Pudendal Artery and Corpus Cavernosum of Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
52	Double-stranded RNA and Toll-like receptor activation: a novel mechanism for blood pressure regulation. <i>Clinical Science</i> , 2020 , 134, 303-313	6.5	4
51	Toll-like receptor 9 regulates metabolic profile and contributes to obesity-induced benign prostatic hyperplasia in mice. <i>Pharmacological Reports</i> , 2020 , 72, 179-187	3.9	4
50	Impact of Immune System Activation and Vascular Impairment on Male and Female Sexual Dysfunction. <i>Sexual Medicine Reviews</i> , 2019 , 7, 604-613	5.6	9
49	Progression of micturition dysfunction associated with the development of heart failure in rats: Model of overactive bladder. <i>Life Sciences</i> , 2019 , 226, 107-116	6.8	4

48	Twice-weekly exercise training reduces oxidative stress and proinflammatory cytokine levels in elder women. <i>Motriz Revista De Educacao Fisica</i> , 2019 , 25,	0.9	1
47	Chemerin decreases vascular reactivity to contractile stimuli in resistance vessels from Sprague Dawley rats fed a high fat diet for 1 month. <i>FASEB Journal</i> , 2019 , 33, lb497	0.9	
46	NLRP3 Inflammasomes Contribute to the Impaired Bladder Contraction in Male Diabetic Mice. <i>FASEB Journal</i> , 2019 , 33, 505.5	0.9	0
45	Molecular evidence of tissue remodeling in an animal model of heart failure. <i>Histology and Histopathology</i> , 2019 , 34, 1345-1354	1.4	
44	Effects of glucosyl-hesperidin and physical training on body weight, plasma lipids, oxidative status and vascular reactivity of rats fed with high-fat diet. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 321-332	3.4	5
43	Hypertension Induced Morphological and Physiological Changes in Cells of the Arterial Wall. <i>American Journal of Hypertension</i> , 2018 , 31, 1067-1078	2.3	27
42	A novel experimental model of erectile dysfunction in rats with heart failure using volume overload. <i>PLoS ONE</i> , 2017 , 12, e0187083	3.7	4
41	Review of anticancer mechanisms of isoquercitin. <i>World Journal of Clinical Oncology</i> , 2016 , 7, 189-99	2.5	37
40	Impaired Corpus Cavernosum Relaxation Is Accompanied by Increased Oxidative Stress and Up-Regulation of the Rho-Kinase Pathway in Diabetic (Db/Db) Mice. <i>PLoS ONE</i> , 2016 , 11, e0156030	3.7	8
39	Characterization of the antioxidant activity of aglycone and glycosylated derivatives of hesperetin: an in vitro and in vivo study. <i>Journal of Molecular Recognition</i> , 2016 , 29, 80-7	2.6	29
38	Beneficial effect of the soluble guanylyl cyclase stimulator BAY 41-2272 on impaired penile erection in db/db-/- type II diabetic and obese mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015 , 353, 330-9	4.7	13
37	Improvement of the physical performance is associated with activation of NO/PGC-1 α /mtTFA signaling pathway and increased protein expressions of electron transport chain in gastrocnemius muscle from rats supplemented with L-arginine. <i>Life Sciences</i> , 2015 , 125, 63-70	6.8	6
36	Alteration of Redox Homeostasis and Protein Expression of Constitutive Nitric Oxide Synthases Contributes to Erectile Dysfunction of Heart Failure Rats. <i>FASEB Journal</i> , 2015 , 29, LB488	0.9	
35	L-Carnitine supplementation impairs endothelium-dependent relaxation in mesenteric arteries from rats. <i>Archives of Physiology and Biochemistry</i> , 2014 , 120, 112-8	2.2	3
34	Superoxide anion production by NADPH oxidase plays a major role in erectile dysfunction in middle-aged rats: prevention by antioxidant therapy. <i>Journal of Sexual Medicine</i> , 2013 , 10, 960-71	1.1	35
33	Genitourinary dysfunctions associated with heart failure in model of chronic volume overload in rats. <i>FASEB Journal</i> , 2012 , 26, 1115.21	0.9	
32	Exercise training ameliorates the impairment of endothelial and nitroergic corpus cavernosum responses in diabetic rats. <i>Life Sciences</i> , 2011 , 88, 272-7	6.8	21
31	Up-regulation of the RhoA/Rho-kinase signaling pathway in corpus cavernosum from endothelial nitric-oxide synthase (NOS), but not neuronal NOS, null mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 333, 184-92	4.7	30

30	Upregulation of gp91phox subunit of NAD(P)H oxidase contributes to erectile dysfunction caused by long-term nitric oxide inhibition in rats: reversion by regular physical training. <i>Urology</i> , 2010 , 75, 961-7	1.6	34
29	Heme-dependent and independent soluble guanylate cyclase activators and vasodilation. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 56, 229-33	3.1	35
28	Evaluation of the relaxant effect of the nitric oxide-independent soluble guanylyl cyclase stimulator BAY 41-2272 in isolated detrusor smooth muscle. <i>European Journal of Pharmacology</i> , 2010 , 637, 171-7	5.3	19
27	Oxidative stress impairs vasorelaxation induced by the soluble guanylyl cyclase activator BAY 41-2272 in spontaneously hypertensive rats. <i>American Journal of Hypertension</i> , 2009 , 22, 493-9	2.3	29
26	Effect of the phosphodiesterase 5 inhibitors sildenafil, tadalafil and vardenafil on rat anococcygeus muscle: functional and biochemical aspects. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 358-66	3	5
25	Comparative relaxing effects of sildenafil, vardenafil, and tadalafil in human corpus cavernosum: contribution of endogenous nitric oxide release. <i>Urology</i> , 2009 , 74, 216-21	1.6	10
24	Vardenafil, but not sildenafil or tadalafil, has calcium-channel blocking activity in rabbit isolated pulmonary artery and human washed platelets. <i>British Journal of Pharmacology</i> , 2008 , 154, 787-96	8.6	36
23	Synthesis and pharmacological evaluations of sildenafil analogues for treatment of erectile dysfunction. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 2807-15	8.3	36
22	Pharmacokinetic profile of atenolol aspirinate. <i>Archiv Der Pharmazie</i> , 2007 , 340, 445-55	4.3	2
21	Neurophysiological basis of penile erection. <i>Acta Pharmacologica Sinica</i> , 2007 , 28, 751-5	8	33
20	Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of Ca ²⁺ sensitization in the rat lower urinary tract. <i>Biochemical Pharmacology</i> , 2007 , 74, 647-58	6	29
19	Vascular effects of long-term propranolol administration after chronic nitric oxide blockade. <i>European Journal of Pharmacology</i> , 2007 , 571, 189-96	5.3	17
18	Effects of 5-cyclopropyl-2-[1-(2-fluoro-benzyl)-1H-pyrazolo[3,4-b]pyridine-3-yl]pyrimidin-4-ylamine (BAY 41-2272) on smooth muscle tone, soluble guanylyl cyclase activity, and NADPH oxidase activity/expression in corpus cavernosum from wild-type, neuronal, and endothelial nitric-oxide synthase null mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 322, 1093-102	4.7	26
17	Defective insulin and acetylcholine induction of endothelial cell-nitric oxide synthase through insulin receptor substrate/Akt signaling pathway in aorta of obese rats. <i>Diabetes</i> , 2007 , 56, 1014-24	0.9	44
16	Protective effect of prior physical conditioning on relaxing response of corpus cavernosum from rats made hypertensive by nitric oxide inhibition. <i>International Journal of Impotence Research</i> , 2007 , 19, 189-95	2.3	9
15	Exercise improves vascular relaxation mediated by sGC/cGMP via inhibition of Rho-Kinase signaling in eNOS β mice. <i>FASEB Journal</i> , 2007 , 21, A519	0.9	
14	Stimulation of soluble guanylyl cyclase by BAY 41-2272 relaxes anococcygeus muscle: interaction with nitric oxide. <i>European Journal of Pharmacology</i> , 2006 , 530, 157-65	5.3	9
13	Molecular mechanisms underlying rat mesenteric artery vasorelaxation induced by the nitric oxide-independent soluble guanylyl cyclase stimulators BAY 41-2272 [5-cyclopropyl-2-[1-(2-fluorobenzyl)-1H-pyrazolo[3,4-b]pyridine-3-yl]pyrimidin-4-ylamine] and YC-1 [3-(5-hydroxymethyl-2-furyl)-1-benzyl-1H-indazole]. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 317, 258-66	4.7	27

12	Vasorelaxing effect of BAY 41-2272 in rat basilar artery: involvement of cGMP-dependent and independent mechanisms. <i>Hypertension</i> , 2006 , 47, 596-602	8.5	34
11	Differential effects of the phosphodiesterase type 5 inhibitors sildenafil, vardenafil, and tadalafil in rat aorta. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 316, 654-61	4.7	60
10	Vasorelaxing effects of propranolol in rat aorta and mesenteric artery: a role for nitric oxide and calcium entry blockade. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 448-55	3	23
9	Effects of the soluble guanylyl cyclase stimulator (sGC) BAY 41-2272 on vascular tone and cyclic GMP levels in spontaneously hypertensive rats.. <i>FASEB Journal</i> , 2006 , 20, A1108	0.9	
8	Mechanisms underlying relaxation of rabbit aorta by BAY 41-2272, a nitric oxide-independent soluble guanylate cyclase activator. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 728-34	3	33
7	Expression and functional role of the RhoA/Rho-kinase pathway in rat coeliac artery. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 817-24	3	11
6	Negative chronotropic response to adenosine receptor stimulation in rat right atria after run training. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004 , 31, 741-3	3	13
5	Improvement in relaxation response in corpus cavernosum from trained rats. <i>Urology</i> , 2004 , 63, 1004-8	1.6	21
4	Nitric oxide release from human corpus cavernosum induced by a purified scorpion toxin. <i>Urology</i> , 2004 , 63, 184-9	1.6	31
3	Relaxing effects induced by the soluble guanylyl cyclase stimulator BAY 41-2272 in human and rabbit corpus cavernosum. <i>European Journal of Pharmacology</i> , 2003 , 477, 163-9	5.3	43
2	Pharmacological characterization of the presynaptic activity of Tityus serrulatus venom in the rat anococcygeus muscle. <i>Toxicon</i> , 2003 , 42, 451-60	2.8	3
1	Chronotropic response of beta-adrenergic-, muscarinic-, and calcitonin gene-related peptide-receptor agonists in right atria from neonatal capsaicin-treated rats. <i>Neuroscience Letters</i> , 2002 , 325, 147-50	3.3	4