

# Stephan Ruhrmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5277935/publications.pdf>

Version: 2024-02-01

216  
papers

14,035  
citations

22099

59  
h-index

24179

110  
g-index

257  
all docs

257  
docs citations

257  
times ranked

11600  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
2	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
3	Prediction of Psychosis in Adolescents and Young Adults at High Risk. <i>Archives of General Psychiatry</i> , 2010, 67, 241.	13.8	575
4	Revealing the complex genetic architecture of obsessive-compulsive disorder using meta-analysis. <i>Molecular Psychiatry</i> , 2018, 23, 1181-1188.	4.1	400
5	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 388-404.	0.1	390
6	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.1	318
7	Genome-wide association study of obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 788-798.	4.1	312
8	Prediction of Psychosis by Mismatch Negativity. <i>Biological Psychiatry</i> , 2011, 69, 959-966.	0.7	273
9	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	1.1	258
10	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2018, 75, 1156.	6.0	251
11	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864.	1.5	241
12	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
13	Disorder, not just state of risk: Meta-analysis of functioning and quality of life in people at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2015, 207, 198-206.	1.7	226
14	Sensory Gating in Schizophrenia: P50 and N100 Gating in Antipsychotic-Free Subjects at Risk, First-Episode, and Chronic Patients. <i>Biological Psychiatry</i> , 2008, 64, 376-384.	0.7	212
15	Preventing progression to first-episode psychosis in early initial prodromal states. <i>British Journal of Psychiatry</i> , 2012, 200, 22-29.	1.7	196
16	Application of transcranial magnetic stimulation in treatment of drug-resistant major depression-a report of two cases. <i>Human Psychopharmacology</i> , 1993, 8, 361-365.	0.7	191
17	Basic Symptoms and Ultrahigh Risk Criteria: Symptom Development in the Initial Prodromal State. <i>Schizophrenia Bulletin</i> , 2010, 36, 182-191.	2.3	186
18	Early detection and secondary prevention of psychosis: facts and visions*. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 117-128.	1.8	183

#	ARTICLE	IF	CITATIONS
19	Neurocognitive indicators for a conversion to psychosis: Comparison of patients in a potentially initial prodromal state who did or did not convert to a psychosis. <i>Schizophrenia Research</i> , 2007, 92, 116-125.	1.1	175
20	Anandamide elevation in cerebrospinal fluid in initial prodromal states of psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 371-372.	1.7	157
21	Basic Symptoms and the Prediction of First-Episode Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 351-357.	0.9	152
22	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: An fMRI multi-center study. <i>Schizophrenia Research</i> , 2007, 89, 198-210.	1.1	148
23	Impaired mismatch negativity generation in prodromal subjects and patients with schizophrenia. <i>Schizophrenia Research</i> , 2005, 73, 297-310.	1.1	144
24	Probably at-risk, but certainly ill – Advocating the introduction of a psychosis spectrum disorder in DSM-V. <i>Schizophrenia Research</i> , 2010, 120, 23-37.	1.1	138
25	Resilience as a multimodal dynamic process. <i>Microbial Biotechnology</i> , 2019, 13, 725-732.	0.9	135
26	Increased neural response related to neutral faces in individuals at risk for psychosis. <i>NeuroImage</i> , 2008, 40, 289-297.	2.1	131
27	Neurocognitive Functioning in Subjects at Risk for a First Episode of Psychosis Compared with First- and Multiple-episode Schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 1388-1407.	0.8	129
28	Gray matter abnormalities in subjects at ultra-high risk for schizophrenia and first-episode schizophrenic patients compared to healthy controls. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 163-169.	0.9	127
29	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	6.0	125
30	Neuropsychological Profiles in Different At-Risk States of Psychosis: Executive Control Impairment in the Early – and Additional Memory Dysfunction in the Late – Prodromal State. <i>Schizophrenia Bulletin</i> , 2011, 37, 861-873.	2.3	124
31	Early Detection and Intervention in the Initial Prodromal Phase of Schizophrenia. <i>Pharmacopsychiatry</i> , 2003, 36, 162-167.	1.7	122
32	Acute effects of treatment for prodromal symptoms for people putatively in a late initial prodromal state of psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s88-s95.	1.7	122
33	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette – Syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015, 172, 82-93.	4.0	117
34	Impulsiveness in obsessive-compulsive disorder: results from a family study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 41-47.	2.2	116
35	Improving the clinical prediction of psychosis by combining ultra-high risk criteria and cognitive basic symptoms. <i>Schizophrenia Research</i> , 2014, 154, 100-106.	1.1	115
36	Disability in people clinically at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 278-284.	1.7	113

#	ARTICLE	IF	CITATIONS
37	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919.	0.3	111
38	The European Prediction of Psychosis Study (EPOS): integrating early recognition and intervention in Europe. <i>World Psychiatry</i> , 2005, 4, 161-7.	4.8	108
39	Forecasting Psychosis by Event-Related Potentials—Systematic Review and Specific Meta-Analysis. <i>Biological Psychiatry</i> , 2015, 77, 951-958.	0.7	102
40	Prediction and prevention of schizophrenia: what has been achieved and where to go next?. <i>World Psychiatry</i> , 2011, 10, 165-174.	4.8	101
41	Axis I diagnoses and transition to psychosis in clinical high-risk patients EPOS project: Prospective follow-up of 245 clinical high-risk outpatients in four countries. <i>Schizophrenia Research</i> , 2012, 138, 192-197.	1.1	94
42	CSF Metabolic and Proteomic Profiles in Patients Prodromal for Psychosis. <i>PLoS ONE</i> , 2007, 2, e756.	1.1	93
43	Psychosis Prediction: Stratification of Risk Estimation With Information-Processing and Premorbid Functioning Variables. <i>Schizophrenia Bulletin</i> , 2014, 40, 1482-1490.	2.3	91
44	Subjective quality of life in subjects at risk for a first episode of psychosis: A comparison with first episode schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2005, 79, 137-143.	1.1	90
45	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	2.3	85
46	Remembering or knowing: electrophysiological evidence for an episodic memory deficit in schizophrenia. <i>Psychological Medicine</i> , 2002, 32, 1261-1271.	2.7	83
47	Familiality of Obsessive-Compulsive Disorder in Nonclinical and Clinical Subjects. <i>American Journal of Psychiatry</i> , 2006, 163, 1986-1992.	4.0	83
48	Auditory P300 in individuals clinically at risk for psychosis. <i>International Journal of Psychophysiology</i> , 2008, 70, 192-205.	0.5	83
49	Cannabis use and age at onset of symptoms in subjects at clinical high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 45-53.	2.2	82
50	Binocular depth inversion as a paradigm of reduced visual information processing in prodromal state, antipsychotic-naïve and treated schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 195-202.	1.8	80
51	Prevalence and Clinical Significance of DSM-5—Attenuated Psychosis Syndrome in Adolescents and Young Adults in the General Population: The Bern Epidemiological At-Risk (BEAR) Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1499-1508.	2.3	79
52	Effects of fluoxetine versus bright light in the treatment of seasonal affective disorder. <i>Psychological Medicine</i> , 1998, 28, 923-933.	2.7	77
53	Basic symptoms in early psychotic and depressive disorders. <i>British Journal of Psychiatry</i> , 2007, 191, s31-s37.	1.7	73
54	Interrelated neuropsychological and anatomical evidence of hippocampal pathology in the at-risk mental state. <i>Psychological Medicine</i> , 2008, 38, 843-851.	2.7	71

#	ARTICLE	IF	CITATIONS
55	Dimensions of working memory dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 2003, 62, 259-268.	1.1	70
56	Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. <i>Current Pharmaceutical Design</i> , 2012, 18, 358-375.	0.9	70
57	Reduced subjective quality of life in persons at risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 357-368.	2.2	68
58	The Near Babylonian Speech Confusion in Early Detection of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 653-655.	2.3	68
59	Self-Reported Psychotic-Like Experiences Are a Poor Estimate of Clinician-Rated Attenuated and Frank Delusions and Hallucinations. <i>Psychopathology</i> , 2014, 47, 194-201.	1.1	65
60	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	1.3	62
61	Neurophysiological Correlates of Impaired Facial Affect Recognition in Individuals at Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1021-1029.	2.3	60
62	A Stratified Model for Psychosis Prediction in Clinical Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 1533-1542.	2.3	59
63	Psychosis-predictive value of self-reported schizotypy in a clinical high-risk sample.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 923-932.	2.0	59
64	Course of clinical high-risk states for psychosis beyond conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 39-48.	1.8	59
65	Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008, 107, 265-269.	2.0	58
66	Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. <i>British Journal of Psychiatry</i> , 2005, 187, s45-s48.	1.7	57
67	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	6.0	57
68	Duration of unspecific prodromal and clinical high risk states, and early help-seeking in first-admission psychosis patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1831-1841.	1.6	56
69	Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.	0.9	54
70	â€ˆA Rose Is a Rose Is a Roseâ€™™, but At-Risk Criteria Differ. <i>Psychopathology</i> , 2013, 46, 75-87.	1.1	54
71	Pharmacological intervention in the initial prodromal phase of psychosis. <i>European Psychiatry</i> , 2005, 20, 1-6.	0.1	53
72	Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. <i>Nature Communications</i> , 2017, 8, 774.	5.8	52

#	ARTICLE	IF	CITATIONS
73	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. <i>Biological Psychiatry</i> , 2006, 60, 202-203.	0.7	49
74	Alexithymia in Obsessive-Compulsive Disorder – Results from a Family Study. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 312-318.	4.0	48
75	Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , 2014, 153, 42-47.	1.1	48
76	A promoter variant of SHANK1 affects auditory working memory in schizophrenia patients and in subjects clinically at risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 117-124.	1.8	47
77	Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2013, 8, e70376.	1.1	47
78	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	4.1	46
79	Kraepelin and psychotic prodromal conditions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 74-84.	1.8	45
80	Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 625-634.	1.8	45
81	Prevalence and clinical relevance of interview-assessed psychosis-risk symptoms in the young adult community. <i>Psychological Medicine</i> , 2018, 48, 1167-1178.	2.7	45
82	Early detection of psychosis – Establishing a service for persons at risk. <i>European Psychiatry</i> , 2009, 24, 1-10.	0.1	43
83	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
84	Early onset of obsessive-compulsive disorder and associated comorbidity. <i>Depression and Anxiety</i> , 2009, 26, 1012-1017.	2.0	41
85	Personality disorders and accentuations in at-risk persons with and without conversion to first-episode psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 389-398.	0.9	41
86	Prediction of psychosis in clinical high-risk patients by the Schizotypal Personality Questionnaire. Results of the EPOS project. <i>European Psychiatry</i> , 2013, 28, 469-475.	0.1	41
87	Sex differences in the genetic architecture of obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 351-364.	1.1	41
88	Low Plasma Thyroid Indices of Depressed Patients are Attenuated by Antidepressant Drugs and Influence Treatment Outcome. <i>Pharmacopsychiatry</i> , 1996, 29, 180-186.	1.7	40
89	Relationship between subjective and objective cognitive function in the early and late prodrome. <i>British Journal of Psychiatry</i> , 2007, 191, s43-s51.	1.7	40
90	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38

#	ARTICLE	IF	CITATIONS
91	Atypical processing of uncertainty in individuals at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020, 26, 102239.	1.4	37
92	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020, 88, 829-842.	0.7	35
93	The initial prodrome of schizophrenia: different duration, different underlying deficits?. <i>Comprehensive Psychiatry</i> , 2007, 48, 479-488.	1.5	34
94	Obsessive-Compulsive Disorder and Posttraumatic Stress Disorder. <i>Psychopathology</i> , 2008, 41, 129-134.	1.1	34
95	Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2016, 170, 168-176.	1.1	34
96	DAOA/G72 predicts the progression of prodromal syndromes to first episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 209-215.	1.8	33
97	Perceived parental rearing in subjects with obsessive-compulsive disorder and their siblings. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 280-288.	2.2	33
98	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642.	0.7	32
99	Psychosocial outcome in patients at clinical high risk of psychosis: a prospective follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 303-311.	1.6	31
100	Pathways to care in subjects at high risk for psychotic disorders – A European perspective. <i>Schizophrenia Research</i> , 2014, 152, 400-407.	1.1	31
101	Towards clinical application of prediction models for transition to psychosis: A systematic review and external validation study in the PRONIA sample. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 478-492.	2.9	31
102	The interaction of working memory and emotion in persons clinically at risk for psychosis: An fMRI pilot study. <i>Schizophrenia Research</i> , 2010, 120, 167-176.	1.1	30
103	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
104	Orienting of attention in unmedicated patients with schizophrenia, prodromal subjects and healthy relatives. <i>Schizophrenia Research</i> , 2007, 97, 35-42.	1.1	28
105	Short-term functional outcome and premorbid adjustment in clinical high-risk patients. Results of the EPOS project. <i>European Psychiatry</i> , 2014, 29, 371-380.	0.1	28
106	General psychopathology links burden of recent life events and psychotic symptoms in a network approach. <i>NPJ Schizophrenia</i> , 2020, 6, 40.	2.0	28
107	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. <i>Schizophrenia Research</i> , 2019, 210, 188-196.	1.1	27
108	Morphometry of structural disconnectivity indicators in subjects at risk and in age-matched patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 15-24.	1.8	26



#	ARTICLE	IF	CITATIONS
109	Restricted attention to social cues in schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 649-661.	1.8	26
110	Recurrent brief depression and its relationship to seasonal affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992, 242, 20-26.	1.8	25
111	Intervention in the at-risk state to prevent transition to psychosis. <i>Current Opinion in Psychiatry</i> , 2009, 22, 177-183.	3.1	24
112	Efficacy of flupentixol and risperidone in chronic schizophrenia with predominantly negative symptoms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1012-1022.	2.5	23
113	The Strauss and Carpenter Prognostic Scale in subjects clinically at high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 53-61.	2.2	23
114	5-HT <sub>3</sub> receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT <sub>3</sub> receptor antagonists as novel treatment option. <i>European Neuropsychopharmacology</i> , 2014, 24, 86-94.	0.3	23
115	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
116	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91.	2.4	23
117	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. <i>Schizophrenia Bulletin</i> , 2021, 47, 1130-1140.	2.3	23
118	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
119	Prediction and prevention of psychosis: current progress and future tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 9-16.	1.8	21
120	Pharmacological Prevention and Treatment in Clinical At-Risk States for Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 550-557.	0.9	20
121	Depression predicts persistence of paranoia in clinical high-risk patients to psychosis: results of the EPOS project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 247-257.	1.6	20
122	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
123	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 311-324.	1.8	19
124	A Controlled Study of the Efficacy and Safety of Mianserin and Amitriptyline in Depressive Inpatients. <i>Pharmacopsychiatry</i> , 1995, 28, 249-252.	1.7	18
125	Chances and risks of predicting psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 85-90.	1.8	18
126	Antisaccade and prosaccade eye movements in individuals clinically at risk for psychosis: comparison with first-episode schizophrenia and prediction of conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 921-930.	1.8	18



#	ARTICLE	IF	CITATIONS
127	Intervention in at-risk states for developing psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 90-94.	1.8	17
128	Expressed emotion as a predictor of the first psychotic episode – Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018, 199, 346-352.	1.1	17
129	Comparing the prodrome of schizophrenia-spectrum psychoses and affective disorders with and without psychotic features. <i>Schizophrenia Research</i> , 2012, 138, 218-222.	1.1	16
130	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
131	Antisaccade performance is related to genetic loading for schizophrenia. <i>Journal of Psychiatric Research</i> , 2009, 43, 291-297.	1.5	15
132	Peculiarities of health literacy in people with mental disorders: A cross-sectional study. <i>International Journal of Social Psychiatry</i> , 2020, 66, 10-22.	1.6	15
133	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. <i>Neuropsychopharmacology</i> , 2021, 46, 1475-1483.	2.8	15
134	Neurobiologically Based Stratification of Recent-Onset Depression and Psychosis: Identification of Two Distinct Transdiagnostic Phenotypes. <i>Biological Psychiatry</i> , 2022, 92, 552-562.	0.7	15
135	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100.	2.1	14
136	Childhood adversity predicts persistence of suicidal thoughts differently in females and males at clinical high risk patients of psychosis. Results of the EPOS project. <i>Microbial Biotechnology</i> , 2019, 13, 935-942.	0.9	14
137	Multimodal prevention of first psychotic episode through N-acetylcysteine and integrated preventive psychological intervention in individuals clinically at high risk for psychosis: Protocol of a randomized, placebo-controlled, parallel-group trial. <i>Microbial Biotechnology</i> , 2019, 13, 1404-1415.	0.9	14
138	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
139	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
140	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1484-1493.	2.8	14
141	The German Research Network on Schizophrenia–impact on the management of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2006, 8, 115-121.	1.8	14
142	Perceived negative attitude of others as an early sign of psychosis. <i>European Psychiatry</i> , 2009, 24, 233-238.	0.1	13
143	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 249-258.	2.3	13
144	Neurocognitive functioning in parents of schizophrenia patients: Attentional and executive performance vary with genetic loading. <i>Psychiatry Research</i> , 2015, 230, 885-891.	1.7	12

#	ARTICLE	IF	CITATIONS
145	Development of a stage-dependent prognostic model to predict psychosis in ultra-high-risk patients seeking treatment for co-morbid psychiatric disorders. <i>Psychological Medicine</i> , 2016, 46, 1839-1851.	2.7	12
146	Perceived negative attitude of others predicts transition to psychosis in patients at risk of psychosis. <i>European Psychiatry</i> , 2012, 27, 264-266.	0.1	11
147	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
148	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
149	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 403-413.	1.8	10
150	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
151	Clinical Response to Sleep Deprivation and Auditory-Evoked Potentials - Preliminary Results. <i>Pharmacopsychiatry</i> , 1994, 27, 70-71.	1.7	9
152	Sex differences in symptomatology of psychosis-risk patients and in prediction of psychosis. <i>Archives of Women's Mental Health</i> , 2020, 23, 339-349.	1.2	9
153	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
154	Evidence for a seasonal form of recurrent brief depression (RBD-seasonal). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994, 244, 205-210.	1.8	8
155	Personality dimensions in persons symptomatically at risk of psychosis: pronounced but lacking a characteristic profile. <i>Microbial Biotechnology</i> , 2015, 9, 242-247.	0.9	8
156	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , 2020, 129, 88-97.	1.5	8
157	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) influences age at onset of obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1951-1958.	1.0	7
158	Basic Disturbances of Information Processing in Psychosis Prediction. <i>Frontiers in Psychiatry</i> , 2013, 4, 93.	1.3	7
159	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021, 11, 312.	2.4	7
160	A randomized Phase II trial evaluating efficacy, safety, and tolerability of oral 409306 in attenuated psychosis syndrome: Design and rationale. <i>Microbial Biotechnology</i> , 2021, 15, 1315-1325.	0.9	7
161	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
162	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , 2023, 53, 1005-1014.	2.7	6

#	ARTICLE	IF	CITATIONS
163	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	1.1	6
164	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
165	Health literacy in clinicalâ€highâ€risk individuals for psychosis: A systematic mixedâ€methods review. <i>Microbial Biotechnology</i> , 2019, 13, 1293-1309.	0.9	5
166	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175.	1.3	5
167	Physical illnesses, developmental risk factors and psychiatric diagnoses among subjects at risk of psychosis. <i>European Psychiatry</i> , 2013, 28, 135-140.	0.1	3
168	Attitudes towards Risk Prediction in a Help Seeking Population of Early Detection Centers for Mental Disordersâ€”A Qualitative Approach. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1036.	1.2	3
169	Prediction and Early Detection of First-Episode Psychosis. , 2011, , 207-267.		3
170	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 573-581.	1.3	3
171	THE ROLE OF PERSONALITY DISORDER AND ACCENTUATION IN THE CONVERSION TO PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 422-423.	1.1	2
172	868. Early Intervention in Attenuated Psychosis Syndrome: A Phase II Study Evaluating Efficacy, Safety, and Tolerability of Oral BI 409306. <i>Biological Psychiatry</i> , 2017, 81, S351.	0.7	2
173	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , .	1.6	2
174	Impact of Smoking Behavior on Cognitive Functioning in Persons at Risk for Psychosis and Healthy Controls: A Longitudinal Study. <i>European Psychiatry</i> , 2021, 64, 1-20.	0.1	2
175	MISMATCH NEGATIVITY IS REDUCED IN SCHIZOPHRENIA PATIENTS WITH DEFICIT SYNDROME. <i>Schizophrenia Research</i> , 2010, 117, 360-361.	1.1	1
176	PREVENTIVE PSYCHOTHERAPY. <i>Schizophrenia Research</i> , 2014, 153, S42-S43.	1.1	1
177	Clinical High Risk Symptoms and Criteria in the Community: Prevalence, Clinical Significance and Risk Factors for Their Occurrence. <i>European Psychiatry</i> , 2017, 41, S226-S226.	0.1	1
178	Basic Symptoms in the Community and their Association with Age. <i>European Psychiatry</i> , 2017, 41, S84-S85.	0.1	1
179	Is there a diagnosis-specific influence of childhood trauma on later educational attainment? A machine learning analysis in a large help-seeking sample. <i>Journal of Psychiatric Research</i> , 2021, 138, 591-597.	1.5	1
180	Using combined environmentalâ€clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. <i>British Journal of Psychiatry</i> , 2022, 220, 229-245.	1.7	1

#	ARTICLE	IF	CITATIONS
181	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis. NPJ Schizophrenia, 2022, 8, 19.	2.0	1
182	381. Sensory gating: new vistas. Biological Psychiatry, 2000, 47, S116.	0.7	0
183	555. Early ERPS and their contribution to diagnosis in schizophrenia. Biological Psychiatry, 2000, 47, S169.	0.7	0
184	EPOS â€” General outlines of the â€œEuropean prediction of psychosis studyâ€• Schizophrenia Research, 2003, 60, 5.	1.1	0
185	0127 LOCUS OF CONTROL IN PERSONS CLINICALLY AT RISK FOR PSYCHOSIS. Schizophrenia Research, 2006, 86, S85.	1.1	0
186	0372 THE INTERACTION OF NEGATIVE EMOTION AND WORKING MEMORY IN EARLY PSYCHOSIS. Schizophrenia Research, 2006, 86, S109.	1.1	0
187	EPOS - sample characteristics, transition rates and psychopathological predictors. European Psychiatry, 2007, 22, S64.	0.1	0
188	PHARMACOLOGICAL INTERVENTION IN THE PRODROMAL STATE OF PSYCHOSIS. Schizophrenia Research, 2008, 102, 47-48.	1.1	0
189	P.3.f.001 Does anandamide elevation in cerebrospinal fluid protect against transition into frank psychosis?. European Neuropsychopharmacology, 2008, 18, S474.	0.3	0
190	Specific neurocognitive deficits are related to inferred genetic risk in unaffected parents of schizophrenic patients. European Psychiatry, 2008, 23, S28.	0.1	0
191	Subjective quality of life and its changes in patients at risk of psychosis. European Psychiatry, 2008, 23, S68.	0.1	0
192	Transition to psychosis: Neuropsychological test results of the epos study. European Psychiatry, 2008, 23, S68-S69.	0.1	0
193	Antisaccade deficits in subjects either genetically or clinically at risk for schizophrenia. European Psychiatry, 2008, 23, S69.	0.1	0
194	The EPOS prediction model improves ability to predict transition to first episode psychosis in individuals at high risk. Evidence-Based Mental Health, 2010, 13, 77-77.	2.2	0
195	P03-118 - Perceived Negative Attitude Associates with Psychotic Experiences. European Psychiatry, 2010, 25, .	0.1	0
196	PREDICTION OF PSYCHOSIS BY MISMATCH NEGATIVITY. Schizophrenia Research, 2010, 117, 244.	1.1	0
197	BASIC SYMPTOM AND ULTRA-HIGH RISK CRITERIA IN THE PREDICTION OF FIRST-EPIISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 422.	1.1	0
198	Subjective quality of life and its changes in patients at-risk for psychosis results of the EPOS study. European Psychiatry, 2011, 26, 2039-2039.	0.1	0

#	ARTICLE	IF	CITATIONS
199	Course of psychopathology in the at-risk mental state - outcomes beyond transition to psychosis. <i>European Psychiatry</i> , 2011, 26, 2037-2037.	0.1	0
200	Poster #202 COMPARING THE PRODROME OF SCHIZOPHRENIA-SPECTRUM PSYCHOSES AND BIPOLAR DISORDERS WITH AND WITHOUT PSYCHOTIC FEATURES. <i>Schizophrenia Research</i> , 2012, 136, S163-S164.	1.1	0
201	Poster #70 COPING IN INDIVIDUALS AT CLINICAL HIGH RISK FOR PSYCHOSIS, SCHIZOPHRENIA PATIENTS AND HEALTHY CONTROL SUBJECTS. <i>Schizophrenia Research</i> , 2012, 136, S210-S211.	1.1	0
202	Poster #191 THE STRAUSS AND CARPENTER PROGNOSTIC SCALE IN SUBJECTS CLINICALLY AT HIGH RISK OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S254.	1.1	0
203	Causal Connection Between Depression and Paranoia. <i>European Psychiatry</i> , 2015, 30, 113.	0.1	0
204	The Predictive Power of the Wisconsin Scales of Schizophrenia Proneness in Patients of an Early Detection Service. <i>European Psychiatry</i> , 2015, 30, 922.	0.1	0
205	Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 208, 197-198.	1.7	0
206	Electroencephalographic Predictors of Psychosis. <i>Key Issues in Mental Health</i> , 0, , 133-141.	0.6	0
207	Intervention in Clinical High Risk States - Current Status and Future Perspectives. <i>European Psychiatry</i> , 2017, 41, S27-S28.	0.1	0
208	T239. SINGLE-SUBJECT PREDICTION OF FUNCTIONAL OUTCOMES IN CLINICAL HIGH RISK SUBJECTS USING CLINICAL DATA. <i>Schizophrenia Bulletin</i> , 2018, 44, S209-S210.	2.3	0
209	S13. DO PATIENTS WITH RECENT-ONSET DEPRESSION DIFFER CLINICALLY AND NEUROBIOLOGICALLY FROM DEPRESSED PATIENTS WITH A CLINICAL HIGH-RISK STATE FOR PSYCHOSIS?. <i>Schizophrenia Bulletin</i> , 2018, 44, S328-S329.	2.3	0
210	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
211	S94. PREDICTION OF CANNABIS RELAPSE IN CLINICAL HIGH-RISK INDIVIDUALS AND RECENT ONSET PSYCHOSIS - PRELIMINARY RESULTS FROM THE PRONIA STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S69-S70.	2.3	0
212	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations. <i>British Journal of Psychiatry</i> , 2021, , 1-4.	1.7	0
213	A longitudinal multi-center fMRI study of cognition and emotion in first-episode schizophrenia patients. <i>Pharmacopsychiatry</i> , 2003, 36, .	1.7	0
214	Intervención farmacológica en la fase prodromica inicial de la psicosis. <i>European Psychiatry (Ed)</i> Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.0	0
215	Prevention and Early Intervention in At-Risk States for Developing Psychosis. , 2011, , 81-92.		0
216	Impact of smoking behavior on cognitive functioning in persons at risk for psychosis and healthy controls: A longitudinal study " CORRIGENDUM. <i>European Psychiatry</i> , 2022, 65, e17.	0.1	0