

# Robert Rottapel

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5279026/robert-rottapel-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102 papers	6,200 citations	42 h-index	77 g-index
112 ext. papers	7,031 ext. citations	10.7 avg, IF	5.14 L-index

#	Paper	IF	Citations
102	Inhibition of relaxin autocrine signaling confers therapeutic vulnerability in ovarian cancer. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	2
101	Anticardiolipin and other antiphospholipid antibodies in critically ill COVID-19 positive and negative patients. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 1236-1240	2.4	15
100	Endonuclease increases efficiency of osteoblast isolation from murine calvariae. <i>Scientific Reports</i> , <b>2021</b> , 11, 8502	4.9	1
99	RUNX2 Phosphorylation by Tyrosine Kinase ABL Promotes Breast Cancer Invasion. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 665273	5.3	0
98	Preexisting autoimmune disease and immune-related adverse events associated with anti-PD-1 cancer immunotherapy: a national case series from the Canadian Research Group of Rheumatology in Immuno-Oncology. <i>Cancer Immunology, Immunotherapy</i> , <b>2021</b> , 70, 2197-2207	7.4	7
97	Gain-of-function variants in SYK cause immune dysregulation and systemic inflammation in humans and mice. <i>Nature Genetics</i> , <b>2021</b> , 53, 500-510	36.3	11
96	N6-methyladenosine reader YTHDF1 promotes ARHGEF2 translation and RhoA signaling in colorectal cancer.. <i>Gastroenterology</i> , <b>2021</b> ,	13.3	4
95	GEF-H1 Is Required for Colchicine Inhibition of Neutrophil Rolling and Recruitment in Mouse Models of Gout. <i>Journal of Immunology</i> , <b>2020</b> , 205, 3300-3310	5.3	0
94	The LUBAC participates in lysophosphatidic acid-induced NF- $\kappa$ B activation. <i>Cellular Immunology</i> , <b>2020</b> , 353, 104133	4.4	3
93	Low junctional adhesion molecule-A expression is associated with an epithelial to mesenchymal transition and poorer outcomes in high-grade serous carcinoma of uterine adnexa. <i>Modern Pathology</i> , <b>2020</b> , 33, 2361-2377	9.8	3
92	Bone dynamics and inflammation: lessons from rare diseases. <i>Immunological Medicine</i> , <b>2020</b> , 43, 61-64	3.7	3
91	Nucleotide Binding, Evolutionary Insights, and Interaction Partners of the Pseudokinase Unc-51-like Kinase 4. <i>Structure</i> , <b>2020</b> , 28, 1184-1196.e6	5.2	9
90	Haploinsufficiency of RREB1 causes a Noonan-like RASopathy via epigenetic reprogramming of RAS-MAPK pathway genes. <i>Nature Communications</i> , <b>2020</b> , 11, 4673	17.4	8
89	Go with the flow: GEF-H1 mediated shear stress mechanotransduction in neutrophils. <i>Small GTPases</i> , <b>2020</b> , 11, 23-31	2.7	6
88	Alveolar Bone Protection by Targeting the SH3BP2-SYK Axis in Osteoclasts. <i>Journal of Bone and Mineral Research</i> , <b>2020</b> , 35, 382-395	6.3	5
87	Spatiotemporal dynamics of GEF-H1 activation controlled by microtubule- and Src-mediated pathways. <i>Journal of Cell Biology</i> , <b>2019</b> , 218, 3077-3097	7.3	14
86	Chromosomal Instability and mTORC1 Activation through PTEN Loss Contribute to Proteotoxic Stress in Ovarian Carcinoma. <i>Cancer Research</i> , <b>2019</b> , 79, 5536-5549	10.1	9

85	Co-dependency between KRAS addiction and ARHGEF2 promotes an adaptive escape from MAPK pathway inhibition. <i>Small GTPases</i> , <b>2019</b> , 10, 441-448	2.7	3
84	Multiplexed Real-Time NMR GTPase Assay for Simultaneous Monitoring of Multiple Guanine Nucleotide Exchange Factor Activities from Human Cancer Cells and Organoids. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 4473-4476	16.4	3
83	Timed Regulation of 3BP2 Induction Is Critical for Sustaining CD8 T Cell Expansion and Differentiation. <i>Cell Reports</i> , <b>2018</b> , 24, 1123-1135	10.6	2
82	Interrogation of Functional Cell-Surface Markers Identifies CD151 Dependency in High-Grade Serous Ovarian Cancer. <i>Cell Reports</i> , <b>2017</b> , 18, 2343-2358	10.6	33
81	MARK3-mediated phosphorylation of ARHGEF2 couples microtubules to the actin cytoskeleton to establish cell polarity. <i>Science Signaling</i> , <b>2017</b> , 10,	8.8	28
80	RANKL coordinates multiple osteoclastogenic pathways by regulating expression of ubiquitin ligase RNF146. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 1303-1315	15.9	19
79	Ubiquitin ligase RNF146 coordinates bone dynamics and energy metabolism. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 2612-2625	15.9	16
78	An oncogenic KRAS transcription program activates the RHOGEF ARHGEF2 to mediate transformed phenotypes in pancreatic cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 4484-4500	3.3	15
77	Targeting the centriolar replication factor STIL synergizes with DNA damaging agents for treatment of ovarian cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 27380-27392	3.3	9
76	GEF-H1 is necessary for neutrophil shear stress-induced migration during inflammation. <i>Journal of Cell Biology</i> , <b>2016</b> , 215, 107-119	7.3	32
75	Transcriptional Regulation of miR-31 by Oncogenic KRAS Mediates Metastatic Phenotypes by Repressing RASA1. <i>Molecular Cancer Research</i> , <b>2016</b> , 14, 267-77	6.6	48
74	Reciprocal stabilization of ABL and TAZ regulates osteoblastogenesis through transcription factor RUNX2. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 4482-4496	15.9	49
73	Loss of SH3 domain-binding protein 2 function suppresses bone destruction in tumor necrosis factor-driven and collagen-induced arthritis in mice. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 656-67	9.5	23
72	Cherubism allele heterozygosity amplifies microbe-induced inflammatory responses in murine macrophages. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 1396-400	15.9	18
71	shRNA kinome screen identifies TBK1 as a therapeutic target for HER2+ breast cancer. <i>Cancer Research</i> , <b>2014</b> , 74, 2119-30	10.1	26
70	The RhoGEF GEF-H1 is required for oncogenic RAS signaling via KSR-1. <i>Cancer Cell</i> , <b>2014</b> , 25, 181-95	24.3	64
69	Mechanistic insight into GPCR-mediated activation of the microtubule-associated RhoA exchange factor GEF-H1. <i>Nature Communications</i> , <b>2014</b> , 5, 4857	17.4	42
68	SH3BP2 cherubism mutation potentiates TNF- $\beta$ -induced osteoclastogenesis via NFATc1 and TNF- $\beta$ -mediated inflammatory bone loss. <i>Journal of Bone and Mineral Research</i> , <b>2014</b> , 29, 2618-35	6.3	45

67	Cell surface profiling using high-throughput flow cytometry: a platform for biomarker discovery and analysis of cellular heterogeneity. <i>PLoS ONE</i> , <b>2014</b> , 9, e105602	3.7	54
66	Measuring error rates in genomic perturbation screens: gold standards for human functional genomics. <i>Molecular Systems Biology</i> , <b>2014</b> , 10, 733	12.2	203
65	Insights into the binding of PARP inhibitors to the catalytic domain of human tankyrase-2. <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2014</b> , 70, 2740-53		18
64	A negative genetic interaction map in isogenic cancer cell lines reveals cancer cell vulnerabilities. <i>Molecular Systems Biology</i> , <b>2013</b> , 9, 696	12.2	69
63	Probing the GTPase cycle with real-time NMR: GAP and GEF activities in cell extracts. <i>Methods</i> , <b>2012</b> , 57, 473-85	4.6	28
62	Essential gene profiles in breast, pancreatic, and ovarian cancer cells. <i>Cancer Discovery</i> , <b>2012</b> , 2, 172-189	24.4	221
61	Mechanistic insight into the microtubule and actin cytoskeleton coupling through dynein-dependent RhoGEF inhibition. <i>Molecular Cell</i> , <b>2012</b> , 45, 642-55	17.6	64
60	CaPSID: a bioinformatics platform for computational pathogen sequence identification in human genomes and transcriptomes. <i>BMC Bioinformatics</i> , <b>2012</b> , 13, 206	3.6	34
59	Homeodomain-interacting protein kinase (HIPK)-1 is required for splenic B cell homeostasis and optimal T-independent type 2 humoral response. <i>PLoS ONE</i> , <b>2012</b> , 7, e35533	3.7	9
58	The 3BP2 adapter protein is required for chemoattractant-mediated neutrophil activation. <i>Journal of Immunology</i> , <b>2012</b> , 189, 2138-50	5.3	15
57	Loss of Tankyrase-mediated destruction of 3BP2 is the underlying pathogenic mechanism of cherubism. <i>Cell</i> , <b>2011</b> , 147, 1324-39	56.2	140
56	Structural basis and sequence rules for substrate recognition by Tankyrase explain the basis for cherubism disease. <i>Cell</i> , <b>2011</b> , 147, 1340-54	56.2	169
55	Modulation of IL-7 thresholds by SOCS proteins in developing B lineage cells. <i>Journal of Immunology</i> , <b>2011</b> , 187, 3499-510	5.3	17
54	3BP2-deficient mice are osteoporotic with impaired osteoblast and osteoclast functions. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 3244-57	15.9	59
53	Regulation of cytokine-driven functional differentiation of CD8 T cells by suppressor of cytokine signaling 1 controls autoimmunity and preserves their proliferative capacity toward foreign antigens. <i>Journal of Immunology</i> , <b>2010</b> , 185, 357-66	5.3	10
52	3BP2 adapter protein is required for receptor activator of NF- $\kappa$ B ligand (RANKL)-induced osteoclast differentiation of RAW264.7 cells. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 20952-63	5.4	27
51	Real-time NMR study of three small GTPases reveals that fluorescent 2'-O-(N-methylanthraniloyl)-tagged nucleotides alter hydrolysis and exchange kinetics. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 5132-6	5.4	34
50	Alpha4beta1 integrin mediates the recruitment of immature dendritic cells across the blood-brain barrier during experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , <b>2010</b> , 184, 7196-206	5.3	74

49	TACC3-TSC2 maintains nuclear envelope structure and controls cell division. <i>Cell Cycle</i> , <b>2010</b> , 9, 1143-55	4.7	30
48	Modulation of Rho guanine exchange factor Lfc activity by protein kinase A-mediated phosphorylation. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 5963-73	4.8	56
47	Lfc and Tctex-1 regulate the genesis of neurons from cortical precursor cells. <i>Nature Neuroscience</i> , <b>2009</b> , 12, 735-44	25.5	71
46	CD28 provides T-cell costimulation and enhances PI3K activity at the immune synapse independently of its capacity to interact with the p85/p110 heterodimer. <i>Blood</i> , <b>2008</b> , 111, 1464-71	2.2	114
45	Intra-articular fms-like tyrosine kinase 3 ligand expression is a driving force in induction and progression of arthritis. <i>PLoS ONE</i> , <b>2008</b> , 3, e3633	3.7	35
44	Putting out the fire: coordinated suppression of the innate and adaptive immune systems by SOCS1 and SOCS3 proteins. <i>Immunological Reviews</i> , <b>2008</b> , 224, 265-83	11.3	132
43	Impaired V(D)J recombination and increased apoptosis among B cell precursors in the bone marrow of c-Abl-deficient mice. <i>International Immunology</i> , <b>2007</b> , 19, 267-76	4.9	21
42	The 3BP2 adapter protein is required for optimal B-cell activation and thymus-independent type 2 humoral response. <i>Molecular and Cellular Biology</i> , <b>2007</b> , 27, 3109-22	4.8	37
41	The adapter 3BP2: how it plugs into leukocyte signaling. <i>Advances in Experimental Medicine and Biology</i> , <b>2006</b> , 584, 107-14	3.6	22
40	Suppressor of cytokine signaling 1 stringently regulates distinct functions of IL-7 and IL-15 in vivo during T lymphocyte development and homeostasis. <i>Journal of Immunology</i> , <b>2006</b> , 176, 4029-41	5.3	39
39	CD28 regulates the translation of Bcl-xL via the phosphatidylinositol 3-kinase/mammalian target of rapamycin pathway. <i>Journal of Immunology</i> , <b>2005</b> , 174, 180-94	5.3	52
38	The Rho GTP exchange factor Lfc promotes spindle assembly in early mitosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 9529-34	11.5	45
37	Ckap2 regulates aneuploidy, cell cycling, and cell death in a p53-dependent manner. <i>Cancer Research</i> , <b>2005</b> , 65, 6685-91	10.1	36
36	Survivin loss in thymocytes triggers p53-mediated growth arrest and p53-independent cell death. <i>Journal of Experimental Medicine</i> , <b>2004</b> , 199, 399-410	16.6	108
35	Immune functions in mice lacking Clnk, an SLP-76-related adaptor expressed in a subset of immune cells. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 6067-75	4.8	22
34	The molecular adapter Carma1 controls entry of IkappaB kinase into the central immune synapse. <i>Journal of Experimental Medicine</i> , <b>2004</b> , 200, 1167-77	16.6	77
33	Regulation of the immune system by SOCS family adaptor proteins. <i>Seminars in Immunology</i> , <b>2004</b> , 16, 351-65	10.7	102
32	A novel SHP-1/Grb2-dependent mechanism of negative regulation of cytokine-receptor signaling: contribution of SHP-1 C-terminal tyrosines in cytokine signaling. <i>Blood</i> , <b>2004</b> , 103, 1398-407	2.2	63

31	Suppressor of cytokine signaling 1 regulates an endogenous inhibitor of a mast cell protease. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 41871-80	5.4	8
30	Suppressor of cytokine signaling 1 attenuates IL-15 receptor signaling in CD8+ thymocytes. <i>Blood</i> , <b>2003</b> , 102, 4115-22	2.2	38
29	Flow cytometric analysis of cytokine receptor signal transduction. <i>Journal of Immunological Methods</i> , <b>2003</b> , 278, 221-34	2.5	15
28	Regulation of cytokine receptor signaling by SOCS1. <i>Immunological Reviews</i> , <b>2003</b> , 192, 196-211	11.3	52
27	Signal transduction by several KIT juxtamembrane domain mutations. <i>Oncogene</i> , <b>2003</b> , 22, 4710-22	9.2	61
26	The MAGUK family protein CARD11 is essential for lymphocyte activation. <i>Immunity</i> , <b>2003</b> , 18, 763-75	32.3	284
25	Regulation of NF-kappaB signaling by Pin1-dependent prolyl isomerization and ubiquitin-mediated proteolysis of p65/RelA. <i>Molecular Cell</i> , <b>2003</b> , 12, 1413-26	17.6	540
24	Suppressor of cytokine signaling 1 regulates IL-15 receptor signaling in CD8+CD44 <sup>high</sup> memory T lymphocytes. <i>Journal of Immunology</i> , <b>2003</b> , 171, 2435-45	5.3	54
23	Autoinhibition of the kit receptor tyrosine kinase by the cytosolic juxtamembrane region. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 3067-78	4.8	133
22	The tumor suppressor activity of SOCS-1. <i>Oncogene</i> , <b>2002</b> , 21, 4351-62	9.2	111
21	A positive regulatory role for suppressor of cytokine signaling 1 in IFN-gamma-induced MHC class II expression in fibroblasts. <i>Journal of Immunology</i> , <b>2002</b> , 169, 5010-20	5.3	23
20	CD28-dependent activation of protein kinase B/Akt blocks Fas-mediated apoptosis by preventing death-inducing signaling complex assembly. <i>Journal of Experimental Medicine</i> , <b>2002</b> , 196, 335-48	16.6	116
19	Overexpression of suppressor of cytokine signaling-1 impairs pre-T-cell receptor-induced proliferation but not differentiation of immature thymocytes. <i>Blood</i> , <b>2001</b> , 97, 2269-77	2.2	35
18	A point mutation in CD28 distinguishes proliferative signals from survival signals. <i>Nature Immunology</i> , <b>2001</b> , 2, 325-32	19.1	177
17	Suppressor of cytokine signaling 1 interacts with the macrophage colony-stimulating factor receptor and negatively regulates its proliferation signal. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 22133-9	5.4	37
16	Putting the brakes on arthritis: can suppressors of cytokine signaling (SOCS) suppress rheumatoid arthritis?. <i>Journal of Clinical Investigation</i> , <b>2001</b> , 108, 1745-1747	15.9	10
15	Suppressor of cytokine signaling-1 inhibits VAV function through protein degradation. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 14005-8	5.4	139
14	Socs1 binds to multiple signalling proteins and suppresses steel factor-dependent proliferation. <i>EMBO Journal</i> , <b>1999</b> , 18, 904-15	13	176

13	Adaptor function for the Syk kinases-interacting protein 3BP2 in IL-2 gene activation. <i>Immunity</i> , <b>1998</b> , 9, 595-605	32.3	94
12	Grb2 forms an inducible protein complex with CD28 through a Src homology 3 domain-proline interaction. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 21194-202	5.4	59
11	SHP-1 binds and negatively modulates the c-Kit receptor by interaction with tyrosine 569 in the c-Kit juxtamembrane domain. <i>Molecular and Cellular Biology</i> , <b>1998</b> , 18, 2089-99	4.8	181
10	Phosphatidylinositol 3-kinase and Ca <sup>2+</sup> influx dependence for ligand-stimulated internalization of the c-Kit receptor. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 30519-25	5.4	38
9	Expression and signal transduction of the FLT3 tyrosine kinase receptor. <i>Acta Haematologica</i> , <b>1996</b> , 95, 218-23	2.7	82
8	Flt3 ligand supports the differentiation of early B cell progenitors in the presence of interleukin-11 and interleukin-7. <i>European Journal of Immunology</i> , <b>1996</b> , 26, 1504-10	6.1	91
7	Phosphatidylinositol-3Kinase is not required for mitogenesis or internalization of the Flt3/Flk2 receptor tyrosine kinase. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 20075-81	5.4	29
6	Interaction with the phosphotyrosine binding domain/phosphotyrosine interacting domain of SHC is required for the transforming activity of the FLT4/VEGFR3 receptor tyrosine kinase. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 12956-63	5.4	22
5	Expression of Flt3 tyrosine kinase receptor gene in mouse hematopoietic and nervous tissues. <i>Differentiation</i> , <b>1995</b> , 58, 351-9	3.5	40
4	Binding of phosphatidylinositol-3-OH kinase to CD28 is required for T-cell signalling. <i>Nature</i> , <b>1994</b> , 369, 327-9	50.4	327
3	The c-fms gene complements the mitogenic defect in mast cells derived from mutant W mice but not mi (microphthalmia) mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1991</b> , 88, 2341-5	11.5	54
2	W mutant mice with mild or severe developmental defects contain distinct point mutations in the kinase domain of the c-kit receptor. <i>Genes and Development</i> , <b>1990</b> , 4, 390-400	12.6	264
1	The mouse W/c-kit locus. A mammalian gene that controls the development of three distinct cell lineages. <i>Annals of the New York Academy of Sciences</i> , <b>1990</b> , 599, 58-65	6.5	28