

Barry W Feig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5280166/publications.pdf>

Version: 2024-02-01

97
papers

5,077
citations

87843

38
h-index

91828

69
g-index

99
all docs

99
docs citations

99
times ranked

4844
citing authors

#	ARTICLE	IF	CITATIONS
1	Noadjuvant Treatment Response As an Early Response Indicator for Patients With Rectal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1770-1776.	0.8	427
2	Improved Overall Survival Among Responders to Preoperative Chemoradiation for Locally Advanced Rectal Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 107-112.	0.6	246
3	Long-Term Results of Two Prospective Trials of Preoperative External Beam Radiotherapy for Localized Intermediate- or High-Grade Retroperitoneal Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2006, 13, 508-517.	0.7	234
4	Presentation, treatment, and outcome of local recurrence after skin-sparing mastectomy and immediate breast reconstruction. <i>Annals of Surgical Oncology</i> , 1998, 5, 620-626.	0.7	221
5	Surgical Resection of Gastrointestinal Stromal Tumors After Treatment with Imatinib. <i>Annals of Surgical Oncology</i> , 2006, 14, 14-24.	0.7	220
6	Long-term results using local excision after preoperative chemoradiation among selected T3 rectal cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 1098-1105.	0.4	184
7	Overtreatment of Young Adults With Colon Cancer. <i>JAMA Surgery</i> , 2015, 150, 402.	2.2	180
8	Carcinoid tumors of the rectum. <i>Cancer</i> , 1997, 79, 1294-1298.	2.0	153
9	Retroperitoneal soft tissue sarcoma: An analysis of radiation and surgical treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 158-163.	0.4	143
10	Hemangiopericytoma: A 20-year single-institution experience. <i>Annals of Surgical Oncology</i> , 1998, 5, 350-355.	0.7	117
11	Surgical management of soft tissue sarcomas of the hand and foot. <i>Cancer</i> , 2002, 95, 852-861.	2.0	110
12	Radiographic response to neoadjuvant chemotherapy is a predictor of local control and survival in soft tissue sarcomas. <i>Cancer</i> , 2002, 95, 1120-1126.	2.0	109
13	Predicting the node-negative mesorectum after preoperative chemoradiation for locally advanced rectal carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2004, 8, 56-63.	0.9	107
14	Local Excision After Preoperative Chemoradiation Results in an Equivalent Outcome to Total Mesorectal Excision in Selected Patients with T3 Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2010, 17, 441-447.	0.7	107
15	Time Trend Analysis of Primary Tumor Resection for Stage IV Colorectal Cancer. <i>JAMA Surgery</i> , 2015, 150, 245.	2.2	106
16	A Pilot Study of Preoperative Chemoradiotherapy for Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 519-524.	0.7	104
17	Treatment at low-volume hospitals is associated with reduced short-term and long-term outcomes for patients with retroperitoneal sarcoma. <i>Cancer</i> , 2018, 124, 4495-4503.	2.0	100
18	Clinical, pathologic, and economic parameters of laparoscopic colon resection for cancer. <i>American Journal of Surgery</i> , 1998, 176, 554-558.	0.9	91

#	ARTICLE	IF	CITATIONS
19	Impact of Neoadjuvant Chemotherapy on Postoperative Morbidity in Soft Tissue Sarcomas. Journal of Clinical Oncology, 2000, 18, 3378-3383.	0.8	84
20	Defining the incidence and clinical significance of lymph node metastasis in soft tissue sarcoma. European Journal of Surgical Oncology, 2018, 44, 170-177.	0.5	82
21	Long-Term Outcome of Patients With American Joint Committee on Cancer Stage IIB Extremity Soft Tissue Sarcomas. Journal of Clinical Oncology, 1999, 17, 2772-2772.	0.8	75
22	Phase I Trial of Preoperative Doxorubicin-Based Concurrent Chemoradiation and Surgical Resection for Localized Extremity and Body Wall Soft Tissue Sarcomas. Journal of Clinical Oncology, 2004, 22, 3375-3380.	0.8	74
23	A caution regarding lymphatic mapping in patients with colon cancer. American Journal of Surgery, 2001, 182, 707-712.	0.9	73
24	The impact of ethnicity on the presentation and prognosis of patients with gastric adenocarcinoma. Cancer, 2008, 113, 461-469.	2.0	73
25	Comparative Analysis of Lymph Node Metastases in Patients With ypT0-2 Rectal Cancers After Neoadjuvant Chemoradiotherapy. Diseases of the Colon and Rectum, 2013, 56, 135-141.	0.7	73
26	Role of axillary lymph node dissection after tumor downstaging with induction chemotherapy for locally advanced breast cancer. Annals of Surgical Oncology, 1998, 5, 673-680.	0.7	72
27	Comparison of Cancer Prevalence in Patients With Neurofibromatosis Type 1 at an Academic Cancer Center vs in the General Population From 1985 to 2020. JAMA Network Open, 2021, 4, e210945.	2.8	66
28	Clinicopathologic Behavior of Gastric Adenocarcinoma in Hispanic Patients: Analysis of a Single Institution's Experience Over 15 Years. Journal of Clinical Oncology, 2005, 23, 3094-3103.	0.8	63
29	Comparative effectiveness of primary tumor resection in patients with stage IV colon cancer. Cancer, 2017, 123, 1124-1133.	2.0	59
30	Radiation-Associated Undifferentiated Pleomorphic Sarcoma is Associated with Worse Clinical Outcomes than Sporadic Lesions. Annals of Surgical Oncology, 2015, 22, 3913-3920.	0.7	56
31	Port site recurrences after laparoscopy for malignant disease. Journal of Surgical Oncology, 1999, 16, 307-312.	1.4	51
32	The feasibility of minimally invasive surgery for Stage IIA, IIB, and IIIA breast carcinoma patients after tumor downstaging with induction chemotherapy. , 2000, 88, 1417-1424.		51
33	Variations in gastric cancer care. Cancer, 2010, 116, 465-475.	2.0	50
34	Racial disparities in preoperative chemotherapy use in gastric cancer patients in the United States: Analysis of the National Cancer Data Base, 2006-2014. Cancer, 2018, 124, 998-1007.	2.0	46
35	Genomic profiling of dedifferentiated liposarcoma compared to matched well-differentiated liposarcoma reveals higher genomic complexity and a common origin. Journal of Physical Education and Sports Management, 2018, 4, a002386.	0.5	45
36	Sentinel Lymph Node Evaluation Does Not Improve Staging Accuracy in Colon Cancer. Annals of Surgical Oncology, 2008, 15, 46-51.	0.7	44

#	ARTICLE	IF	CITATIONS
37	Utility of Breast Sentinel Lymph Node Biopsy Using Day-Before-Surgery Injection of High-Dose 99mTc-Labeled Sulfur Colloid. <i>Annals of Surgical Oncology</i> , 2001, 8, 821-827.	0.7	43
38	Accuracy of Preoperative Percutaneous Biopsy for the Diagnosis of Retroperitoneal Liposarcoma Subtypes. <i>Annals of Surgical Oncology</i> , 2015, 22, 1068-1072.	0.7	43
39	Clinical Observations and Molecular Variables of Primary Vascular Leiomyosarcoma. <i>JAMA Surgery</i> , 2016, 151, 347.	2.2	40
40	A prospective evaluation of radiocolloid and immunohistochemical staining in colon carcinoma lymphatic mapping. <i>Cancer</i> , 2004, 100, 2104-2109.	2.0	39
41	Lymphadenectomy for isolated lymph node metastasis from extremity soft-tissue sarcomas. <i>Cancer</i> , 2008, 112, 1821-1826.	2.0	39
42	Ductal Carcinoma-In-Situ: Long-Term Results of Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2000, 7, 656-664.	0.7	38
43	Salvage Surgery for Recurrent Retroperitoneal Well-Differentiated Liposarcoma: Early Reoperation may not Provide Benefit. <i>Annals of Surgical Oncology</i> , 2018, 25, 2193-2200.	0.7	34
44	Synchronous elective contralateral mastectomy and immediate bilateral breast reconstruction in women with early-stage breast cancer. <i>Annals of Surgical Oncology</i> , 1998, 5, 529-538.	0.7	32
45	Local Recurrence and Survival Among Black Women With Early-Stage Breast Cancer Treated With Breast-Conservation Therapy or Mastectomy. <i>Annals of Surgical Oncology</i> , 1999, 6, 241-248.	0.7	32
46	Feasibility of Breast Conservation Therapy in Metachronous or Synchronous Bilateral Breast Cancer. <i>Annals of Surgical Oncology</i> , 1999, 6, 102-108.	0.7	31
47	Primary Tumor Response to Induction Chemotherapy as a Predictor of Histological Status of Axillary Nodes in Operable Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 1999, 6, 762-767.	0.7	31
48	Combined Modality Management of Retroperitoneal Sarcomas: A Single-Institution Series of 121 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 158-165.	0.4	31
49	Concomitant organ resection does not improve outcomes in primary retroperitoneal well-differentiated liposarcoma: A retrospective cohort study at a major sarcoma center. <i>Journal of Surgical Oncology</i> , 2018, 117, 1188-1194.	0.8	31
50	Comparative Performance of the 7th and 8th Editions of the American Joint Committee on Cancer Staging Systems for Soft Tissue Sarcoma of the Trunk and Extremities. <i>Annals of Surgical Oncology</i> , 2018, 25, 1126-1132.	0.7	30
51	Clinical outcomes of molecularly confirmed clear cell sarcoma from a single institution and in comparison with data from the Surveillance, Epidemiology, and End Results registry. <i>Cancer</i> , 2009, 115, 2971-2979.	2.0	27
52	Adherence to National Comprehensive Cancer Network Guidelines is Associated with Improved Survival for Patients with Stage 2A and Stages 2B and 3 Extremity and Superficial Trunk Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 3271-3278.	0.7	27
53	Prognostic Implications of Pathological Lymph Node Status After Preoperative Chemotherapy for Operable T3N0M0 Breast Cancer. <i>Annals of Surgical Oncology</i> , 2000, 7, 435-440.	0.7	26
54	Long-Term Outcomes for Patients With Desmoid Fibromatosis Treated With Radiation Therapy: A 10-Year Update and Re-evaluation of the Role of Radiation Therapy for Younger Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1167-1174.	0.4	26

#	ARTICLE	IF	CITATIONS
55	Adenovirus-mediated p53 gene therapy inhibits human sarcoma tumorigenicity. <i>Cancer Gene Therapy</i> , 2000, 7, 422-429.	2.2	25
56	Isolated limb perfusion for unresectable extremity sarcoma. <i>Cancer</i> , 2011, 117, 3235-3241.	2.0	24
57	Analysis of Clinical and Molecular Factors Impacting Oncologic Outcomes in Undifferentiated Pleomorphic Sarcoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 2220-2228.	0.7	24
58	Recurrence patterns of retroperitoneal leiomyosarcoma and impact of salvage surgery. <i>Journal of Surgical Oncology</i> , 2017, 116, 313-319.	0.8	24
59	Do Hospital Attributes Predict Guideline-Recommended Gastric Cancer Care in the United States?. <i>Annals of Surgical Oncology</i> , 2012, 19, 365-372.	0.7	19
60	Chemoradiation for High-grade Neuroendocrine Carcinoma of the Rectum and Anal Canal. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 555-560.	0.6	18
61	Certain risk factors for patients with desmoid tumors warrant reconsideration of local therapy strategies. <i>Cancer</i> , 2020, 126, 3265-3273.	2.0	18
62	Phase 1 adaptive dose-finding study of neoadjuvant gemcitabine combined with radiation therapy for patients with high-risk extremity and trunk soft tissue sarcoma. <i>Cancer</i> , 2015, 121, 3659-3667.	2.0	17
63	PET/CT Imaging as a Diagnostic Tool in Distinguishing Well-Differentiated versus Dedifferentiated Liposarcoma. <i>Sarcoma</i> , 2020, 2020, 1-6.	0.7	16
64	Can Abdominal Computed Tomography Imaging Help Accurately Identify a Dedifferentiated Component in a Well-Differentiated Liposarcoma?. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 872-879.	0.5	15
65	Long-Term Survival According to Histology and Radiologic Response to Preoperative Chemotherapy in 126 Patients Undergoing Resection of Non-GIST Sarcoma Liver Metastases. <i>Annals of Surgical Oncology</i> , 2018, 25, 107-116.	0.7	15
66	Acupuncture to Prevent Prolonged Postoperative Ileus: A Randomized Controlled Trial. <i>Medical Acupuncture</i> , 2008, 20, 83-88.	0.3	13
67	Enhancer reprogramming in PRC2-deficient malignant peripheral nerve sheath tumors induces a targetable de-differentiated state. <i>Acta Neuropathologica</i> , 2021, 142, 565-590.	3.9	12
68	Long-Term Complications Associated With Breast-Conservation Surgery and Radiotherapy. <i>Annals of Surgical Oncology</i> , 2002, 9, 543-549.	0.7	12
69	Sarculator is a Good Model to Predict Survival in Resected Extremity and Trunk Sarcomas in US Patients. <i>Annals of Surgical Oncology</i> , 2022, 29, 4376-4385.	0.7	12
70	Retroperitoneal sarcomas. <i>Surgical Oncology Clinics of North America</i> , 2003, 12, 369-377.	0.6	11
71	Guidelines for the Treatment of Recurrent Retroperitoneal Sarcoma: Are we Trying to Fit a Square Peg into a Round Hole?. <i>Annals of Surgical Oncology</i> , 2016, 23, 3440-3443.	0.7	9
72	Postoperative pancreatic fistula after distal pancreatectomy for non-pancreas retroperitoneal tumor resection. <i>American Journal of Surgery</i> , 2020, 220, 140-146.	0.9	9

#	ARTICLE	IF	CITATIONS
73	<scp>Realâ€world</scp> use of palbociclib monotherapy in retroperitoneal liposarcomas at a large volume sarcoma center. International Journal of Cancer, 2022, 150, 2012-2024.	2.3	8
74	Sentinel Lymph Node Biopsy and Formal Lymphadenectomy for Soft Tissue Sarcoma: A Single Center Experience of 86 Consecutive Cases. Annals of Surgical Oncology, 2022, 29, 7092-7100.	0.7	8
75	Identification of preoperative factors associated with outcomes following surgical management of intraâ€abdominal recurrent or metastatic GIST following neoadjuvant tyrosine kinase inhibitor therapy. Journal of Surgical Oncology, 2018, 117, 879-885.	0.8	7
76	The clinical behavior of well differentiated liposarcoma can be extremely variable: A retrospective cohort study at a major sarcoma center. Journal of Surgical Oncology, 2018, 117, 1799-1805.	0.8	7
77	Preclinical experimental therapeutic approaches in soft tissue sarcoma. , 1999, 17, 78-82.		6
78	Comprehensive Databases: A Cautionary Note. Annals of Surgical Oncology, 2013, 20, 1756-1758.	0.7	6
79	A reconstructive algorithm of oncologic defects of the upper trunk and shoulder girdle: Factors predicting complexity and outcomes. Journal of Surgical Oncology, 2020, 122, 283-292.	0.8	6
80	Isolated limb perfusion for extremity sarcoma. Current Oncology Reports, 2000, 2, 491-494.	1.8	5
81	The degree of sclerosis is associated with prognosis in wellâ€differentiated liposarcoma of the retroperitoneum. Journal of Surgical Oncology, 2019, 120, 382-388.	0.8	5
82	Predictors of Locoregional Recurrence Among Patients With Early-Stage Breast Cancer Treated With Breast-Conserving Therapy. Annals of Surgical Oncology, 2002, 9, 256-265.	0.7	5
83	Impact of Induction Chemotherapy and Preoperative Chemoradiotherapy on Operative Morbidity and Mortality in Patients with Locoregional Adenocarcinoma of the Stomach or Gastroesophageal Junction. Annals of Surgical Oncology, 2007, 14, 1305-1311.	0.7	4
84	Evaluating the Impact of Surveillance Follow-Up Intervals in Patients Following Resection of Primary Well-Differentiated Liposarcoma of the Retroperitoneum. Annals of Surgical Oncology, 2021, 28, 570-575.	0.7	4
85	A Pilot Study of Preoperative Chemoradiotherapy for Resectable Gastric Cancer. Annals of Surgical Oncology, 2001, 8, 519-524.	0.7	4
86	Radiation and Its Impact on Local Recurrence in Extremity and Trunk Well-Differentiated Liposarcomas. American Surgeon, 2019, 85, 52-58.	0.4	3
87	National Utilization of Imatinib in the Management of Resected Gastrointestinal Stromal Tumors. Annals of Surgical Oncology, 2021, 28, 9159-9168.	0.7	3
88	ASO Author Reflections: Recurrent Retroperitoneal Well-Differentiated Liposarcoma. Annals of Surgical Oncology, 2019, 26, 543-544.	0.7	2
89	A Choice of Wine. Annals of Surgical Oncology, 2016, 23, 4421-4422.	0.7	1
90	Management and outcomes of ruptured, perforated or fistulized tumors of mesenchymal origin. Journal of Surgical Oncology, 2020, 121, 474-479.	0.8	1

#	ARTICLE	IF	CITATIONS
91	International Collaboration for the Treatment of Recurrent Retroperitoneal Sarcoma: What Have We Learned from Trying to Fit a Square Peg in a Round Hole?. Annals of Surgical Oncology, 2021, 28, 2428-2431.	0.7	1
92	ASO Visual Abstract: National Utilization of Imatinib in the Management of Resected Gastrointestinal Stromal Tumors. Annals of Surgical Oncology, 2021, 28, 457.	0.7	1
93	Surgical resection in metastatic gastrointestinal stromal tumors. Current Oncology Reports, 2007, 9, 303-308.	1.8	0
94	Resection of a Perirectal Leiomyosarcoma via a Posterior Transcoccygeal Approach. Annals of Surgical Oncology, 2018, 25, 2641-2641.	0.7	0
95	Author's response to: Free flaps as the first option for reconstruction of shoulder girdle high risk of recurrence tumors. Journal of Surgical Oncology, 2020, 122, 815-816.	0.8	0
96	Phase I study of neoadjuvant gemcitabine combined with radiation therapy for patients with high-risk extremity and trunk soft tissue sarcomas.. Journal of Clinical Oncology, 2014, 32, 10571-10571.	0.8	0
97	ASO Visual Abstract: Sarculator is a Good Model to Predict Survival in Resected Extremity and Trunk Sarcomas in US Patients. Annals of Surgical Oncology, 2022, , 1.	0.7	0