

Barry W Feig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5280166/publications.pdf>

Version: 2024-02-01

97
papers

5,077
citations

87843

38
h-index

91828

69
g-index

99
all docs

99
docs citations

99
times ranked

4844
citing authors

#	ARTICLE	IF	CITATIONS
1	<scp>Realâ€world</scp> use of palbociclib monotherapy in retroperitoneal liposarcomas at a large volume sarcoma center. International Journal of Cancer, 2022, 150, 2012-2024.	2.3	8
2	Sarculator is a Good Model to Predict Survival in Resected Extremity and Trunk Sarcomas in US Patients. Annals of Surgical Oncology, 2022, 29, 4376-4385.	0.7	12
3	ASO Visual Abstract: Sarculator is a Good Model to Predict Survival in Resected Extremity and Trunk Sarcomas in US Patients. Annals of Surgical Oncology, 2022, , 1.	0.7	0
4	Sentinel Lymph Node Biopsy and Formal Lymphadenectomy for Soft Tissue Sarcoma: A Single Center Experience of 86 Consecutive Cases. Annals of Surgical Oncology, 2022, 29, 7092-7100.	0.7	8
5	Evaluating the Impact of Surveillance Follow-Up Intervals in Patients Following Resection of Primary Well-Differentiated Liposarcoma of the Retroperitoneum. Annals of Surgical Oncology, 2021, 28, 570-575.	0.7	4
6	International Collaboration for the Treatment of Recurrent Retroperitoneal Sarcoma: What Have We Learned from Trying to Fit a Square Peg in a Round Hole?. Annals of Surgical Oncology, 2021, 28, 2428-2431.	0.7	1
7	Comparison of Cancer Prevalence in Patients With Neurofibromatosis Type 1 at an Academic Cancer Center vs in the General Population From 1985 to 2020. JAMA Network Open, 2021, 4, e210945.	2.8	66
8	National Utilization of Imatinib in the Management of Resected Gastrointestinal Stromal Tumors. Annals of Surgical Oncology, 2021, 28, 9159-9168.	0.7	3
9	ASO Visual Abstract: National Utilization of Imatinib in the Management of Resected Gastrointestinal Stromal Tumors. Annals of Surgical Oncology, 2021, 28, 457.	0.7	1
10	Enhancer reprogramming in PRC2-deficient malignant peripheral nerve sheath tumors induces a targetable de-differentiated state. Acta Neuropathologica, 2021, 142, 565-590.	3.9	12
11	Management and outcomes of ruptured, perforated or fistulized tumors of mesenchymal origin. Journal of Surgical Oncology, 2020, 121, 474-479.	0.8	1
12	Postoperative pancreatic fistula after distal pancreatectomy for non-pancreas retroperitoneal tumor resection. American Journal of Surgery, 2020, 220, 140-146.	0.9	9
13	PET/CT Imaging as a Diagnostic Tool in Distinguishing Well-Differentiated versus Dedifferentiated Liposarcoma. Sarcoma, 2020, 2020, 1-6.	0.7	16
14	A reconstructive algorithm of oncologic defects of the upper trunk and shoulder girdle: Factors predicting complexity and outcomes. Journal of Surgical Oncology, 2020, 122, 283-292.	0.8	6
15	Author's response to: Free flaps as the first option for reconstruction of shoulder girdle high risk of recurrence tumors. Journal of Surgical Oncology, 2020, 122, 815-816.	0.8	0
16	Certain risk factors for patients with desmoid tumors warrant reconsideration of local therapy strategies. Cancer, 2020, 126, 3265-3273.	2.0	18
17	The degree of sclerosis is associated with prognosis in wellâ€differentiated liposarcoma of the retroperitoneum. Journal of Surgical Oncology, 2019, 120, 382-388.	0.8	5
18	Long-Term Outcomes for Patients With Desmoid Fibromatosis Treated With Radiation Therapy: A 10-Year Update and Re-evaluation of the Role of Radiation Therapy for Younger Patients. International Journal of Radiation Oncology Biology Physics, 2019, 103, 1167-1174.	0.4	26

#	ARTICLE	IF	CITATIONS
19	Radiation and Its Impact on Local Recurrence in Extremity and Trunk Well-Differentiated Liposarcomas. <i>American Surgeon</i> , 2019, 85, 52-58.	0.4	3
20	ASO Author Reflections: Recurrent Retroperitoneal Well-Differentiated Liposarcoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 543-544.	0.7	2
21	Comparative Performance of the 7th and 8th Editions of the American Joint Committee on Cancer Staging Systems for Soft Tissue Sarcoma of the Trunk and Extremities. <i>Annals of Surgical Oncology</i> , 2018, 25, 1126-1132.	0.7	30
22	Salvage Surgery for Recurrent Retroperitoneal Well-Differentiated Liposarcoma: Early Reoperation may not Provide Benefit. <i>Annals of Surgical Oncology</i> , 2018, 25, 2193-2200.	0.7	34
23	Genomic profiling of dedifferentiated liposarcoma compared to matched well-differentiated liposarcoma reveals higher genomic complexity and a common origin. <i>Journal of Physical Education and Sports Management</i> , 2018, 4, a002386.	0.5	45
24	Identification of preoperative factors associated with outcomes following surgical management of intraabdominal recurrent or metastatic GIST following neoadjuvant tyrosine kinase inhibitor therapy. <i>Journal of Surgical Oncology</i> , 2018, 117, 879-885.	0.8	7
25	Racial disparities in preoperative chemotherapy use in gastric cancer patients in the United States: Analysis of the National Cancer Data Base, 2006-2014. <i>Cancer</i> , 2018, 124, 998-1007.	2.0	46
26	The clinical behavior of well differentiated liposarcoma can be extremely variable: A retrospective cohort study at a major sarcoma center. <i>Journal of Surgical Oncology</i> , 2018, 117, 1799-1805.	0.8	7
27	Concomitant organ resection does not improve outcomes in primary retroperitoneal well-differentiated liposarcoma: A retrospective cohort study at a major sarcoma center. <i>Journal of Surgical Oncology</i> , 2018, 117, 1188-1194.	0.8	31
28	Defining the incidence and clinical significance of lymph node metastasis in soft tissue sarcoma. <i>European Journal of Surgical Oncology</i> , 2018, 44, 170-177.	0.5	82
29	Long-Term Survival According to Histology and Radiologic Response to Preoperative Chemotherapy in 126 Patients Undergoing Resection of Non-GIST Sarcoma Liver Metastases. <i>Annals of Surgical Oncology</i> , 2018, 25, 107-116.	0.7	15
30	Treatment at low-volume hospitals is associated with reduced short-term and long-term outcomes for patients with retroperitoneal sarcoma. <i>Cancer</i> , 2018, 124, 4495-4503.	2.0	100
31	Resection of a Perirectal Leiomyosarcoma via a Posterior Transcoccygeal Approach. <i>Annals of Surgical Oncology</i> , 2018, 25, 2641-2641.	0.7	0
32	Chemoradiation for High-grade Neuroendocrine Carcinoma of the Rectum and Anal Canal. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 555-560.	0.6	18
33	Recurrence patterns of retroperitoneal leiomyosarcoma and impact of salvage surgery. <i>Journal of Surgical Oncology</i> , 2017, 116, 313-319.	0.8	24
34	Adherence to National Comprehensive Cancer Network Guidelines is Associated with Improved Survival for Patients with Stage 2A and Stages 2B and 3 Extremity and Superficial Trunk Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 3271-3278.	0.7	27
35	Comparative effectiveness of primary tumor resection in patients with stage IV colon cancer. <i>Cancer</i> , 2017, 123, 1124-1133.	2.0	59
36	Clinical Observations and Molecular Variables of Primary Vascular Leiomyosarcoma. <i>JAMA Surgery</i> , 2016, 151, 347.	2.2	40

#	ARTICLE	IF	CITATIONS
37	Guidelines for the Treatment of Recurrent Retroperitoneal Sarcoma: Are we Trying to Fit a Square Peg into a Round Hole?. <i>Annals of Surgical Oncology</i> , 2016, 23, 3440-3443.	0.7	9
38	A Choice of Wine. <i>Annals of Surgical Oncology</i> , 2016, 23, 4421-4422.	0.7	1
39	Can Abdominal Computed Tomography Imaging Help Accurately Identify a Dedifferentiated Component in a Well-Differentiated Liposarcoma?. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 872-879.	0.5	15
40	Analysis of Clinical and Molecular Factors Impacting Oncologic Outcomes in Undifferentiated Pleomorphic Sarcoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 2220-2228.	0.7	24
41	Phase 1 adaptive dose-finding study of neoadjuvant gemcitabine combined with radiation therapy for patients with high-risk extremity and trunk soft tissue sarcoma. <i>Cancer</i> , 2015, 121, 3659-3667.	2.0	17
42	Overtreatment of Young Adults With Colon Cancer. <i>JAMA Surgery</i> , 2015, 150, 402.	2.2	180
43	Accuracy of Preoperative Percutaneous Biopsy for the Diagnosis of Retroperitoneal Liposarcoma Subtypes. <i>Annals of Surgical Oncology</i> , 2015, 22, 1068-1072.	0.7	43
44	Radiation-Associated Undifferentiated Pleomorphic Sarcoma is Associated with Worse Clinical Outcomes than Sporadic Lesions. <i>Annals of Surgical Oncology</i> , 2015, 22, 3913-3920.	0.7	56
45	Time Trend Analysis of Primary Tumor Resection for Stage IV Colorectal Cancer. <i>JAMA Surgery</i> , 2015, 150, 245.	2.2	106
46	Combined Modality Management of Retroperitoneal Sarcomas: A Single-Institution Series of 121 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 158-165.	0.4	31
47	Phase I study of neoadjuvant gemcitabine combined with radiation therapy for patients with high-risk extremity and trunk soft tissue sarcomas.. <i>Journal of Clinical Oncology</i> , 2014, 32, 10571-10571.	0.8	0
48	Comprehensive Databases: A Cautionary Note. <i>Annals of Surgical Oncology</i> , 2013, 20, 1756-1758.	0.7	6
49	Comparative Analysis of Lymph Node Metastases in Patients With ypT0-2 Rectal Cancers After Neoadjuvant Chemoradiotherapy. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 135-141.	0.7	73
50	Neoadjuvant Treatment Response As an Early Response Indicator for Patients With Rectal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1770-1776.	0.8	427
51	Do Hospital Attributes Predict Guideline-Recommended Gastric Cancer Care in the United States?. <i>Annals of Surgical Oncology</i> , 2012, 19, 365-372.	0.7	19
52	Isolated limb perfusion for unresectable extremity sarcoma. <i>Cancer</i> , 2011, 117, 3235-3241.	2.0	24
53	Local Excision After Preoperative Chemoradiation Results in an Equivalent Outcome to Total Mesorectal Excision in Selected Patients with T3 Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2010, 17, 441-447.	0.7	107
54	Variations in gastric cancer care. <i>Cancer</i> , 2010, 116, 465-475.	2.0	50

#	ARTICLE	IF	CITATIONS
55	Clinical outcomes of molecularly confirmed clear cell sarcoma from a single institution and in comparison with data from the Surveillance, Epidemiology, and End Results registry. <i>Cancer</i> , 2009, 115, 2971-2979.	2.0	27
56	Lymphadenectomy for isolated lymph node metastasis from extremity soft tissue sarcomas. <i>Cancer</i> , 2008, 112, 1821-1826.	2.0	39
57	The impact of ethnicity on the presentation and prognosis of patients with gastric adenocarcinoma. <i>Cancer</i> , 2008, 113, 461-469.	2.0	73
58	Sentinel Lymph Node Evaluation Does Not Improve Staging Accuracy in Colon Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 46-51.	0.7	44
59	Acupuncture to Prevent Prolonged Postoperative Ileus: A Randomized Controlled Trial. <i>Medical Acupuncture</i> , 2008, 20, 83-88.	0.3	13
60	Retroperitoneal soft tissue sarcoma: An analysis of radiation and surgical treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 158-163.	0.4	143
61	Impact of Induction Chemotherapy and Preoperative Chemoradiotherapy on Operative Morbidity and Mortality in Patients with Locoregional Adenocarcinoma of the Stomach or Gastroesophageal Junction. <i>Annals of Surgical Oncology</i> , 2007, 14, 1305-1311.	0.7	4
62	Surgical resection in metastatic gastrointestinal stromal tumors. <i>Current Oncology Reports</i> , 2007, 9, 303-308.	1.8	0
63	Long-Term Results of Two Prospective Trials of Preoperative External Beam Radiotherapy for Localized Intermediate- or High-Grade Retroperitoneal Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2006, 13, 508-517.	0.7	234
64	Surgical Resection of Gastrointestinal Stromal Tumors After Treatment with Imatinib. <i>Annals of Surgical Oncology</i> , 2006, 14, 14-24.	0.7	220
65	Clinicopathologic Behavior of Gastric Adenocarcinoma in Hispanic Patients: Analysis of a Single Institution's Experience Over 15 Years. <i>Journal of Clinical Oncology</i> , 2005, 23, 3094-3103.	0.8	63
66	Phase I Trial of Preoperative Doxorubicin-Based Concurrent Chemoradiation and Surgical Resection for Localized Extremity and Body Wall Soft Tissue Sarcomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 3375-3380.	0.8	74
67	Predicting the node-negative mesorectum after preoperative chemoradiation for locally advanced rectal carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2004, 8, 56-63.	0.9	107
68	A prospective evaluation of radiocolloid and immunohistochemical staining in colon carcinoma lymphatic mapping. <i>Cancer</i> , 2004, 100, 2104-2109.	2.0	39
69	Long-term results using local excision after preoperative chemoradiation among selected T3 rectal cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 1098-1105.	0.4	184
70	Retroperitoneal sarcomas. <i>Surgical Oncology Clinics of North America</i> , 2003, 12, 369-377.	0.6	11
71	Surgical management of soft tissue sarcomas of the hand and foot. <i>Cancer</i> , 2002, 95, 852-861.	2.0	110
72	Radiographic response to neoadjuvant chemotherapy is a predictor of local control and survival in soft tissue sarcomas. <i>Cancer</i> , 2002, 95, 1120-1126.	2.0	109

#	ARTICLE	IF	CITATIONS
73	Predictors of Locoregional Recurrence Among Patients With Early-Stage Breast Cancer Treated With Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2002, 9, 256-265.	0.7	5
74	Long-Term Complications Associated With Breast-Conservation Surgery and Radiotherapy. <i>Annals of Surgical Oncology</i> , 2002, 9, 543-549.	0.7	12
75	A caution regarding lymphatic mapping in patients with colon cancer. <i>American Journal of Surgery</i> , 2001, 182, 707-712.	0.9	73
76	Improved Overall Survival Among Responders to Preoperative Chemoradiation for Locally Advanced Rectal Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 107-112.	0.6	246
77	A Pilot Study of Preoperative Chemoradiotherapy for Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 519-524.	0.7	104
78	Utility of Breast Sentinel Lymph Node Biopsy Using Day-Before-Surgery Injection of High-Dose ^{99m} Tc-Labeled Sulfur Colloid. <i>Annals of Surgical Oncology</i> , 2001, 8, 821-827.	0.7	43
79	A Pilot Study of Preoperative Chemoradiotherapy for Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 519-524.	0.7	4
80	The feasibility of minimally invasive surgery for Stage IIA, IIB, and IIIA breast carcinoma patients after tumor downstaging with induction chemotherapy. , 2000, 88, 1417-1424.		51
81	Adenovirus-mediated p53 gene therapy inhibits human sarcoma tumorigenicity. <i>Cancer Gene Therapy</i> , 2000, 7, 422-429.	2.2	25
82	Isolated limb perfusion for extremity sarcoma. <i>Current Oncology Reports</i> , 2000, 2, 491-494.	1.8	5
83	Prognostic Implications of Pathological Lymph Node Status After Preoperative Chemotherapy for Operable T3N0M0 Breast Cancer. <i>Annals of Surgical Oncology</i> , 2000, 7, 435-440.	0.7	26
84	Ductal Carcinoma-In-Situ: Long-Term Results of Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2000, 7, 656-664.	0.7	38
85	Impact of Neoadjuvant Chemotherapy on Postoperative Morbidity in Soft Tissue Sarcomas. <i>Journal of Clinical Oncology</i> , 2000, 18, 3378-3383.	0.8	84
86	Long-Term Outcome of Patients With American Joint Committee on Cancer Stage IIB Extremity Soft Tissue Sarcomas. <i>Journal of Clinical Oncology</i> , 1999, 17, 2772-2772.	0.8	75
87	Port site recurrences after laparoscopy for malignant disease. <i>Journal of Surgical Oncology</i> , 1999, 16, 307-312.	1.4	51
88	Feasibility of Breast Conservation Therapy in Metachronous or Synchronous Bilateral Breast Cancer. <i>Annals of Surgical Oncology</i> , 1999, 6, 102-108.	0.7	31
89	Local Recurrence and Survival Among Black Women With Early-Stage Breast Cancer Treated With Breast-Conservation Therapy or Mastectomy. <i>Annals of Surgical Oncology</i> , 1999, 6, 241-248.	0.7	32
90	Primary Tumor Response to Induction Chemotherapy as a Predictor of Histological Status of Axillary Nodes in Operable Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 1999, 6, 762-767.	0.7	31

#	ARTICLE	IF	CITATIONS
91	Preclinical experimental therapeutic approaches in soft tissue sarcoma. , 1999, 17, 78-82.		6
92	Role of axillary lymph node dissection after tumor downstaging with induction chemotherapy for locally advanced breast cancer. Annals of Surgical Oncology, 1998, 5, 673-680.	0.7	72
93	Hemangiopericytoma: A 20-year single-institution experience. Annals of Surgical Oncology, 1998, 5, 350-355.	0.7	117
94	Synchronous elective contralateral mastectomy and immediate bilateral breast reconstruction in women with early-stage breast cancer. Annals of Surgical Oncology, 1998, 5, 529-538.	0.7	32
95	Presentation, treatment, and outcome of local recurrence after skin-sparing mastectomy and immediate breast reconstruction. Annals of Surgical Oncology, 1998, 5, 620-626.	0.7	221
96	Clinical, pathologic, and economic parameters of laparoscopic colon resection for cancer. American Journal of Surgery, 1998, 176, 554-558.	0.9	91
97	Carcinoid tumors of the rectum. Cancer, 1997, 79, 1294-1298.	2.0	153