
Thomas Weisse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/528080/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ecology of planktonic ciliates in a changing world: Concepts, methods, and challenges. Journal of Eukaryotic Microbiology, 2022, 69, e12879.	0.8	19
2	Top-down control of planktonic ciliates by microcrustacean predators is stronger in lakes than in the ocean. Scientific Reports, 2022, 12, .	1.6	7
3	Functional Ecology of Two Contrasting Freshwater Ciliated Protists in Relation to Temperature. Journal of Eukaryotic Microbiology, 2021, 68, e12823.	0.8	14
4	Picoplankton feeding by the ciliate Vorticella similis in comparison to other peritrichs emphasizes their significance in the water purification process. Ecological Indicators, 2021, 121, 106992.	2.6	10
5	Container volume may affect growth rates of ciliates and clearance rates of their microcrustacean predators in microcosm experiments. Journal of Plankton Research, 2021, 43, 288-299.	0.8	4
6	Wilhelm Foissner and the European Journal of Protistology. European Journal of Protistology, 2020, 76, 125739.	0.5	0
7	Chemically labeled toxins or bioactive peptides show a heterogeneous intracellular distribution and low spatial overlap with autofluorescence in bloom-forming cyanobacteria. Scientific Reports, 2020, 10, 2781.	1.6	9
8	Light affects picocyanobacterial grazing and growth response of the mixotrophic flagellate Poterioochromonas malhamensis. Journal of Microbiology, 2020, 58, 268-278.	1.3	4
9	First study on the male inducing signal in Keratella cochlearis: Crowding is the key. Limnologica, 2019, 77, 125688.	0.7	4
10	Living on the edge: reproduction, dispersal potential, maternal effects and local adaptation in aquatic, extremophilic invertebrates. Aquatic Sciences, 2019, 81, 1.	0.6	3
11	TemperatureÂ×Âlight interaction and tolerance of high water temperature in the planktonic freshwater flagellatesCryptomonas(Cryptophyceae) andDinobryon(Chrysophyceae). Journal of Phycology, 2019, 55, 404-414.	1.0	11
12	Life history traits and demographic parameters in the Keratella cochlearis (Rotifera, Monogononta) species complex. Hydrobiologia, 2018, 811, 325-338.	1.0	10
13	Do current European lake monitoring programmes reliably estimate phytoplankton community changes?. Hydrobiologia, 2018, 824, 143-162.	1.0	23
14	Rapid detection and quantification of the potentially toxic cyanobacterium Planktothrix rubescens by in-vivo fluorometry and flow cytometry. Water Research, 2018, 138, 234-240.	5.3	6
15	Editorial. European Journal of Protistology, 2018, 66, iii-iv.	0.5	0
16	Moderate weather extremes alter phytoplankton diversity—A microcosm study. Freshwater Biology, 2018, 63, 1211-1224.	1.2	21
17	Beyond the "Code― A Guide to the Description and Documentation of Biodiversity in Ciliated Protists (Alveolata, Ciliophora). Journal of Eukaryotic Microbiology, 2017, 64, 539-554.	0.8	108
18	Functional diversity of aquatic ciliates. European Journal of Protistology, 2017, 61, 331-358.	0.5	86

#	Article	IF	CITATIONS
19	High diversity in Keratella cochlearis (Rotifera, Monogononta): morphological and genetic evidence. Hydrobiologia, 2017, 796, 145-159.	1.0	25
20	Phytoplankton response to the summer 2015 heat wave – a case study from prealpine Lake Mondsee, Austria. Inland Waters, 2017, 7, 88-99.	1.1	17
21	Phytoplankton response to short-term temperature and nutrient changes. Limnologica, 2016, 59, 78-89.	0.7	29
22	Editorial. European Journal of Protistology, 2016, 55, 1.	0.5	1
23	Ciliates in Planktonic Food Webs: Communication and Adaptive Response. , 2016, , 351-372.		9
24	Functional ecology of aquatic phagotrophic protists – Concepts, limitations, and perspectives. European Journal of Protistology, 2016, 55, 50-74.	0.5	103
25	A paleolimnological perspective on aquatic biodiversity in Austrian mountain lakes. Aquatic Sciences, 2015, 77, 59-69.	0.6	19
26	Editorial. European Journal of Protistology, 2015, 51, A1-A2.	0.5	0
27	Ciliates — Protists with complex morphologies and ambiguous early fossil record. Marine Micropaleontology, 2015, 119, 1-6.	0.5	17
28	Ciliates and the Rare Biosphere—Community Ecology and Population Dynamics. Journal of Eukaryotic Microbiology, 2014, 61, 419-433.	0.8	38
29	Systematics and species-specific response to pH of Oxytricha acidotolerans sp. nov. and Urosomoida sp. (Ciliophora, Hypotricha) from acid mining lakes. European Journal of Protistology, 2013, 49, 255-271.	0.5	42
30	Bromeliothrix metopoides, a boom and bust ciliate (Ciliophora, Colpodea) from tank bromeliads. European Journal of Protistology, 2013, 49, 406-419.	0.5	17
31	Functional Ecology of the Ciliate Glaucomides bromelicola , and Comparison with the Sympatric Species Bromeliothrix metopoides. Journal of Eukaryotic Microbiology, 2013, 60, 578-587.	0.8	9
32	Multiple environmental stressors confine the ecological niche of the rotifer <i>Cephalodella acidophila</i> . Freshwater Biology, 2013, 58, 1008-1015.	1.2	17
33	Editorial. European Journal of Protistology, 2012, 48, 95.	0.5	Ο
34	The most acidified Austrian lake in comparison to a neutralized mining lake. Limnologica, 2011, 41, 303-315.	0.7	34
35	The outcome of competition between the two chrysomonads Ochromonas sp. and Poterioochromonas malhamensis depends on pH. European Journal of Protistology, 2011, 47, 79-85.	0.5	12
36	Combined stress effect of pH and temperature narrows the niche width of flagellates in acid mining lakes. Journal of Plankton Research, 2011, 33, 1023-1032.	0.8	20

#	Article	IF	CITATIONS
37	Cephalodella acidophila n. sp. (Monogononta: Notommatidae), a new rotifer species from highly acidic mining lakes. Zootaxa, 2011, 2939, 50.	0.2	10
38	Lake morphometry and wind exposure may shape the plankton community structure in acidic mining lakes. Limnologica, 2010, 40, 161-166.	0.7	18
39	The European Journal of Protistology – Changes, chances and challenges. European Journal of Protistology, 2009, 45, 163-164.	0.5	Ο
40	Photosynthetic and growth response of freshwater picocyanobacteria are strain-specific and sensitive to photoacclimation. Journal of Plankton Research, 2009, 31, 349-357.	0.8	19
41	Distribution and diversity of aquatic protists: an evolutionary and ecological perspective. Biodiversity and Conservation, 2008, 17, 243-259.	1.2	94
42	Genetic, Morphological, and Ecological Diversity of Spatially Separated Clones of <i>Meseres corlissi</i> Petz & Foissner, 1992 (Ciliophora, Spirotrichea). Journal of Eukaryotic Microbiology, 2008, 55, 257-270.	0.8	35
43	Shortâ€ŧerm temperature change may impact freshwater carbon flux: a microbial perspective. Global Change Biology, 2008, 14, 2823-2838.	4.2	47
44	Long-term acclimation of growth rates in the oligotrich freshwater ciliate <i>Meseres corlissi</i> . Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2008, 30, 218-222.	0.1	1
45	Distribution and diversity of aquatic protists: an evolutionary and ecological perspective. Topics in Biodiversity and Conservation, 2007, , 9-25.	0.3	1
46	Pronounced ecophysiological clonal differences of two common freshwater ciliates, Coleps spetai (Prostomatida) and Rimostrombidium lacustris (Oligotrichida), challenge the morphospecies concept. Journal of Plankton Research, 2006, 28, 55-63.	0.8	34
47	Effect of pH on growth, cell volume, and production of freshwater ciliates, and implications for their distribution. Limnology and Oceanography, 2006, 51, 1708-1715.	1.6	67
48	Freshwater ciliates as ecophysiological model organisms – lessons from Daphnia, major achievements, and future perspectives. Archiv FA¼r Hydrobiologie, 2006, 167, 371-402.	1.1	60
49	Rapid establishment of clonal isolates of freshwater autotrophic picoplankton by single-cell and single-colony sorting. Journal of Microbiological Methods, 2003, 55, 361-370.	0.7	49
50	Dispersal and Phylogenetic Diversity of Nonmarine Picocyanobacteria, Inferred from 16S rRNA Gene and cpcBA -Intergenic Spacer Sequence Analyses. Applied and Environmental Microbiology, 2003, 69, 5716-5721.	1.4	139
51	Live sorting and survival of unstained and DAPI-stained ciliates by flow cytometry. Archiv Für Hydrobiologie, 2003, 157, 173-184.	1.1	1
52	Interactive effect of temperature and food concentration on growth rate: A test case using the small freshwater ciliate <i>Urotricha farcta</i> . Limnology and Oceanography, 2002, 47, 1447-1455.	1.6	69
53	Enumeration of small ciliates in culture by flow cytometry and nucleic acid staining. Journal of Microbiological Methods, 2002, 49, 173-182.	0.7	30
54	The ecological significance of intraspecific variation among freshwater ciliates. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2002, 28, 1880-1884.	0.1	4

#	Article	IF	CITATIONS
55	Direct and indirect impact of two common rotifer species (Keratella spp.) on two abundant ciliate species (Urotricha furcata , Balanion planctonicum). Freshwater Biology, 2002, 47, 53-64.	1.2	37
56	Title is missing!. Water, Air and Soil Pollution, 2002, 2, 191-210.	0.8	10
57	The significance of inter- and intraspecific variation in bacterivorous and herbivorous protists. Antonie Van Leeuwenhoek, 2002, 81, 327-341.	0.7	69
58	Significance and fate of bacterial production in oligotrophic lakes in British Columbia. Canadian Journal of Fisheries and Aquatic Sciences, 2000, 57, 96-105.	0.7	18
59	Growth and production of heterotrophic nanoflagellates in a meso-eutrophic lake. Journal of Plankton Research, 1997, 19, 703-722.	0.8	39
60	Laboratory and field observations on the scuticociliate Histiobalantium from the pelagic zone of Lake Constance, FRG. Journal of Plankton Research, 1994, 16, 391-401.	0.8	20
61	The trophic significance of Phaeocystis blooms. Journal of Marine Systems, 1994, 5, 67-79.	0.9	112
62	Dynamics of Autotrophic Picoplankton in Marine and Freshwater Ecosystems. Advances in Microbial Ecology, 1993, , 327-370.	0.1	218
63	The annual cycle of heterotrophic freshwater nanoflagellates: role of bottom-up versus top-down control. Journal of Plankton Research, 1991, 13, 167-185.	0.8	137
64	Relations among the components of autotrophic and heterotrophic plankton during the seasonal cycle 1987 in Lake Constance. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 1991, 24, 831-836.	0.1	14
65	The Microbial Food Web and its Sensitivity to Eutrophication and Contaminant Enrichment: A Cross-system Overview. International Review of Hydrobiology, 1991, 76, 327-337.	0.6	45
66	Ecological Characteristics of Autotrophic Picoplankton in a Prealpine Lake. International Review of Hydrobiology, 1991, 76, 493-504.	0.6	62
67	Seasonal succession of ciliates in lake constance. Microbial Ecology, 1991, 21, 119-138.	1.4	142
68	Response of the microbial loop to the phytoplankton spring bloom in a large prealpine lake. Limnology and Oceanography, 1990, 35, 781-794.	1.6	236
69	Trophic interactions among heterotrophic microplankton, nanoplankton, and bacteria in Lake Constance. Hydrobiologia, 1990, 191, 111-122.	1.0	44
70	Significance of Heterotrophic Nanoflagellates and Ciliates in Large Lakes: Evidence from Lake Constance. Brock/Springer Series in Contemporary Bioscience, 1990, , 540-555.	0.3	18
71	Trophic interactions among heterotrophic microplankton, nanoplankton, and bacteria in Lake Constance. , 1990, , 111-122.		31
72	Dynamics of autotrophic picoplankton in Lake Constance. Journal of Plankton Research, 1988, 10, 1179-1188.	0.8	139

#	Article	IF	CITATIONS
73	Pelagic Microbes - Protozoa and the Microbial Food Web. , 0, , 417-460.		22