

# Xiaoyi Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5281539/xiaoyi-wang-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

12,682  
citations

38  
h-index

96  
g-index

96  
ext. papers

14,544  
ext. citations

8.6  
avg, IF

7.34  
L-index

#	Paper	IF	Citations
92	Copper and platinum dual-single-atoms supported on crystalline graphitic carbon nitride for enhanced photocatalytic CO <sub>2</sub> reduction. <i>Chinese Journal of Catalysis</i> , <b>2022</b> , 43, 451-460	11.3	5
91	2D/2D BiVO <sub>4</sub> /CsPbBr <sub>3</sub> S-scheme heterojunction for photocatalytic CO <sub>2</sub> reduction: Insights into structure regulation and Fermi level modulation. <i>Applied Catalysis B: Environmental</i> , <b>2022</b> , 304, 120979	21.8	12
90	Design and Development of a Solar Water Purification System with Graphene-Plasmonic Based Hybrid Nanocomposites: A Review.. <i>Recent Patents on Nanotechnology</i> , <b>2022</b> , 16, 30-44	1.2	
89	Construction 0D/2D heterojunction by highly dispersed AgS quantum dots (QDs) loaded on the g-CN nanosheets for photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 607, 662-675	9.3	9
88	Cu clusters immobilized on Cd-defective cadmium sulfide nano-rods towards photocatalytic CO <sub>2</sub> reduction. <i>Journal of Materials Science and Technology</i> , <b>2022</b> , 118, 54-63	9.1	1
87	In situ oxidation of ultrathin Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene modified with crystalline g-C <sub>3</sub> N <sub>4</sub> nanosheets for photocatalytic H <sub>2</sub> evolution. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 47, 4546-4546	6.7	2
86	Structural engineering of 3D hierarchical Cd <sub>0.8</sub> Zn <sub>0.2</sub> S for selective photocatalytic CO <sub>2</sub> reduction. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 131-140	11.3	54
85	Accordion-like composite of carbon-coated Fe <sub>3</sub> O <sub>4</sub> nanoparticle decorated Ti <sub>3</sub> C <sub>2</sub> MXene with enhanced electrochemical performance. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 2486-2496	4.3	6
84	Carbon-Graphitic Carbon Nitride Hybrids for Heterogeneous Photocatalysis. <i>Small</i> , <b>2021</b> , 17, e2005231	11	37
83	Highly crystalline carbon nitride hollow spheres with enhanced photocatalytic performance. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 627-636	11.3	50
82	Construction of an Ultrathin S-Scheme Heterojunction Based on Few-Layer g-C <sub>3</sub> N <sub>4</sub> and Monolayer Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene for Photocatalytic CO <sub>2</sub> Reduction. <i>Solar Rrl</i> , <b>2021</b> , 5, 2000351	7.1	38
81	Ferrite ceramic filled poly-dimethylsiloxane composite with enhanced magnetic-dielectric properties as substrate material for flexible electronics. <i>Ceramics International</i> , <b>2021</b> , 47, 18246-18251	5.1	8
80	Targeted regulation of exciton dissociation in graphitic carbon nitride by vacancy modification for efficient photocatalytic CO <sub>2</sub> reduction. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 292, 120179	21.8	26
79	Construction of efficient active sites through cyano-modified graphitic carbon nitride for photocatalytic CO <sub>2</sub> reduction. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 1608-1616	11.3	21
78	Recent advances in crystalline carbon nitride for photocatalysis. <i>Journal of Materials Science and Technology</i> , <b>2021</b> , 91, 224-240	9.1	15
77	Effects of Bi <sub>2</sub> O <sub>3</sub> -V <sub>2</sub> O <sub>5</sub> mixture on microstructure and magnetic properties for Li <sub>0.42</sub> Zn <sub>0.27</sub> Ti <sub>0.11</sub> Mn <sub>0.1</sub> Fe <sub>2.1</sub> O <sub>4</sub> ferrites sintered at low temperatures. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 885, 160983	5.7	1
76	Design and application of active sites in g-C <sub>3</sub> N <sub>4</sub> -based photocatalysts. <i>Journal of Materials Science and Technology</i> , <b>2020</b> , 56, 69-88	9.1	108

75	Investigation of grain growth and magnetic properties of low-sintered LiZnTi ferrite-ceramic. <i>Ceramics International</i> , <b>2020</b> , 46, 14669-14673	5.1	8
74	Single Au Atoms Anchored on Amino-Group-Enriched Graphitic Carbon Nitride for Photocatalytic CO Reduction. <i>ChemSusChem</i> , <b>2020</b> , 13, 1979-1985	8.3	55
73	Amine-functionalized graphitic carbon nitride decorated with small-sized Au nanoparticles for photocatalytic CO reduction. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 570, 11-19	9.3	46
72	Porous graphitic carbon nitride for solar photocatalytic applications. <i>Nanoscale Horizons</i> , <b>2020</b> , 5, 765-786	6.8	79
71	Synthesis of V <sub>2</sub> O <sub>5</sub> -Doped and low-sintered NiCuZn ferrite with uniform grains and enhanced magnetic properties. <i>Ceramics International</i> , <b>2020</b> , 46, 10652-10657	5.1	12
70	Nanosheet-assembled hierarchical flower-like g-CN for enhanced photocatalytic CO reduction activity. <i>Chemical Communications</i> , <b>2020</b> , 56, 2443-2446	5.8	42
69	Enhanced photocatalytic hydrogen production activity of highly crystalline carbon nitride synthesized by hydrochloric acid treatment. <i>Chinese Journal of Catalysis</i> , <b>2020</b> , 41, 21-30	11.3	76
68	Crystalline isotype heptazine-/triazine-based carbon nitride heterojunctions for an improved hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 268, 118381	21.8	66
67	Synthesis and photocatalytic H <sub>2</sub> -production activity of plasma-treated Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene modified graphitic carbon nitride. <i>Journal of the American Ceramic Society</i> , <b>2020</b> , 103, 849-858	3.8	20
66	Crystalline Carbon Nitride Supported Copper Single Atoms for Photocatalytic CO Reduction with Nearly 100% CO Selectivity. <i>ACS Nano</i> , <b>2020</b> , 14, 10552-10561	16.7	155
65	Interfacial modification of titanium dioxide to enhance photocatalytic efficiency towards H <sub>2</sub> production. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 556, 376-385	9.3	44
64	Transition-Metal-Ion (Fe, Co, Cr, Mn, Etc.) Doping of TiO Nanotubes: A General Approach. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 12511-12515	5.1	26
63	Plasma-modified TiCT/CdS hybrids with oxygen-containing groups for high-efficiency photocatalytic hydrogen production. <i>Nanoscale</i> , <b>2019</b> , 11, 18797-18805	7.7	91
62	Low-temperature sintering synthesis and electromagnetic properties of NiCuZn/BaTiO <sub>3</sub> composite materials. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 788, 44-49	5.7	10
61	Two-Dimensional Transition Metal MXene-Based Photocatalysts for Solar Fuel Generation. <i>Journal of Physical Chemistry Letters</i> , <b>2019</b> , 10, 3488-3494	6.4	125
60	Low-temperature sintering and ferromagnetic properties of Li <sub>0.35</sub> Zn <sub>0.30</sub> Mn <sub>0.05</sub> Ti <sub>0.15</sub> Fe <sub>2.15</sub> O <sub>4</sub> ferrites co-fired with Bi <sub>2</sub> O <sub>3</sub> -MgO mixture. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 797, 566-572	5.7	13
59	Ni-based photocatalytic H <sub>2</sub> -production cocatalysts <sup>2</sup> . <i>Chinese Journal of Catalysis</i> , <b>2019</b> , 40, 240-288	11.3	173
58	Truncated octahedral bipyramidal TiO <sub>2</sub> /MXene Ti <sub>3</sub> C <sub>2</sub> hybrids with enhanced photocatalytic H <sub>2</sub> production activity. <i>Nanoscale Advances</i> , <b>2019</b> , 1, 1812-1818	5.1	38

57	One-Step Solid-Phase Synthesis of 2D Ultrathin CdS Nanosheets for Enhanced Visible-Light Photocatalytic Hydrogen Evolution. <i>Solar Rrl</i> , <b>2019</b> , 3, 1900062	7.1	48
56	Effects of Bi <sub>2</sub> O <sub>3</sub> and Li <sub>2</sub> O B <sub>2</sub> O <sub>3</sub> Bi <sub>2</sub> O <sub>3</sub> SiO <sub>2</sub> glass on electromagnetic properties of NiCuZn/BaTiO <sub>3</sub> composite material at low sintering temperature. <i>Ceramics International</i> , <b>2019</b> , 45, 11342-11346	5.1	7
55	Hydrogen evolution promotion of Au-nanoparticles-decorated TiO <sub>2</sub> nanotube arrays prepared by dip-loading approach. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 5873-5880	3.8	10
54	Dispersion of LiZnTiBi ferrite particles into PMDS film for miniaturized flexible antenna application. <i>Ceramics International</i> , <b>2019</b> , 45, 8914-8918	5.1	13
53	UV Radiation Cumulative Recording Based on Amorphous TiO Nanotubes. <i>ACS Sensors</i> , <b>2019</b> , 4, 2429-2434	3.4	2
52	Plasma-based surface modification of g-C <sub>3</sub> N <sub>4</sub> nanosheets for highly efficient photocatalytic hydrogen evolution. <i>Applied Surface Science</i> , <b>2019</b> , 495, 143520	6.7	52
51	Constructing functionalized plasmonic gold/titanium dioxide nanosheets with small gold nanoparticles for efficient photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 555, 94-103	9.3	91
50	Synthesis, crystal structure and low loss of Li <sub>3</sub> Mg <sub>2</sub> NbO <sub>6</sub> ceramics by reaction sintering process. <i>Ceramics International</i> , <b>2019</b> , 45, 19766-19770	5.1	10
49	Lotus leaf as solar water evaporation devices. <i>Materials Letters</i> , <b>2019</b> , 240, 92-95	3.3	15
48	Ultralow loss and temperature stability of Li <sub>3</sub> Mg <sub>2</sub> NbO <sub>6</sub> -xLiF ceramics with low sintering temperature. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 782, 370-374	5.7	16
47	Microstructure, magnetic-dielectric properties of flexible composite film for high frequency applications. <i>Ceramics International</i> , <b>2019</b> , 45, 6350-6355	5.1	7
46	Surface and interface engineering of hierarchical photocatalysts. <i>Applied Surface Science</i> , <b>2019</b> , 471, 43-87	8.7	135
45	Densification and magnetic properties of NiCuZn low-sintering temperature ferrites with Bi <sub>2</sub> O <sub>3</sub> -Nb <sub>2</sub> O <sub>5</sub> composite additives. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 776, 954-959	5.7	21
44	Influence of LZN nanoparticles on microstructure and magnetic properties of bi-substituted LiZnTi low-sintering temperature ferrites. <i>Ceramics International</i> , <b>2019</b> , 45, 1946-1949	5.1	9
43	A Facile Method for Loading CeO Nanoparticles on Anodic TiO Nanotube Arrays. <i>Nanoscale Research Letters</i> , <b>2018</b> , 13, 89	5	4
42	CdS-Based photocatalysts. <i>Energy and Environmental Science</i> , <b>2018</b> , 11, 1362-1391	35.4	765
41	Low-temperature sintering and magnetic properties of MABS glass doped Li <sub>0.35</sub> Zn <sub>0.30</sub> Mn <sub>0.05</sub> Ti <sub>0.1</sub> Fe <sub>2.05</sub> O <sub>4</sub> ferrites. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 764, 834-839	5.7	9
40	Fabrication of Heterostructured Metal Oxide/TiO Nanotube Arrays Prepared via Thermal Decomposition and Crystallization. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 10249-10256	5.1	6

39	Investigation of grain boundary diffusion and grain growth of lithium zinc ferrites with low activation energy. <i>Journal of the American Ceramic Society</i> , <b>2018</b> , 101, 5037-5045	3.8	23
38	A practical method for fabricating perovskite solar cells with remarkable water resistance via additive engineering. <i>Molecular Systems Design and Engineering</i> , <b>2018</b> , 3, 729-733	4.6	1
37	Enhanced photocatalytic H <sub>2</sub> -production activity of C-dots modified g-CN/TiO <sub>2</sub> nanosheets composites. <i>Journal of Colloid and Interface Science</i> , <b>2018</b> , 513, 866-876	9.3	153
36	Enhanced stability of lead-free perovskite heterojunction for photovoltaic applications. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 4378-4386	4.3	16
35	Controllably degradable transient electronic antennas based on water-soluble PVA/TiO <sub>2</sub> films. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 2638-2647	4.3	43
34	Review of Water-Assisted Crystallization for TiO <sub>2</sub> Nanotubes. <i>Nano-Micro Letters</i> , <b>2018</b> , 10, 77	19.5	24
33	A Facile Method for Preparation of CuO-TiO <sub>2</sub> NTA Heterojunction with Visible-Photocatalytic Activity. <i>Nanoscale Research Letters</i> , <b>2018</b> , 13, 221	5	25
32	Visible-light-driven CdSe quantum dots/graphene/TiO <sub>2</sub> nanosheets composite with excellent photocatalytic activity for E. coli disinfection and organic pollutant degradation. <i>Applied Surface Science</i> , <b>2018</b> , 457, 846-855	6.7	132
31	Low-temperature solid-state preparation of ternary CdS/g-C <sub>3</sub> N <sub>4</sub> /CuS nanocomposites for enhanced visible-light photocatalytic H <sub>2</sub> -production activity. <i>Applied Surface Science</i> , <b>2017</b> , 391, 432-439	6.7	179
30	Synthesis of Highly Uniform and Compact Lithium Zinc Ferrite Ceramics via an Efficient Low Temperature Approach. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 4513-4521	5.1	35
29	Low-temperature sintering and ferrimagnetic properties of LiZnTiMn ferrites with Bi <sub>2</sub> O <sub>3</sub> -CuO eutectic mixture. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 695, 3233-3238	5.7	17
28	Preparation and Optical Properties of GeBi Films by Using Molecular Beam Epitaxy Method. <i>Nanoscale Research Letters</i> , <b>2017</b> , 12, 634	5	
27	Low temperature sintering and ferromagnetic properties of Li <sub>0.43</sub> Zn <sub>0.27</sub> Ti <sub>0.13</sub> Fe <sub>2.17</sub> O <sub>4</sub> ferrites doped with BaO-ZnO-B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 654, 140-145	5.7	13
26	Li <sub>2</sub> O-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -CaO-Al <sub>2</sub> O <sub>3</sub> and Bi <sub>2</sub> O <sub>3</sub> co-doped gyromagnetic Li <sub>0.43</sub> Zn <sub>0.27</sub> Ti <sub>0.13</sub> Fe <sub>2.17</sub> O <sub>4</sub> ferrite ceramics for LTCC Technology. <i>Ceramics International</i> , <b>2016</b> , 42, 16198-16204	5.1	30
25	Effect of ZnO-B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> glass additive on magnetic properties of low-sintering Li <sub>0.43</sub> Zn <sub>0.27</sub> Ti <sub>0.13</sub> Fe <sub>2.17</sub> O <sub>4</sub> ferrites. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 811-817	3.1	9
24	Hierarchical Layered WS <sub>2</sub> /Graphene-Modified CdS Nanorods for Efficient Photocatalytic Hydrogen Evolution. <i>ChemSusChem</i> , <b>2016</b> , 9, 996-1002	8.3	223
23	Magnetic properties and microstructure of low temperature sintered LiZnMnTi ferrites doped with Li <sub>2</sub> CO <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glasses. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 680, 729-734	5.7	16
22	Enhancement of photocatalytic H <sub>2</sub> production activity of CdS nanorods by cobalt-based cocatalyst modification. <i>Catalysis Science and Technology</i> , <b>2016</b> , 6, 6207-6216	5.5	138

21	Roles of MoS <sub>2</sub> and Graphene as Cocatalysts in the Enhanced Visible-Light Photocatalytic H <sub>2</sub> Production Activity of Multiarmed CdS Nanorods. <i>ChemCatChem</i> , <b>2015</b> , 7, 943-951	5.2	153
20	Enhanced ferromagnetic properties of low temperature sintering LiZnTi ferrites with Li <sub>2</sub> O-B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -CaO-Al <sub>2</sub> O <sub>3</sub> glass addition. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 620, 421-426	5.7	48
19	Graphene-modified nanosized Ag <sub>3</sub> PO <sub>4</sub> photocatalysts for enhanced visible-light photocatalytic activity and stability. <i>Applied Catalysis B: Environmental</i> , <b>2015</b> , 162, 196-203	21.8	276
18	Low Temperature Firing of Li <sub>0.43</sub> Zn <sub>0.27</sub> Ti <sub>0.13</sub> Fe <sub>2.17</sub> O <sub>4</sub> Ferrites with Enhanced Magnetic Properties. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 2556-2560	3.8	38
17	Graphene-Based Photocatalysts for Solar-Fuel Generation. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 11350-66	16.4	604
16	Open-top TiO <sub>2</sub> nanotube arrays with enhanced photovoltaic and photochemical performances via a micromechanical cleavage approach. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 14279-14283	13	13
15	Ferromagnetism at room temperature in Cr-doped anodic titanium dioxide nanotubes. <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 17C304	2.5	15
14	Enhanced electron collection in photoanode based on ultrafine TiO <sub>2</sub> nanotubes by a rapid anodization process. <i>Journal of Solid State Electrochemistry</i> , <b>2014</b> , 18, 2087-2098	2.6	12
13	Grain growth, densification, and gyromagnetic properties of LiZnTi ferrites with H <sub>3</sub> BO <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -ZnO glass addition. <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 17A511	2.5	8
12	Enhanced visible-photocatalytic activity of anodic TiO <sub>2</sub> nanotubes film via decoration with CuInSe <sub>2</sub> nanocrystals. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 11022-8	9.5	37
11	Activating the single-crystal TiO <sub>2</sub> nanoparticle film with exposed {001} facets. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 6463-6	9.5	35
10	Graphene-Based Photocatalysts for Hydrogen Generation. <i>Journal of Physical Chemistry Letters</i> , <b>2013</b> , 4, 753-9	6.4	463
9	Hierarchical porous CdS nanosheet-assembled flowers with enhanced visible-light photocatalytic H <sub>2</sub> -production performance. <i>Applied Catalysis B: Environmental</i> , <b>2013</b> , 138-139, 299-303	21.8	225
8	Synergetic effect of MoS <sub>2</sub> and graphene as cocatalysts for enhanced photocatalytic H <sub>2</sub> production activity of TiO <sub>2</sub> nanoparticles. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 6575-8	16.4	2059
7	Graphene-based semiconductor photocatalysts. <i>Chemical Society Reviews</i> , <b>2012</b> , 41, 782-96	58.5	2274
6	Nitrogen self-doped nanosized TiO <sub>2</sub> sheets with exposed {001} facets for enhanced visible-light photocatalytic activity. <i>Chemical Communications</i> , <b>2011</b> , 47, 6906-8	5.8	319
5	Preparation and Enhanced Visible-Light Photocatalytic H <sub>2</sub> -Production Activity of Graphene/C <sub>3</sub> N <sub>4</sub> Composites. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 7355-7363	3.8	1511
4	Fabrication and enhanced visible-light photocatalytic activity of carbon self-doped TiO <sub>2</sub> sheets with exposed {001} facets. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 1049-1057		360

3	Pivotal role of fluorine in enhanced photocatalytic activity of anatase TiO <sub>2</sub> nanosheets with dominant (001) facets for the photocatalytic degradation of acetone in air. <i>Applied Catalysis B: Environmental</i> , <b>2010</b> , 96, 557-564	21.8	456
2	Enhanced magnetic properties of low-temperature sintered LiZnTiMn ferrites with Bi <sub>2</sub> O <sub>3</sub> /NiO additive. <i>Journal of Materials Science: Materials in Electronics</i> , 1	2.1	0
1	Crystalline Intramolecular Ternary Carbon Nitride Homojunction for Photocatalytic Hydrogen Evolution. <i>ACS Catalysis</i> , 6345-6358	13.1	7