

Jung Ho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5282315/publications.pdf>

Version: 2024-02-01

78
papers

2,931
citations

168829

31
h-index

206121

51
g-index

79
all docs

79
docs citations

79
times ranked

5424
citing authors

#	ARTICLE	IF	CITATIONS
1	Combinatory statuses of tumor stromal percentage and tumor infiltrating lymphocytes as prognostic factors in stage III colorectal cancers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 551-557.	1.4	3
2	Comprehensive clinicopathologic, molecular, and immunologic characterization of colorectal carcinomas with loss of three intestinal markers, CDX2, SATB2, and KRT20. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 543-555.	1.4	5
3	Prognostic Impact of Extramural Lymphatic, Vascular, and Perineural Invasion in Stage II Colon Cancer: A Comparison With Intramural Invasion. <i>Diseases of the Colon and Rectum</i> , 2022, Publish Ahead of Print, .	0.7	2
4	Tauroursodeoxycholic Acid Inhibits Nuclear Factor Kappa B Signaling in Gastric Epithelial Cells and Ameliorates Gastric Mucosal Damage in Mice. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2022, 79, 161-169.	0.2	1
5	Differential immune microenvironmental features of microsatellite-unstable colorectal cancers according to <i>Fusobacterium nucleatum</i> status. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 47-59.	2.0	30
6	A comparative prognostic performance of definitions of Crohn-like lymphoid reaction in colorectal carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 53-59.	0.4	0
7	Targeted next-generation sequencing-based detection of microsatellite instability in colorectal carcinomas. <i>PLoS ONE</i> , 2021, 16, e0246356.	1.1	6
8	<scp><i>NTRK</i></scp> oncogenic fusions are exclusively associated with the serrated neoplasia pathway in the colorectum and begin to occur in sessile serrated lesions. <i>Journal of Pathology</i> , 2021, 255, 399-411.	2.1	8
9	Genomic and transcriptomic characterization of heterogeneous immune subgroups of microsatellite instability-high colorectal cancers. , 2021, 9, e003414.		14
10	Association between body size-metabolic phenotype and nonalcoholic steatohepatitis and significant fibrosis. <i>Journal of Gastroenterology</i> , 2020, 55, 330-341.	2.3	20
11	Association Between a Polymorphism in MBOAT7 and Chronic Kidney Disease in Patients With Biopsy-Confirmed Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2837-2839.e2.	2.4	10
12	Whole-Slide Image Analysis Reveals Quantitative Landscape of Tumorâ€œImmune Microenvironment in Colorectal Cancers. <i>Clinical Cancer Research</i> , 2020, 26, 870-881.	3.2	37
13	Distinct signatures of gut microbiome and metabolites associated with significant fibrosis in non-obese NAFLD. <i>Nature Communications</i> , 2020, 11, 4982.	5.8	189
14	Prediction of pathologic complete response using image-guided biopsy after neoadjuvant chemotherapy in breast cancer patients selected based on MRI findings: a prospective feasibility trial. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 97-105.	1.1	36
15	Portal inflammation predicts renal dysfunction in patients with nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2020, 14, 798-807.	1.9	8
16	Development and Validation of a Scoring System, Based on Genetic and Clinical Factors, to Determine Risk of Steatohepatitis in Asian Patients with Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2592-2599.e10.	2.4	32
17	Prognostic Value of Tumor Regression Grade on MR in Rectal Cancer: A Large-Scale, Single-Center Experience. <i>Korean Journal of Radiology</i> , 2020, 21, 1065.	1.5	23
18	Standardized Pathology Report for Colorectal Cancer, 2nd Edition. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 1-19.	0.4	35

#	ARTICLE	IF	CITATIONS
19	Evolving pathologic concepts of serrated lesions of the colorectum. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 276-289.	0.4	26
20	Immune landscape and biomarkers for immuno-oncology in colorectal cancers. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 351-360.	0.4	9
21	Nonalcoholic steatohepatitis is associated with a higher risk of advanced colorectal neoplasm. <i>Liver International</i> , 2019, 39, 1722-1731.	1.9	21
22	p53 expression status is associated with cancer-specific survival in stage III and high-risk stage II colorectal cancer patients treated with oxaliplatin-based adjuvant chemotherapy. <i>British Journal of Cancer</i> , 2019, 120, 797-805.	2.9	32
23	Prognostic value of MRI in assessing extramural venous invasion in rectal cancer: multi-readers' diagnostic performance. <i>European Radiology</i> , 2019, 29, 4379-4388.	2.3	41
24	Predictors of nonalcoholic steatohepatitis and significant fibrosis in non-obese nonalcoholic fatty liver disease. <i>Liver International</i> , 2019, 39, 332-341.	1.9	41
25	Pathologic differential diagnosis of metastatic carcinoma in the liver. <i>Clinical and Molecular Hepatology</i> , 2019, 25, 12-20.	4.5	41
26	Prognostic Impact of <i>Fusobacterium nucleatum</i> Depends on Combined Tumor Location and Microsatellite Instability Status in Stage II/III Colorectal Cancers Treated with Adjuvant Chemotherapy. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 40-49.	0.4	36
27	CpG Island Methylation in Sessile Serrated Adenoma/Polyp of the Colorectum: Implications for Differential Diagnosis of Molecularly High-Risk Lesions among Non-dysplastic Sessile Serrated Adenomas/Polyps. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 225-235.	0.4	4
28	Endoscopic visualization to the anterior surface of the malleus and tensor tympani tendon in congenital cholesteatoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1069-1075.	0.8	6
29	Reply to "Comment on "Distinct clinical outcomes of two CIMP-positive colorectal cancer subtypes based on a revised CIMP classification system". <i>British Journal of Cancer</i> , 2018, 118, e4-e4.	2.9	0
30	Subclinical Hypothyroidism and Low-Normal Thyroid Function Are Associated With Nonalcoholic Steatohepatitis and Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 123-131.e1.	2.4	125
31	Clinicopathological and molecular implications of aberrant thyroid transcription factor-1 expression in colorectal carcinomas: an immunohistochemical analysis of 1319 cases using three different antibody clones. <i>Histopathology</i> , 2018, 72, 423-432.	1.6	13
32	Growth differentiation factor 15 predicts advanced fibrosis in biopsy-proven non-alcoholic fatty liver disease. <i>Liver International</i> , 2018, 38, 695-705.	1.9	69
33	Additive effects of <i>PNPLA3</i> and <i>TM6SF2</i> on the histological severity of non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1277-1285.	1.4	89
34	Steatosis severity affects the diagnostic performances of noninvasive fibrosis tests in nonalcoholic fatty liver disease. <i>Liver International</i> , 2018, 38, 331-341.	1.9	41
35	The effect of dental scaling noise during intravenous sedation on acoustic respiration rate (RR _a , %). <i>Journal of Dental Anesthesia and Pain Medicine</i> , 2018, 18, 97.	0.4	3
36	The distribution of intratumoral macrophages correlates with molecular phenotypes and impacts prognosis in colorectal carcinoma. <i>Histopathology</i> , 2018, 73, 663-671.	1.6	41

#	ARTICLE	IF	CITATIONS
37	Distinct clinical outcomes of two CIMP-positive colorectal cancer subtypes based on a revised CIMP classification system. <i>British Journal of Cancer</i> , 2017, 116, 1012-1020.	2.9	40
38	Improved results of LINE-1 methylation analysis in formalin-fixed, paraffin-embedded tissues with the application of a heating step during the DNA extraction process. <i>Clinical Epigenetics</i> , 2017, 9, 1.	1.8	61
39	Intratumoral <i>Fusobacterium nucleatum</i> abundance correlates with macrophage infiltration and CDKN2A methylation in microsatellite-unstable colorectal carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 329-336.	1.4	70
40	Dominant high expression of wild-type HSP110 defines a poor prognostic subgroup of colorectal carcinomas with microsatellite instability: a whole-section immunohistochemical analysis. <i>Apmis</i> , 2017, 125, 1076-1083.	0.9	10
41	Deletion in HSP110 T17: correlation with wild-type HSP110 expression and prognostic significance in microsatellite-unstable advanced gastric cancers. <i>Human Pathology</i> , 2017, 67, 109-118.	1.1	4
42	Reply to: "The association between sarcopenia and non-alcoholic fatty liver disease". <i>Journal of Hepatology</i> , 2017, 66, 244-245.	1.8	0
43	Sarcopenia is an independent risk factor for non-alcoholic steatohepatitis and significant fibrosis. <i>Journal of Hepatology</i> , 2017, 66, 123-131.	1.8	318
44	Downregulation of acetyl-CoA synthetase 2 is a metabolic hallmark of tumor progression and aggressiveness in colorectal carcinoma. <i>Modern Pathology</i> , 2017, 30, 267-277.	2.9	34
45	Periostin in Mature Stage Localized Scleroderma. <i>Annals of Dermatology</i> , 2017, 29, 268.	0.3	14
46	Overexpression of POSTN in Tumor Stroma Is a Poor Prognostic Indicator of Colorectal Cancer. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 306-313.	0.4	42
47	Matricellular Protein Periostin Mediates Intestinal Inflammation through the Activation of Nuclear Factor κ B Signaling. <i>PLoS ONE</i> , 2016, 11, e0149652.	1.1	49
48	Characterisation of PD-L1-positive subsets of microsatellite-unstable colorectal cancers. <i>British Journal of Cancer</i> , 2016, 115, 490-496.	2.9	88
49	Molecular Subtypes of Colorectal Cancer and Their Clinicopathologic Features, With an Emphasis on the Serrated Neoplasia Pathway. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 406-412.	1.2	75
50	Changes in Noninvasive Liver Fibrosis Indices and Spleen Size During Chemotherapy. <i>Medicine (United States)</i> , 2016, 95, 23.	0.4	23
51	Are clinicopathological features of colorectal cancers with methylation in half of CpG island methylator phenotype panel markers different from those of CpG island methylator phenotype "high colorectal cancers"? <i>Human Pathology</i> , 2016, 47, 85-94.	1.1	8
52	Clinicopathologic, molecular, and prognostic implications of the loss of EPCAM expression in colorectal carcinoma. <i>Oncotarget</i> , 2016, 7, 13372-13387.	0.8	19
53	Distinct features between <i>MLH1</i> -methylated and unmethylated colorectal carcinomas with the CpG island methylator phenotype: implications in the serrated neoplasia pathway. <i>Oncotarget</i> , 2016, 7, 14095-14111.	0.8	35
54	Visceral Obesity Predicts Significant Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Medicine (United States)</i> , 2015, 94, e2159.	0.4	85

#	ARTICLE	IF	CITATIONS
55	Prospective Comparison of Noninvasive Fibrosis Assessment to Predict Advanced Fibrosis or Cirrhosis in Asian Patients With Hepatitis C. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 697-704.	1.1	18
56	Comparative validation of assessment criteria for Crohn-like lymphoid reaction in colorectal carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 22-28.	1.0	25
57	Gastric-type expression signature in serrated pathway-associated colorectal tumors. <i>Human Pathology</i> , 2015, 46, 643-656.	1.1	45
58	Annexin A10 expression in colorectal cancers with emphasis on the serrated neoplasia pathway. <i>World Journal of Gastroenterology</i> , 2015, 21, 9749.	1.4	24
59	Pathologic Factors Associated with Prognosis after Adjuvant Chemotherapy in Stage II/III Microsatellite-Unstable Colorectal Cancers. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 118-128.	0.4	16
60	Nuclear maspin expression correlates with the CpG island methylator phenotype and tumor aggressiveness in colorectal cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 1920-8.	0.5	13
61	Nonbacterial Thrombotic Endocarditis in a Patient with Bowel Infarction due to Mesenteric Vein Thrombosis. <i>Korean Circulation Journal</i> , 2014, 44, 189.	0.7	4
62	Differential Features of Microsatellite-Unstable Colorectal Carcinomas Depending on EPCAM Expression Status. <i>Korean Journal of Pathology</i> , 2014, 48, 276.	1.2	16
63	Expression status of wild-type HSP110 correlates with HSP110 T17 deletion size and patient prognosis in microsatellite-unstable colorectal cancer. <i>Modern Pathology</i> , 2014, 27, 443-453.	2.9	29
64	High-risk human papillomavirus load and biomarkers in cervical intraepithelial neoplasia and cancer. <i>Apmis</i> , 2014, 122, 427-436.	0.9	20
65	Toll-like receptor 2 mediates a cutaneous reaction induced by repetitive ultraviolet B irradiation in C57/BL6 mice <i>in vivo</i> . <i>Experimental Dermatology</i> , 2014, 23, 591-595.	1.4	15
66	Annexin A10 Expression in Microsatellite-unstable Colorectal Cancers. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1577-1579.	2.1	2
67	Annexin A10 expression correlates with serrated pathway features in colorectal carcinoma with microsatellite instability. <i>Apmis</i> , 2014, 122, 1187-1195.	0.9	19
68	Molecular and prognostic heterogeneity of microsatellite-unstable colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 4230.	1.4	79
69	Subsets of microsatellite-unstable colorectal cancers exhibit discordance between the CpG island methylator phenotype and MLH1 methylation status. <i>Modern Pathology</i> , 2013, 26, 1013-1022.	2.9	26
70	Loss of CDX2/CK20 Expression Is Associated With Poorly Differentiated Carcinoma, the CpG Island Methylator Phenotype, and Adverse Prognosis in Microsatellite-unstable Colorectal Cancer. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1532-1541.	2.1	80
71	Epigenetic alterations in colorectal cancer: the CpG island methylator phenotype. <i>Histology and Histopathology</i> , 2013, 28, 585-95.	0.5	23
72	Differential clinicopathological features in microsatellite instability-positive colorectal cancers depending on CIMP status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 55-63.	1.4	42

#	ARTICLE	IF	CITATIONS
73	DNA methylation changes in ex-adenoma carcinoma of the large intestine. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 457, 433-441.	1.4	16
74	Genomic hypomethylation and CpG island hypermethylation in prostatic intraepithelial neoplasm. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 454, 17-23.	1.4	43
75	Prognostic implications of CpG island hypermethylator phenotype in colorectal cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 485-494.	1.4	116
76	The Relationship between the Methylenetetrahydrofolate Reductase Genotypes and the Methylation Status of the CpG Island Loci, LINE-1 and Alu in Prostate Adenocarcinoma. <i>Korean Journal of Pathology</i> , 2009, 43, 26.	1.2	2
77	Clinicopathological features of CpG island methylator phenotypeâ€positive colorectal cancer and its adverse prognosis in relation to <i>KRAS</i> / <i>BRAF</i> mutation. <i>Pathology International</i> , 2008, 58, 104-113.	0.6	127
78	CpG Island Methylator Phenotype in Colorectal Cancers: Comparison of the New and Classic CpG Island Methylator Phenotype Marker Panels. <i>Archives of Pathology and Laboratory Medicine</i> , 2008, 132, 1657-1665.	1.2	59