

Kentaro Yoshida

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5283191/kentaro-yoshida-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

1,411
citations

22
h-index

36
g-index

87
ext. papers

1,665
ext. citations

3.8
avg. IF

3.84
L-index

#	Paper	IF	Citations
78	An Epicardial Connection With a Unidirectional Conduction Property From the Left Atrium to Pulmonary Vein.. <i>JACC: Case Reports</i> , 2022 , 4, 310-314	1.2	0
77	Epicardial Connections as Intra-Atrial Conduction Routes in a Patient With Advanced Atrial Remodeling. <i>JACC: Case Reports</i> , 2021 , 3, 1774-1779	1.2	
76	An iatrogenic arteriovenous fistula as a drainage route of pseudoaneurysmal bleeding. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab389	0.9	
75	An autopsy case of PARK2 due to a homozygous exon 2 deletion of parkin and associated with Synucleinopathy. <i>Neuropathology</i> , 2021 , 41, 293-300	2	1
74	A simple pacing maneuver to unmask an epicardial connection involving the right-sided pulmonary veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 287-296	2.7	2
73	Epicardial bypass tract at the left atrial diverticulum. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab399	0.9	1
72	Upgrade of cardiac resynchronization therapy by utilizing additional His-bundle pacing in a patient with lamin A/C cardiomyopathy: an autopsy case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab356	0.9	
71	Interatrial distance predicts the necessity of additional carina ablation to isolate the right-sided pulmonary veins. <i>Heart Rhythm O2</i> , 2020 , 1, 259-267	1.5	5
70	Oral caffeine intake amplifies the effect of isoproterenol in patients with frequent premature ventricular contractions. <i>Europace</i> , 2020 , 22, 1261-1269	3.9	1
69	Difference in epicardial adipose tissue distribution between paroxysmal atrial fibrillation and coronary artery disease. <i>Heart and Vessels</i> , 2020 , 35, 1070-1078	2.1	3
68	Right atrial parasystole originating from isolated activities in the right inferior pulmonary vein with an epicardial connection. <i>HeartRhythm Case Reports</i> , 2020 , 6, 437-440	1	4
67	Temporal elimination of an interatrial epicardial connection by ablation encircling the right-sided pulmonary veins. <i>HeartRhythm Case Reports</i> , 2020 , 6, 841-844	1	5
66	Upgrade of cardiac resynchronization therapy by utilizing additional His-bundle pacing in patients with inotrope-dependent end-stage heart failure: a case series. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-9	0.9	3
65	Noninvasive Mapping of Premature Ventricular Contractions by Merging Magnetocardiography and Computed Tomography. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1144-1157	4.6	5
64	Structural relation between the superior vena cava and pulmonary veins in patients with atrial fibrillation. <i>Heart and Vessels</i> , 2019 , 34, 2052-2058	2.1	4
63	Clinical Applications of Natriuretic Peptides in Heart Failure and Atrial Fibrillation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
62	Impact of coronary artery disease and revascularization on recurrence of atrial fibrillation after catheter ablation: Importance of ischemia in managing atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1491-1498	2.7	7

61	Safety and Efficacy of Minimally Interrupted Dabigatran vs Uninterrupted Warfarin Therapy in Adults Undergoing Atrial Fibrillation Catheter Ablation: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2019 , 2, e191994	10.4	29
60	Catheter Ablation of Refractory Ventricular Fibrillation Storm After Myocardial Infarction. <i>Circulation</i> , 2019 , 139, 2315-2325	16.7	23
59	Potential compression neuropathy of the femoral nerve caused by the delivery sheath of a transcatheter leadless pacemaker. <i>HeartRhythm Case Reports</i> , 2019 , 5, 317-320	1	1
58	Epicardial connection between the right-sided pulmonary venous carina and the right atrium in patients with atrial fibrillation: A possible mechanism for preclusion of pulmonary vein isolation without carina ablation. <i>Heart Rhythm</i> , 2019 , 16, 671-678	6.7	38
57	Differences in the structural characteristics and distribution of epicardial adipose tissue between left and right atrial fibrillation. <i>Europace</i> , 2018 , 20, 435-442	3.9	12
56	Unmasking of a concealed slow pathway by atrioventricular simultaneous basic pacing. <i>Journal of Electrocardiology</i> , 2018 , 51, 338-342	1.4	0
55	Mechanistic implication of decreased plasma atrial natriuretic peptide level for transient rise in the atrial capture threshold early after ICD or CRT-D implantation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 53, 131-140	2.4	2
54	Hypertensive crisis during catheter ablation of atrial fibrillation in a patient with undiagnosed pheochromocytoma: a case report. <i>European Heart Journal - Case Reports</i> , 2018 , 2, yty007	0.9	
53	Life-Threatening Acute Occlusion of the Left Main Coronary Artery With Massive Thrombi Originating in the Left Atrial Appendage. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, e143-e145	5	
52	Sick sinus syndrome with HCN4 mutations shows early onset and frequent association with atrial fibrillation and left ventricular noncompaction. <i>Heart Rhythm</i> , 2017 , 14, 717-724	6.7	27
51	Comparison of Pulmonary Venous and Left Atrial Remodeling in Patients With Atrial Fibrillation With Hypertrophic Cardiomyopathy Versus With Hypertensive Heart Disease. <i>American Journal of Cardiology</i> , 2017 , 119, 1262-1268	3	5
50	Efficacy of Intensive Radiofrequency Energy Delivery to the Localized Dense Scar Area in Post-Infarction Ventricular Tachycardia Ablation - A Comparative Study With Standard Strategy Targeting the Infarcted Border Zone. <i>Circulation Journal</i> , 2017 , 81, 1603-1610	2.9	2
49	Electrophysiological relation between the superior vena cava and right superior pulmonary vein in patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1117-1126	2.7	10
48	Hemodynamic collapse due to the stenosis of four pulmonary veins in a patient with mediastinal tumor. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 1030-1031	0.7	0
47	Underrecognized entity of the transient rise in the atrial capture threshold early after dual-chamber pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1396-1404	1.6	2
46	Crucial role of pulmonary vein firing as an initiator of typical atrial flutter: Evidence of a close relationship between atrial fibrillation and typical atrial flutter. <i>Journal of Arrhythmia</i> , 2017 , 33, 86-91	1.5	3
45	Right-to-left frequency gradient during atrial fibrillation initiated by right atrial ectopies and its augmentation by adenosine triphosphate: Implications of right atrial fibrillation. <i>Heart Rhythm</i> , 2016 , 13, 354-63	6.7	21
44	Bradycardia-dependent rise in the atrial capture threshold early after cardiac pacemaker implantation in patients with sick sinus syndrome. <i>HeartRhythm Case Reports</i> , 2016 , 2, 27-31	1	4

43	Intractable Electrical Storm After Coronary Artery Bypass Grafting Originating in Abnormal Purkinje Fibers. <i>Journal of Cardiac Surgery</i> , 2016 , 31, 74-7	1.3	1
42	Left septal atrial tachycardia after open-heart surgery: relevance to surgical approach, anatomical and electrophysiological characteristics associated with catheter ablation, and procedural outcomes. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 59-67	6.4	8
41	Ability of magnetocardiography to detect regional dominant frequencies of atrial fibrillation. <i>Journal of Arrhythmia</i> , 2015 , 31, 345-51	1.5	17
40	Elevated plasma norepinephrine level and sick sinus syndrome in patients with lone atrial fibrillation. <i>Heart</i> , 2015 , 101, 1133-8	5.1	8
39	Left anterior descending artery spasm after radiofrequency catheter ablation for ventricular premature contractions originating from the left ventricular outflow tract. <i>Heart Rhythm Case Reports</i> , 2015 , 1, 103-106	1	3
38	Troponin elevation after radiofrequency catheter ablation of atrial fibrillation: relevance to AF substrate, procedural outcomes, and reverse structural remodeling. <i>Heart Rhythm</i> , 2014 , 11, 1336-42	6.7	20
37	Long-term outcome and preprocedural predictors of atrial tachyarrhythmia recurrence following pulmonary vein antrum isolation-based catheter ablation in patients with non-paroxysmal atrial fibrillation. <i>Journal of Cardiology</i> , 2014 , 64, 57-63	3	14
36	Development of a magnetocardiography-based algorithm for discrimination between ventricular arrhythmias originating from the right ventricular outflow tract and those originating from the aortic sinus cusp: a pilot study. <i>Heart Rhythm</i> , 2014 , 11, 1605-12	6.7	14
35	Counterclockwise heart rotation affects variation in successful ablation line position in common atrial flutter. <i>Circulation Journal</i> , 2014 , 78, 859-64	2.9	
34	Effect of eplerenone on maintenance of sinus rhythm after catheter ablation in patients with long-standing persistent atrial fibrillation. <i>American Journal of Cardiology</i> , 2013 , 111, 1012-8	3	30
33	Wearable ECG Monitoring and Alerting System Associated with Smartphone. <i>International Journal of E-Health and Medical Communications</i> , 2013 , 4, 1-15	1.4	3
32	Tissue Doppler imaging dyssynchrony parameter derived from the myocardial active wall motion improves prediction of responders for cardiac resynchronization therapy. <i>Circulation Journal</i> , 2012 , 76, 689-97	2.9	15
31	An increase in right atrial magnetic strength is a novel predictor of recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>Circulation Journal</i> , 2012 , 76, 1601-8	2.9	17
30	Electrogram organization predicts left atrial reverse remodeling after the restoration of sinus rhythm by catheter ablation in patients with persistent atrial fibrillation. <i>Heart Rhythm</i> , 2012 , 9, 1769-78	6.7	15
29	Catheter ablation of atrial fibrillation: Past, present, and future directions. <i>Journal of Arrhythmia</i> , 2012 , 28, 83-90	1.5	7
28	Automated analysis of the 12-lead electrocardiogram to identify the exit site of postinfarction ventricular tachycardia. <i>Heart Rhythm</i> , 2012 , 9, 330-4	6.7	34
27	Early repolarization is an independent predictor of occurrences of ventricular fibrillation in the very early phase of acute myocardial infarction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 506-13	6.4	102
26	Successful catheter ablation of bidirectional ventricular premature contractions triggering ventricular fibrillation in catecholaminergic polymorphic ventricular tachycardia with RyR2 mutation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, e14-7	6.4	44

25	Development of wearable heart disease monitoring and alerting system associated with smartphone 2012 ,		7
24	Prevalence and influence of hyperthyroidism on the long-term outcome of catheter ablation for drug-refractory atrial fibrillation. <i>Circulation Journal</i> , 2012 , 76, 2546-51	2.9	10
23	Left atrial pressure and dominant frequency of atrial fibrillation in humans. <i>Heart Rhythm</i> , 2011 , 8, 181-76.7		46
22	Septal involvement in patients with post-infarction ventricular tachycardia: implications for mapping and radiofrequency ablation. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2491-500	15.1	25
21	Significant increase in the incidence of ventricular arrhythmic events after an intrathoracic impedance change measured with a cardiac resynchronization therapy defibrillator. <i>Circulation Journal</i> , 2011 , 75, 2614-20	2.9	6
20	Time- and frequency-domain characteristics of atrial electrograms during sinus rhythm and atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 851-7	2.7	10
19	Clinical and procedural characteristics of acute hemodynamic responders undergoing triple-site ventricular pacing for advanced heart failure. <i>American Journal of Cardiology</i> , 2011 , 108, 1297-304	3	13
18	Left atrial volume and dominant frequency of atrial fibrillation in patients undergoing catheter ablation of persistent atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011 , 32, 155-61	2.4	20
17	Clinical value of noninducibility by high-dose isoproterenol versus rapid atrial pacing after catheter ablation of paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 13-20	2.7	32
16	Isolation of pulmonary vein and superior vena cava for paroxysmal atrial fibrillation in a young adult with left ventricular non-compaction. <i>Europace</i> , 2010 , 12, 1040-1	3.9	7
15	Effect of linear ablation on spectral components of atrial fibrillation. <i>Heart Rhythm</i> , 2010 , 7, 1732-7	6.7	23
14	A critical decrease in dominant frequency and clinical outcome after catheter ablation of persistent atrial fibrillation. <i>Heart Rhythm</i> , 2010 , 7, 295-302	6.7	61
13	The value of defibrillator electrograms for recognition of clinical ventricular tachycardias and for pace mapping of post-infarction ventricular tachycardia. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 969-79	15.1	52
12	Sleep apnea and ventricular arrhythmias: Clinical outcome, electrophysiologic characteristics, and follow-up after catheter ablation. <i>Journal of Cardiology</i> , 2010 , 55, 211-6	3	11
11	Identification of AF drivers: toward a mechanistic basis of AF ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1363-5	1.6	
10	A randomized assessment of the incremental role of ablation of complex fractionated atrial electrograms after antral pulmonary vein isolation for long-lasting persistent atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 782-9	15.1	265
9	Mechanical dyssynchrony assessed by speckle tracking imaging as a reliable predictor of acute and chronic response to cardiac resynchronization therapy. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 839-46	5.8	22
8	To the EditorResponse. <i>Heart Rhythm</i> , 2009 , 6, e1b	6.7	

7	Relationship between the spectral characteristics of atrial fibrillation and atrial tachycardias that occur after catheter ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2009 , 6, 11-7	6.7	44
6	Complex electrograms within the coronary sinus: time- and frequency-domain characteristics, effects of antral pulmonary vein isolation, and relationship to clinical outcome in patients with paroxysmal and persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 1017-23	2.7	27
5	Triangle ventricular pacing in a non-responder to conventional bi-ventricular pacing. <i>Europace</i> , 2008 , 10, 502-4	3.9	3
4	Feasibility of targeting catheter ablation to the markedly low-voltage area surrounding infarct scars in patients with post-infarction ventricular tachycardia. <i>Circulation Journal</i> , 2008 , 72, 1112-9	2.9	22
3	Prevalence and characteristics of continuous electrical activity in patients with paroxysmal and persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 606-12	2.7	46
2	Effect of cardiac resynchronization therapy in isolated ventricular noncompaction in adults: follow-up of four cases. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 935-8	2.7	31
1	Effect of triangle ventricular pacing on haemodynamics and dyssynchrony in patients with advanced heart failure: a comparison study with conventional bi-ventricular pacing therapy. <i>European Heart Journal</i> , 2007 , 28, 2610-9	9.5	43