

Xun Cao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5283781/xun-cao-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,788
citations

24
h-index

40
g-index

80
ext. papers

2,512
ext. citations

9.7
avg, IF

5.17
L-index

#	Paper	IF	Citations
74	One-step fabrication of Cu ₂ O-Cu catalytic electrodes with regular porous array by ultra-fast laser scanning. <i>Journal of Alloys and Compounds</i> , 2022 , 900, 163455	5.7	1
73	Correction to Multifunctional Flexible Vanadium Dioxide Films. <i>Accounts of Materials Research</i> , 2022 , 3, 403-403	7.5	
72	Phase engineering of Cr ₅ Te ₈ with colossal anomalous Hall effect. <i>Nature Electronics</i> , 2022 , 5, 224-232	28.4	10
71	Highly flexible interconnected Li ⁺ ion-sieve porous hydrogels with self-regulating nanonetwork structure for marine lithium recovery. <i>Chemical Engineering Journal</i> , 2022 , 445, 136780	14.7	0
70	Mechanically Durable Memristor Arrays Based on a Discrete Structure Design. <i>Advanced Materials</i> , 2021 , e2106212	24	5
69	High Thermoelectric Performance through Crystal Symmetry Enhancement in Triply Doped Diamondoid Compound Cu ₂ SnSe ₃ . <i>Advanced Energy Materials</i> , 2021 , 11, 2100661	21.8	11
68	Conductivity Modulation of 3D-Printed Shellular Electrodes through Embedding Nanocrystalline Intermetallics into Amorphous Matrix for Ultrahigh-Current Oxygen Evolution. <i>Advanced Energy Materials</i> , 2021 , 11, 2100968	21.8	2
67	Chemical Vapor Deposition of Superconducting FeTeSe Nanosheets. <i>Nano Letters</i> , 2021 , 21, 5338-5344	11.5	8
66	Decomposition behavior in the early-stage oxidation of Sm ₂ Co ₁₇ -type magnets. <i>Scripta Materialia</i> , 2021 , 200, 113911	5.6	2
65	Twinning enhanced electrical conductivity and surface activity of nanostructured CuCrO ₂ gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 338, 129845	8.5	2
64	The synergistic catalysis on Co nanoparticles and Co _{Nx} sites of aniline-modified ZIF derived Co@NCs for oxidative esterification of HMF. <i>Chinese Chemical Letters</i> , 2021 , 32, 685-690	8.1	23
63	Unraveling the effects of anions in Ni _x Ay@CC (A=O, S, P) on Li-sulfur batteries. <i>Materials Today Nano</i> , 2021 , 13, 100106	9.7	3
62	Flexible Au micro-array electrode with atomic-scale Au thin film for enhanced ethanol oxidation reaction. <i>Nano Research</i> , 2021 , 14, 311-319	10	0
61	Strained Ultralong Silver Nanowires for Enhanced Electrocatalytic Oxygen Reduction Reaction in Alkaline Medium. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 2029-2035	6.4	5
60	Interpenetrating interfaces for efficient perovskite solar cells with high operational stability and mechanical robustness. <i>Nature Communications</i> , 2021 , 12, 973	17.4	75
59	High thermoelectric performance enabled by convergence of nested conduction bands in PbBiSe with low thermal conductivity. <i>Nature Communications</i> , 2021 , 12, 4793	17.4	15
58	Multifunctional Flexible Vanadium Dioxide Films. <i>Accounts of Materials Research</i> , 2021 , 2, 714-725	7.5	2

57	Atomic-scale oxidation of a Sm ₂ Co ₁₇ -type magnet. <i>Acta Materialia</i> , 2021 , 117343	8.4	0
56	Bioactive CaTiO ₃ film prepared on the biomedical porous Ti-5Mo alloy by one-step hydrothermal treatment. <i>Journal of Materials Research and Technology</i> , 2021 , 14, 202-209	5.5	1
55	A three-dimensional porous MoS ₂ @PVDF aerogel as a highly efficient and recyclable sorbent for oils and organic solvents. <i>Materials Advances</i> , 2020 , 1, 760-766	3.3	4
54	Confining Tiny MoO Clusters into Reduced Graphene Oxide for Highly Efficient Low Frequency Microwave Absorption. <i>Small</i> , 2020 , 16, e2001686	11	43
53	Molecular-scale cage-confinement pyrolysis route to size-controlled molybdenum carbide nanoparticles for electrochemical sensor. <i>Biosensors and Bioelectronics</i> , 2020 , 165, 112373	11.8	8
52	Growth of Lattice Coherent Co ₉ S ₈ /Co ₃ O ₄ Nano-Heterostructure for Maximizing the Catalysis of Co-Based Composites. <i>ChemCatChem</i> , 2020 , 12, 2431-2435	5.2	8
51	Challenges and Opportunities toward Real Application of VO ₂ -Based Smart Glazing. <i>Matter</i> , 2020 , 2, 862-881	12.7	34
50	Highly Strained Au Nanoparticles for Improved Electrocatalysis of Ethanol Oxidation Reaction. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3005-3013	6.4	7
49	Dual-Nitrogen-Doped Carbon Decorated on Na ₃ V ₂ (PO ₄) ₃ to Stabilize the Intercalation of Three Sodium Ions. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6870-6879	6.1	8
48	Janus-like particles prepared through partial UV irradiation at the water/oil interface and their encapsulation capabilities. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 589, 124460	5.1	6
47	Exploring the impact of atomic lattice deformation on oxygen evolution reactions based on a sub-5 nm pure face-centred cubic high-entropy alloy electrocatalyst. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 11938-11947	13	42
46	Oxygen vacancy mediated bismuth stannate ultra-small nanoparticle towards photocatalytic CO ₂ -to-CO conversion. <i>Applied Catalysis B: Environmental</i> , 2020 , 276, 119156	21.8	30
45	Metal-organic framework derived CoSe@Nitrogen-doped porous carbon as a high-performance anode material for lithium ion batteries. <i>Nanotechnology</i> , 2020 , 31, 215602	3.4	5
44	Development of polyoxometalate-anchored 3D hybrid hydrogel for high-performance flexible pseudo-solid-state supercapacitor. <i>Electrochimica Acta</i> , 2020 , 329, 135181	6.7	18
43	Porous cobalt@N-doped carbon derived from chitosan for oxidative esterification of 5-Hydroxymethylfurfural: The roles of zinc in the synthetic and catalytic process. <i>Molecular Catalysis</i> , 2020 , 482, 110695	3.3	11
42	Tunable low-dimensional self-assembly of H-shaped bichromophoric perylene diimide Gemini in solution. <i>Nanoscale</i> , 2020 , 12, 3058-3067	7.7	6
41	Spatially Resolved Dynamically Reconfigurable Multilevel Control of Thermal Emission. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900162	8.3	59
40	Phase-controllable growth of ultrathin 2D magnetic FeTe crystals. <i>Nature Communications</i> , 2020 , 11, 3729	17.4	57

39	Microwave Absorption: Confining Tiny MoO ₂ Clusters into Reduced Graphene Oxide for Highly Efficient Low Frequency Microwave Absorption (Small 30/2020). <i>Small</i> , 2020 , 16, 2070168	11	9
38	Innovative development on a p-type delafossite CuCrO ₂ nanoparticles based triethylamine sensor. <i>Sensors and Actuators B: Chemical</i> , 2020 , 324, 128743	8.5	11
37	Confinement of single polyoxometalate clusters in molecular-scale cages for improved flexible solid-state supercapacitors. <i>Nanoscale</i> , 2020 , 12, 11887-11898	7.7	11
36	Catalysis of Au nano-pyramids formed across the surfaces of ordered Au nano-ring arrays. <i>Journal of Catalysis</i> , 2019 , 377, 389-399	7.3	4
35	The Self-Passivation Mechanism in Degradation of BiVO ₄ Photoanode. <i>IScience</i> , 2019 , 19, 976-985	6.1	27
34	Highly Enhanced Thermochromic Performance of VO ₂ Film Using "Movable" Antireflective Coatings. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4712-4718	9.5	17
33	Highly anisotropic thermoelectric properties of black phosphorus crystals. <i>2D Materials</i> , 2019 , 6, 045009	5.9	17
32	Self-Template Synthesis of Nanoporous VO ₂ -Based Films: Localized Surface Plasmon Resonance and Enhanced Optical Performance for Solar Glazing Application. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 22692-22702	9.5	30
31	Bifunctional copper cathode induced oxidation of glycerol with liquid plasma discharge. <i>Separation and Purification Technology</i> , 2019 , 220, 328-333	8.3	3
30	Superior Li-ion storage of VS nanowires anchored on reduced graphene. <i>Nanoscale</i> , 2019 , 11, 9556-9562	7.7	21
29	Transmittance change with thickness for polycrystalline VO ₂ films deposited at room temperature. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 648-654	5.7	9
28	Mitigating Deterioration of Vanadium Dioxide Thermochromic Films by Interfacial Encapsulation. <i>Matter</i> , 2019 , 1, 734-744	12.7	34
27	Van der Waals negative capacitance transistors. <i>Nature Communications</i> , 2019 , 10, 3037	17.4	71
26	Electrons-Donating Derived Dual-Resistant Crust of VO ₂ Nano-Particles via Ascorbic Acid Treatment for Highly Stable Smart Windows Applications. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 41229-41237	9.5	10
25	Nanostructured Metal-Organic Conjugated Coordination Polymers with Ligand Tailoring for Superior Rechargeable Energy Storage. <i>Small</i> , 2019 , 15, e1903188	11	40
24	How to properly evaluate and compare the thermochromic performance of VO ₂ -based smart coatings. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 24164-24172	13	13
23	Ordered distributed nickel sulfide nanoparticles across graphite nanosheets for efficient oxygen evolution reaction electrocatalyst. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 1544-1554	6.7	16
22	Facile synthesis of hydrated magnesium vanadium bronze EMg _{0.25} V ₂ O ₅ ·H ₂ O as a novel cathode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 931-938	5.7	2

21	Self-assembled Cu-Ni bimetal oxide 3D in-plane epitaxial structures for highly efficient oxygen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2019 , 244, 56-62	21.8	41
20	Rational design of intertwined carbon nanotubes threaded porous CoP@carbon nanocubes as anode with superior lithium storage. <i>Carbon</i> , 2019 , 142, 269-277	10.4	38
19	Extraordinary catalysis induced by titanium foil cathode plasma for degradation of water pollutant. <i>Chemosphere</i> , 2019 , 214, 341-348	8.4	12
18	Application-oriented VO ₂ thermochromic coatings with composite structures: Optimized optical performance and robust fatigue properties. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 189, 138-148	6.4	36
17	Co-synthesis of CuO-ZnO nanoflowers by low voltage liquid plasma discharge with brass electrode. <i>Journal of Alloys and Compounds</i> , 2019 , 773, 762-769	5.7	13
16	A plasmonic non-stoichiometric WO homojunction with stabilizing surface plasmonic resonance for selective photochromic modulation. <i>Chemical Communications</i> , 2018 , 54, 5241-5244	5.8	21
15	Effects of V ₂ O ₃ buffer layers on sputtered VO ₂ smart windows: Improved thermochromic properties, tunable width of hysteresis loops and enhanced durability. <i>Applied Surface Science</i> , 2018 , 441, 764-772	6.7	38
14	Recent advances in VO ₂ -based thermochromic composites for smart windows. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1903-1919	7.1	92
13	Review on thermochromic vanadium dioxide based smart coatings: from lab to commercial application. <i>Advances in Manufacturing</i> , 2018 , 6, 1-19	2.7	69
12	Broadband thermochromic VO ₂ -based composite film with ultra-high solar modulation ability. <i>Materials Letters</i> , 2018 , 222, 62-65	3.3	16
11	Nanostructured CuO/C Hollow Shell@3D Copper Dendrites as a Highly Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 23807-23812	9.5	40
10	Ultrafine Metal Nanoparticles/N-Doped Porous Carbon Hybrids Coated on Carbon Fibers as Flexible and Binder-Free Water Splitting Catalysts. <i>Advanced Energy Materials</i> , 2017 , 7, 1700220	21.8	126
9	The Electrochemical Response of Single Crystalline Copper Nanowires to Atmospheric Air and Aqueous Solution. <i>Small</i> , 2017 , 13, 1603411	11	15
8	Facile and Low-Temperature Fabrication of Thermochromic CrO/VO Smart Coatings: Enhanced Solar Modulation Ability, High Luminous Transmittance and UV-Shielding Function. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 26029-26037	9.5	82
7	Epitaxial Bi ₉ Ti ₃ Fe ₅ O ₂₇ thin films: a new type of layer-structure room-temperature multiferroic. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 7720-7725	7.1	3
6	High Performance and Enhanced Durability of Thermochromic Films Using VO@ZnO Core-Shell Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 27784-27791	9.5	71
5	Terbium-Doped VO ₂ Thin Films: Reduced Phase Transition Temperature and Largely Enhanced Luminous Transmittance. <i>Langmuir</i> , 2016 , 32, 759-64	4	83
4	Solution-based fabrication of VO ₂ (M) nanoparticles via lyophilisation. <i>RSC Advances</i> , 2015 , 5, 25669-25675	3.5	21

3	Nanoporous thermochromic VO ₂ (M) thin films: controlled porosity, largely enhanced luminous transmittance and solar modulating ability. <i>Langmuir</i> , 2014 , 30, 1710-5	4	101
2	Atomically Dispersed Intrinsic Hollow Sites of M - M ₁ - M ₂ (M ₁ ≠ Pt, Ir; M ₂ ≠ Fe, Co, Ni, Cu, Pt, Ir) on FeCoNiCuPtIr Nanocrystals Enabling Rapid Water Redox. <i>Advanced Functional Materials</i> , 2110645	15.6	2
1	Design of Hierarchical Oxide-Carbon Nanostructures for Trifunctional Electrocatalytic Applications. <i>Advanced Materials Interfaces</i> , 2200071	4.6	0