
Marco Milardi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/528412/publications.pdf Version: 2024-02-01



Μλαςο Μιιλαρι

#	Article	IF	CITATIONS
1	Introduction of exotic fish species and decline of native species in the lower Po basin, northâ€eastern Italy. Aquatic Conservation: Marine and Freshwater Ecosystems, 2013, 23, 405-417.	2.0	51
2	Exotic species invasions undermine regional functional diversity of freshwater fish. Scientific Reports, 2019, 9, 17921.	3.3	41
3	Distance decay 2.0 – A global synthesis of taxonomic and functional turnover in ecological communities. Global Ecology and Biogeography, 2022, 31, 1399-1421.	5.8	40
4	An ounce of prevention is worth a pound of cure: Managing macrophytes for nitrate mitigation in irrigated agricultural watersheds. Science of the Total Environment, 2019, 647, 301-312.	8.0	32
5	Diversity patterns of native and exotic fish species suggest homogenization processes, but partly fail to highlight extinction threats. Diversity and Distributions, 2019, 25, 983-994.	4.1	30
6	Run to the hills: exotic fish invasions and water quality degradation drive native fish to higher altitudes. Science of the Total Environment, 2018, 624, 1325-1335.	8.0	29
7	The role of species introduction in modifying the functional diversity of native communities. Science of the Total Environment, 2020, 699, 134364.	8.0	24
8	The impact of trout introductions on macro- and micro-invertebrate communities of fishless boreal lakes. Journal of Paleolimnology, 2016, 55, 273-287.	1.6	20
9	First evidence of bighead carp wild recruitment in Western Europe, and its relation to hydrology and temperature. PLoS ONE, 2017, 12, e0189517.	2.5	16
10	Long-term fish monitoring underlines a rising tide of temperature tolerant, rheophilic, benthivore and generalist exotics, irrespective of hydrological conditions. Journal of Limnology, 2018, 77, .	1.1	15
11	Natural recruitment contributes to high densities of grass carp Ctenopharyngodon idella (Valenciennes, 1844) in Western Europe. Aquatic Invasions, 2015, 10, 439-448.	1.6	15
12	Exotic species, rather than low flow, negatively affect native fish in the Oglio River, Northern Italy. River Research and Applications, 2018, 34, 887-897.	1.7	12
13	Tides and moon drive fish movements in a brackish lagoon. Estuarine, Coastal and Shelf Science, 2018, 215, 207-214.	2.1	11
14	Meteorological factors influence marine and resident fish movements in a brackish lagoon. Aquatic Ecology, 2019, 53, 251-263.	1.5	10
15	A novel approach to an ecofunctional fish index for Mediterranean countries. Ecological Indicators, 2018, 89, 376-385.	6.3	9
16	Could a freshwater fish be at the root of dystrophic crises in a coastal lagoon?. Science of the Total Environment, 2020, 711, 135093.	8.0	8
17	Natural and anthropogenic factors drive large-scale freshwater fish invasions. Scientific Reports, 2022, 12, .	3.3	6
18	Partial decoupling between exotic fish and habitat constraints remains evident in late invasion stages. Aquatic Sciences, 2020, 82, 1.	1.5	5

Marco Milardi

#	Article	IF	CITATIONS
19	Managing the environment in a pinch: red swamp crayfish tells a cautionary tale of ecosystem based management in northeastern Italy. Ecological Engineering, 2018, 120, 546-553.	3.6	4
20	A method to identify bimodal weight–length relations: Possible ontogenetic diet and/or metabolism shift effects in Anguilla anguilla (Actinopterygii: Anguilliformes: Anguillidae). Acta Ichthyologica Et Piscatoria, 2018, 48, 163-171.	0.7	4
21	Invasive catfish in northern Italy and their impacts on waterbirds. NeoBiota, 0, 72, 109-128.	1.0	4
22	Swoon over the moon: The influence of environmental factors on glass eels entering Mediterranean coastal lagoons. Estuarine, Coastal and Shelf Science, 2022, 264, 107668.	2.1	2