
Fred L Cunningham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5284236/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of scale of movement, detection probability, and true population density on common methods of estimating population density. Scientific Reports, 2017, 7, 9446.	3.3	47
2	Antigenic Characterization of H3N2 Influenza A Viruses from Ohio Agricultural Fairs. Journal of Virology, 2013, 87, 7655-7667.	3.4	33
3	Dietary intake of Deepwater Horizon oil-injected live food fish by double-crested cormorants resulted in oxidative stress. Ecotoxicology and Environmental Safety, 2017, 146, 62-67.	6.0	25
4	Clinostomum album n. sp. and Clinostomum marginatum (Rudolphi, 1819), parasites of the great egret Ardea alba L. from Mississippi, USA. Systematic Parasitology, 2017, 94, 35-49.	1.1	23
5	Limited Antigenic Diversity in Contemporary H7 Avian-Origin Influenza A Viruses from North America. Scientific Reports, 2016, 6, 20688.	3.3	22
6	Feral Swine in the United States Have Been Exposed to both Avian and Swine Influenza A Viruses. Applied and Environmental Microbiology, 2017, 83, .	3.1	22
7	Tissue tropisms opt for transmissible reassortants during avian and swine influenza A virus co-infection in swine. PLoS Pathogens, 2018, 14, e1007417.	4.7	21
8	Reprint of: CYP1A protein expression and catalytic activity in double-crested cormorants experimentally exposed to Deepwater Horizon Mississippi Canyon 252 oil. Ecotoxicology and Environmental Safety, 2017, 146, 68-75.	6.0	14
9	Dynamics of virus shedding and antibody responses in influenza A virus-infected feral swine. Journal of General Virology, 2015, 96, 2569-2578.	2.9	14
10	POTENTIAL FOR GREAT EGRETS (<i>ARDEA ALBA</i>) TO TRANSMIT A VIRULENT STRAIN OF <i>AEROMONAS HYDROPHILA</i> AMONG CHANNEL CATFISH (<i>ICTALURUS PUNCTATUS</i>) CULTURE PONDS. Journal of Wildlife Diseases, 2015, 51, 634-639.	0.8	13
11	Evaluation of Rhodamine B as a biomarker for assessing bait acceptance in wild pigs. Wildlife Society Bulletin, 2015, 39, 188-192.	1.6	11
12	Identification of robust microsatellite markers for wild pig fecal DNA. Journal of Wildlife Management, 2016, 80, 1120-1128.	1.8	10
13	Environmental factor(s) and animal vector(s) associated with atypical Aeromonas hydrophila abundance and dissemination among channel catfish ponds. Journal of the World Aquaculture Society, 2020, 51, 750-762.	2.4	9
14	Publisher's note. Ecotoxicology and Environmental Safety, 2017, 142, 79.	6.0	7
15	Tissue Tropisms of Avian Influenza A Viruses Affect Their Spillovers from Wild Birds to Pigs. Journal of Virology, 2020, 94, .	3.4	7
16	Inferring seasonal infection risk at population and regional scales from serology samples. Ecology, 2020, 101, e02882.	3.2	6
17	Potential of Double-crested Cormorants (<i>Phalacrocorax auritus</i>), American White Pelicans (<i>Pelecanus erythrorhynchos</i>), and Wood Storks (<i>Mycteria americana)</i> to Transmit a Hypervirulent Strain of <i>Aeromonas hydrophila</i> between Channel Catfish Culture Ponds. lournal of Wildlife Diseases, 2018, 54, 548-552.	0.8	5
18	Effective dose and persistence of Rhodamineâ€B in wild pig Vibrissae. Wildlife Society Bulletin, 2017, 41, 764-769	1.6	2

#	Article	IF	CITATIONS
19	Experimental Elucidation of the Life Cycle of Drepanocephalus spathans (Digenea: Echinostomatidae) with Notes on the Morphological Plasticity of D. spathans in the United States. Journal of Parasitology, 2022, 108, 141-158.	0.7	2