

Martin H Teicher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5284551/martin-h-teicher-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

14,545
citations

61
h-index

120
g-index

129
ext. papers

16,802
ext. citations

5.6
avg, IF

6.84
L-index

#	Paper	IF	Citations
123	Recognizing the importance of childhood maltreatment as a critical factor in psychiatric diagnoses, treatment, research, prevention, and education. <i>Molecular Psychiatry</i> , 2021 ,	15.1	7
122	Clinical effects of mindfulness-based interventions for adults with a history of childhood maltreatment: a scoping review. <i>Current Treatment Options in Psychiatry</i> , 2021 , 8, 31-46	3.1	2
121	A pilot study on amygdala volumetric changes among young adults with childhood maltreatment histories after a mindfulness intervention. <i>Behavioural Brain Research</i> , 2021 , 399, 113023	3.4	2
120	An Effective and Safe Novel Treatment of Opioid Use Disorder: Unilateral Transcranial Photobiomodulation. <i>Frontiers in Psychiatry</i> , 2021 , 12, 713686	5	2
119	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
118	Effects of a mindfulness based behavioral intervention for young adults with childhood maltreatment history on hippocampal morphometry: a pilot MRI study with voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 301, 111087	2.9	2
117	Genomic influences on self-reported childhood maltreatment. <i>Translational Psychiatry</i> , 2020 , 10, 38	8.6	20
116	Nonattachment Predicts Empathy, Rejection Sensitivity, and Symptom Reduction After a Mindfulness-Based Intervention Among Young Adults with a History of Childhood Maltreatment. <i>Mindfulness</i> , 2020 , 11, 975-990	2.9	12
115	Additional Insights into the Relationship Between Brain Network Architecture and Susceptibility and Resilience to the Psychiatric Sequelae of Childhood Maltreatment. <i>Adversity and Resilience Science</i> , 2020 , 1, 49-64	4.3	3
114	Psychological resilience: an update on definitions, a critical appraisal, and research recommendations. <i>Högre Utbildning</i> , 2020 , 11, 1822064	5	23
113	Childhood Maltreatment, Cortical and Amygdala Morphometry, Functional Connectivity, Laterality, and Psychopathology. <i>Child Maltreatment</i> , 2019 , 24, 458-465	2.8	17
112	Effects of a Mindfulness-Based Intervention on Self-Compassion and Psychological Health Among Young Adults With a History of Childhood Maltreatment. <i>Frontiers in Psychology</i> , 2019 , 10, 2373	3.4	14
111	Early neglect is a key determinant of adult hair cortisol concentration and is associated with increased vulnerability to trauma in a transdiagnostic sample. <i>Psychoneuroendocrinology</i> , 2019 , 108, 35-42	5	15
110	Association of Prepubertal and Postpubertal Exposure to Childhood Maltreatment With Adult Amygdala Function. <i>JAMA Psychiatry</i> , 2019 , 76, 843-853	14.5	46
109	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
108	Susceptibility or Resilience to Maltreatment Can Be Explained by Specific Differences in Brain Network Architecture. <i>Biological Psychiatry</i> , 2019 , 85, 690-702	7.9	33
107	Environmental adversities and psychotic symptoms: The impact of timing of trauma, abuse, and neglect. <i>Schizophrenia Research</i> , 2019 , 205, 4-9	3.6	34

106	Differential effects of childhood neglect and abuse during sensitive exposure periods on male and female hippocampus. <i>NeuroImage</i> , 2018 , 169, 443-452	7.9	70
105	Defining the impact of childhood adversities on cognitive deficits in psychosis: An exploratory analysis. <i>Schizophrenia Research</i> , 2018 , 192, 351-356	3.6	24
104	Clinical experience using intranasal ketamine in the longitudinal treatment of juvenile bipolar disorder with fear of harm phenotype. <i>Journal of Affective Disorders</i> , 2018 , 225, 545-551	6.6	7
103	Type and timing of childhood maltreatment and reduced visual cortex volume in children and adolescents with reactive attachment disorder. <i>NeuroImage: Clinical</i> , 2018 , 20, 216-221	5.3	20
102	Childhood trauma and the enduring consequences of forcibly separating children from parents at the United States border. <i>BMC Medicine</i> , 2018 , 16, 146	11.4	32
101	Hippocampal Subfields Volume Reduction in High Schoolers with Previous Verbal Abuse Experiences. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018 , 16, 46-56	3.4	19
100	Childhood maltreatment is associated with alteration in global network fiber-tract architecture independent of history of depression and anxiety. <i>NeuroImage</i> , 2017 , 150, 50-59	7.9	33
99	Does sleep disruption mediate the effects of childhood maltreatment on brain structure?. <i>Hjgre Utbildning</i> , 2017 , 8, 1450594	5	11
98	The effects of childhood maltreatment on brain structure, function and connectivity. <i>Nature Reviews Neuroscience</i> , 2016 , 17, 652-66	13.5	671
97	Annual Research Review: Enduring neurobiological effects of childhood abuse and neglect. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 241-66	7.9	560
96	Actigraph measures discriminate pediatric bipolar disorder from attention-deficit/hyperactivity disorder and typically developing controls. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 706-16	7.9	48
95	Type and timing of adverse childhood experiences differentially affect severity of PTSD, dissociative and depressive symptoms in adult inpatients. <i>BMC Psychiatry</i> , 2016 , 16, 295	4.2	122
94	Mood dysregulation and affective instability in emerging adults with childhood maltreatment: An ecological momentary assessment study. <i>Journal of Psychiatric Research</i> , 2015 , 70, 1-8	5.2	15
93	Ventral striatum dysfunction in children and adolescents with reactive attachment disorder: functional MRI study. <i>BJPsych Open</i> , 2015 , 1, 121-128	5	34
92	Locomotor micro-activities associated with therapeutic responses in patients with seasonal affective disorders. <i>Integrative Medicine International</i> , 2015 , 1, 151-161	1.4	2
91	The Maltreatment and Abuse Chronology of ExposureS(MACE) scale for the retrospective assessment of abuse and neglect during development. <i>PLoS ONE</i> , 2015 , 10, e0117423	3.7	167
90	Childhood Maltreatment, Depression, and Suicidal Ideation: Critical Importance of Parental and Peer Emotional Abuse during Developmental Sensitive Periods in Males and Females. <i>Frontiers in Psychiatry</i> , 2015 , 6, 42	5	112
89	Type and timing of childhood maltreatment and severity of shutdown dissociation in patients with schizophrenia spectrum disorder. <i>PLoS ONE</i> , 2015 , 10, e0127151	3.7	25

88	Sensitive periods of amygdala development: the role of maltreatment in preadolescence. <i>NeuroImage</i> , 2014 , 97, 236-44	7.9	194
87	Childhood maltreatment: altered network centrality of cingulate, precuneus, temporal pole and insula. <i>Biological Psychiatry</i> , 2014 , 76, 297-305	7.9	130
86	Parental verbal affection and verbal aggression in childhood differentially influence psychiatric symptoms and wellbeing in young adulthood. <i>Child Abuse and Neglect</i> , 2014 , 38, 91-102	4.3	39
85	KERFÄin Instrument zur umfassenden Ermittlung belastender Kindheitserfahrungen. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2014 , 43, 121-130	0.4	53
84	Exposure to childhood neglect and physical abuse and developmental trajectories of heavy episodic drinking from early adolescence into young adulthood. <i>Drug and Alcohol Dependence</i> , 2013 , 127, 31-8	4.9	98
83	Childhood maltreatment and psychopathology: A case for ecophenotypic variants as clinically and neurobiologically distinct subtypes. <i>American Journal of Psychiatry</i> , 2013 , 170, 1114-33	11.9	546
82	Reduced fractional anisotropy in the visual limbic pathway of young adults witnessing domestic violence in childhood. <i>NeuroImage</i> , 2012 , 59, 1071-9	7.9	132
81	Hyperactivity persists in male and female adults with ADHD and remains a highly discriminative feature of the disorder: a case-control study. <i>BMC Psychiatry</i> , 2012 , 12, 190	4.2	24
80	Childhood maltreatment is associated with reduced volume in the hippocampal subfields CA3, dentate gyrus, and subiculum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E563-72	11.5	410
79	Reduced visual cortex gray matter volume and thickness in young adults who witnessed domestic violence during childhood. <i>PLoS ONE</i> , 2012 , 7, e52528	3.7	85
78	Exposure to parental verbal abuse is associated with increased gray matter volume in superior temporal gyrus. <i>NeuroImage</i> , 2011 , 54 Suppl 1, S280-6	7.9	121
77	Witnessing violence toward siblings: an understudied but potent form of early adversity. <i>PLoS ONE</i> , 2011 , 6, e28852	3.7	35
76	Unraveling the nature of hyperactivity in children with attention-deficit/hyperactivity disorder. <i>Archives of General Psychiatry</i> , 2010 , 67, 388-96		16
75	Commentary: Childhood abuse: new insights into its association with posttraumatic stress, suicidal ideation, and aggression. <i>Journal of Pediatric Psychology</i> , 2010 , 35, 578-80	3.2	14
74	Hurtful words: association of exposure to peer verbal abuse with elevated psychiatric symptom scores and corpus callosum abnormalities. <i>American Journal of Psychiatry</i> , 2010 , 167, 1464-71	11.9	141
73	Does placebo response differ between objective and subjective measures in children with attention-deficit/hyperactivity disorder?. <i>Postgraduate Medicine</i> , 2010 , 122, 52-61	3.7	12
72	Harsh corporal punishment is associated with increased T2 relaxation time in dopamine-rich regions. <i>NeuroImage</i> , 2010 , 53, 412-9	7.9	38
71	Cerebellar lingula size and experiential risk factors associated with high levels of alcohol and drug use in young adults. <i>Cerebellum</i> , 2010 , 9, 198-209	4.3	23

70	Desperately driven and no brakes: developmental stress exposure and subsequent risk for substance abuse. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 516-24	9	239
69	Preliminary evidence for white matter tract abnormalities in young adults exposed to parental verbal abuse. <i>Biological Psychiatry</i> , 2009 , 65, 227-34	7.9	271
68	Childhood sexual abuse is associated with reduced gray matter volume in visual cortex of young women. <i>Biological Psychiatry</i> , 2009 , 66, 642-8	7.9	120
67	Reduced prefrontal cortical gray matter volume in young adults exposed to harsh corporal punishment. <i>NeuroImage</i> , 2009 , 47 Suppl 2, T66-71	7.9	206
66	Length of time between onset of childhood sexual abuse and emergence of depression in a young adult sample: a retrospective clinical report. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 684-91	4.6	71
65	Stress, sensitive periods and maturational events in adolescent depression. <i>Trends in Neurosciences</i> , 2008 , 31, 183-91	13.3	633
64	Preliminary evidence for sensitive periods in the effect of childhood sexual abuse on regional brain development. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2008 , 20, 292-301	2.7	476
63	Utility of objective measures of activity and attention in the assessment of therapeutic response to stimulants in children with attention-deficit/hyperactivity disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 265-70	2.9	30
62	Determination of hemispheric emotional valence in individual subjects: a new approach with research and therapeutic implications. <i>Behavioral and Brain Functions</i> , 2007 , 3, 13	4.1	22
61	Sticks, stones, and hurtful words: relative effects of various forms of childhood maltreatment. <i>American Journal of Psychiatry</i> , 2006 , 163, 993-1000	11.9	389
60	Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006 , 18, 45-53	2.7	147
59	Methylphenidate blood levels and therapeutic response in children with attention-deficit hyperactivity disorder: I. Effects of different dosing regimens. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2006 , 16, 416-31	2.9	30
58	A polymorphism in the norepinephrine transporter gene alters promoter activity and is associated with attention-deficit hyperactivity disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 19164-9	11.5	124
57	Actigraph assessment of rest/activity disturbances in psychiatric disorders. <i>International Congress Series</i> , 2006 , 1287, 32-37		1
56	Neurobiological and Behavioral Consequences of Exposure to Childhood Traumatic Stress 2006 , 180-195		2
55	Neurobiological consequences of early stress and childhood maltreatment: are results from human and animal studies comparable?. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 313-23	6.5	264
54	Delayed effects of early stress on hippocampal development. <i>Neuropsychopharmacology</i> , 2004 , 29, 1988-93	8.7	249
53	Novel strategy for the analysis of CPT data provides new insight into the effects of methylphenidate on attentional states in children with ADHD. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2004 , 14, 219-32	2.9	45

52	24-h Monitoring of plasma norepinephrine, MHPG, cortisol, growth hormone and prolactin in depression. <i>Journal of Psychiatric Research</i> , 2004 , 38, 503-11	5.2	71
51	Childhood neglect is associated with reduced corpus callosum area. <i>Biological Psychiatry</i> , 2004 , 56, 80-5	7.9	346
50	Rate dependency revisited: understanding the effects of methylphenidate in children with attention deficit hyperactivity disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2003 , 13, 41-51	2.9	32
49	The neurobiological consequences of early stress and childhood maltreatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2003 , 27, 33-44	9	1005
48	Abnormal T2 relaxation time in the cerebellar vermis of adults sexually abused in childhood: potential role of the vermis in stress-enhanced risk for drug abuse. <i>Psychoneuroendocrinology</i> , 2002 , 27, 231-44	5	113
47	Pubertal changes in gonadal hormones do not underlie adolescent dopamine receptor overproduction. <i>Psychoneuroendocrinology</i> , 2002 , 27, 683-91	5	110
46	Differences in behavior and monoamine laterality following neonatal clomipramine treatment. <i>Developmental Psychobiology</i> , 2002 , 41, 50-7	3	35
45	Scars that won't heal: the neurobiology of child abuse. <i>Scientific American</i> , 2002 , 286, 68-75	0.5	151
44	Effects of methylphenidate on functional magnetic resonance relaxometry of the cerebellar vermis in boys with ADHD. <i>American Journal of Psychiatry</i> , 2002 , 159, 1322-8	11.9	111
43	Developmental neurobiology of childhood stress and trauma. <i>Psychiatric Clinics of North America</i> , 2002 , 25, 397-426, vii-viii	3.1	413
42	Dopamine receptor pruning in prefrontal cortex during the periadolescent period in rats. <i>Synapse</i> , 2000 , 37, 167-9	2.4	385
41	Functional deficits in basal ganglia of children with attention-deficit/hyperactivity disorder shown with functional magnetic resonance imaging relaxometry. <i>Nature Medicine</i> , 2000 , 6, 470-3	50.5	263
40	Degree of neuronal activation following FG-7142 changes across regions during development. <i>Developmental Brain Research</i> , 1999 , 116, 201-3		30
39	Serotonin laterality in amygdala predicts performance in the elevated plus maze in rats. <i>NeuroReport</i> , 1999 , 10, 3497-500	1.7	83
38	Core body temperature and sleep of older female insomniacs before and after passive body heating. <i>Sleep</i> , 1999 , 22, 891-8	1.1	57
37	The developing prefrontal cortex: is there a transient interneuron that stimulates catecholamine terminals?. <i>Synapse</i> , 1998 , 29, 89-91	2.4	11
36	Plasma norepinephrine and 3-methoxy-4-hydroxyphenylglycol concentrations and severity of depression in combat posttraumatic stress disorder and major depressive disorder. <i>Biological Psychiatry</i> , 1998 , 44, 56-63	7.9	121
35	Preliminary evidence for aberrant cortical development in abused children: a quantitative EEG study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 298-307	2.7	99

34	Circadian rest-activity disturbances in seasonal affective disorder. <i>Archives of General Psychiatry</i> , 1997 , 54, 124-30		71
33	Sex differences in dopamine receptor overproduction and elimination. <i>NeuroReport</i> , 1997 , 8, 1495-8	1.7	262
32	Increased nocturnal activity and impaired sleep maintenance in abused children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1236-43	7.2	143
31	Circadian rest-activity disturbances in children with seasonal affective disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 188-95	7.2	24
30	Preliminary evidence for abnormal cortical development in physically and sexually abused children using EEG coherence and MRI. <i>Annals of the New York Academy of Sciences</i> , 1997 , 821, 160-75	6.5	170
29	Developmental differences in dopamine synthesis inhibition by (+/-)-7-OH-DPAT. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1997 , 356, 173-81	3.4	118
28	Effects of passive body heating on the sleep of older female insomniacs. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1996 , 9, 83-90	3.8	45
27	Relationship between early abuse, posttraumatic stress disorder, and activity levels in prepubertal children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1384-93	7.2	83
26	Motor activity and severity of depression in hospitalized prepubertal children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 752-63	7.2	22
25	Objective measurement of hyperactivity and attentional problems in ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 334-42	7.2	196
24	Cortisol regulation in posttraumatic stress disorder and major depression: a chronobiological analysis. <i>Biological Psychiatry</i> , 1996 , 40, 79-88	7.9	500
23	A model for research in developmental psychobiology. <i>Developmental Psychobiology</i> , 1996 , 29, 395-6	3	
22	Actigraphy and motion analysis: new tools for psychiatry. <i>Harvard Review of Psychiatry</i> , 1995 , 3, 18-35	4.1	169
21	Evidence for dopamine receptor pruning between adolescence and adulthood in striatum but not nucleus accumbens. <i>Developmental Brain Research</i> , 1995 , 89, 167-72		398
20	Circadian regulation of basal cortisol levels in posttraumatic stress disorder. <i>Annals of the New York Academy of Sciences</i> , 1994 , 746, 378-80	6.5	43
19	Antidepressant drugs and the emergence of suicidal tendencies. <i>Drug Safety</i> , 1993 , 8, 186-212	5.1	99
18	Locomotor activity in depressed children and adolescents: I. Circadian dysregulation. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 760-9	7.2	69
17	Light visor treatment for seasonal affective disorder: a multicenter study. <i>Psychiatry Research</i> , 1993 , 46, 29-39	9.9	62

16	Developmental differences in acute nigrostriatal and mesocorticolimbic system response to haloperidol. <i>Neuropsychopharmacology</i> , 1993 , 9, 147-56	8.7	77
15	Olfactory bulbectomy as a model for agitated hyposerotonergic depression. <i>Brain Research</i> , 1992 , 587, 181-5	3.7	158
14	Dopamine D1 autoreceptor function: possible expression in developing rat prefrontal cortex and striatum. <i>Developmental Brain Research</i> , 1991 , 63, 229-35		32
13	COSIFIT: an interactive program for simultaneous multioscillator cosinor analysis of time-series data. <i>Journal of Biomedical Informatics</i> , 1990 , 23, 283-95		62
12	Effects of selective monoaminergic reuptake blockade on activity rhythms in developing rats. <i>Psychopharmacology</i> , 1989 , 97, 343-8	4.7	11
11	Circadian rhythms of activity in healthy young and elderly humans. <i>Neurobiology of Aging</i> , 1989 , 10, 259-65	6.5	94
10	Postnatal development of dopamine D1 and D2 receptor sites in rat striatum. <i>Developmental Brain Research</i> , 1989 , 49, 123-30		112
9	Increased activity and phase delay in circadian motility rhythms in geriatric depression. Preliminary observations. <i>Archives of General Psychiatry</i> , 1988 , 45, 913-7		58
8	Biology of anxiety. <i>Medical Clinics of North America</i> , 1988 , 72, 791-814	7	25
7	Classical conditioning of an odor preference in 3-day-old rats. <i>Behavioral and Neural Biology</i> , 1980 , 29, 132-6		108
6	Olfactory, thermal, and tactile controls of suckling in preauditory and previsual rats.. <i>Journal of Comparative and Physiological Psychology</i> , 1977 , 91, 1248-1260		83
5	Neurobiology of childhood trauma and adversity112-122		13
4	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
3	Essay: The role of experience in brain development: adverse effects of childhood maltreatment176-178		1
2	Maximal Sensitivity to Child Maltreatment at the Ages of 6 and 11 Years is Associated with the Risk of Bipolar Disorder. <i>Journal of Interpersonal Violence</i> ,088626052211061	2.2	
1	Individual Differences in Hemispheric Emotional Valence by Computerized Test Correlate with Lateralized Differences in Nucleus Accumbens, Hippocampal and Amygdala Volumes. <i>Psychology Research and Behavior Management</i> ,Volume 15, 1371-1384	3.8	0