

# Jussi Vahtera

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5284574/publications.pdf>

Version: 2024-02-01

474  
papers

28,638  
citations

3919

88  
h-index

9073

144  
g-index

477  
all docs

477  
docs citations

477  
times ranked

22861  
citing authors

#	ARTICLE	IF	CITATIONS
1	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012, 380, 1491-1497.	6.3	786
2	Work stress in the etiology of coronary heart disease—a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 431-442.	1.7	698
3	Work stress and risk of cardiovascular mortality: prospective cohort study of industrial employees. <i>BMJ: British Medical Journal</i> , 2002, 325, 857-857.	2.4	669
4	Temporary employment and health: a review. <i>International Journal of Epidemiology</i> , 2005, 34, 610-622.	0.9	620
5	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603 838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
6	Organizational Justice: Evidence of a New Psychosocial Predictor of Health. <i>American Journal of Public Health</i> , 2002, 92, 105-108.	1.5	461
7	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017, 2, e277-e285.	4.7	375
8	Factors underlying the effect of organisational downsizing on health of employees: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2000, 320, 971-975.	2.4	355
9	Sickness absence as a global measure of health: evidence from mortality in the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2003, 327, 364-0.	2.4	347
10	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health, The</i> , 2020, 5, e140-e149.	4.7	332
11	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	2.7	314
12	Effect of organisational downsizing on health of employees. <i>Lancet, The</i> , 1997, 350, 1124-1128.	6.3	307
13	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.4	284
14	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , 2009, 374, 1889-1896.	6.3	269
15	Contribution of risk factors to excess mortality in isolated and lonely individuals: an analysis of data from the UK Biobank cohort study. <i>Lancet Public Health, The</i> , 2017, 2, e260-e266.	4.7	256
16	Organisational downsizing, sickness absence, and mortality: 10-town prospective cohort study. <i>BMJ: British Medical Journal</i> , 2004, 328, 555.	2.4	251
17	Psychosocial factors predicting employee sickness absence during economic decline.. <i>Journal of Applied Psychology</i> , 1997, 82, 858-872.	4.2	245
18	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e490-e497.	4.7	241

#	ARTICLE	IF	CITATIONS
19	Long Working Hours and Sleep Disturbances: The Whitehall II Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 737-745.	0.6	238
20	Working While Ill as a Risk Factor for Serious Coronary Events: The Whitehall II Study. <i>American Journal of Public Health</i> , 2005, 95, 98-102.	1.5	236
21	Justice at Work and Reduced Risk of Coronary Heart Disease Among Employees. <i>Archives of Internal Medicine</i> , 2005, 165, 2245.	4.3	230
22	Long Working Hours and Coronary Heart Disease: A Systematic Review and Meta-Analysis. <i>American Journal of Epidemiology</i> , 2012, 176, 586-596.	1.6	230
23	Work stress, smoking status, and smoking intensity: an observational study of 46 190 employees. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 63-69.	2.0	228
24	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	1.2	224
25	Trends in self-reported sleep duration and insomnia-related symptoms in Finland from 1972 to 2005: a comparative review and re-analysis of Finnish population samples. <i>Journal of Sleep Research</i> , 2008, 17, 54-62.	1.7	216
26	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011, 41, 2485-2494.	2.7	205
27	Sense of coherence and health: evidence from two cross-lagged longitudinal samples. <i>Social Science and Medicine</i> , 2000, 50, 583-597.	1.8	204
28	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
29	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 27-34.	5.5	197
30	Job characteristics, physical and psychological symptoms, and social support as antecedents of sickness absence among men and women in the private industrial sector. <i>Social Science and Medicine</i> , 2003, 57, 807-824.	1.8	195
31	Psychosocial work characteristics and incidence of newly diagnosed depression: a prospective cohort study of three different models. <i>Social Science and Medicine</i> , 2005, 61, 111-122.	1.8	192
32	Incidence and Mortality of Neurofibromatosis: A Total Population Study in Finland. <i>Journal of Investigative Dermatology</i> , 2015, 135, 904-906.	0.3	189
33	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	4.3	185
34	Effort-reward imbalance, procedural injustice and relational injustice as psychosocial predictors of health: complementary or redundant models?. <i>Occupational and Environmental Medicine</i> , 2007, 64, 659-665.	1.3	184
35	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ</i> , 2013, 347, f4746-f4746.	3.0	181
36	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c6149-c6149.	2.4	179

#	ARTICLE	IF	CITATIONS
37	Relationship Between Work Stress and Body Mass Index Among 45,810 Female and Male Employees. <i>Psychosomatic Medicine</i> , 2005, 67, 577-583.	1.3	177
38	Temporary Employment and Risk of Overall and Cause-specific Mortality. <i>American Journal of Epidemiology</i> , 2003, 158, 663-668.	1.6	175
39	Low Workplace Social Capital as a Predictor of Depression: The Finnish Public Sector Study. <i>American Journal of Epidemiology</i> , 2008, 167, 1143-1151.	1.6	175
40	Sickness absence as a risk marker of future disability pension: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 710-711.	2.0	168
41	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
42	Antidepressant Medication Use, Weight Gain, and Risk of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2611-2616.	4.3	165
43	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 253-263.	5.5	160
44	Socioeconomic Position, Co-Occurrence of Behavior-Related Risk Factors, and Coronary Heart Disease: the Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2007, 97, 874-879.	1.5	153
45	Psychometric evaluation of a short measure of social capital at work. <i>BMC Public Health</i> , 2006, 6, 251.	1.2	152
46	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , 2015, 350, g7772-g7772.	3.0	152
47	Sleep Disturbances and Cause-Specific Mortality: Results From the GAZEL Cohort Study. <i>American Journal of Epidemiology</i> , 2011, 173, 300-309.	1.6	145
48	From Midlife to Early Old Age. <i>Epidemiology</i> , 2010, 21, 284-290.	1.2	144
49	Structural validity and temporal stability of the 13-item sense of coherence scale: Prospective evidence from the population-based HeSSup study. <i>Quality of Life Research</i> , 2007, 16, 483-493.	1.5	142
50	Social capital at work as a predictor of employee health: Multilevel evidence from work units in Finland. <i>Social Science and Medicine</i> , 2008, 66, 637-649.	1.8	141
51	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
52	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	1.2	137
53	Employee worktime control moderates the effects of job strain and effort-reward imbalance on sickness absence: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 851-857.	2.0	136
54	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2010, 31, 1737-1744.	1.0	136

#	ARTICLE	IF	CITATIONS
55	Is Retirement Beneficial for Mental Health?. <i>Epidemiology</i> , 2011, 22, 553-559.	1.2	135
56	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
57	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	2.7	132
58	Occupational burnout and medically certified sickness absence: A population-based study of Finnish employees. <i>Journal of Psychosomatic Research</i> , 2008, 64, 185-193.	1.2	130
59	Self-Report as an Indicator of Incident Disease. <i>Annals of Epidemiology</i> , 2010, 20, 547-554.	0.9	130
60	Comorbidity and Functional Trajectories From Midlife to Old Age: The Health and Retirement Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 332-338.	1.7	128
61	Effort-reward imbalance and relational injustice at work predict sickness absence: The Whitehall II study. <i>Journal of Psychosomatic Research</i> , 2007, 63, 433-440.	1.2	124
62	Combined effects of uncertainty and organizational justice on employee health: Testing the uncertainty management model of fairness judgments among Finnish public sector employees. <i>Social Science and Medicine</i> , 2005, 61, 2501-2512.	1.8	120
63	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a1469-a1469.	2.4	118
64	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007, 37, 373.	2.7	115
65	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118 000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	1.5	114
66	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1260-1270.	0.9	114
67	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ, The</i> , 2013, 346, f165-f165.	3.0	112
68	Job Strain and Psychologic Distress. <i>American Journal of Preventive Medicine</i> , 2007, 33, 182-187.	1.6	109
69	Long Working Hours and Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 596-605.	1.6	109
70	Childhood adversities as predictors of incident coronary heart disease and cerebrovascular disease. <i>Heart</i> , 2010, 96, 298-303.	1.2	108
71	Organisational justice and change in justice as predictors of employee health: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 931-937.	2.0	107
72	Influence of change in psychosocial work characteristics on sickness absence: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 55-61.	2.0	106

#	ARTICLE	IF	CITATIONS
73	Sleep Disturbances as a Predictor of Cause-Specific Work Disability and Delayed Return to Work. <i>Sleep</i> , 2010, 33, 1323-1331.	0.6	105
74	Optimism and Pessimism as Predictors of Change in Health After Death or Onset of Severe Illness in Family.. <i>Health Psychology</i> , 2005, 24, 413-421.	1.3	104
75	Job strain and leisure-time physical activity in female and male public sector employees. <i>Preventive Medicine</i> , 2005, 41, 532-539.	1.6	104
76	Prospective study of workplace social capital and depression: are vertical and horizontal components equally important?. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 684-689.	2.0	104
77	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013, 34, 2697-2705.	1.0	103
78	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	1.1	102
79	The Double Burden of and Negative Spillover Between Paid and Domestic Work: Associations with Health Among Men and Women. <i>Women and Health</i> , 2005, 40, 1-18.	0.4	101
80	Justice at work and cardiovascular mortality: a prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2006, 61, 271-274.	1.2	101
81	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health</i> , The, 2018, 3, e365-e373.	4.7	100
82	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 705-713.	5.5	100
83	Developing register-based measures for assessment of working time patterns for epidemiologic studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 268-279.	1.7	98
84	Sleeping problems and health behaviors as mediators between organizational justice and health.. <i>Health Psychology</i> , 2003, 22, 287-293.	1.3	97
85	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
86	Effect of Retirement on Sleep Disturbances: the GAZEL Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 1459-1466.	0.6	96
87	Alcohol Intake and Sickness Absence: A Curvilinear Relation. <i>American Journal of Epidemiology</i> , 2002, 156, 969-976.	1.6	95
88	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	0.9	95
89	Job decision latitude, organizational justice and health: multilevel covariance structure analysis. <i>Social Science and Medicine</i> , 2004, 58, 1659-1669.	1.8	93
90	Childhood adversities as a predictor of disability retirement. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 479-484.	2.0	93

#	ARTICLE	IF	CITATIONS
91	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
92	Environmental Stress Affects DNA Methylation of a CpG Rich Promoter Region of Serotonin Transporter Gene in a Nurse Cohort. <i>PLoS ONE</i> , 2012, 7, e45813.	1.1	89
93	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e545-e554.	4.7	88
94	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012, 22, 514-518.	0.1	87
95	Sleep disturbances as a predictor of occupational injuries among public sector workers. <i>Journal of Sleep Research</i> , 2010, 19, 207-213.	1.7	85
96	What degree of work overload is likely to cause increased sickness absenteeism among nurses? Evidence from the RAFAELA patient classification system. <i>Journal of Advanced Nursing</i> , 2007, 57, 286-295.	1.5	84
97	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 915-920.	2.0	83
98	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 154-158.	2.0	83
99	Job Strain and Adverse Health Behaviors: The Finnish Public Sector Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 68-74.	0.9	83
100	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , 2017, 41, 769-775.	1.6	83
101	Employment trajectory as determinant of change in health-related lifestyle: the prospective HeSSup study. <i>European Journal of Public Health</i> , 2008, 18, 504-508.	0.1	82
102	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019, 40, 1124-1134.	1.0	82
103	Liability to Anxiety and Severe Life Events as Predictors of New-Onset Sleep Disturbances. <i>Sleep</i> , 2007, 30, 1537-1546.	0.6	80
104	Structural and functional aspects of social support as predictors of mental and physical health trajectories: Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 710-715.	2.0	80
105	Lifecourse Socioeconomic Position, C-Reactive Protein, and Carotid Intima-Media Thickness in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2197-2202.	1.1	79
106	Using Additional Information on Working Hours to Predict Coronary Heart Disease. <i>Annals of Internal Medicine</i> , 2011, 154, 457.	2.0	79
107	Contingent employment, health and sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 365-372.	1.7	79
108	Work Hours, Work Stress, and Collaboration Among Ward Staff in Relation to Risk of Hospital-Associated Infection Among Patients. <i>Medical Care</i> , 2009, 47, 310-318.	1.1	78



#	ARTICLE	IF	CITATIONS
109	Overcrowding in Hospital Wards as a Predictor of Antidepressant Treatment Among Hospital Staff. <i>American Journal of Psychiatry</i> , 2008, 165, 1482-1486.	4.0	77
110	Socio-economic differences in long-term psychiatric work disability: prospective cohort study of onset, recovery and recurrence. <i>Occupational and Environmental Medicine</i> , 2011, 68, 791-798.	1.3	76
111	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76
112	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018, 61, 75-83.	2.9	74
113	Why Is Evidence on Job Strain and Coronary Heart Disease Mixed? An Illustration of Measurement Challenges in the Whitehall II Study. <i>Psychosomatic Medicine</i> , 2006, 68, 398-401.	1.3	73
114	Changes in physical activity during transition to retirement: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 51.	2.0	73
115	Extending Employment beyond the Pensionable Age: A Cohort Study of the Influence of Chronic Diseases, Health Risk Factors, and Working Conditions. <i>PLoS ONE</i> , 2014, 9, e88695.	1.1	73
116	Engagement in cultural activities and cause-specific mortality: Prospective cohort study. <i>Preventive Medicine</i> , 2009, 49, 142-147.	1.6	72
117	Associations between Nighttime Traffic Noise and Sleep: The Finnish Public Sector Study. <i>Environmental Health Perspectives</i> , 2012, 120, 1391-1396.	2.8	72
118	Organizational Justice and Sleeping Problems: The Whitehall II Study. <i>Psychosomatic Medicine</i> , 2009, 71, 334-340.	1.3	71
119	Childhood adversities, adulthood life events and depression. <i>Journal of Affective Disorders</i> , 2010, 127, 130-138.	2.0	71
120	Quantifying Neighbourhood Socioeconomic Effects in Clustering of Behaviour-Related Risk Factors: A Multilevel Analysis. <i>PLoS ONE</i> , 2012, 7, e32937.	1.1	71
121	Job strain and the risk of disability pension due to musculoskeletal disorders, depression or coronary heart disease: a prospective cohort study of 69 842 employees. <i>Occupational and Environmental Medicine</i> , 2012, 69, 574-581.	1.3	70
122	Proximity to a tobacco store and smoking cessation: a cohort study. <i>Tobacco Control</i> , 2014, 23, 146-151.	1.8	70
123	Patient Aggression and the Wellbeing of Nurses: A Cross-Sectional Survey Study in Psychiatric and Non-Psychiatric Settings. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1245.	1.2	69
124	Effort-reward imbalance as a risk factor for disability pension: the Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 266-277.	1.7	69
125	Adherence to antihypertensive therapy prior to the first presentation of stroke in hypertensive adults: population-based study. <i>European Heart Journal</i> , 2013, 34, 2933-2939.	1.0	68
126	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 3-8.	1.3	68



#	ARTICLE	IF	CITATIONS
127	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. <i>Sleep</i> , 2016, 39, 1709-1718.	0.6	68
128	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 28-36.	1.5	68
129	Labor Market Trajectories and Health: A Four-Year Follow-up Study of Initially Fixed-Term Employees. <i>American Journal of Epidemiology</i> , 2005, 161, 840-846.	1.6	67
130	Employee control over working times and risk of cause-specific disability pension: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 479-485.	1.3	67
131	Job Strain, Effort-Reward Imbalance, and Heavy Drinking: A Study in 40,851 Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 503-513.	0.9	66
132	Effort-reward imbalance at work and the co-occurrence of lifestyle risk factors: cross-sectional survey in a sample of 36,127 public sector employees. <i>BMC Public Health</i> , 2006, 6, 24.	1.2	65
133	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. <i>Lancet Infectious Diseases</i> , 2021, 21, 1557-1567.	4.6	65
134	BMI, Obesity, and Sickness Absence in the Whitehall II Study. <i>Obesity</i> , 2007, 15, 1554-1564.	1.5	64
135	Team climate, intention to leave and turnover among hospital employees: Prospective cohort study. <i>BMC Health Services Research</i> , 2007, 7, 170.	0.9	64
136	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011, 20, 69-79.	1.5	64
137	Childhood Psychosocial Adversity and Adult Neighborhood Disadvantage as Predictors of Cardiovascular Disease. <i>Circulation</i> , 2015, 132, 371-379.	1.6	63
138	Childhood adversities, adult risk factors and depressiveness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 700-706.	1.6	62
139	Stressful life events and the onset of asthma. <i>European Respiratory Journal</i> , 2011, 37, 1360-1365.	3.1	62
140	Age-related trajectories of physical functioning in work and retirement: the role of sociodemographic factors, lifestyle and disease. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 503-509.	2.0	61
141	Workplace social capital and smoking cessation: the Finnish Public Sector Study. <i>Addiction</i> , 2008, 103, 1857-1865.	1.7	60
142	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 155-159.	2.0	59
143	Natural Course of Frailty Components in People Who Develop Frailty Syndrome: Evidence From Two Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 667-674.	1.7	59
144	Association of Contractual and Subjective Job Insecurity With Sickness Presenteeism Among Public Sector Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 830-835.	0.9	58

#	ARTICLE	IF	CITATIONS
145	Increased Risk of Lost Workdays Prior to the Diagnosis of Sleep Apnea. <i>Chest</i> , 2009, 136, 130-136.	0.4	57
146	Organisational justice and markers of inflammation: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 78-83.	1.3	57
147	Workplace Social Capital and All-Cause Mortality: A Prospective Cohort Study of 28 043 Public-Sector Employees in Finland. <i>American Journal of Public Health</i> , 2011, 101, 1742-1748.	1.5	57
148	Overcrowding in psychiatric wards and physical assaults on staff: data-linked longitudinal study. <i>British Journal of Psychiatry</i> , 2011, 198, 149-155.	1.7	57
149	Perceived organizational justice as a predictor of long-term sickness absence due to diagnosed mental disorders: Results from the prospective longitudinal Finnish Public Sector Study. <i>Social Science and Medicine</i> , 2013, 91, 39-47.	1.8	57
150	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	0.9	56
151	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , 2016, 31, 177-185.	2.5	56
152	Socioeconomic Inequalities in Disability-free Life Expectancy in Older People from England and the United States: A Cross-national Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 906-913.	1.7	56
153	Sleep Disturbances as a Predictor of Long-Term Increase in Sickness Absence Among Employees After Family Death or Illness. <i>Sleep</i> , 2006, 29, 673-682.	0.6	55
154	Depression-Related Work Disability: Socioeconomic Inequalities in Onset, Duration and Recurrence. <i>PLoS ONE</i> , 2013, 8, e79855.	1.1	55
155	Occupational and educational inequalities in exit from employment at older ages: evidence from seven prospective cohorts. <i>Occupational and Environmental Medicine</i> , 2018, 75, 369-377.	1.3	55
156	Effect of Retirement on Alcohol Consumption: Longitudinal Evidence from the French Gazel Cohort Study. <i>PLoS ONE</i> , 2011, 6, e26531.	1.1	55
157	Psychosocial Work Environment as a Risk Factor for Absence With a Psychiatric Diagnosis: An Instrumental-Variables Analysis. <i>American Journal of Epidemiology</i> , 2010, 172, 167-172.	1.6	54
158	Antidepressant Medication Use and Risk of Hyperglycemia and Diabetes Mellitus—A Noncausal Association?. <i>Biological Psychiatry</i> , 2011, 70, 978-984.	0.7	54
159	Locality and habitus: the origins of sickness absence practices. <i>Social Science and Medicine</i> , 2000, 50, 27-39.	1.8	53
160	Low organisational justice and heavy drinking: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 44-50.	1.3	53
161	Is shift work a risk factor for rheumatoid arthritis? The Finnish Public Sector study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 679-680.	0.5	53
162	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010, 96, 1645-1650.	1.2	53

#	ARTICLE	IF	CITATIONS
163	Impact of Statin Adherence on Cardiovascular Morbidity and All-Cause Mortality in the Primary Prevention of Cardiovascular Disease: A Population-Based Cohort Study in Finland. <i>Value in Health</i> , 2015, 18, 896-905.	0.1	53
164	Temporary employment and antidepressant medication: A register linkage study. <i>Journal of Psychiatric Research</i> , 2008, 42, 221-229.	1.5	52
165	Changes in non-occupational sedentary behaviours across the retirement transition: the Finnish Retirement and Aging (FIREA) study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 695-701.	2.0	52
166	Insomnia symptoms as a predictor of incident treatment for depression: Prospective cohort study of 40,791 men and women. <i>Sleep Medicine</i> , 2012, 13, 278-284.	0.8	51
167	Justice at work and metabolic syndrome: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 256-262.	1.3	50
168	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	2.0	50
169	Obesity and Occupational Injury: A Prospective Cohort Study of 69,515 Public Sector Employees. <i>PLoS ONE</i> , 2013, 8, e77178.	1.1	50
170	Association Between Distance From Home to Tobacco Outlet and Smoking Cessation and Relapse. <i>JAMA Internal Medicine</i> , 2016, 176, 1512.	2.6	50
171	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 286-292.	1.6	49
172	Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. <i>International Journal of Epidemiology</i> , 2009, 38, 1265-1271.	0.9	48
173	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015, 25, 650-655.	0.1	48
174	Work-related stress and health risks, mechanisms and countermeasures. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 413-419.	1.7	48
175	Staff reports of psychosocial climate at school and adolescents' health, truancy and health education in Finland. <i>European Journal of Public Health</i> , 2009, 19, 554-560.	0.1	47
176	Work Time Control and Sleep Disturbances: Prospective Cohort Study of Finnish Public Sector Employees. <i>Sleep</i> , 2014, 37, 1217-1225.	0.6	47
177	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
178	Lack of Predictability at Work and Risk of Acute Myocardial Infarction: An 18-Year Prospective Study of Industrial Employees. <i>American Journal of Public Health</i> , 2008, 98, 2264-2271.	1.5	46
179	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012, 2, e000657.	0.8	46
180	Green and blue areas as predictors of overweight and obesity in an 8-year follow-up study. <i>Obesity</i> , 2014, 22, 1910-1917.	1.5	46

#	ARTICLE	IF	CITATIONS
181	Antidepressant Use Before and After the Diagnosis of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1471-1476.	4.3	45
182	Low Pessimism Protects Against Stroke. <i>Stroke</i> , 2010, 41, 187-190.	1.0	45
183	Persistent asthma, comorbid conditions and the risk of work disability: a prospective cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1598-1603.	2.7	45
184	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012, 2, e000522.	0.8	45
185	Socioeconomic inequalities in common mental disorders and psychotherapy treatment in the UK between 1991 and 2009. <i>British Journal of Psychiatry</i> , 2013, 202, 115-120.	1.7	45
186	Psychological Distress and Incidence of Type 2 Diabetes in High-Risk and Low-Risk Populations: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014, 37, 2091-2097.	4.3	45
187	Clustering of job strain, effort-reward imbalance, and organizational injustice and the risk of work disability: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 485-495.	1.7	45
188	Validity of self-reported exposure to shift work. <i>Occupational and Environmental Medicine</i> , 2017, 74, 228-230.	1.3	44
189	Prevalent cardiovascular disease, risk factors and selection out of shift work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 204-208.	1.7	44
190	Length of sickness absence and sustained return-to-work in mental disorders and musculoskeletal diseases: a cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 358-366.	1.7	43
191	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 426-435.	1.7	43
192	Workplace social capital and risk of chronic and severe hypertension. <i>Journal of Hypertension</i> , 2012, 30, 1129-1136.	0.3	42
193	Association of changes in work shifts and shift intensity with change in fatigue and disturbed sleep: a within-subject study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 394-402.	1.7	42
194	Hostility and ill health. <i>Journal of Psychosomatic Research</i> , 2000, 48, 89-98.	1.2	41
195	Organisational downsizing as a predictor of disability pension: the 10-town prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 238-242.	2.0	41
196	Average household income, crime, and smoking behaviour in a local area: The Finnish 10-Town study. <i>Social Science and Medicine</i> , 2007, 64, 1904-1913.	1.8	41
197	Unemployment, depressiveness and disability retirement: a follow-up study of the Finnish HeSSup population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 259-264.	1.6	41
198	Organizational justice at school and its associations with pupils' psychosocial school environment, health, and wellbeing. <i>Social Science and Medicine</i> , 2011, 73, 1675-1682.	1.8	39

#	ARTICLE	IF	CITATIONS
199	Organizational justice, sickness absence and employee age. <i>Journal of Managerial Psychology</i> , 2013, 28, 805-825.	1.3	38
200	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017, 7, 9282.	1.6	38
201	Living Alone and Alcohol-Related Mortality: A Population-Based Cohort Study from Finland. <i>PLoS Medicine</i> , 2011, 8, e1001094.	3.9	38
202	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 47-55.	1.7	38
203	Negative Aspects of Close Relationships as a Predictor of Increased Body Mass Index and Waist Circumference: The Whitehall II Study. <i>American Journal of Public Health</i> , 2011, 101, 1474-1480.	1.5	37
204	Patterns of Weight Gain in Middle-Aged and Older US Adults, 1992â€“2010. <i>Epidemiology</i> , 2015, 26, 165-168.	1.2	37
205	Physical activity level as a predictor of healthy and chronic disease-free life expectancy between ages 50 and 75. <i>Age and Ageing</i> , 2018, 47, 423-429.	0.7	37
206	Organisational justice and smoking: the Finnish public sector study. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 427-433.	2.0	36
207	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	1.6	36
208	Psychosocial work environment and hospital admissions due to mental disorders: A 15-year prospective study of industrial employees. <i>Journal of Affective Disorders</i> , 2010, 124, 118-125.	2.0	35
209	Association of job strain with working hours, shift-dependent perceived workload, sleepiness and recovery. <i>Ergonomics</i> , 2013, 56, 1640-1651.	1.1	35
210	Influence of retirement and work stress on headache prevalence: A longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011, 31, 696-705.	1.8	34
211	Can usefulness of performance appraisal interviews change organizational justice perceptions? A 4-year longitudinal study among public sector employees. <i>International Journal of Human Resource Management</i> , 2012, 23, 1360-1375.	3.3	34
212	Self-Rated Health in the Last 12 Years of Life Compared to Matched Surviving Controls: The Health and Retirement Study. <i>PLoS ONE</i> , 2014, 9, e107879.	1.1	34
213	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 5-14.	1.7	34
214	Prediction of long-term absence due to sickness in employees: development and validation of a multifactorial risk score in two cohort studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 274-282.	1.7	34
215	Sources of social support as determinants of psychiatric morbidity after severe life events. <i>Journal of Psychosomatic Research</i> , 2005, 58, 459-467.	1.2	33
216	Is change in availability of sports facilities associated with change in physical activity? A prospective cohort study. <i>Preventive Medicine</i> , 2015, 73, 10-14.	1.6	33

#	ARTICLE	IF	CITATIONS
217	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. <i>BMJ Open</i> , 2019, 9, e024609.	0.8	33
218	Social Support, Network Heterogeneity, and Smoking Behavior in Women: The 10-Town Study. <i>American Journal of Health Promotion</i> , 2008, 22, 246-255.	0.9	32
219	School environment as predictor of teacher sick leave: data-linked prospective cohort study. <i>BMC Public Health</i> , 2012, 12, 770.	1.2	32
220	Association of physical activity with future mental health in older, mid-life and younger women. <i>European Journal of Public Health</i> , 2014, 24, 813-818.	0.1	32
221	Socioeconomic Inequalities in Statin Adherence Under Universal Coverage. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 704-713.	0.9	32
222	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease-Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 204-210.	1.7	32
223	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e396-e407.	4.7	32
224	Sense of coherence and psychiatric morbidity: a 19-year register-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 255-261.	2.0	31
225	Job Strain, Sleep and Alertness in Shift Working Health Care Professionals – A Field Study. <i>Industrial Health</i> , 2013, 51, 406-416.	0.4	31
226	Is temporary employment a risk factor for work disability due to depressive disorders and delayed return to work? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 343-352.	1.7	31
227	Organisational justice protects against the negative effect of workplace violence on teachers' sleep: a longitudinal cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 511-516.	1.3	31
228	Living in proximity of a bar and risky alcohol behaviours: a longitudinal study. <i>Addiction</i> , 2013, 108, 320-328.	1.7	30
229	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014, 23, 94-97.	1.7	30
230	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017, 40, .	0.6	30
231	Common Genetic Variation Near Melatonin Receptor 1A Gene Linked to Job-Related Exhaustion in Shift Workers. <i>Sleep</i> , 2017, 40, .	0.6	30
232	Changes in Sleep Difficulties During the Transition to Statutory Retirement. <i>Sleep</i> , 2018, 41, .	0.6	30
233	Changes in Sleep Duration During Transition to Statutory Retirement: A Longitudinal Cohort Study. <i>Sleep</i> , 2017, 40, .	0.6	30
234	Associations of traffic noise with self-rated health and psychotropic medication use. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 235-243.	1.7	30



#	ARTICLE	IF	CITATIONS
235	The effect of pre-employment factors on job control, job strain and psychological distress: A 31-year longitudinal study. <i>Social Science and Medicine</i> , 2007, 65, 187-199.	1.8	29
236	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	1.5	29
237	Proximity of off-premise alcohol outlets and heavy alcohol consumption: A cohort study. <i>Drug and Alcohol Dependence</i> , 2013, 132, 295-300.	1.6	29
238	Lifestyle factors as predictors of nonadherence to statin therapy among patients with and without cardiovascular comorbidities. <i>Cmaj</i> , 2014, 186, E449-E456.	0.9	29
239	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015, 44, 1027-1037.	0.9	29
240	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
241	Optimism and pessimism as predictors of work disability with a diagnosis of depression: A prospective cohort study of onset and recovery. <i>Journal of Affective Disorders</i> , 2011, 130, 294-299.	2.0	28
242	Return to Work After Depression-Related Absence by Employees With and Without Other Health Conditions. <i>Psychosomatic Medicine</i> , 2015, 77, 126-135.	1.3	28
243	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017, 112, 1163-1170.	1.7	28
244	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019, 29, 267-272.	0.1	28
245	Diet quality as a predictor of cardiometabolic disease-free life expectancy: the Whitehall II cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 787-794.	2.2	28
246	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , 2021, 374, n1804.	3.0	28
247	Hypertension Is Not the Link Between Job Strain and Coronary Heart Disease in the Whitehall II Study. <i>American Journal of Hypertension</i> , 2007, 20, 1146-53.	1.0	27
248	Workplace Determinants of Social Capital: Cross-Sectional and Longitudinal Evidence from a Finnish Cohort Study. <i>PLoS ONE</i> , 2013, 8, e65846.	1.1	27
249	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 659-666.	1.3	27
250	Change in physical activity and accumulation of cardiometabolic risk factors. <i>Preventive Medicine</i> , 2018, 112, 31-37.	1.6	27
251	Neighbourhood socioeconomic status, health and working conditions of school teachers. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 326-330.	2.0	26
252	Early Risk Factors, Job Strain, and Atherosclerosis Among Men in Their 30s: The Cardiovascular Risk in Young Finns Study. <i>American Journal of Public Health</i> , 2007, 97, 450-452.	1.5	26



#	ARTICLE	IF	CITATIONS
253	Effects on Blood Pressure Do Not Explain the Association Between Organizational Justice and Coronary Heart Disease in the Whitehall II Study. <i>Psychosomatic Medicine</i> , 2008, 70, 1-6.	1.3	26
254	Employment trajectories and changes in sense of coherence. <i>European Journal of Public Health</i> , 2010, 20, 293-298.	0.1	26
255	Socioeconomic and Psychosocial Adversity in Midlife and Depressive Symptoms Post Retirement: A 21-year Follow-up of the Whitehall II Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 99-109.e1.	0.6	26
256	Development and validation of a risk prediction model for work disability: multicohort study. <i>Scientific Reports</i> , 2017, 7, 13578.	1.6	26
257	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018, 75, 486-493.	1.3	26
258	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 461-464.	2.0	25
259	Socioeconomic characteristics of residential areas and risk of death: is variation in spatial units for analysis a source of heterogeneity in observed associations?. <i>BMJ Open</i> , 2013, 3, e002474.	0.8	25
260	Predictors of first-year statin medication discontinuation: A cohort study. <i>Journal of Clinical Lipidology</i> , 2016, 10, 987-995.	0.6	25
261	Long-term adolescent multi-site musculoskeletal pain is associated with psychological distress and anxiety. <i>Journal of Psychosomatic Research</i> , 2017, 93, 28-32.	1.2	25
262	Social Support, Early Retirement, and a Retirement Preference: A Study of 10,489 Finnish Adults. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 433-439.	0.9	24
263	Outcome of stable angina in a working population: the burden of sickness absence. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 373-379.	3.1	24
264	Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. <i>Journal of School Health</i> , 2012, 82, 336-343.	0.8	24
265	Effect of depression onset on adherence to medication among hypertensive patients. <i>Journal of Hypertension</i> , 2013, 31, 1477-1484.	0.3	24
266	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 178-184.	1.2	24
267	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019, 55, 43-50.	1.5	24
268	Lifestyle Changes in Relation to Initiation of Antihypertensive and Lipid-Lowering Medication: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e014168.	1.6	24
269	Organizational justice and disability pension from all-causes, depression and musculoskeletal diseases: A Finnish cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 395-404.	1.7	24
270	A comparison of two multidisciplinary inpatient rehabilitation programmes for fibromyalgia: A register linkage study on work disability. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 66-72.	0.8	23

#	ARTICLE	IF	CITATIONS
271	School Neighborhood Disadvantage as a Predictor of Long-Term Sick Leave Among Teachers: Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 171, 785-792.	1.6	23
272	Influence of retirement on nonadherence to medication for hypertension and diabetes. <i>Cmaj</i> , 2013, 185, E784-E790.	0.9	23
273	Return to work after primary total hip arthroplasty: a nationwide cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 209-213.	1.2	23
274	Daily physical activity patterns among aging workers: the Finnish Retirement and Aging Study (FIREA). <i>Occupational and Environmental Medicine</i> , 2019, 76, 33-39.	1.3	23
275	Sex Differences in Health Effects of Family Death or Illness: Are Women More Vulnerable Than Men?. <i>Psychosomatic Medicine</i> , 2006, 68, 283-291.	1.3	22
276	Allergic rhinitis alone or with asthma is associated with an increased risk of sickness absences. <i>Respiratory Medicine</i> , 2010, 104, 1654-1658.	1.3	22
277	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	0.8	22
278	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 552-556.	2.0	21
279	THE ROLE OF PSYCHIATRIC, CARDIOMETABOLIC, AND MUSCULOSKELETAL COMORBIDITY IN THE RECURRENCE OF DEPRESSION-RELATED WORK DISABILITY. <i>Depression and Anxiety</i> , 2014, 31, 796-803.	2.0	21
280	Organizational Justice and Collaboration Among Nurses as Correlates of Violent Assaults by Patients in Psychiatric Care. <i>Psychiatric Services</i> , 2017, 68, 490-496.	1.1	21
281	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 114-119.	0.9	21
282	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	3.0	21
283	Patient Overcrowding in Hospital Wards as a Predictor of Diagnosis-Specific Mental Disorders Among Staff. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1308-1312.	1.1	21
284	Do pre-employment influences explain the association between psychosocial factors at work and coronary heart disease? The Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 330-334.	1.3	20
285	Does organisational justice protect from sickness absence following a major life event? A Finnish public sector study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 470-472.	2.0	20
286	Does adding information on job strain improve risk prediction for coronary heart disease beyond the standard Framingham risk score? The Whitehall II study. <i>International Journal of Epidemiology</i> , 2011, 40, 1577-1584.	0.9	20
287	Differential Associations of Job Control Components With Mortality: A Cohort Study, 1986â€“2005. <i>American Journal of Epidemiology</i> , 2012, 175, 609-619.	1.6	20
288	Using Repeated Measures of Sleep Disturbances to Predict Future Diagnosis-Specific Work Disability: A Cohort Study. <i>Sleep</i> , 2012, 35, 559-69.	0.6	20

#	ARTICLE	IF	CITATIONS
289	Use of sleep medications and risk of cancer: a matched case-control study. <i>Sleep Medicine</i> , 2015, 16, 1552-1555.	0.8	20
290	Effectiveness of legislative changes obligating notification of prolonged sickness absence and assessment of remaining work ability on return to work and work participation: a natural experiment in Finland. <i>Occupational and Environmental Medicine</i> , 2016, 73, 42-50.	1.3	20
291	Characteristics of Social Networks and Mortality Risk: Evidence From 2 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2018, 187, 746-753.	1.6	20
292	Classification and Processing of 24-Hour Wrist Accelerometer Data. <i>Journal for the Measurement of Physical Behaviour</i> , 2018, 1, 51-59.	0.5	20
293	Workplace Social Capital and Health. , 2013, , 23-63.		20
294	Comparison of Sedentary Time Between Thigh-Worn and Wrist-Worn Accelerometers. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 234-243.	0.5	20
295	Psychosocial factors and well-being among Finnish GPs and specialists: a 10-year follow-up. <i>Occupational and Environmental Medicine</i> , 2013, 70, 246-251.	1.3	19
296	Change in Neighborhood Disadvantage and Change in Smoking Behaviors in Adults. <i>Epidemiology</i> , 2016, 27, 803-809.	1.2	19
297	Somatic symptoms of anxiety and nonadherence to statin therapy. <i>International Journal of Cardiology</i> , 2016, 214, 493-499.	0.8	19
298	Health- and work-related predictors of work disability among employees with a cardiometabolic disease - A cohort study. <i>Journal of Psychosomatic Research</i> , 2016, 82, 41-47.	1.2	19
299	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017, 186, 709-718.	1.6	19
300	Trends in work disability with mental diagnoses among social workers in Finland and Sweden in 2005-2012. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 644-654.	1.8	19
301	Physical Activity across Retirement Transition by Occupation and Mode of Commute. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1900-1907.	0.2	19
302	Trajectories of self-rated health before and after retirement: evidence from two cohort studies. <i>Occupational and Environmental Medicine</i> , 2020, 77, 70-76.	1.3	19
303	Commuting time to work and behaviour-related health: a fixed-effect analysis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 77-83.	1.3	19
304	Association of changes in work due to COVID-19 pandemic with psychosocial work environment and employee health: a cohort study of 24 299 Finnish public sector employees. <i>Occupational and Environmental Medicine</i> , 2022, 79, 233-241.	1.3	19
305	Predictive factors of future participation in rehabilitation in the working population: The Finnish public sector study. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 404-410.	0.8	18
306	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 215-219.	0.1	18

#	ARTICLE	IF	CITATIONS
307	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	2.7	18
308	Change in body mass index during transition to statutory retirement: an occupational cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 85.	2.0	18
309	Effort-Reward Imbalance Is Associated With Alcohol-Related Problems. WIRUS-Screening Study. <i>Frontiers in Psychology</i> , 2019, 10, 2079.	1.1	18
310	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	2.8	18
311	Effectiveness of multidisciplinary primary prevention in decreasing the risk of work disability in a low-risk population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 27-37.	1.7	18
312	Does perceived work ability improve after a multidisciplinary preventive program in a population with no severe medical problems – the Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 57-65.	1.7	18
313	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	1.3	17
314	Adverse experiences in childhood, adulthood neighbourhood disadvantage and health behaviours. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 741-746.	2.0	17
315	Association Between Exposure to Work Stressors and Cognitive Performance. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 354-360.	0.9	17
316	Childhood Adversity as a Predictor of Non-Adherence to Statin Therapy in Adulthood. <i>PLoS ONE</i> , 2015, 10, e0127638.	1.1	17
317	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17
318	Work Stress and Satisfaction with Leadership Among Nurses Encountering Patient Aggression in Psychiatric Care: A Cross-Sectional Survey Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 368-379.	1.2	17
319	Objectively Measured Sedentary Time Before and After Transition to Retirement: The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1737-1743.	1.7	17
320	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. <i>Journal of Psychosomatic Research</i> , 2020, 128, 109867.	1.2	17
321	Zinc acetate lozenges for the treatment of the common cold: a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e031662.	0.8	17
322	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95 000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	1.1	17
323	Health risk behaviors and morbidity among hospital staff – comparison across hospital ward medical specialties in a study of 21 Finnish hospitals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 228-237.	1.7	17
324	Residential greenness and risks of depression: Longitudinal associations with different greenness indicators and spatial scales in a Finnish population cohort. <i>Health and Place</i> , 2022, 74, 102760.	1.5	17

#	ARTICLE	IF	CITATIONS
325	The Working Conditions and Health of Non-Permanent Employees: Are There Differences between Private and Public Labour Markets?. <i>Economic and Industrial Democracy</i> , 2006, 27, 39-65.	1.2	16
326	Organizational Justice in Primary-Care Health Centers and Glycemic Control in Patients With Type 2 Diabetes. <i>Medical Care</i> , 2012, 50, 831-835.	1.1	16
327	Components of job control and mortality: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 536-542.	1.3	16
328	Does retirement benefit health?. <i>Preventive Medicine</i> , 2017, 100, 294-295.	1.6	16
329	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018, 269, 7-12.	0.8	16
330	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	1.7	16
331	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 130-135.	2.0	16
332	Changes in accelerometer-measured sleep during the transition to retirement: the Finnish Retirement and Aging (FIREA) study. <i>Sleep</i> , 2020, 43, .	0.6	16
333	Workplace Social Capital and Adherence to Antihypertensive Medication: A Cohort Study. <i>PLoS ONE</i> , 2011, 6, e24732.	1.1	16
334	Waterborne Outbreak of Gastroenteritis: Effects on Sick Leaves and Cost of Lost Workdays. <i>PLoS ONE</i> , 2012, 7, e33307.	1.1	16
335	Implementation of Workplace-Based Smoking Cessation Support Activities and Smoking Cessation Among Employees: The Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2012, 102, e56-e62.	1.5	16
336	Pupils with special educational needs in basic education schools and teachers' sickness absences – a register-linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 209-217.	1.7	16
337	Alcohol and coronary heart disease risk-is there an unknown confounder?. <i>Addiction</i> , 2005, 100, 1150-1157.	1.7	15
338	Early retirement from work among employees with a diagnosis of personality disorder compared to anxiety and depressive disorders. <i>European Psychiatry</i> , 2011, 26, 18-22.	0.1	15
339	Trajectories of Sleep Complaints From Early Midlife to Old Age: Longitudinal Modeling Study. <i>Sleep</i> , 2012, 35, 1559-68.	0.6	15
340	Purchases of prescription antidepressants in the Swedish population in relation to major workplace downsizing. <i>Epidemiology</i> , 2015, 27, 1.	1.2	15
341	Daily Physical Activity Patterns and Their Association With Health-Related Physical Fitness Among Aging Workers – The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 76, 1242-1250.	1.7	15
342	Internal consistency and factor structure of Jenkins Sleep Scale: cross-sectional cohort study among 80,000 adults. <i>BMJ Open</i> , 2021, 11, e043276.	0.8	15

#	ARTICLE	IF	CITATIONS
343	Allocation of rehabilitation measures provided by the Social Insurance Institution in Finland: a register linkage study. <i>Acta Dermato-Venereologica</i> , 2007, 39, 198-204.	0.6	14
344	Low Level of Optimism Predicts Initiation of Psychotherapy for Depression: Results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 238-244.	4.0	14
345	Association of the Availability of Beer, Wine, and Liquor Outlets with Beverage-specific Alcohol Consumption: A Cohort Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1086-1093.	1.4	14
346	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	1.1	14
347	Clustering of adversity in young adults on disability pension due to mental disorders: a latent class analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 281-287.	1.6	14
348	Does removal of work stress explain improved sleep following retirement? The Finnish Retirement and Aging study. <i>Sleep</i> , 2019, 42, .	0.6	14
349	Long-term risk of dementia following hospitalization due to physical diseases: A multicohort study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1686-1695.	0.4	14
350	The Effect of Consumer-based Activity Tracker Intervention on Physical Activity among Recent Retirees: An RCT Study. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 1756-1765.	0.2	14
351	Social network ties before and after retirement: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 503-512.	1.2	14
352	Effect of participative intervention on organisational justice perceptions: a quasi-experimental study on Finnish public sector employees. <i>International Journal of Human Resource Management</i> , 2011, 22, 706-721.	3.3	13
353	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: A multilevel analysis. <i>Journal of School Psychology</i> , 2012, 50, 347-361.	1.5	13
354	Genome-wide scan of job-related exhaustion with three replication studies implicate a susceptibility variant at the UST gene locus. <i>Human Molecular Genetics</i> , 2013, 22, 3363-3372.	1.4	13
355	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019, 76, 785-792.	1.3	13
356	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13
357	Neighborhood Socioeconomic Disadvantage and Childhood Body Mass Index Trajectories From Birth to 7 Years of Age. <i>Epidemiology</i> , 2022, 33, 121-130.	1.2	13
358	Changes in prolonged sedentary behaviour across the transition to retirement. <i>Occupational and Environmental Medicine</i> , 2021, 78, 409-412.	1.3	13
359	Job strain and vagal recovery during sleep in shift working health care professionals. <i>Chronobiology International</i> , 2014, 31, 1179-1189.	0.9	12
360	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017, 46, dyw293.	0.9	12



#	ARTICLE	IF	CITATIONS
361	Are patient-related pre-operative factors influencing return to work after total knee arthroplasty. <i>Knee</i> , 2019, 26, 853-860.	0.8	12
362	Individual and Combined Effects of Job Strain Components on Subsequent Morbidity and Mortality. <i>Epidemiology</i> , 2019, 30, e27-e29.	1.2	12
363	The Contribution of Neighborhood Socioeconomic Disadvantage to Depressive Symptoms Over the Course of Adult Life: A 32-Year Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 679-689.	1.6	12
364	Night work and risk of common mental disorders: analyzing observational data as a non-randomized pseudo trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 512-520.	1.7	12
365	Social Participation and Maintaining Recommended Waist Circumference. <i>Journal of Aging and Health</i> , 2012, 24, 250-268.	0.9	11
366	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	3.1	11
367	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015, 32, 1335-1341.	1.2	11
368	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. <i>PLoS ONE</i> , 2015, 10, e0130901.	1.1	11
369	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016, 33, 208-217.	1.2	11
370	Association of Job Strain With Cortisol and Alpha-Amylase Among Shift-Working Health Care Professionals in Laboratory and Field. <i>Biological Research for Nursing</i> , 2016, 18, 101-112.	1.0	11
371	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. <i>PLoS ONE</i> , 2018, 13, e0203433.	1.1	11
372	Associations of accelerometer-based sleep duration and self-reported sleep difficulties with cognitive function in late mid-life: the Finnish Retirement and Aging Study. <i>Sleep Medicine</i> , 2020, 68, 42-49.	0.8	11
373	Cross-sectional associations of neighbourhood socioeconomic disadvantage and greenness with accelerometer-measured leisure-time physical activity in a cohort of ageing workers. <i>BMJ Open</i> , 2020, 10, e038673.	0.8	11
374	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021, 143, 110388.	1.2	11
375	Association of rotating shift work schedules and the use of prescribed sleep medication: A prospective cohort study. <i>Journal of Sleep Research</i> , 2021, 30, e13349.	1.7	11
376	Psychological Distress During the Retirement Transition and the Role of Psychosocial Working Conditions and Social Living Environment. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2022, 77, 135-148.	2.4	11
377	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020, 118, 104706.	1.3	11
378	Social Capital in Schools. , 2013, , 65-85.		10



#	ARTICLE	IF	CITATIONS
379	The health effects of major organisational changes. <i>Occupational and Environmental Medicine</i> , 2013, 70, 677-678.	1.3	10
380	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 84-90.	1.2	10
381	Childhood adversities and adult-onset asthma: a cohort study. <i>BMJ Open</i> , 2012, 2, e001625.	0.8	9
382	Childhood Socioeconomic Disadvantage and Risk of Fatty Liver in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Hepatology</i> , 2020, 71, 67-75.	3.6	9
383	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 376-385.	1.7	9
384	Locality differences of sickness absence in the context of health and social conditions of the inhabitants. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 309-316.	1.2	8
385	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002297.	0.8	8
386	Vertical and Horizontal Trust at Work as Predictors of Retirement Intentions: The Finnish Public Sector Study. <i>PLoS ONE</i> , 2014, 9, e106956.	1.1	8
387	Attachment to employment and education before work disability pension due to a mental disorder among young adults. <i>BMC Psychiatry</i> , 2016, 16, 143.	1.1	8
388	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 125-131.	2.0	8
389	Self-Rated Health of the Temporary Employees in a Nordic Welfare State. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e106-e111.	0.9	8
390	Relationship transitions and change in health behavior: A four-phase, twelve-year longitudinal study. <i>Social Science and Medicine</i> , 2018, 209, 152-159.	1.8	8
391	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 61-67.	2.0	8
392	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019, 48, 415-422.	0.9	8
393	Comparison between recent and long-term physical activity levels as predictors of cardiometabolic risk: a cohort study. <i>BMJ Open</i> , 2020, 10, e033797.	0.8	8
394	School neighbourhood socio-economic status and teachers' work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , 2015, 21, 131-149.	0.9	7
395	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	0.9	7
396	Associations between shift work and use of prescribed medications for the treatment of hypertension, diabetes, and dyslipidemia: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 465-474.	1.7	7

#	ARTICLE	IF	CITATIONS
397	Sickness Absence Trends during and after Long-Term Psychotherapy and Antidepressant Medication among Depressive Employees. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 130-132.	4.0	6
398	Effect of a multidisciplinary rehabilitation programme on perceived health among employees at increased risk of incapacity for work: a controlled study. <i>Clinical Rehabilitation</i> , 2012, 26, 513-522.	1.0	6
399	Trait Anxiety Levels Before and After Antidepressant Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 371-377.	0.7	6
400	Does transfer of work from a public sector organisation to a commercial enterprise without staff reductions increase risk of long-term sickness absence among the staff? A cohort study of laboratory and radiology employees: Table A1. <i>Occupational and Environmental Medicine</i> , 2013, 70, 585-587.	1.3	6
401	Short- and long-term changes in perceived work ability after interdisciplinary rehabilitation of chronic musculoskeletal disorders: prospective cohort study among 854 rehabilitants. <i>Clinical Rehabilitation</i> , 2014, 28, 592-603.	1.0	6
402	Optimism and pessimism as predictors of initiating and ending an antidepressant medication treatment. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 1-7.	0.7	6
403	Association between education and television viewing among older working and retired people: a comparative study of Finland and Japan. <i>BMC Public Health</i> , 2018, 18, 917.	1.2	6
404	Predictors of employment in young adults with psychiatric work disability. <i>Microbial Biotechnology</i> , 2019, 13, 1083-1089.	0.9	6
405	“Return to Work”™ Coordinator Model and Work Participation of Employees: A Natural Intervention Study in Finland. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 831-839.	1.2	6
406	Contexts of sedentary time and physical activity among ageing workers and recent retirees: cross-sectional GPS and accelerometer study. <i>BMJ Open</i> , 2021, 11, e042600.	0.8	6
407	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. <i>PLoS ONE</i> , 2021, 16, e0255697.	1.1	6
408	Job Contract at Birth of the First Child as a Predictor of Women’s Labor Market Attachment: Trajectory Analyses over 11 Years. <i>Nordic Journal of Working Life Studies</i> , 2015, 5, 9.	0.5	6
409	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 59-66.	4.3	6
410	Injustice at work and health: causation, correlation or cause for action?. <i>Occupational and Environmental Medicine</i> , 2007, 64, 428.	1.3	6
411	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	6
412	Parental feeding practices and child eating behavior in different socioeconomic neighborhoods and their association with childhood weight. <i>The STEPS study. Health and Place</i> , 2022, 74, 102745.	1.5	6
413	Associations of social support and sex life “ the HeSSup Study. <i>Patient Education and Counseling</i> , 2005, 58, 71-81.	1.0	5
414	Diabetes and risk of occupational injury: a cohort study. <i>Diabetic Medicine</i> , 2017, 34, 1629-1636.	1.2	5

#	ARTICLE	IF	CITATIONS
415	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. <i>Critical Public Health</i> , 2019, 29, 302-313.	1.4	5
416	Reduction in sleep disturbances at retirement: evidence from the Swedish Longitudinal Occupational Survey of Health. <i>Ageing and Society</i> , 2020, 40, 2155-2173.	1.2	5
417	The relation of work-related factors with ambulatory blood pressure and nocturnal blood pressure dipping among aging workers. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 563-570.	1.1	5
418	Concurrent changes in sleep and physical activity during the transition to retirement: a prospective cohort study. <i>Sleep Medicine</i> , 2020, 68, 35-41.	0.8	5
419	The Effect of a Consumer-Based Activity Tracker Intervention on Accelerometer-Measured Sedentary Time Among Retirees: A Randomized Controlled REACT Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 579-587.	1.7	5
420	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1098-1103.	2.0	5
421	Do obesity and sleep problems cluster in the workplace? A multivariate, multilevel study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 276-283.	1.7	5
422	Sickness absence in a re-employment program as a predictor of labor market attachment among long-term unemployed individuals: A 6-year cohort study in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 496-502.	1.7	5
423	Long-term cumulative light exposure from the natural environment and sleep: A cohort study. <i>Journal of Sleep Research</i> , 2022, 31, e13511.	1.7	5
424	Persistence of sleep difficulties for over 16 years amongst 66,948 working-aged adults. <i>PLoS ONE</i> , 2021, 16, e0259500.	1.1	5
425	Joensuu et al. Respond to "Structure and Context Matters". <i>American Journal of Epidemiology</i> , 2012, 175, 625-626.	1.6	4
426	Effectiveness of multidisciplinary early rehabilitation in reducing behaviour-related risk factors. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 370-377.	0.8	4
427	Length of sick leave as a risk marker of hip fracture: a nationwide cohort study from Sweden. <i>Osteoporosis International</i> , 2015, 26, 943-949.	1.3	4
428	Social networks and patterns of health risk behaviours over two decades: A multi-cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 99, 45-58.	1.2	4
429	The gender gap in accrued pension rights – an indicator of women’s accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). <i>Scandinavian Journal of Public Health</i> , 2018, 46, 417-424.	1.2	4
430	An Example of How Immortal Time Bias Can Reverse the Results of an Observational Study. <i>Epidemiology</i> , 2020, 31, e19-e20.	1.2	4
431	Trajectories of Worktime Control From Midlife to Retirement and Working Beyond Retirement Age. <i>Work, Aging and Retirement</i> , 2022, 8, 273-281.	1.4	4
432	Return to work after lumbar disc herniation surgery: an occupational cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 638-643.	1.2	4

#	ARTICLE	IF	CITATIONS
433	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , The, 2022, 19, 100417.	3.0	4
434	Work ability and physical fitness among aging workers: the Finnish Retirement and Aging Study. <i>European Journal of Ageing</i> , 0, , .	1.2	4
435	Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 876-884.	1.2	3
436	Combined Effect of Marriage and Education on Mortality: A Cross-national Study of Older Japanese and Finnish Men and Women. <i>Journal of Epidemiology</i> , 2020, 30, 442-449.	1.1	3
437	Labor Market Participation Before and After Long-Term Part-Time Sickness Absence in Finland. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e142-e148.	0.9	3
438	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	0.8	3
439	Association of changes in lifestyle with changes in sleep difficulties: an analysis of 384,400 participants over a 16-year follow-up. <i>BMJ Open</i> , 2021, 11, e050046.	0.8	3
440	Diet quality in preschool children and associations with individual eating behavior and neighborhood socioeconomic disadvantage. The STEPS Study. <i>Appetite</i> , 2022, 172, 105950.	1.8	3
441	Why do men extend their employment beyond pensionable age more often than women? a cohort study. <i>European Journal of Ageing</i> , 2022, 19, 599-608.	1.2	3
442	Educational level and the use of mental health services, psychotropic medication and psychotherapy among adults with a history of physician diagnosed mental disorders. <i>International Journal of Social Psychiatry</i> , 0, , 002076402211110.	1.6	3
443	Antidepressant use and work-related injuries. <i>Psychological Medicine</i> , 2016, 46, 1391-1399.	2.7	2
444	Salivary cortisol and alpha-amylase: Is there consistency between psychosocial stress test and burdensome work shifts?. <i>Journal of Occupational and Environmental Hygiene</i> , 2017, 14, 1003-1010.	0.4	2
445	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020, 30, 158-163.	0.1	2
446	Association of job strain with accelerometer-based sleep duration and timing of sleep among older employees. <i>Journal of Sleep Research</i> , 2021, , e13498.	1.7	2
447	Social relationships as predictors of extended employment beyond the pensionable age: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 491-501.	1.2	2
448	Nine-year trajectory of purchases of prescribed pain medications before and after in-patient interdisciplinary rehabilitation for chronic musculoskeletal disorders: A prospective, cohort, register-based study of 4,365 subjects. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 283-286.	0.8	1
449	Hospital Admissions Before an Alcohol-Related Death Among Middle-Aged Employed Men and Women: A Cohort Study Using Routine Data. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2161-2168.	1.4	1
450	Chronic diseases as predictors of labour market attachment after participation in subsidised re-employment programme: a 6-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, jech-2017-209271.	2.0	1

#	ARTICLE	IF	CITATIONS
451	Change in $\beta_2$ -agonist use after severe life events in adults with asthma: A population-based cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 100, 46-52.	1.2	1
452	Use of pain medication before and after inpatient musculoskeletal rehabilitation: longitudinal analysis of a nationwide cohort. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 159-165.	0.7	1
453	Trajectories of Antidepressant Use before and after the Loss of a Family Member: Evidence from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 246-248.	4.0	1
454	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020, 28, 2216-2223.	1.5	1
455	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020, , 140349482097149.	1.2	1
456	Does working beyond the statutory retirement age have an impact on health and functional capacity? The Finnish Retirement and Aging cohort study. <i>Occupational and Environmental Medicine</i> , 2020, , oemed-2020-106964.	1.3	1
457	Work participation and physicality of work in young adulthood and the development of unhealthy lifestyle habits and obesity later in life: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 153-159.	1.3	1
458	Psychosocial Factors at Work: The Epidemiological Perspective. , 2011, , 195-209.		1
459	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	0.8	1
460	Sleep duration and sleep difficulties as predictors of occupational injuries: a cohort study. <i>Occupational and Environmental Medicine</i> , 2021, , oemed-2021-107516.	1.3	1
461	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	1
462	Concurrent changes in physical activity and body mass index among 66%852 public sector employees over a 16-year follow-up: multitrajectory analysis of a cohort study in Finland. <i>BMJ Open</i> , 2022, 12, e057692.	0.8	1
463	Clustering of social disadvantage with attention-deficit/hyperactivity disorder in young adults: A register-based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	0.8	1
464	KIVIMÄKI ET AL. RESPOND. <i>American Journal of Public Health</i> , 2007, 97, 1928-1929.	1.5	0
465	Retirement reduces antihypertensive medication adherence among hypertensive men and women. <i>Occupational and Environmental Medicine</i> , 2011, 68, A52-A52.	1.3	0
466	Authors' response to: Can information on life stress improve CHD risk prediction in clinical practice?. <i>International Journal of Epidemiology</i> , 2012, 41, 324-326.	0.9	0
467	O01-6...Changes in organisational injustice and subsequent changes in insomnia symptoms: using observational data as non-randomised pseudo-trials. , 2016, , .		0
468	Response to letter "Do all hypnotic drugs and sedatives have risk for cancer?" <i>Sleep Medicine</i> , 2016, 20, 171.	0.8	0

#	ARTICLE	IF	CITATIONS
469	Diet quality as a predictor of healthy and cardiometabolic disease-free life expectancy between ages 50 to 85. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
470	Heavy alcohol consumption before and after negative life events in late mid-life: longitudinal latent trajectory analyses. <i>Journal of Epidemiology and Community Health</i> , 2021, , jech-2021-217204.	2.0	0
471	Use of pain medication before and after lumbar discectomy: longitudinal analysis of a nation-wide cohort. <i>Minerva Surgery</i> , 2018, 73, 280-287.	0.1	0
472	The Effect of Commercial Activity Tracker Based Physical Activity Intervention on Body Composition and Cardiometabolic Health Among Recent Retirees. <i>Frontiers in Aging</i> , 2021, 2, .	1.2	0
473	Components of Stress and Their Associations With Sleep Problems. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 390-396.	0.9	0
474	Neighborhood disadvantage, greenness and population density as predictors of breastfeeding practices: a population cohort study from Finland. <i>Journal of Nutrition</i> , 2022, , .	1.3	0