

Jussi Vahtera

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5284574/jussi-vahtera-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

456
papers

21,245
citations

78
h-index

125
g-index

477
ext. papers

24,825
ext. citations

4.9
avg, IF

6.51
L-index

#	Paper	IF	Citations
456	Diet quality in preschool children and associations with individual eating behavior and neighborhood socioeconomic disadvantage. The STEPS Study.. <i>Appetite</i> , 2022 , 172, 105950	4.5	0
455	Residential greenness and risks of depression: Longitudinal associations with different greenness indicators and spatial scales in a Finnish population cohort.. <i>Health and Place</i> , 2022 , 74, 102760	4.6	0
454	Neighborhood Socioeconomic Disadvantage and Childhood Body Mass Index Trajectories From Birth to 7 Years of Age. <i>Epidemiology</i> , 2022 , 33, 121-130	3.1	3
453	Concurrent changes in physical activity and body mass index among 66 852 public sector employees over a 16-year follow-up: multitrajectory analysis of a cohort study in Finland.. <i>BMJ Open</i> , 2022 , 12, e057692	3.2	0
452	Parental feeding practices and child eating behavior in different socioeconomic neighborhoods and their association with childhood weight. The STEPS study.. <i>Health and Place</i> , 2022 , 74, 102745	4.6	2
451	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study.. <i>Lancet Diabetes and Endocrinology</i> , 2022 ,	18.1	10
450	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , 2022 , 19, 100417		0
449	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	2
448	Long-term cumulative light exposure from the natural environment and sleep: A cohort study. <i>Journal of Sleep Research</i> , 2021 , e13511	5.8	0
447	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	1
446	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	1
445	Persistence of sleep difficulties for over 16 years amongst 66,948 working-aged adults. <i>PLoS ONE</i> , 2021 , 16, e0259500	3.7	0
444	Association of changes in lifestyle with changes in sleep difficulties: an analysis of 38 400 participants over a 16-year follow-up. <i>BMJ Open</i> , 2021 , 11, e050046	3	1
443	Daily Physical Activity Patterns and Their Association With Health-Related Physical Fitness Among Aging Workers-The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 1242-1250	6.4	3
442	Social network ties before and after retirement: a cohort study. <i>European Journal of Ageing</i> , 2021 , 18, 503-512	3.6	3
441	'Return to Work' Coordinator Model and Work Participation of Employees: A Natural Intervention Study in Finland. <i>Journal of Occupational Rehabilitation</i> , 2021 , 31, 831-839	3.6	1
440	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021 , 143, 110388	4.1	5

439	Contexts of sedentary time and physical activity among ageing workers and recent retirees: cross-sectional GPS and accelerometer study. <i>BMJ Open</i> , 2021 , 11, e042600	3	1
438	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 1098-1103	5.1	0
437	Association of rotating shift work schedules and the use of prescribed sleep medication: A prospective cohort study. <i>Journal of Sleep Research</i> , 2021 , 30, e13349	5.8	1
436	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 1557-1567	25.5	19
435	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health, The</i> , 2021 , 6, e396-e407	22.4	8
434	Internal consistency and factor structure of Jenkins Sleep Scale: cross-sectional cohort study among 80 000 adults. <i>BMJ Open</i> , 2021 , 11, e043276	3	3
433	The Effect of Consumer-based Activity Tracker Intervention on Physical Activity among Recent Retirees-An RCT Study. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 1756-1765	1.2	6
432	Return to work after lumbar disc herniation surgery: an occupational cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 638-643	4.3	0
431	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
430	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. <i>PLoS ONE</i> , 2021 , 16, e0255697	3.7	1
429	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries.. <i>Lancet Regional Health - Europe, The</i> , 2021 , 11, 100212		4
428	Association of changes in work due to COVID-19 pandemic with psychosocial work environment and employee health: a cohort study of 24 299 Finnish public sector employees. <i>Occupational and Environmental Medicine</i> , 2021 ,	2.1	2
427	Association of job strain with accelerometer-based sleep duration and timing of sleep among older employees. <i>Journal of Sleep Research</i> , 2021 , e13498	5.8	0
426	Social relationships as predictors of extended employment beyond the pensionable age: a cohort study. <i>European Journal of Ageing</i> , 2021 , 18, 491-501	3.6	1
425	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e013538	6	5
424	Labor Market Participation Before and After Long-Term Part-Time Sickness Absence in Finland: A Population-Based Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, e142-e148	2.3	2
423	Socioeconomic Inequalities in Disability-free Life Expectancy in Older People from England and the United States: A Cross-national Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 906-913	6.4	25
422	Trajectories of self-rated health before and after retirement: evidence from two cohort studies. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 70-76	2.1	8

4 ²¹	Commuting time to work and behaviour-related health: a fixed-effect analysis. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 77-83	2.1	9
4 ²⁰	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health</i> , 2020 , 5, e140-e149	22.4	132
4 ¹⁹	Diet quality as a predictor of cardiometabolic disease-free life expectancy: the Whitehall II cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 787-794	7	17
4 ¹⁸	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59
4 ¹⁷	The Contribution of Neighborhood Socioeconomic Disadvantage to Depressive Symptoms Over the Course of Adult Life: A 32-Year Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020 , 189, 679-689	3.8	6
4 ¹⁶	Zinc acetate lozenges for the treatment of the common cold: a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e031662	3	10
4 ¹⁵	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020 , 30, 158-163	2.1	1
4 ¹⁴	Comparison of Sedentary Time Between Thigh-Worn and Wrist-Worn Accelerometers. <i>Journal for the Measurement of Physical Behaviour</i> , 2020 , 3, 234-243	2.3	5
4 ¹³	Lifestyle Changes in Relation to Initiation of Antihypertensive and Lipid-Lowering Medication: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e014168	6	11
4 ¹²	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020 , 118, 104706	5	6
4 ¹¹	The relation of work-related factors with ambulatory blood pressure and nocturnal blood pressure dipping among aging workers. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 563-570	3.2	1
4 ¹⁰	Changes in accelerometer-measured sleep during the transition to retirement: the Finnish Retirement and Aging (FIREA) study. <i>Sleep</i> , 2020 , 43,	1.1	6
4 ⁰⁹	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. <i>Journal of Psychosomatic Research</i> , 2020 , 128, 109867	4.1	12
4 ⁰⁸	Concurrent changes in sleep and physical activity during the transition to retirement: a prospective cohort study. <i>Sleep Medicine</i> , 2020 , 68, 35-41	4.6	1
4 ⁰⁷	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
4 ⁰⁶	An Example of How Immortal Time Bias Can Reverse the Results of an Observational Study. <i>Epidemiology</i> , 2020 , 31, e19-e20	3.1	3
4 ⁰⁵	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020 , 28, 2216-2223	8	0
4 ⁰⁴	Comparison between recent and long-term physical activity levels as predictors of cardiometabolic risk: a cohort study. <i>BMJ Open</i> , 2020 , 10, e033797	3	4

403	Cross-sectional associations of neighbourhood socioeconomic disadvantage and greenness with accelerometer-measured leisure-time physical activity in a cohort of ageing workers. <i>BMJ Open</i> , 2020 , 10, e038673	3	5
402	Long-term risk of dementia following hospitalization due to physical diseases: A multicohort study. <i>Alzheimeris and Dementia</i> , 2020 , 16, 1686-1695	1.2	4
401	Physical Activity across Retirement Transition by Occupation and Mode of Commute. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1900-1907	1.2	6
400	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020 , 3, e2016084	10.4	9
399	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020 , 1403494820971497	2.7	87
398	Objectively Measured Sedentary Time Before and After Transition to Retirement: The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1737-1743	6.4	5
397	Reduction in sleep disturbances at retirement: evidence from the Swedish Longitudinal Occupational Survey of Health. <i>Ageing and Society</i> , 2020 , 40, 2155-2173	1.7	3
396	Childhood Socioeconomic Disadvantage and Risk of Fatty Liver in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Hepatology</i> , 2020 , 71, 67-75	11.2	3
395	Combined Effect of Marriage and Education on Mortality: A Cross-national Study of Older Japanese and Finnish Men and Women. <i>Journal of Epidemiology</i> , 2020 , 30, 442-449	3.4	2
394	Associations of accelerometer-based sleep duration and self-reported sleep difficulties with cognitive function in late mid-life: the Finnish Retirement and Aging Study. <i>Sleep Medicine</i> , 2020 , 68, 42-49	4.6	4
393	Work Stress and Satisfaction with Leadership Among Nurses Encountering Patient Aggression in Psychiatric Care: A Cross-Sectional Survey Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019 , 46, 368-379	3.1	12
392	Are patient-related pre-operative factors influencing return to work after total knee arthroplasty. <i>Knee</i> , 2019 , 26, 853-860	2.6	7
391	Does removal of work stress explain improved sleep following retirement? The Finnish Retirement and Aging study. <i>Sleep</i> , 2019 , 42,	1.1	6
390	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ, The</i> , 2019 , 365, l1495	5.9	80
389	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019 , 48, 415-422	7.8	4
388	Return to work after primary total hip arthroplasty: a nationwide cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 209-213	4.3	14
387	Predictors of employment in young adults with psychiatric work disability. <i>Microbial Biotechnology</i> , 2019 , 13, 1083-1089	3.3	3
386	Natural Course of Frailty Components in People Who Develop Frailty Syndrome: Evidence From Two Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 667-674	6.4	31

385	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. <i>Critical Public Health</i> , 2019 , 29, 302-313	2.6	5
384	Effort-Reward Imbalance Is Associated With Alcohol-Related Problems. WIRUS-Screening Study. <i>Frontiers in Psychology</i> , 2019 , 10, 2079	3.4	4
383	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. <i>BMJ Open</i> , 2019 , 9, e024609	3	20
382	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 376-385	4.3	7
381	Associations between shift work and use of prescribed medications for the treatment of hypertension, diabetes, and dyslipidemia: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 465-474	4.3	1
380	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 785-792	2.1	10
379	Individual and Combined Effects of Job Strain Components on Subsequent Morbidity and Mortality. <i>Epidemiology</i> , 2019 , 30, e27-e29	3.1	3
378	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019 , 55, 43-50	4.6	15
377	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 267-272	2.1	16
376	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019 , 40, 1124-1134	9.5	40
375	Daily physical activity patterns among aging workers: the Finnish Retirement and Aging Study (FIREA). <i>Occupational and Environmental Medicine</i> , 2019 , 76, 33-39	2.1	11
374	Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 876-884	3	1
373	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 130-135	5.1	11
372	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease-Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 204-210	6.4	19
371	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018 , 53, 95-103	3.5	5
370	Changes in non-occupational sedentary behaviours across the retirement transition: the Finnish Retirement and Aging (FIREA) study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 695-701	5.1	25
369	Occupational and educational inequalities in exit from employment at older ages: evidence from seven prospective cohorts. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 369-377	2.1	35
368	Change in physical activity and accumulation of cardiometabolic risk factors. <i>Preventive Medicine</i> , 2018 , 112, 31-37	4.3	13

367	Changes in Sleep Difficulties During the Transition to Statutory Retirement. <i>Sleep</i> , 2018 , 41,	1.1	20
366	Self-Rated Health of the Temporary Employees in a Nordic Welfare State: Findings From the Finnish Public Sector Study. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, e106-e111	2	5
365	Relationship transitions and change in health behavior: A four-phase, twelve-year longitudinal study. <i>Social Science and Medicine</i> , 2018 , 209, 152-159	5.1	4
364	The gender gap in accrued pension rights - an indicator of women's accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 417-424	3	3
363	Physical activity level as a predictor of healthy and chronic disease-free life expectancy between ages 50 and 75. <i>Age and Ageing</i> , 2018 , 47, 423-429	3	22
362	Characteristics of Social Networks and Mortality Risk: Evidence From 2 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2018 , 187, 746-753	3.8	12
361	Trajectories of Antidepressant Use before and after the Loss of a Family Member: Evidence from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 246-248	9.4	
360	Association between education and television viewing among older working and retired people: a comparative study of Finland and Japan. <i>BMC Public Health</i> , 2018 , 18, 917	4.1	2
359	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e365-e373	22.4	51
358	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018 , 269, 7-12	3.2	9
357	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018 , 6, 705-713	18.1	61
356	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018 , 113, 1633	4.6	11
355	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 486-493	2.1	20
354	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 239-250	4.3	67
353	Prediction of long-term absence due to sickness in employees: development and validation of a multifactorial risk score in two cohort studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 274-282	4.3	26
352	Association of changes in work shifts and shift intensity with change in fatigue and disturbed sleep: a within-subject study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 394-402	4.3	26
351	Night work and risk of common mental disorders: analyzing observational data as a non-randomized pseudo trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 512-520	4.3	8
350	Clustering of job strain, effort-reward imbalance, and organizational injustice and the risk of work disability: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 485-495	4.3	30

349	Sickness absence in a re-employment program as a predictor of labor market attachment among long-term unemployed individuals: A 6-year cohort study in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 496-502	4.3	1
348	Use of pain medication before and after lumbar discectomy: longitudinal analysis of a nation-wide cohort. <i>Minerva Surgery</i> , 2018 , 73, 280-287	0.1	
347	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 61-67	5.1	5
346	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimeris and Dementia</i> , 2018 , 14, 601-609	1.2	163
345	Use of pain medication before and after inpatient musculoskeletal rehabilitation: longitudinal analysis of a nationwide cohort. <i>International Journal of Rehabilitation Research</i> , 2018 , 41, 159-165	1.8	1
344	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018 , 61, 75-83	10.3	44
343	Classification and Processing of 24-Hour Wrist Accelerometer Data. <i>Journal for the Measurement of Physical Behaviour</i> , 2018 , 1, 51-59	2.3	9
342	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e545-e554	22.4	47
341	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. <i>PLoS ONE</i> , 2018 , 13, e0203433	3.7	6
340	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e490-e497	22.4	138
339	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017 , 230, 222-227	3.2	18
338	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , 2017 , 41, 769-775	5.5	59
337	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017 , 47, 1342-1356	6.9	195
336	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017 , 46, 1277-1284	7.8	8
335	Organizational Justice and Collaboration Among Nurses as Correlates of Violent Assaults by Patients in Psychiatric Care. <i>Psychiatric Services</i> , 2017 , 68, 490-496	3.3	12
334	Validity of self-reported exposure to shift work. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 228-230		35
333	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017 , 112, 1163-1170	4.6	21
332	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease: A Multicohort Study of 90,164 Individuals. <i>Epidemiology</i> , 2017 , 28, 619-626	3.1	161

331	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, 114-119	2	18
330	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , 2017 , 45, 178-184	3	18
329	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , 2017 , 2, e277-e285	22.4	214
328	Social networks and patterns of health risk behaviours over two decades: A multi-cohort study. <i>Journal of Psychosomatic Research</i> , 2017 , 99, 45-58	4.1	2
327	Organisational justice protects against the negative effect of workplace violence on teachers' sleep: a longitudinal cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 511-516	2.1	19
326	Long-term adolescent multi-site musculoskeletal pain is associated with psychological distress and anxiety. <i>Journal of Psychosomatic Research</i> , 2017 , 93, 28-32	4.1	15
325	Chronic diseases as predictors of labour market attachment after participation in subsidised re-employment programme: a 6-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 1101-1106	5.1	0
324	Development and validation of a risk prediction model for work disability: multicohort study. <i>Scientific Reports</i> , 2017 , 7, 13578	4.9	16
323	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017 , 7, 9282	4.9	29
322	Change in Eagonist use after severe life events in adults with asthma: A population-based cohort study: Life events and bronchodilator usage among adults with asthma. <i>Journal of Psychosomatic Research</i> , 2017 , 100, 46-52	4.1	1
321	Does retirement benefit health?. <i>Preventive Medicine</i> , 2017 , 100, 294-295	4.3	9
320	Diabetes and risk of occupational injury: a cohort study. <i>Diabetic Medicine</i> , 2017 , 34, 1629-1636	3.5	3
319	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 95, 28-36	5.2	45
318	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 659-666	2.1	20
317	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017 , 40,	1.1	19
316	Salivary cortisol and alpha-amylase: Is there consistency between psychosocial stress test and burdensome work shifts?. <i>Journal of Occupational and Environmental Hygiene</i> , 2017 , 14, 1003-1010	2.9	1
315	Change in body mass index during transition to statutory retirement: an occupational cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 85	8.4	11
314	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017 , 186, 709-718	3.8	16

313	Trends in work disability with mental diagnoses among social workers in Finland and Sweden in 2005-2012. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 644-654	5.1	14
312	Common Genetic Variation Near Melatonin Receptor 1A Gene Linked to Job-Related Exhaustion in Shift Workers. <i>Sleep</i> , 2017 , 40,	1.1	18
311	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017 , 38, 2621-2628	9.5	49
310	Patient Aggression and the Wellbeing of Nurses: A Cross-Sectional Survey Study in Psychiatric and Non-Psychiatric Settings. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	41
309	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 5-14	4.3	23
308	Length of sickness absence and sustained return-to-work in mental disorders and musculoskeletal diseases: a cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 358-366	4.3	26
307	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 426-435	4.3	28
306	Contribution of risk factors to excess mortality in isolated and lonely individuals: an analysis of data from the UK Biobank cohort study. <i>Lancet Public Health</i> , 2017 , 2, e260-e266	22.4	154
305	Changes in Sleep Duration During Transition to Statutory Retirement: A Longitudinal Cohort Study. <i>Sleep</i> , 2017 , 40,	1.1	21
304	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , 2016 , 31, 177-85	12.1	43
303	Association Between Distance From Home to Tobacco Outlet and Smoking Cessation and Relapse. <i>JAMA Internal Medicine</i> , 2016 , 176, 1512-1519	11.5	34
302	Effectiveness of legislative changes obligating notification of prolonged sickness absence and assessment of remaining work ability on return to work and work participation: a natural experiment in Finland. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 42-50	2.1	15
301	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. <i>Sleep</i> , 2016 , 39, 1709-18	1.1	41
300	Change in Neighborhood Disadvantage and Change in Smoking Behaviors in Adults: A Longitudinal, Within-individual Study. <i>Epidemiology</i> , 2016 , 27, 803-9	3.1	13
299	Changes in physical activity during transition to retirement: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 51	8.4	50
298	Somatic symptoms of anxiety and nonadherence to statin therapy. <i>International Journal of Cardiology</i> , 2016 , 214, 493-9	3.2	15
297	Predictors of first-year statin medication discontinuation: A cohort study. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 987-995	4.9	19
296	Response to letter "Do all hypnotic drugs and sedatives have risk for cancer?". <i>Sleep Medicine</i> , 2016 , 20, 171	4.6	

295	Clustering of adversity in young adults on disability pension due to mental disorders: a latent class analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 281-7	4.5	13
294	Structural and functional aspects of social support as predictors of mental and physical health trajectories: Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 710-5	5.1	62
293	Health- and work-related predictors of work disability among employees with a cardiometabolic disease--A cohort study. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 41-47	4.1	18
292	Association of Job Strain With Cortisol and Alpha-Amylase Among Shift-Working Health Care Professionals in Laboratory and Field. <i>Biological Research for Nursing</i> , 2016 , 18, 101-12	2.6	9
291	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 84-90	3	7
290	Purchases of Prescription Antidepressants in the Swedish Population in Relation to Major Workplace Downsizing. <i>Epidemiology</i> , 2016 , 27, 257-64	3.1	13
289	Organizational justice and disability pension from all-causes, depression and musculoskeletal diseases: A Finnish cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 395-404	4.3	21
288	Attachment to employment and education before work disability pension due to a mental disorder among young adults. <i>BMC Psychiatry</i> , 2016 , 16, 143	4.2	6
287	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016 , 33, 208-17	3.5	10
286	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 125-31	5.1	6
285	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1260-1270	7.8	64
284	Socioeconomic Inequalities in Statin Adherence Under Universal Coverage: Does Sex Matter?. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 704-713	5.8	18
283	Antidepressant use and work-related injuries. <i>Psychological Medicine</i> , 2016 , 46, 1391-9	6.9	1
282	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016 , 114, 813-8	8.7	12
281	Hospital Admissions Before an Alcohol-Related Death Among Middle-Aged Employed Men and Women: A Cohort Study Using Routine Data. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 2161-2168	3.7	1
280	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016 , 188, E447-E455	5.5	29
279	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 27-34	18.1	141
278	Comorbidity and functional trajectories from midlife to old age: the Health and Retirement Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 332-8	6.4	90

277	Use of sleep medications and risk of cancer: a matched case-control study. <i>Sleep Medicine</i> , 2015 , 16, 1552-5	4.5	15
276	Length of sick leave as a risk marker of hip fracture: a nationwide cohort study from Sweden. <i>Osteoporosis International</i> , 2015 , 26, 943-9	5.3	4
275	Return to work after depression-related absence by employees with and without other health conditions: a cohort study. <i>Psychosomatic Medicine</i> , 2015 , 77, 126-35	3.7	24
274	Patterns of weight gain in middle-aged and older US adults, 1992-2010. <i>Epidemiology</i> , 2015 , 26, 165-8	3.1	28
273	Childhood Psychosocial Adversity and Adult Neighborhood Disadvantage as Predictors of Cardiovascular Disease: A Cohort Study. <i>Circulation</i> , 2015 , 132, 371-9	16.7	51
272	Impact of Statin Adherence on Cardiovascular Morbidity and All-Cause Mortality in the Primary Prevention of Cardiovascular Disease: A Population-Based Cohort Study in Finland. <i>Value in Health</i> , 2015 , 18, 896-905	3.3	37
271	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet, The</i> , 2015 , 386, 1739-46	4.0	368
270	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015 , 25, 650-5	2.1	36
269	School neighbourhood socio-economic status and teachers' work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , 2015 , 21, 131-149	2	7
268	Socioeconomic and psychosocial adversity in midlife and depressive symptoms post retirement: a 21-year follow-up of the Whitehall II study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 99-109.e1	6.5	22
267	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015 , 32, 1335-41	3.5	7
266	Childhood adversity as a predictor of non-adherence to statin therapy in adulthood. <i>PLoS ONE</i> , 2015 , 10, e0127638	3.7	11
265	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. <i>PLoS ONE</i> , 2015 , 10, e0130901	3.7	10
264	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015 , 10, e0143184	3.7	12
263	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015 , 44, 1027-37	7.8	21
262	Incidence and mortality of neurofibromatosis: a total population study in Finland. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 904-906	4.3	119
261	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , 2015 , 46, 557-9	6.7	75
260	Is change in availability of sports facilities associated with change in physical activity? A prospective cohort study. <i>Preventive Medicine</i> , 2015 , 73, 10-4	4.3	24

259	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015 , 350, g7772	5.9	102
258	Job Contract at Birth of the First Child as a Predictor of Women's Labor Market Attachment: Trajectory Analyses over 11 Years. <i>Nordic Journal of Working Life Studies</i> , 2015 , 5, 9	1	6
257	Developing register-based measures for assessment of working time patterns for epidemiologic studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 268-79	4.3	61
256	Is temporary employment a risk factor for work disability due to depressive disorders and delayed return to work? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 343-52	4.3	22
255	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014 , 23, 94-7	5.8	24
254	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 2014 , 37, 2268-75	14.6	131
253	Psychological distress and incidence of type 2 diabetes in high-risk and low-risk populations: the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 2091-7	14.6	35
252	Components of job control and mortality: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 536-42	2.1	11
251	Vertical and horizontal trust at work as predictors of retirement intentions: the Finnish Public Sector Study. <i>PLoS ONE</i> , 2014 , 9, e106956	3.7	4
250	Nine-year trajectory of purchases of prescribed pain medications before and after in-patient interdisciplinary rehabilitation for chronic musculoskeletal disorders: a prospective, cohort, register-based study of 4,365 subjects. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 283-6	3.4	0
249	Work time control and sleep disturbances: prospective cohort study of Finnish public sector employees. <i>Sleep</i> , 2014 , 37, 1217-25	1.1	36
248	Short- and long-term changes in perceived work ability after interdisciplinary rehabilitation of chronic musculoskeletal disorders: prospective cohort study among 854 rehabilitants. <i>Clinical Rehabilitation</i> , 2014 , 28, 592-603	3.3	3
247	Age-related trajectories of physical functioning in work and retirement: the role of sociodemographic factors, lifestyle and disease. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 503-9	5.1	49
246	Job strain and vagal recovery during sleep in shift working health care professionals. <i>Chronobiology International</i> , 2014 , 31, 1179-89	3.6	7
245	Association of physical activity with future mental health in older, mid-life and younger women. <i>European Journal of Public Health</i> , 2014 , 24, 813-8	2.1	24
244	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014 , 44, 247-51	13.6	9
243	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 775-83	9.3	16
242	The role of psychiatric, cardiometabolic, and musculoskeletal comorbidity in the recurrence of depression-related work disability. <i>Depression and Anxiety</i> , 2014 , 31, 796-803	8.4	16

241	Green and blue areas as predictors of overweight and obesity in an 8-year follow-up study. <i>Obesity</i> , 2014 , 22, 1910-7	8	40
240	Association of the availability of beer, wine, and liquor outlets with beverage-specific alcohol consumption: a cohort study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1086-93	3.7	12
239	Lifestyle factors as predictors of nonadherence to statin therapy among patients with and without cardiovascular comorbidities. <i>Cmaj</i> , 2014 , 186, E449-56	3.5	25
238	Adverse experiences in childhood, adulthood neighbourhood disadvantage and health behaviours. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 741-6	5.1	14
237	Proximity to a tobacco store and smoking cessation: a cohort study. <i>Tobacco Control</i> , 2014 , 23, 146-51	5.3	51
236	Optimism and pessimism as predictors of initiating and ending an antidepressant medication treatment. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 1-7	2.3	3
235	Association between exposure to work stressors and cognitive performance. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 354-60	2	12
234	Extending employment beyond the pensionable age: a cohort study of the influence of chronic diseases, health risk factors, and working conditions. <i>PLoS ONE</i> , 2014 , 9, e88695	3.7	55
233	Job strain and the risk of inflammatory bowel diseases: individual-participant meta-analysis of 95,000 men and women. <i>PLoS ONE</i> , 2014 , 9, e88711	3.7	14
232	Self-rated health in the last 12 years of life compared to matched surviving controls: the Health and Retirement Study. <i>PLoS ONE</i> , 2014 , 9, e107879	3.7	27
231	Effort-reward imbalance as a risk factor for disability pension: the Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 266-77	4.3	53
230	Associations of traffic noise with self-rated health and psychotropic medication use. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 235-43	4.3	27
229	Genome-wide scan of job-related exhaustion with three replication studies implicate a susceptibility variant at the UST gene locus. <i>Human Molecular Genetics</i> , 2013 , 22, 3363-72	5.6	10
228	Perceived organizational justice as a predictor of long-term sickness absence due to diagnosed mental disorders: results from the prospective longitudinal Finnish Public Sector Study. <i>Social Science and Medicine</i> , 2013 , 91, 39-47	5.1	51
227	Proximity of off-premise alcohol outlets and heavy alcohol consumption: a cohort study. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 295-300	4.9	24
226	Living in proximity of a bar and risky alcohol behaviours: a longitudinal study. <i>Addiction</i> , 2013 , 108, 320-8	4.6	27
225	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013 , 347, f4746	5.9	133
224	Adherence to antihypertensive therapy prior to the first presentation of stroke in hypertensive adults: population-based study. <i>European Heart Journal</i> , 2013 , 34, 2933-9	9.5	56

223	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	6
222	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , 2013 , 346, f165	5.9	82
221	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013 , 34, 2697-705	9.5	70
220	Social Capital in Schools 2013 , 65-85		8
219	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013 , 185, 763-9	3.5	81
218	Trait anxiety levels before and after antidepressant treatment: a 3-wave cohort study. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 371-7	1.7	5
217	Influence of retirement on nonadherence to medication for hypertension and diabetes. <i>Cmaj</i> , 2013 , 185, E784-90	3.5	19
216	Association of job strain with working hours, shift-dependent perceived workload, sleepiness and recovery. <i>Ergonomics</i> , 2013 , 56, 1640-51	2.9	28
215	Does transfer of work from a public sector organisation to a commercial enterprise without staff reductions increase risk of long-term sickness absence among the staff? A cohort study of laboratory and radiology employees. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 585-7	2.1	5
214	Psychosocial factors and well-being among Finnish GPs and specialists: a 10-year follow-up. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 246-51	2.1	16
213	Organizational justice, sickness absence and employee age. <i>Journal of Managerial Psychology</i> , 2013 , 28, 805-825	3.3	23
212	Socioeconomic characteristics of residential areas and risk of death: is variation in spatial units for analysis a source of heterogeneity in observed associations?. <i>BMJ Open</i> , 2013 , 3,	3	21
211	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 3-8	2.1	55
210	Socioeconomic inequalities in common mental disorders and psychotherapy treatment in the UK between 1991 and 2009. <i>British Journal of Psychiatry</i> , 2013 , 202, 115-20	5.4	29
209	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , 2013 , 103, 2090-7	5.1	87
208	Effect of depression onset on adherence to medication among hypertensive patients: a longitudinal modelling study. <i>Journal of Hypertension</i> , 2013 , 31, 1477-84; discussion 1484	1.9	21
207	Job strain, sleep and alertness in shift working health care professionals -- a field study. <i>Industrial Health</i> , 2013 , 51, 406-16	2.5	24
206	Workplace determinants of social capital: cross-sectional and longitudinal evidence from a Finnish cohort study. <i>PLoS ONE</i> , 2013 , 8, e65846	3.7	22

205	Obesity and occupational injury: a prospective cohort study of 69,515 public sector employees. <i>PLoS ONE</i> , 2013 , 8, e77178	3.7	38
204	Depression-related work disability: socioeconomic inequalities in onset, duration and recurrence. <i>PLoS ONE</i> , 2013 , 8, e79855	3.7	42
203	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	3
202	Does perceived work ability improve after a multidisciplinary preventive program in a population with no severe medical problems? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 57-65	4.3	10
201	Do obesity and sleep problems cluster in the workplace? A multivariate, multilevel study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 276-283	4.3	5
200	Workplace Social Capital and Health 2013 , 23-63		15
199	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012 , 272, 65-73	10.8	115
198	Work-related violence, lifestyle, and health among special education teachers working in Finnish basic education. <i>Journal of School Health</i> , 2012 , 82, 336-43	2.1	16
197	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012 , 12, 62	4.1	110
196	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012 , 380, 1491-7	4.0	606
195	Childhood adversities and adult-onset asthma: a cohort study. <i>BMJ Open</i> , 2012 , 2,	3	8
194	Long working hours and coronary heart disease: a systematic review and meta-analysis. <i>American Journal of Epidemiology</i> , 2012 , 176, 586-96	3.8	182
193	Insomnia symptoms as a predictor of incident treatment for depression: prospective cohort study of 40,791 men and women. <i>Sleep Medicine</i> , 2012 , 13, 278-84	4.6	46
192	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: a multilevel analysis. <i>Journal of School Psychology</i> , 2012 , 50, 347-61	4.5	11
191	School environment as predictor of teacher sick leave: data-linked prospective cohort study. <i>BMC Public Health</i> , 2012 , 12, 770	4.1	22
190	Can usefulness of performance appraisal interviews change organizational justice perceptions? A 4-year longitudinal study among public sector employees. <i>International Journal of Human Resource Management</i> , 2012 , 23, 1360-1375	3.6	21
189	Quantifying neighbourhood socioeconomic effects in clustering of behaviour-related risk factors: a multilevel analysis. <i>PLoS ONE</i> , 2012 , 7, e32937	3.7	59
188	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , 2012 , 7, e35463	3.7	81

187	Environmental stress affects DNA methylation of a CpG rich promoter region of serotonin transporter gene in a nurse cohort. <i>PLoS ONE</i> , 2012 , 7, e45813	3.7	74
186	Effectiveness of multidisciplinary early rehabilitation in reducing behaviour-related risk factors. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 370-7	3.4	4
185	Using repeated measures of sleep disturbances to predict future diagnosis-specific work disability: a cohort study. <i>Sleep</i> , 2012 , 35, 559-69	1.1	17
184	Associations between nighttime traffic noise and sleep: the Finnish public sector study. <i>Environmental Health Perspectives</i> , 2012 , 120, 1391-6	8.4	59
183	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 552-6	5.1	18
182	Effect of a multidisciplinary rehabilitation programme on perceived health among employees at increased risk of incapacity for work: a controlled study. <i>Clinical Rehabilitation</i> , 2012 , 26, 513-22	3.3	4
181	Job strain and the risk of disability pension due to musculoskeletal disorders, depression or coronary heart disease: a prospective cohort study of 69,842 employees. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 574-81	2.1	61
180	Authors' response to: Can information on life stress improve CHD risk prediction in clinical practice?. <i>International Journal of Epidemiology</i> , 2012 , 41, 324-326	7.8	78
179	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 155-9	5.1	44
178	Differential associations of job control components with mortality: a cohort study, 1986-2005. <i>American Journal of Epidemiology</i> , 2012 , 175, 609-19	3.8	16
177	Social participation and maintaining recommended waist circumference: prospective evidence from the English Longitudinal Study of Aging. <i>Journal of Aging and Health</i> , 2012 , 24, 250-68	2.6	8
176	Job strain as a risk factor for leisure-time physical inactivity: an individual-participant meta-analysis of up to 170,000 men and women: the IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 1078-89	3.8	153
175	Response to invited commentary: Joensuu et al. respond to "Structure and context matters". <i>American Journal of Epidemiology</i> , 2012 , 175, 625-6	3.8	4
174	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012 , 2, e000657	3	35
173	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012 , 22, 215-9	2.1	13
172	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012 , 22, 514-8	2.1	68
171	Trajectories of sleep complaints from early midlife to old age: longitudinal modeling study. <i>Sleep</i> , 2012 , 35, 1559-68	1.1	11
170	Organizational justice in primary-care health centers and glycemic control in patients with type 2 diabetes. <i>Medical Care</i> , 2012 , 50, 831-5	3.1	15

169	Workplace social capital and risk of chronic and severe hypertension: a cohort study. <i>Journal of Hypertension</i> , 2012 , 30, 1129-36	1.9	36
168	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012 , 2, e000522	3	38
167	Waterborne outbreak of gastroenteritis: effects on sick leaves and cost of lost workdays. <i>PLoS ONE</i> , 2012 , 7, e33307	3.7	15
166	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , 2012 , 7, e40101	3.7	74
165	Implementation of workplace-based smoking cessation support activities and smoking cessation among employees: the Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2012 , 102, e56-62	5.1	12
164	Effectiveness of multidisciplinary primary prevention in decreasing the risk of work disability in a low-risk population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 27-37	4.3	13
163	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 47-55	4.3	30
162	Health risk behaviors and morbidity among hospital staff--comparison across hospital ward medical specialties in a study of 21 Finnish hospitals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 228-37	4.3	11
161	Pupils with special educational needs in basic education schools and teachers' sickness absences--a register-linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 209-17	4.3	13
160	Antidepressant medication use and risk of hyperglycemia and diabetes mellitus: a noncausal association?. <i>Biological Psychiatry</i> , 2011 , 70, 978-84	7.9	42
159	Early retirement from work among employees with a diagnosis of personality disorder compared to anxiety and depressive disorders. <i>European Psychiatry</i> , 2011 , 26, 18-22	6	13
158	Predictive factors of future participation in rehabilitation in the working population: the Finnish public sector study. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 404-10	3.4	12
157	Retirement reduces antihypertensive medication adherence among hypertensive men and women. <i>Occupational and Environmental Medicine</i> , 2011 , 68, A52-A52	2.1	
156	Negative aspects of close relationships as a predictor of increased body mass index and waist circumference: the Whitehall II study. <i>American Journal of Public Health</i> , 2011 , 101, 1474-80	5.1	33
155	Workplace social capital and all-cause mortality: a prospective cohort study of 28,043 public-sector employees in Finland. <i>American Journal of Public Health</i> , 2011 , 101, 1742-8	5.1	49
154	Is retirement beneficial for mental health?: antidepressant use before and after retirement. <i>Epidemiology</i> , 2011 , 22, 553-9	3.1	87
153	Using additional information on working hours to predict coronary heart disease: a cohort study. <i>Annals of Internal Medicine</i> , 2011 , 154, 457-63	8	61
152	Overcrowding in psychiatric wards and physical assaults on staff: data-linked longitudinal study. <i>British Journal of Psychiatry</i> , 2011 , 198, 149-55	5.4	40

151	Persistent asthma, comorbid conditions and the risk of work disability: a prospective cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1598-603	9.3	36
150	Organizational justice at school and its associations with pupils' psychosocial school environment, health, and wellbeing. <i>Social Science and Medicine</i> , 2011 , 73, 1675-82	5.1	26
149	Optimism and pessimism as predictors of work disability with a diagnosis of depression: a prospective cohort study of onset and recovery. <i>Journal of Affective Disorders</i> , 2011 , 130, 294-9	6.6	24
148	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011 , 20, 69-79	3.7	48
147	Socio-economic differences in long-term psychiatric work disability: prospective cohort study of onset, recovery and recurrence. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 791-8	2.1	65
146	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 729-33	2.1	13
145	Does adding information on job strain improve risk prediction for coronary heart disease beyond the standard Framingham risk score? The Whitehall II study. <i>International Journal of Epidemiology</i> , 2011 , 40, 1577-84	7.8	15
144	Low level of optimism predicts initiation of psychotherapy for depression: results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 238-44	9.4	12
143	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011 , 41, 2485-94	6.9	162
142	Influence of retirement and work stress on headache prevalence: a longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011 , 31, 696-705	6.1	29
141	Effect of participative intervention on organisational justice perceptions: a quasi-experimental study on Finnish public sector employees. <i>International Journal of Human Resource Management</i> , 2011 , 22, 706-721	3.6	11
140	Stressful life events and the onset of asthma. <i>European Respiratory Journal</i> , 2011 , 37, 1360-5	13.6	51
139	Sleep disturbances and cause-specific mortality: Results from the GAZEL cohort study. <i>American Journal of Epidemiology</i> , 2011 , 173, 300-9	3.8	121
138	Living alone and alcohol-related mortality: a population-based cohort study from Finland. <i>PLoS Medicine</i> , 2011 , 8, e1001094	11.6	30
137	Workplace social capital and adherence to antihypertensive medication: a cohort study. <i>PLoS ONE</i> , 2011 , 6, e24732	3.7	16
136	Effect of retirement on alcohol consumption: longitudinal evidence from the French Gazel cohort study. <i>PLoS ONE</i> , 2011 , 6, e26531	3.7	49
135	Psychosocial Factors at Work: The Epidemiological Perspective 2011 , 195-209		1
134	Sleep disturbances as a predictor of occupational injuries among public sector workers. <i>Journal of Sleep Research</i> , 2010 , 19, 207-13	5.8	71

133	Antidepressant medication use, weight gain, and risk of type 2 diabetes: a population-based study. <i>Diabetes Care</i> , 2010 , 33, 2611-6	14.6	136
132	Childhood adversities as predictors of incident coronary heart disease and cerebrovascular disease. <i>Heart</i> , 2010 , 96, 298-303	5.1	90
131	School neighborhood disadvantage as a predictor of long-term sick leave among teachers: prospective cohort study. <i>American Journal of Epidemiology</i> , 2010 , 171, 785-92	3.8	20
130	Organisational justice and markers of inflammation: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 78-83	2.1	46
129	Employee control over working times and risk of cause-specific disability pension: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 479-85	2.1	53
128	Justice at work and metabolic syndrome: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 256-62	2.1	40
127	Do pre-employment influences explain the association between psychosocial factors at work and coronary heart disease? The Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 330-4	2.1	17
126	Is shift work a risk factor for rheumatoid arthritis? The Finnish Public Sector study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 779-80	2.4	38
125	Prospective study of workplace social capital and depression: are vertical and horizontal components equally important?. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 684-9	5.1	91
124	Psychosocial work environment as a risk factor for absence with a psychiatric diagnosis: an instrumental-variables analysis. <i>American Journal of Epidemiology</i> , 2010 , 172, 167-72	3.8	45
123	Antidepressant use before and after the diagnosis of type 2 diabetes: a longitudinal modeling study. <i>Diabetes Care</i> , 2010 , 33, 1471-6	14.6	39
122	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 311-7	5.1	41
121	Sense of coherence and psychiatric morbidity: a 19-year register-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 255-61	5.1	23
120	Locality differences of sickness absence in the context of health and social conditions of the inhabitants. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 309-16	3	7
119	Does sickness absence due to psychiatric disorder predict cause-specific mortality? A 16-year follow-up of the GAZEL occupational cohort study. <i>American Journal of Epidemiology</i> , 2010 , 172, 700-7	3.8	32
118	Does organisational justice protect from sickness absence following a major life event? A Finnish public sector study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 470-2	5.1	16
117	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 461-4	5.1	21
116	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2010 , 31, 1737-44	9.5	119

115	Employment trajectories and changes in sense of coherence. <i>European Journal of Public Health</i> , 2010 , 20, 293-8	2.1	21
114	Low pessimism protects against stroke: the Health and Social Support (HeSSup) prospective cohort study. <i>Stroke</i> , 2010 , 41, 187-90	6.7	40
113	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ, The</i> , 2010 , 341, c6149	5.9	142
112	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010 , 96, 1645-50	5.1	43
111	Allergic rhinitis alone or with asthma is associated with an increased risk of sickness absences. <i>Respiratory Medicine</i> , 2010 , 104, 1654-8	4.6	16
110	Self-report as an indicator of incident disease. <i>Annals of Epidemiology</i> , 2010 , 20, 547-54	6.4	108
109	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010 , 39, 1016-24	7.8	50
108	Association of contractual and subjective job insecurity with sickness presenteeism among public sector employees. <i>Journal of Occupational and Environmental Medicine</i> , 2010 , 52, 830-5	2	44
107	From midlife to early old age: health trajectories associated with retirement. <i>Epidemiology</i> , 2010 , 21, 284-90	3.1	110
106	Sleep disturbances as a predictor of cause-specific work disability and delayed return to work. <i>Sleep</i> , 2010 , 33, 1323-31	1.1	88
105	Unemployment, depressiveness and disability retirement: a follow-up study of the Finnish HeSSup population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 259-64	4.5	31
104	Psychosocial work environment and hospital admissions due to mental disorders: a 15-year prospective study of industrial employees. <i>Journal of Affective Disorders</i> , 2010 , 124, 118-25	6.6	29
103	Childhood adversities, adulthood life events and depression. <i>Journal of Affective Disorders</i> , 2010 , 127, 130-8	6.6	60
102	Patient overcrowding in hospital wards as a predictor of diagnosis-specific mental disorders among staff: a 2-year prospective cohort study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1308-12	4.6	13
101	A comparison of two multidisciplinary inpatient rehabilitation programmes for fibromyalgia: a register linkage study on work disability. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 66-72	3.4	13
100	Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. <i>International Journal of Epidemiology</i> , 2009 , 38, 1265-71	7.8	41
99	Sickness absence trends during and after long-term psychotherapy and antidepressant medication among depressive employees. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 130-2	9.4	5
98	Increased risk of lost workdays prior to the diagnosis of sleep apnea. <i>Chest</i> , 2009 , 136, 130-136	5.3	43

97	Staff reports of psychosocial climate at school and adolescents' health, truancy and health education in Finland. <i>European Journal of Public Health</i> , 2009 , 19, 554-60	2.1	41
96	Engagement in cultural activities and cause-specific mortality: prospective cohort study. <i>Preventive Medicine</i> , 2009 , 49, 142-7	4.3	53
95	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , 2009 , 374, 1889-96	4.0	223
94	Using sickness absence records to predict future depression in a working population: prospective findings from the GAZEL cohort. <i>American Journal of Public Health</i> , 2009 , 99, 1417-22	5.1	24
93	Long working hours and sleep disturbances: the Whitehall II prospective cohort study. <i>Sleep</i> , 2009 , 32, 737-45	1.1	178
92	Effect of retirement on sleep disturbances: the GAZEL prospective cohort study. <i>Sleep</i> , 2009 , 32, 1459-66.	1	82
91	Work hours, work stress, and collaboration among ward staff in relation to risk of hospital-associated infection among patients. <i>Medical Care</i> , 2009 , 47, 310-8	3.1	62
90	Organizational justice and sleeping problems: The Whitehall II study. <i>Psychosomatic Medicine</i> , 2009 , 71, 334-40	3.7	55
89	Long working hours and cognitive function: the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009 , 169, 596-605	3.8	78
88	Work-place social capital and smoking cessation: the Finnish Public Sector Study. <i>Addiction</i> , 2008 , 103, 1857-65	4.6	56
87	Trends in self-reported sleep duration and insomnia-related symptoms in Finland from 1972 to 2005: a comparative review and re-analysis of Finnish population samples. <i>Journal of Sleep Research</i> , 2008 , 17, 54-62	5.8	177
86	Temporary employment and antidepressant medication: a register linkage study. <i>Journal of Psychiatric Research</i> , 2008 , 42, 221-9	5.2	36
85	Social capital at work as a predictor of employee health: multilevel evidence from work units in Finland. <i>Social Science and Medicine</i> , 2008 , 66, 637-49	5.1	120
84	Occupational burnout and medically certified sickness absence: a population-based study of Finnish employees. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 185-93	4.1	101
83	Low organisational justice and heavy drinking: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 44-50	2.1	43
82	Employment trajectory as determinant of change in health-related lifestyle: the prospective HeSSup study. <i>European Journal of Public Health</i> , 2008 , 18, 504-8	2.1	71
81	Low workplace social capital as a predictor of depression: the Finnish Public Sector Study. <i>American Journal of Epidemiology</i> , 2008 , 167, 1143-51	3.8	142
80	Social support, network heterogeneity, and smoking behavior in women: the 10-town study. <i>American Journal of Health Promotion</i> , 2008 , 22, 246-55	2.5	28

79	Overcrowding in hospital wards as a predictor of antidepressant treatment among hospital staff. <i>American Journal of Psychiatry</i> , 2008 , 165, 1482-6	11.9	52
78	Lack of predictability at work and risk of acute myocardial infarction: an 18-year prospective study of industrial employees. <i>American Journal of Public Health</i> , 2008 , 98, 2264-71	5.1	35
77	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ, The</i> , 2008 , 337, a1469	5.9	100
76	Effects on blood pressure do not explain the association between organizational justice and coronary heart disease in the Whitehall II study. <i>Psychosomatic Medicine</i> , 2008 , 70, 1-6	3.7	15
75	Hypertension is not the link between job strain and coronary heart disease in the Whitehall II study. <i>American Journal of Hypertension</i> , 2007 , 20, 1146-53	2.3	19
74	Allocation of rehabilitation measures provided by the Social Insurance Institution in Finland: a register linkage study. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 198-204	2.2	8
73	BMI, obesity, and sickness absence in the Whitehall II study. <i>Obesity</i> , 2007 , 15, 1554-64	8	51
72	What degree of work overload is likely to cause increased sickness absenteeism among nurses? Evidence from the RAFAELA patient classification system. <i>Journal of Advanced Nursing</i> , 2007 , 57, 286-95 ^{3.1}		69
71	Team climate, intention to leave and turnover among hospital employees: prospective cohort study. <i>BMC Health Services Research</i> , 2007 , 7, 170	2.9	54
70	Average household income, crime, and smoking behaviour in a local area: the Finnish 10-Town study. <i>Social Science and Medicine</i> , 2007 , 64, 1904-13	5.1	35
69	The effect of pre-employment factors on job control, job strain and psychological distress: a 31-year longitudinal study. <i>Social Science and Medicine</i> , 2007 , 65, 187-99	5.1	25
68	Effort-reward imbalance, procedural injustice and relational injustice as psychosocial predictors of health: complementary or redundant models?. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 659-65 ^{2.1}		146
67	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 915-20	5.1	64
66	Organisational justice and smoking: the Finnish Public Sector Study. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 427-33	5.1	31
65	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 154-8	5.1	66
64	Outcome of stable angina in a working population: the burden of sickness absence. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 373-9		19
63	Neighbourhood socioeconomic status, health and working conditions of school teachers. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 326-30	5.1	20
62	Childhood adversities as a predictor of disability retirement. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 479-84	5.1	84

61	Liability to anxiety and severe life events as predictors of new-onset sleep disturbances. <i>Sleep</i> , 2007 , 30, 1537-46	1.1	69
60	Socioeconomic position, co-occurrence of behavior-related risk factors, and coronary heart disease: the Finnish Public Sector study. <i>American Journal of Public Health</i> , 2007 , 97, 874-9	5.1	122
59	Job strain and adverse health behaviors: the Finnish Public Sector Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 68-74	2	67
58	Early risk factors, job strain, and atherosclerosis among men in their 30s: the Cardiovascular Risk in Young Finns Study. <i>American Journal of Public Health</i> , 2007 , 97, 450-2	5.1	15
57	KIVIMÄKI ET AL. RESPOND. <i>American Journal of Public Health</i> , 2007 , 97, 1928-1929	5.1	78
56	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007 , 37, 373-82	6.9	74
55	Job strain and psychologic distress influence on sickness absence among Finnish employees. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 182-7	6.1	88
54	Effort-reward imbalance and relational injustice at work predict sickness absence: the Whitehall II study. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 433-40	4.1	111
53	Structural validity and temporal stability of the 13-item sense of coherence scale: prospective evidence from the population-based HeSSup study. <i>Quality of Life Research</i> , 2007 , 16, 483-93	3.7	116
52	Injustice at work and health: causation, correlation or cause for action?. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 428	2.1	5
51	Effort-reward imbalance at work and the co-occurrence of lifestyle risk factors: cross-sectional survey in a sample of 36,127 public sector employees. <i>BMC Public Health</i> , 2006 , 6, 24	4.1	48
50	Psychometric evaluation of a short measure of social capital at work. <i>BMC Public Health</i> , 2006 , 6, 251	4.1	114
49	The Working Conditions and Health of Non-Permanent Employees: Are There Differences between Private and Public Labour Markets?. <i>Economic and Industrial Democracy</i> , 2006 , 27, 39-65	1.1	16
48	Influence of change in psychosocial work characteristics on sickness absence: The Whitehall II Study. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 55-61	5.1	80
47	Justice at work and cardiovascular mortality: a prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 271-4	4.1	87
46	Sleep disturbances as a predictor of long-term increase in sickness absence among employees after family death or illness. <i>Sleep</i> , 2006 , 29, 673-82	1.1	49
45	Sex differences in health effects of family death or illness: are women more vulnerable than men?. <i>Psychosomatic Medicine</i> , 2006 , 68, 283-91	3.7	19
44	Why is evidence on job strain and coronary heart disease mixed? An illustration of measurement challenges in the Whitehall II study. <i>Psychosomatic Medicine</i> , 2006 , 68, 398-401	3.7	56

43	Prevalent cardiovascular disease, risk factors and selection out of shift work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 204-8	4.3	35
42	Work stress in the etiology of coronary heart disease--a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 431-42	4.3	55 ^o
41	Sources of social support as determinants of psychiatric morbidity after severe life events: prospective cohort study of female employees. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 459-67	4.1	3 ^o
40	Job strain and leisure-time physical activity in female and male public sector employees. <i>Preventive Medicine</i> , 2005 , 41, 532-9	4.3	9 ^o
39	Temporary employment and health: a review. <i>International Journal of Epidemiology</i> , 2005 , 34, 610-22	7.8	48 ²
38	Working while ill as a risk factor for serious coronary events: the Whitehall II study. <i>American Journal of Public Health</i> , 2005 , 95, 98-102	5.1	168
37	Job strain, effort-reward imbalance, and heavy drinking: a study in 40,851 employees. <i>Journal of Occupational and Environmental Medicine</i> , 2005 , 47, 503-13	2	47
36	Relationship between work stress and body mass index among 45,810 female and male employees. <i>Psychosomatic Medicine</i> , 2005 , 67, 577-83	3.7	137
35	Justice at work and reduced risk of coronary heart disease among employees: the Whitehall II Study. <i>Archives of Internal Medicine</i> , 2005 , 165, 2245-51		18 ^o
34	Optimism and pessimism as predictors of change in health after death or onset of severe illness in family. <i>Health Psychology</i> , 2005 , 24, 413-21	5	8 ^o
33	Associations of social support and sex life--the HeSSup Study. <i>Patient Education and Counseling</i> , 2005 , 58, 71-81	3.1	4
32	Alcohol and coronary heart disease risk--is there an unknown confounder?. <i>Addiction</i> , 2005 , 100, 1150-7	4.6	11
31	Psychosocial work characteristics and incidence of newly diagnosed depression: a prospective cohort study of three different models. <i>Social Science and Medicine</i> , 2005 , 61, 111-22	5.1	168
30	Combined effects of uncertainty and organizational justice on employee health: testing the uncertainty management model of fairness judgments among Finnish public sector employees. <i>Social Science and Medicine</i> , 2005 , 61, 2501-12	5.1	99
29	Childhood adversities, adult risk factors and depressiveness: a population study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 700-6	4.5	53
28	Organisational downsizing as a predictor of disability pension: the 10-town prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 238-42	5.1	32
27	Labor market trajectories and health: a four-year follow-up study of initially fixed-term employees. <i>American Journal of Epidemiology</i> , 2005 , 161, 840-6	3.8	6 ^o
26	Lifecourse socioeconomic position, C-reactive protein, and carotid intima-media thickness in young adults: the cardiovascular risk in Young Finns Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2197-202	9.4	72

25	Work stress, smoking status, and smoking intensity: an observational study of 46,190 employees. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 63-9	5.1	176
24	Employee worktime control moderates the effects of job strain and effort-reward imbalance on sickness absence: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 851-7	5.1	110
23	Sickness absence as a risk marker of future disability pension: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 710-1	5.1	125
22	Organisational downsizing, sickness absence, and mortality: 10-town prospective cohort study. <i>BMJ, The</i> , 2004 , 328, 555	5.9	194
21	Job decision latitude, organizational justice and health: multilevel covariance structure analysis. <i>Social Science and Medicine</i> , 2004 , 58, 1659-69	5.1	78
20	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 286-92	4.5	42
19	Organisational justice and change in justice as predictors of employee health: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 931-7	5.1	87
18	The double burden of and negative spillover between paid and domestic work: associations with health among men and women. <i>Women and Health</i> , 2004 , 40, 1-18	1.7	73
17	Sickness absence as a global measure of health: evidence from mortality in the Whitehall II prospective cohort study. <i>BMJ, The</i> , 2003 , 327, 364	5.9	277
16	Social support, early retirement, and a retirement preference: a study of 10,489 Finnish adults. <i>Journal of Occupational and Environmental Medicine</i> , 2003 , 45, 433-9	2	20
15	Sleeping problems and health behaviors as mediators between organizational justice and health. <i>Health Psychology</i> , 2003 , 22, 287-93	5	85
14	Job characteristics, physical and psychological symptoms, and social support as antecedents of sickness absence among men and women in the private industrial sector. <i>Social Science and Medicine</i> , 2003 , 57, 807-24	5.1	155
13	Temporary employment and risk of overall and cause-specific mortality. <i>American Journal of Epidemiology</i> , 2003 , 158, 663-8	3.8	142
12	Work stress and risk of cardiovascular mortality: prospective cohort study of industrial employees. <i>BMJ, The</i> , 2002 , 325, 857	5.9	517
11	Alcohol intake and sickness absence: a curvilinear relation. <i>American Journal of Epidemiology</i> , 2002 , 156, 969-76	3.8	84
10	Organizational justice: evidence of a new psychosocial predictor of health. <i>American Journal of Public Health</i> , 2002 , 92, 105-8	5.1	357
9	Contingent employment, health and sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 365-72	4.3	67
8	Locality and habitus: the origins of sickness absence practices. <i>Social Science and Medicine</i> , 2000 , 50, 27-39	3.1	46

7	Sense of coherence and health: evidence from two cross-lagged longitudinal samples. <i>Social Science and Medicine</i> , 2000 , 50, 583-97	5.1	184
6	Factors underlying the effect of organisational downsizing on health of employees: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2000 , 320, 971-5		282
5	Hostility and ill health: role of psychosocial resources in two contexts of working life. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 89-98	4.1	35
4	Psychosocial factors predicting employee sickness absence during economic decline. <i>Journal of Applied Psychology</i> , 1997 , 82, 858-72	7.4	216
3	Effect of organisational downsizing on health of employees. <i>Lancet, The</i> , 1997 , 350, 1124-8	40	270
2	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2 , 233	3.6	1
1	Why do men extend their employment beyond pensionable age more often than women? a cohort study. <i>European Journal of Ageing</i> , 1	3.6	