Bettina Sandgathe HusebÃ,

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5285183/publications.pdf

Version: 2024-02-01

104 papers 4,090 citations

33 h-index 61 g-index

114 all docs

114 docs citations

times ranked

114

2773 citing authors

#	Article	IF	Citations
1	Efficacy of treating pain to reduce behavioural disturbances in residents of nursing homes with dementia: cluster randomised clinical trial. BMJ: British Medical Journal, 2011, 343, d4065-d4065.	2.3	461
2	Pain management in patients with dementia. Clinical Interventions in Aging, 2013, 8, 1471.	2.9	283
3	Assessment and treatment of pain in people with dementia. Nature Reviews Neurology, 2012, 8, 264-274.	10.1	270
4	Who Suffers Most? Dementia and Pain in Nursing Home Patients: A Cross-sectional Study. Journal of the American Medical Directors Association, 2008, 9, 427-433.	2.5	135
5	The Response of Agitated Behavior to Pain Management in Persons with Dementia. American Journal of Geriatric Psychiatry, 2014, 22, 708-717.	1.2	132
6	Mobilization-Observation-Behavior-Intensity-Dementia Pain Scale (MOBID): Development and Validation of a Nurse-Administered Pain Assessment Tool for Use in Dementia. Journal of Pain and Symptom Management, 2007, 34, 67-80.	1.2	128
7	Pain in older persons with severe dementia. Psychometric properties of the Mobilization–Observation–Behaviour–Intensity–Dementia (MOBIDâ€⊋) Pain Scale in a clinical setting. Scandinavian Journal of Caring Sciences, 2010, 24, 380-391.	2.1	124
8	Identifying and Managing Pain in People with Alzheimer's Disease and Other Types of Dementia: A Systematic Review. CNS Drugs, 2016, 30, 481-497.	5.9	124
9	Interventions targeting pain or behaviour in dementia: A systematic review. Ageing Research Reviews, 2013, 12, 1042-1055.	10.9	106
10	A review of the implementation and research strategies of advance care planning in nursing homes. BMC Geriatrics, 2016, 16, 24.	2.7	97
11	Pain in dementia. Pain Reports, 2020, 5, e803.	2.7	88
12	Pain treatment of agitation in patients with dementia: a systematic review. International Journal of Geriatric Psychiatry, 2011, 26, 1012-1018.	2.7	87
13	The <scp>MOBID</scp> â€2 pain scale: Reliability and responsiveness to pain in patients with dementia. European Journal of Pain, 2014, 18, 1419-1430.	2.8	79
14	The importance of pain management in older people with dementia. British Medical Bulletin, 2014, 111, 139-148.	6.9	75
15	Impact of a stepwise protocol for treating pain on pain intensity in nursing home patients with dementia: A cluster randomized trial. European Journal of Pain, 2014, 18, 1490-1500.	2.8	74
16	A Review of Pain Prevalence in Alzheimer's, Vascular, Frontotemporal and Lewy Body Dementias. Dementia and Geriatric Cognitive Disorders, 2016, 41, 220-232.	1.5	73
17	Efficacy of pain treatment on mood syndrome in patients with dementia: a randomized clinical trial. International Journal of Geriatric Psychiatry, 2014, 29, 828-836.	2.7	69
18	Association between pain, neuropsychiatric symptoms, and physical function in dementia: a systematic review and meta-analysis. BMC Geriatrics, 2015, 15, 49.	2.7	61

#	Article	IF	CITATIONS
19	Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. Age and Ageing, 2016, 45, 54-60.	1.6	55
20	Patient safety culture in Norwegian nursing homes. BMC Health Services Research, 2017, 17, 424.	2.2	54
21	Sensing Technology to Monitor Behavioral and Psychological Symptoms and to Assess Treatment Response in People With Dementia. A Systematic Review. Frontiers in Pharmacology, 2019, 10, 1699.	3. 5	54
22	Effective Pain Management in Patients with Dementia: Benefits Beyond Pain?. Drugs and Aging, 2014, 31, 863-871.	2.7	51
23	The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). Journal of the American Medical Directors Association, 2019, 20, 330-339.	2.5	50
24	Pain behaviour and pain intensity in older persons with severe dementia: reliability of the MOBID Pain Scale by video uptake. Scandinavian Journal of Caring Sciences, 2009, 23, 180-189.	2.1	48
25	The Pain Assessment in Impaired Cognition scale (PAIC15): A multidisciplinary and international approach to develop and test a metaâ€tool for pain assessment in impaired cognition, especially dementia. European Journal of Pain, 2020, 24, 192-208.	2.8	47
26	COSMOSâ€"improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. Implementation Science, 2015, 10, 131.	6.9	46
27	Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. International Journal of Geriatric Psychiatry, 2013, 28, 868-876.	2.7	45
28	Advance Care Planning in Nursing Homes – Improving the Communication Among Patient, Family, and Staff: Results From a Cluster Randomized Controlled Trial (COSMOS). Frontiers in Psychology, 2018, 9, 2284.	2.1	40
29	Associations between pain and depression in nursing home patients at different stages of dementia. Journal of Affective Disorders, 2017, 218, 8-14.	4.1	39
30	Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. BMC Geriatrics, 2016, 16, 115.	2.7	38
31	Cancer-Related Pain and Symptoms Among Nursing Home Residents: A Systematic Review. Journal of Pain and Symptom Management, 2014, 48, 699-710.e1.	1.2	36
32	The role of pain treatment in managing the behavioural and psychological symptoms of dementia (BPSD). International Journal of Palliative Nursing, 2011, 17, 420-424.	0.5	35
33	Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). Clinical Interventions in Aging, 2018, Volume 13, 935-946.	2.9	35
34	Description of an advance care planning intervention in nursing homes: outcomes of the process evaluation. BMC Geriatrics, 2018, 18, 26.	2.7	34
35	Are Chronic Pain Patients with Dementia Being Undermedicated?. Journal of Pain Research, 2021, Volume 14, 431-439.	2.0	33
36	Deprescribing antihypertensive treatment in nursing home patients and the effect on blood pressure. Journal of Geriatric Cardiology, 2018, 15, 275-283.	0.2	31

#	Article	IF	Citations
37	The Interactive Relationship between Pain, Psychosis, and Agitation in People with Dementia: Results from a Cluster-Randomised Clinical Trial. Behavioural Neurology, 2016, 2016, 1-8.	2.1	30
38	Clinically significant discrepancies between sleep problems assessed by standard clinical tools and actigraphy. BMC Geriatrics, 2017, 17, 253.	2.7	29
39	Opioid Prescription Use in Nursing Home Residents with Advanced Dementia. Pain Medicine, 2019, 20, 50-57.	1.9	28
40	Prevalence of the Use of Opioids for Treatment of Pain in Persons with a Cognitive Impairment Compared with Cognitively Intact Persons: A Systematic Review. Current Alzheimer Research, 2017, 14, 512-522.	1.4	27
41	Acute hospital admissions from nursing homes: predictors of unwarranted variation?. Scandinavian Journal of Public Health, 2013, 41, 359-365.	2.3	26
42	Effects of pain treatment on sleep in nursing home patients with dementia and depression: A multicenter placebo ontrolled randomized clinical trial. International Journal of Geriatric Psychiatry, 2018, 33, 663-670.	2.7	26
43	Less Is More: The Impact of Deprescribing Psychotropic Drugs on Behavioral and Psychological Symptoms and Daily Functioning in Nursing Home Patients. Results From the Cluster-Randomized Controlled COSMOS Trial. American Journal of Geriatric Psychiatry, 2021, 29, 304-315.	1.2	26
44	Endâ€ofâ€ife palliative oral care in Norwegian health institutions. An exploratory study. Gerodontology, 2016, 33, 522-529.	2.0	24
45	Analgesic treatments in people with dementia - how safe are they? A systematic review. Expert Opinion on Drug Safety, 2019, 18, 511-522.	2.4	24
46	The effects of bright light treatment on affective symptoms in people with dementia: a 24-week cluster randomized controlled trial. BMC Psychiatry, 2021, 21, 377.	2.6	23
47	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. Journal of the American Medical Directors Association, 2016, 17, 821-827.	2.5	22
48	Efficacy and Safety of Analgesic Treatment for Depression in People with Advanced Dementia: Randomised, Multicentre, Double-Blind, Placebo-Controlled Trial (DEP.PAIN.DEM). Drugs and Aging, 2018, 35, 545-558.	2.7	22
49	Joint Occurrence of Pain and Sleep Disturbances in People with Dementia. A Systematic Review. Current Alzheimer Research, 2017, 14, 538-545.	1.4	22
50	Comorbid Dementia and Cancer in Residents of Nursing Homes. Cancer Nursing, 2018, 41, E13-E20.	1.5	20
51	Comparing unplanned and potentially planned home deaths: a population-based cross-sectional study. BMC Palliative Care, 2018, 17, 69.	1.8	20
52	Staff Distress Improves by Treating Pain in Nursing Home Patients With Dementia: Results From a Cluster-Randomized Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 795-805.	1.2	18
53	The safety attitudes questionnaire – ambulatory version: psychometric properties of the Norwegian version for nursing homes. BMC Health Services Research, 2019, 19, 423.	2.2	18
54	Implementing a novel strategy for interprofessional medication review using collegial mentoring and systematic clinical evaluation in nursing homes (COSMOS). BMC Geriatrics, 2019, 19, 130.	2.7	18

#	Article	IF	CITATIONS
55	Quality of Life and Pain Medication Use in Persons With Advanced Dementia Living in Long-Term Care Facilities. Journal of the American Medical Directors Association, 2019, 20, 1432-1437.	2.5	18
56	Access to and interest in assistive technology for home-dwelling people with dementia during the COVID-19 pandemic (PAN.DEM). International Review of Psychiatry, 2021, 33, 404-411.	2.8	17
57	Body movements as pain indicators in older people with cognitive impairment: A systematic review. European Journal of Pain, 2019, 23, 669-685.	2.8	16
58	LIVE@Home.Pathâ€"innovating the clinical pathway for home-dwelling people with dementia and their caregivers: study protocol for a mixed-method, stepped-wedge, randomized controlled trial. Trials, 2020, 21, 510.	1.6	16
59	Which factors increase informal care hours and societal costs among caregivers of people with dementia? A systematic review of Resource Utilization in Dementia (RUD). Health Economics Review, 2021, 11, 37.	2.0	16
60	Dignity and loss of dignity: Experiences of older women living with incurable cancer at home. Health Care for Women International, 2020, 41, 1036-1058.	1.1	15
61	The consequences of COVID-19 lockdown for formal and informal resource utilization among home-dwelling people with dementia: results from the prospective PAN.DEM study. BMC Health Services Research, 2021, 21, 1003.	2.2	15
62	Impact of COVID-19 restrictions on behavioural and psychological symptoms in home-dwelling people with dementia: a prospective cohort study (PAN.DEM) BMJ Open, 2022, 12, e050628.	1.9	15
63	Pain management in dementiaâ€"the value of proxy measures. Nature Reviews Neurology, 2014, 10, 313-314.	10.1	14
64	"We live as good a life as we can, in the situation we're in―– the significance of the home as perceived by persons with dementia. BMC Geriatrics, 2019, 19, 158.	2.7	14
65	Pain in patients with dementia: A review of pain assessment and treatment challenges. Norsk Epidemiologi, 2012, 22, .	0.3	14
66	Home-dwelling persons with dementia's perception on care support: Qualitative study. Nursing Ethics, 2020, 27, 991-1002.	3.4	13
67	The Liverpool Care Pathway: discarded in cancer patients but good enough for dying nursing home patients? A systematic review. BMC Medical Ethics, 2017, 18, 48.	2.4	12
68	Pain in nursing home residents with dementia and its association to quality of life. Aging and Mental Health, 2021, , 1-11.	2.8	12
69	Intensive Medicine and Nursing Home Care in Times of SARS CoV-2: A Norwegian Perspective. American Journal of Geriatric Psychiatry, 2020, 28, 792-793.	1.2	11
70	General practitioners' provision of end-of-life care and associations with dying at home: a registry-based longitudinal study. Family Practice, 2020, 37, 340-347.	1.9	11
71	How, Why and Where it Hurts—Breaking Down Pain Syndrome Among Nursing Home Patients With Dementia: A Cross-Sectional Analysis of the COSMOS Trial. Pain Management Nursing, 2021, 22, 319-326.	0.9	10
72	The mouth care item of the MOBID pain scale: secondary analyses of unique video uptakes by dental professionals. Gerodontology, 2016, 33, 61-68.	2.0	9

#	Article	IF	CITATIONS
73	Psychosis symptoms in nursing home residents with and without dementiaâ€"Crossâ€sectional analyses from the COSMOS study. International Journal of Geriatric Psychiatry, 2019, 34, 683-691.	2.7	9
74	Scoping Review: Intergenerational Resource Transfer and Possible Enabling Factors. International Journal of Environmental Research and Public Health, 2020, 17, 7868.	2.6	9
75	Long-Term Pain Treatment Did Not Improve Sleep in Nursing Home Patients with Comorbid Dementia and Depression: A 13-Week Randomized Placebo-Controlled Trial. Frontiers in Psychology, 2018, 9, 134.	2.1	8
76	Opportunities for improvement in nursing homes: Variance of six patient safety climate factor scores across nursing homes and wardsâ€"Assessed by the Safety Attitudes Questionnaire. PLoS ONE, 2019, 14, e0218244.	2.5	8
77	Associations between home deaths and end-of-life nursing care trajectories for community-dwelling people: a population-based registry study. BMC Health Services Research, 2019, 19, 698.	2.2	8
78	Framework for Patient and Informal Caregiver Participation in Research (PAICPAIR). Advances in Nursing Science, 2020, 43, E58-E70.	1.1	8
79	The compound role of a coordinator for home-dwelling persons with dementia and their informal caregivers: qualitative study. BMC Health Services Research, 2020, 20, 1045.	2.2	7
80	Trajectories of physical performance in nursing home residents with dementia. Aging Clinical and Experimental Research, 2020, 32, 2603-2610.	2.9	7
81	Managing Pain and Psychosis Symptoms in Nursing Home Patients: Results from a Cluster-Randomized Controlled Trial (COSMOS). Journal of the American Medical Directors Association, 2021, 22, 1692-1698.	2.5	7
82	Mobilization-Observation-Behaviour-Intensity-Dementia-2 Pain Scale (MOBID-2). Journal of Physiotherapy, 2017, 63, 261.	1.7	6
83	The Negative Impact of Psychotropic Drug Use on Quality of Life in Nursing Home Patients at Different Stages of Dementia: Cross-Sectional Analyses from the COSMOS Trial. Journal of the American Medical Directors Association, 2020, 21, 1623-1628.	2.5	6
84	Pain, Complex Chronic Conditions and Potential Inappropriate Medication in People with Dementia. Lessons Learnt for Pain Treatment Plans Utilizing Data from the Veteran Health Administration. Brain Sciences, 2021, 11, 86.	2.3	6
85	Does paracetamol improve quality of life, discomfort, pain and neuropsychiatric symptoms in persons with advanced dementia living in long-term care facilities? A randomised double-blind placebo-controlled crossover (Q-PID) trial. BMC Medicine, 2020, 18, 407.	5. 5	6
86	The impact of medication reviews by general practitioners on psychotropic drug use and behavioral and psychological symptoms in home-dwelling people with dementia: results from the multicomponent cluster randomized controlled LIVE@Home.Path trial. BMC Medicine, 2022, 20, .	5 . 5	6
87	Quality of life and paracetamol in advanced dementia (Q-PID): protocol of a randomised double-blind placebo-controlled crossover trial. BMC Geriatrics, 2018, 18, 279.	2.7	5
88	Dignity of older home-dwelling women nearing end-of-life: Informal caregivers' perception. Nursing Ethics, 2021, 28, 444-456.	3.4	5
89	Factors associated with access to assistive technology and telecare in home-dwelling people with dementia: baseline data from the LIVE@Home.Path trial. BMC Medical Informatics and Decision Making, 2021, 21, 264.	3.0	5
90	Reform influences location of death: Interrupted time-series analysis on older adults and persons with dementia. PLoS ONE, 2020, 15, e0241132.	2. 5	5

#	Article	IF	Citations
91	Blood pressure, antihypertensive medication and neuropsychiatric symptoms in older people with dementia: The COSMOS study. International Journal of Geriatric Psychiatry, 2021, 36, 46-53.	2.7	4
92	Exploring life-space in the nursing home. An observational longitudinal study. BMC Geriatrics, 2021, 21, 396.	2.7	4
93	Age and Emotional Distress during COVID-19: Findings from Two Waves of the Norwegian Citizen Panel. International Journal of Environmental Research and Public Health, 2021, 18, 9568.	2.6	4
94	Sleep and its Association With Pain and Depression in Nursing Home Patients With Advanced Dementia – a Cross-Sectional Study. Frontiers in Psychology, 2021, 12, 633959.	2.1	3
95	Understanding Pain and Agitation Through System Analysis Algorithms in People With Dementia. A Novel Explorative Approach by the DIGI.PAIN Study. Frontiers in Pain Research, 2022, 3, 847578.	2.0	3
96	Healthcare professionals' perceptions of dignity-preserving care for older home-dwelling women with incurable cancer in Norway. Journal of Women and Aging, 2021, , 1-15.	1.0	1
97	Palliativmedizin in der Geriatrie. , 2009, , 385-425.		1
98	Authors' reply to McShane and Regnard. BMJ: British Medical Journal, 2011, 343, d5356-d5356.	2.3	0
99	Assessment and treatment of persistent pain in nursing home residents should be implemented systematically to prevent suffering. Evidence-based Nursing, 2017, 20, 91-91.	0.2	0
100	Authors' Reply to Stefani: "Efficacy and Safety of Analgesic Treatment for Depression in People with Advanced Dementia: Randomised, Multicentre, Double-Blind, Placebo-Controlled Trial (DEP.PAIN.DEM)― Drugs and Aging, 2018, 35, 1121-1122.	2.7	0
101	The longitudinal association between the use of antihypertensive medications and 24-hour sleep in nursing homes: results from the randomized controlled COSMOS trial. BMC Geriatrics, 2021, 21, 430.	2.7	0
102	Pain in Older Persons. , 2021, , 1-16.		0
103	Pain in Older Persons. , 2020, , 1-16.		0
104	Pain in Older Persons. , 2021, , 3685-3700.		O