

Bettina Sandgathe HusebÃ,

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5285183/publications.pdf>

Version: 2024-02-01

104
papers

4,090
citations

126907

33
h-index

123424

61
g-index

114
all docs

114
docs citations

114
times ranked

2773
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding Pain and Agitation Through System Analysis Algorithms in People With Dementia. A Novel Explorative Approach by the DIGI.PAIN Study. <i>Frontiers in Pain Research</i> , 2022, 3, 847578.	2.0	3
2	Impact of COVID-19 restrictions on behavioural and psychological symptoms in home-dwelling people with dementia: a prospective cohort study (PAN.DEM).. <i>BMJ Open</i> , 2022, 12, e050628.	1.9	15
3	The impact of medication reviews by general practitioners on psychotropic drug use and behavioral and psychological symptoms in home-dwelling people with dementia: results from the multicomponent cluster randomized controlled LIVE@Home.Path trial. <i>BMC Medicine</i> , 2022, 20, .	5.5	6
4	Dignity of older home-dwelling women nearing end-of-life: Informal caregiversâ€™ perception. <i>Nursing Ethics</i> , 2021, 28, 444-456.	3.4	5
5	Blood pressure, antihypertensive medication and neuropsychiatric symptoms in older people with dementia: The COSMOS study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 46-53.	2.7	4
6	Less Is More: The Impact of Deprescribing Psychotropic Drugs on Behavioral and Psychological Symptoms and Daily Functioning in Nursing Home Patients. Results From the Cluster-Randomized Controlled COSMOS Trial. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 304-315.	1.2	26
7	Access to and interest in assistive technology for home-dwelling people with dementia during the COVID-19 pandemic (PAN.DEM). <i>International Review of Psychiatry</i> , 2021, 33, 404-411.	2.8	17
8	Pain, Complex Chronic Conditions and Potential Inappropriate Medication in People with Dementia. Lessons Learnt for Pain Treatment Plans Utilizing Data from the Veteran Health Administration. <i>Brain Sciences</i> , 2021, 11, 86.	2.3	6
9	Are Chronic Pain Patients with Dementia Being Undermedicated?. <i>Journal of Pain Research</i> , 2021, Volume 14, 431-439.	2.0	33
10	Sleep and its Association With Pain and Depression in Nursing Home Patients With Advanced Dementia â€” a Cross-Sectional Study. <i>Frontiers in Psychology</i> , 2021, 12, 633959.	2.1	3
11	How, Why and Where it Hurtsâ€”Breaking Down Pain Syndrome Among Nursing Home Patients With Dementia: A Cross-Sectional Analysis of the COSMOS Trial. <i>Pain Management Nursing</i> , 2021, 22, 319-326.	0.9	10
12	Exploring life-space in the nursing home. An observational longitudinal study. <i>BMC Geriatrics</i> , 2021, 21, 396.	2.7	4
13	Pain in nursing home residents with dementia and its association to quality of life. <i>Aging and Mental Health</i> , 2021, , 1-11.	2.8	12
14	The longitudinal association between the use of antihypertensive medications and 24-hour sleep in nursing homes: results from the randomized controlled COSMOS trial. <i>BMC Geriatrics</i> , 2021, 21, 430.	2.7	0
15	Healthcare professionalsâ€™ perceptions of dignity-preserving care for older home-dwelling women with incurable cancer in Norway. <i>Journal of Women and Aging</i> , 2021, , 1-15.	1.0	1
16	The effects of bright light treatment on affective symptoms in people with dementia: a 24-week cluster randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 377.	2.6	23
17	Managing Pain and Psychosis Symptoms in Nursing Home Patients: Results from a Cluster-Randomized Controlled Trial (COSMOS). <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1692-1698.	2.5	7
18	The consequences of COVID-19 lockdown for formal and informal resource utilization among home-dwelling people with dementia: results from the prospective PAN.DEM study. <i>BMC Health Services Research</i> , 2021, 21, 1003.	2.2	15

#	ARTICLE	IF	CITATIONS
19	Age and Emotional Distress during COVID-19: Findings from Two Waves of the Norwegian Citizen Panel. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9568.	2.6	4
20	Factors associated with access to assistive technology and telecare in home-dwelling people with dementia: baseline data from the LIVE@Home.Path trial. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 264.	3.0	5
21	Which factors increase informal care hours and societal costs among caregivers of people with dementia? A systematic review of Resource Utilization in Dementia (RUD). <i>Health Economics Review</i> , 2021, 11, 37.	2.0	16
22	Pain in Older Persons. , 2021, , 1-16.		0
23	Pain in Older Persons. , 2021, , 3685-3700.		0
24	The Pain Assessment in Impaired Cognition scale (PAIC15): A multidisciplinary and international approach to develop and test a meta-tool for pain assessment in impaired cognition, especially dementia. <i>European Journal of Pain</i> , 2020, 24, 192-208.	2.8	47
25	Framework for Patient and Informal Caregiver Participation in Research (PAICPAIR). <i>Advances in Nursing Science</i> , 2020, 43, E58-E70.	1.1	8
26	Dignity and loss of dignity: Experiences of older women living with incurable cancer at home. <i>Health Care for Women International</i> , 2020, 41, 1036-1058.	1.1	15
27	The compound role of a coordinator for home-dwelling persons with dementia and their informal caregivers: qualitative study. <i>BMC Health Services Research</i> , 2020, 20, 1045.	2.2	7
28	Scoping Review: Intergenerational Resource Transfer and Possible Enabling Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7868.	2.6	9
29	Intensive Medicine and Nursing Home Care in Times of SARS CoV-2: A Norwegian Perspective. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 792-793.	1.2	11
30	The Negative Impact of Psychotropic Drug Use on Quality of Life in Nursing Home Patients at Different Stages of Dementia: Cross-Sectional Analyses from the COSMOS Trial. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1623-1628.	2.5	6
31	LIVE@Home.Path – innovating the clinical pathway for home-dwelling people with dementia and their caregivers: study protocol for a mixed-method, stepped-wedge, randomized controlled trial. <i>Trials</i> , 2020, 21, 510.	1.6	16
32	Trajectories of physical performance in nursing home residents with dementia. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2603-2610.	2.9	7
33	Pain in dementia. <i>Pain Reports</i> , 2020, 5, e803.	2.7	88
34	General practitioners' provision of end-of-life care and associations with dying at home: a registry-based longitudinal study. <i>Family Practice</i> , 2020, 37, 340-347.	1.9	11
35	Home-dwelling persons with dementia – perception on care support: Qualitative study. <i>Nursing Ethics</i> , 2020, 27, 991-1002.	3.4	13
36	Does paracetamol improve quality of life, discomfort, pain and neuropsychiatric symptoms in persons with advanced dementia living in long-term care facilities? A randomised double-blind placebo-controlled crossover (Q-PID) trial. <i>BMC Medicine</i> , 2020, 18, 407.	5.5	6

#	ARTICLE	IF	CITATIONS
37	Pain in Older Persons. , 2020, , 1-16.		0
38	Reform influences location of death: Interrupted time-series analysis on older adults and persons with dementia. PLoS ONE, 2020, 15, e0241132.	2.5	5
39	Opioid Prescription Use in Nursing Home Residents with Advanced Dementia. Pain Medicine, 2019, 20, 50-57.	1.9	28
40	Opportunities for improvement in nursing homes: Variance of six patient safety climate factor scores across nursing homes and wardsâ€”Assessed by the Safety Attitudes Questionnaire. PLoS ONE, 2019, 14, e0218244.	2.5	8
41	The safety attitudes questionnaire â€” ambulatory version: psychometric properties of the Norwegian version for nursing homes. BMC Health Services Research, 2019, 19, 423.	2.2	18
42	Associations between home deaths and end-of-life nursing care trajectories for community-dwelling people: a population-based registry study. BMC Health Services Research, 2019, 19, 698.	2.2	8
43	â€œWe live as good a life as we can, in the situation weâ€™re inâ€” the significance of the home as perceived by persons with dementia. BMC Geriatrics, 2019, 19, 158.	2.7	14
44	Implementing a novel strategy for interprofessional medication review using collegial mentoring and systematic clinical evaluation in nursing homes (COSMOS). BMC Geriatrics, 2019, 19, 130.	2.7	18
45	Analgesic treatments in people with dementia - how safe are they? A systematic review. Expert Opinion on Drug Safety, 2019, 18, 511-522.	2.4	24
46	Quality of Life and Pain Medication Use in Persons With Advanced Dementia Living in Long-Term Care Facilities. Journal of the American Medical Directors Association, 2019, 20, 1432-1437.	2.5	18
47	Psychosis symptoms in nursing home residents with and without dementiaâ€”Crossâ€”sectional analyses from the COSMOS study. International Journal of Geriatric Psychiatry, 2019, 34, 683-691.	2.7	9
48	Body movements as pain indicators in older people with cognitive impairment: A systematic review. European Journal of Pain, 2019, 23, 669-685.	2.8	16
49	The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). Journal of the American Medical Directors Association, 2019, 20, 330-339.	2.5	50
50	Sensing Technology to Monitor Behavioral and Psychological Symptoms and to Assess Treatment Response in People With Dementia. A Systematic Review. Frontiers in Pharmacology, 2019, 10, 1699.	3.5	54
51	Effects of pain treatment on sleep in nursing home patients with dementia and depression: A multicenter placeboâ€”controlled randomized clinical trial. International Journal of Geriatric Psychiatry, 2018, 33, 663-670.	2.7	26
52	Comorbid Dementia and Cancer in Residents of Nursing Homes. Cancer Nursing, 2018, 41, E13-E20.	1.5	20
53	Authorsâ€™ Reply to Stefani: â€œEfficacy and Safety of Analgesic Treatment for Depression in People with Advanced Dementia: Randomised, Multicentre, Double-Blind, Placebo-Controlled Trial (DEP.PAIN.DEM)â€” Drugs and Aging, 2018, 35, 1121-1122.	2.7	0
54	Advance Care Planning in Nursing Homes â€” Improving the Communication Among Patient, Family, and Staff: Results From a Cluster Randomized Controlled Trial (COSMOS). Frontiers in Psychology, 2018, 9, 2284.	2.1	40

#	ARTICLE	IF	CITATIONS
55	Quality of life and paracetamol in advanced dementia (Q-PID): protocol of a randomised double-blind placebo-controlled crossover trial. <i>BMC Geriatrics</i> , 2018, 18, 279.	2.7	5
56	Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 935-946.	2.9	35
57	Long-Term Pain Treatment Did Not Improve Sleep in Nursing Home Patients with Comorbid Dementia and Depression: A 13-Week Randomized Placebo-Controlled Trial. <i>Frontiers in Psychology</i> , 2018, 9, 134.	2.1	8
58	Description of an advance care planning intervention in nursing homes: outcomes of the process evaluation. <i>BMC Geriatrics</i> , 2018, 18, 26.	2.7	34
59	Comparing unplanned and potentially planned home deaths: a population-based cross-sectional study. <i>BMC Palliative Care</i> , 2018, 17, 69.	1.8	20
60	Efficacy and Safety of Analgesic Treatment for Depression in People with Advanced Dementia: Randomised, Multicentre, Double-Blind, Placebo-Controlled Trial (DEP.PAIN.DEM). <i>Drugs and Aging</i> , 2018, 35, 545-558.	2.7	22
61	Deprescribing antihypertensive treatment in nursing home patients and the effect on blood pressure. <i>Journal of Geriatric Cardiology</i> , 2018, 15, 275-283.	0.2	31
62	Assessment and treatment of persistent pain in nursing home residents should be implemented systematically to prevent suffering. <i>Evidence-based Nursing</i> , 2017, 20, 91-91.	0.2	0
63	Associations between pain and depression in nursing home patients at different stages of dementia. <i>Journal of Affective Disorders</i> , 2017, 218, 8-14.	4.1	39
64	Mobilization-Observation-Behaviour-Intensity-Dementia-2 Pain Scale (MOBID-2). <i>Journal of Physiotherapy</i> , 2017, 63, 261.	1.7	6
65	Patient safety culture in Norwegian nursing homes. <i>BMC Health Services Research</i> , 2017, 17, 424.	2.2	54
66	Clinically significant discrepancies between sleep problems assessed by standard clinical tools and actigraphy. <i>BMC Geriatrics</i> , 2017, 17, 253.	2.7	29
67	The Liverpool Care Pathway: discarded in cancer patients but good enough for dying nursing home patients? A systematic review. <i>BMC Medical Ethics</i> , 2017, 18, 48.	2.4	12
68	Joint Occurrence of Pain and Sleep Disturbances in People with Dementia. A Systematic Review. <i>Current Alzheimer Research</i> , 2017, 14, 538-545.	1.4	22
69	Prevalence of the Use of Opioids for Treatment of Pain in Persons with a Cognitive Impairment Compared with Cognitively Intact Persons: A Systematic Review. <i>Current Alzheimer Research</i> , 2017, 14, 512-522.	1.4	27
70	The Interactive Relationship between Pain, Psychosis, and Agitation in People with Dementia: Results from a Cluster-Randomised Clinical Trial. <i>Behavioural Neurology</i> , 2016, 2016, 1-8.	2.1	30
71	Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. <i>BMC Geriatrics</i> , 2016, 16, 115.	2.7	38
72	Staff Distress Improves by Treating Pain in Nursing Home Patients With Dementia: Results From a Cluster-Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 795-805.	1.2	18

#	ARTICLE	IF	CITATIONS
73	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 821-827.	2.5	22
74	End-of-life palliative oral care in Norwegian health institutions. An exploratory study. <i>Gerodontology</i> , 2016, 33, 522-529.	2.0	24
75	Identifying and Managing Pain in People with Alzheimer's Disease and Other Types of Dementia: A Systematic Review. <i>CNS Drugs</i> , 2016, 30, 481-497.	5.9	124
76	A review of the implementation and research strategies of advance care planning in nursing homes. <i>BMC Geriatrics</i> , 2016, 16, 24.	2.7	97
77	A Review of Pain Prevalence in Alzheimer's, Vascular, Frontotemporal and Lewy Body Dementias. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 41, 220-232.	1.5	73
78	The mouth care item of the MOBID pain scale: secondary analyses of unique video uptakes by dental professionals. <i>Gerodontology</i> , 2016, 33, 61-68.	2.0	9
79	Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. <i>Age and Ageing</i> , 2016, 45, 54-60.	1.6	55
80	COSMOS—improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. <i>Implementation Science</i> , 2015, 10, 131.	6.9	46
81	Association between pain, neuropsychiatric symptoms, and physical function in dementia: a systematic review and meta-analysis. <i>BMC Geriatrics</i> , 2015, 15, 49.	2.7	61
82	Pain management in dementia—the value of proxy measures. <i>Nature Reviews Neurology</i> , 2014, 10, 313-314.	10.1	14
83	Efficacy of pain treatment on mood syndrome in patients with dementia: a randomized clinical trial. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 828-836.	2.7	69
84	Impact of a stepwise protocol for treating pain on pain intensity in nursing home patients with dementia: A cluster randomized trial. <i>European Journal of Pain</i> , 2014, 18, 1490-1500.	2.8	74
85	Effective Pain Management in Patients with Dementia: Benefits Beyond Pain?. <i>Drugs and Aging</i> , 2014, 31, 863-871.	2.7	51
86	The MOBID pain scale: Reliability and responsiveness to pain in patients with dementia. <i>European Journal of Pain</i> , 2014, 18, 1419-1430.	2.8	79
87	The importance of pain management in older people with dementia. <i>British Medical Bulletin</i> , 2014, 111, 139-148.	6.9	75
88	Cancer-Related Pain and Symptoms Among Nursing Home Residents: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 699-710.e1.	1.2	36
89	The Response of Agitated Behavior to Pain Management in Persons with Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 708-717.	1.2	132
90	Interventions targeting pain or behaviour in dementia: A systematic review. <i>Ageing Research Reviews</i> , 2013, 12, 1042-1055.	10.9	106

#	ARTICLE	IF	CITATIONS
91	Acute hospital admissions from nursing homes: predictors of unwarranted variation?. Scandinavian Journal of Public Health, 2013, 41, 359-365.	2.3	26
92	Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. International Journal of Geriatric Psychiatry, 2013, 28, 868-876.	2.7	45
93	Pain management in patients with dementia. Clinical Interventions in Aging, 2013, 8, 1471.	2.9	283
94	Assessment and treatment of pain in people with dementia. Nature Reviews Neurology, 2012, 8, 264-274.	10.1	270
95	Pain in patients with dementia: A review of pain assessment and treatment challenges. Norsk Epidemiologi, 2012, 22, .	0.3	14
96	Efficacy of treating pain to reduce behavioural disturbances in residents of nursing homes with dementia: cluster randomised clinical trial. BMJ: British Medical Journal, 2011, 343, d4065-d4065.	2.3	461
97	Authors' reply to McShane and Regnard. BMJ: British Medical Journal, 2011, 343, d5356-d5356.	2.3	0
98	Pain treatment of agitation in patients with dementia: a systematic review. International Journal of Geriatric Psychiatry, 2011, 26, 1012-1018.	2.7	87
99	The role of pain treatment in managing the behavioural and psychological symptoms of dementia (BPSD). International Journal of Palliative Nursing, 2011, 17, 420-424.	0.5	35
100	Pain in older persons with severe dementia. Psychometric properties of the Mobilization- ^o Observation- ^o Behaviour- ^o Intensity- ^o Dementia (MOBID- ^o 2) Pain Scale in a clinical setting. Scandinavian Journal of Caring Sciences, 2010, 24, 380-391.	2.1	124
101	Pain behaviour and pain intensity in older persons with severe dementia: reliability of the MOBID Pain Scale by video uptake. Scandinavian Journal of Caring Sciences, 2009, 23, 180-189.	2.1	48
102	Palliativmedizin in der Geriatrie. , 2009, , 385-425.		1
103	Who Suffers Most? Dementia and Pain in Nursing Home Patients: A Cross-sectional Study. Journal of the American Medical Directors Association, 2008, 9, 427-433.	2.5	135
104	Mobilization-Observation-Behavior-Intensity-Dementia Pain Scale (MOBID): Development and Validation of a Nurse-Administered Pain Assessment Tool for Use in Dementia. Journal of Pain and Symptom Management, 2007, 34, 67-80.	1.2	128