

# Ting-Yun Lin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5285237/publications.pdf>

Version: 2024-02-01

21  
papers

641  
citations

840776

11  
h-index

713466

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

1101  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of SARC-F, Calf Circumference, and Their Combination for Sarcopenia Screening among Patients Undergoing Peritoneal Dialysis. <i>Nutrients</i> , 2022, 14, 923.	4.1	10
2	Malnutrition is Associated with Increased Morbidity and Death in Dialysis Patients Undergoing Endovascular Therapy for Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 64, 225-233.	1.5	4
3	Association of subjective global assessment of nutritional status with gut microbiota in hemodialysis patients: a case-control study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1104-1111.	0.7	15
4	Development and validation of a multifrequency bioimpedance spectroscopy equation to predict appendicular skeletal muscle mass in hemodialysis patients. <i>Clinical Nutrition</i> , 2021, 40, 3288-3295.	5.0	18
5	Gut dysbiosis and mortality in hemodialysis patients. <i>Npj Biofilms and Microbiomes</i> , 2021, 7, 20.	6.4	26
6	Differences in the Microbial Composition of Hemodialysis Patients Treated with and without $\beta$ -Blockers. <i>Journal of Personalized Medicine</i> , 2021, 11, 198.	2.5	3
7	Loss of Function of von Hippel-Lindau Trigger Lipocalin 2-Dependent Inflammatory Responses in Cultured and Primary Renal Tubular Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-10.	4.0	6
8	Nephroprotective Role of Chrysophanol in Hypoxia/Reoxygenation-Induced Renal Cell Damage via Apoptosis, ER Stress, and Ferroptosis. <i>Biomedicines</i> , 2021, 9, 1283.	3.2	17
9	Anti-Acid Drug Treatment Induces Changes in the Gut Microbiome Composition of Hemodialysis Patients. <i>Microorganisms</i> , 2021, 9, 286.	3.6	10
10	Central obesity and incident atherosclerotic cardiovascular disease events in hemodialysis patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 500-507.	2.6	2
11	Comparative Gut Microbiome Differences between Ferric Citrate and Calcium Carbonate Phosphate Binders in Patients with End-Stage Kidney Disease. <i>Microorganisms</i> , 2020, 8, 2040.	3.6	17
12	Indoxyl Sulfate and Incident Peripheral Artery Disease in Hemodialysis Patients. <i>Toxins</i> , 2020, 12, 696.	3.4	8
13	Characterization of Gut Microbiota Composition in Hemodialysis Patients With Normal Weight Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2006-2014.	3.6	8
14	Geriatric Nutritional Risk Index Is Associated with Unique Health Conditions and Clinical Outcomes in Chronic Kidney Disease Patients. <i>Nutrients</i> , 2019, 11, 2769.	4.1	16
15	Normal-weight obesity and clinical outcomes in nondiabetic chronic kidney disease patients: a cohort study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 664-672.	4.7	13
16	Impact of Misclassification of Obesity by Body Mass Index on Mortality in Patients With CKD. <i>Kidney International Reports</i> , 2018, 3, 447-455.	0.8	40
17	Body composition is associated with clinical outcomes in patients with non-dialysis-dependent chronic kidney disease. <i>Kidney International</i> , 2018, 93, 733-740.	5.2	56
18	Obesity and risk of end-stage renal disease in patients with chronic kidney disease: a cohort study. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1145-1153.	4.7	24

#	ARTICLE	IF	CITATIONS
19	Indoxyl Sulfate: A Novel Cardiovascular Risk Factor in Chronic Kidney Disease. Journal of the American Heart Association, 2017, 6, .	3.7	127
20	Factors Associated with Decreased Lean Tissue Index in Patients with Chronic Kidney Disease. Nutrients, 2017, 9, 434.	4.1	27
21	Volume overload correlates with cardiovascular risk factors in patients with chronic kidney disease. Kidney International, 2014, 85, 703-709.	5.2	194