

Diego F Calvisi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5285916/publications.pdf>

Version: 2024-02-01

109
papers

7,599
citations

117571

34
h-index

56687

83
g-index

112
all docs

112
docs citations

112
times ranked

9192
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Lipogenesis Rewiring in Hepatocellular Carcinoma. <i>Seminars in Liver Disease</i> , 2022, 42, 077-086.	1.8	9
2	TAZ is indispensable for c-MYC-induced hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2022, 76, 123-134.	1.8	28
3	RASSF1A independence and early galectin-1 upregulation in PIK3CA-induced hepatocarcinogenesis: new therapeutic venues. <i>Molecular Oncology</i> , 2022, 16, 1091-1118.	2.1	8
4	Therapeutic efficacy of FASN inhibition in preclinical models of HCC. <i>Hepatology</i> , 2022, 76, 951-966.	3.6	25
5	S-Adenosylmethionine: From the Discovery of Its Inhibition of Tumorigenesis to Its Use as a Therapeutic Agent. <i>Cells</i> , 2022, 11, 409.	1.8	18
6	Cholangiocarcinoma progression depends on the uptake and metabolism of extracellular lipids. <i>Hepatology</i> , 2022, 76, 1617-1633.	3.6	15
7	β -Catenin signaling in hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	80
8	CD90 is regulated by notch1 and hallmarks a more aggressive intrahepatic cholangiocarcinoma phenotype. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 65.	3.5	7
9	Targeting NAE1-mediated protein hyper-NEDDylation halts cholangiocarcinogenesis and impacts on tumor-stroma crosstalk in experimental models. <i>Journal of Hepatology</i> , 2022, 77, 177-190.	1.8	11
10	β -Catenin Sustains and Is Required for YES-associated Protein Oncogenic Activity in Cholangiocarcinoma. <i>Gastroenterology</i> , 2022, 163, 481-494.	0.6	13
11	Cabozantinib-based combination therapy for the treatment of hepatocellular carcinoma. <i>Gut</i> , 2021, 70, 1746-1757.	6.1	60
12	Role of the Mammalian Target of Rapamycin Pathway in Liver Cancer: From Molecular Genetics to Targeted Therapies. <i>Hepatology</i> , 2021, 73, 49-61.	3.6	79
13	Nuclear ErbB2 expression in hepatocytes in liver disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 309-318.	1.4	5
14	Distinct and Overlapping Roles of Hippo Effectors YAP and TAZ During Human and Mouse Hepatocarcinogenesis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 1095-1117.	2.3	21
15	Molecular Mechanisms of Hepatoblastoma. <i>Seminars in Liver Disease</i> , 2021, 41, 028-041.	1.8	19
16	Autopsy findings after long-term treatment of COVID-19 patients with microbiological correlation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 97-108.	1.4	44
17	Organoids for the Study of Liver Cancer. <i>Seminars in Liver Disease</i> , 2021, 41, 019-027.	1.8	8
18	Distinct functions of transforming growth factor- β signaling in c-MYC driven hepatocellular carcinoma initiation and progression. <i>Cell Death and Disease</i> , 2021, 12, 200.	2.7	16

#	ARTICLE	IF	CITATIONS
19	Identification and In-Depth Analysis of the Novel FGFR2-NDC80 Fusion in a Cholangiocarcinoma Patient: Implication for Therapy. <i>Current Oncology</i> , 2021, 28, 1161-1169.	0.9	7
20	Current challenges to underpinning the genetic basis for cholangiocarcinoma. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, 15, 511-526.	1.4	3
21	Loss of Apc Cooperates with Activated Oncogenes to Induce Liver Tumor Formation in Mice. <i>American Journal of Pathology</i> , 2021, 191, 930-946.	1.9	4
22	Fascin1 empowers YAP mechanotransduction and promotes cholangiocarcinoma development. <i>Communications Biology</i> , 2021, 4, 763.	2.0	6
23	Overexpression of Mothers Against Decapentaplegic Homolog 7 Activates the Yes-Associated Protein/NOTCH Cascade and Promotes Liver Carcinogenesis in Mice and Humans. <i>Hepatology</i> , 2021, 74, 248-263.	3.6	22
24	TBX3 functions as a tumor suppressor downstream of activated CTNNB1 mutants during hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2021, 75, 120-131.	1.8	22
25	FOSL1 promotes cholangiocarcinoma via transcriptional effectors that could be therapeutically targeted. <i>Journal of Hepatology</i> , 2021, 75, 363-376.	1.8	29
26	Histone H3K27 demethylase KDM6A is an epigenetic gatekeeper of mTORC1 signalling in cancer. <i>Gut</i> , 2021, , gutjnl-2021-325405.	6.1	15
27	Hepatocellular carcinoma (HCC): the most promising therapeutic targets in the preclinical arena based on tumor biology characteristics. <i>Expert Opinion on Therapeutic Targets</i> , 2021, 25, 645-658.	1.5	5
28	YAP Accelerates Notch-Driven Cholangiocarcinogenesis via mTORC1 in Mice. <i>American Journal of Pathology</i> , 2021, 191, 1651-1667.	1.9	12
29	<i>STRN-ALK</i> Fusion in a Case of Malignant Peritoneal Mesothelioma: Mixed Response to Crizotinib, Mode of Resistance, and Brigatinib Sequential Therapy. <i>JCO Precision Oncology</i> , 2021, 5, 1507-1513.	1.5	5
30	Focal adhesion kinase (FAK) promotes cholangiocarcinoma development and progression via YAP activation. <i>Journal of Hepatology</i> , 2021, 75, 888-899.	1.8	45
31	Cabozantinib for HCC Treatment, From Clinical Back to Experimental Models. <i>Frontiers in Oncology</i> , 2021, 11, 756672.	1.3	12
32	Alpelisib combination treatment as novel targeted therapy against hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2021, 12, 920.	2.7	13
33	Cholesterol biosynthesis supports the growth of hepatocarcinoma lesions depleted of fatty acid synthase in mice and humans. <i>Gut</i> , 2020, 69, 177-186.	6.1	121
34	Harnessing big "omics" data and AI for drug discovery in hepatocellular carcinoma. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020, 17, 238-251.	8.2	90
35	The Warburg Effect 97 Years after Its Discovery. <i>Cancers</i> , 2020, 12, 2819.	1.7	153
36	Pivotal Role of Fatty Acid Synthase in c-MYC Driven Hepatocarcinogenesis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8467.	1.8	20

#	ARTICLE	IF	CITATIONS
37	Schistosoma mansoni and Hepatocellular Carcinoma: Is It All About c-Jun and Signal Transducer and Activator of Transcription 3?. Hepatology, 2020, 72, 375-378.	3.6	3
38	Hepatoblastoma: current knowledge and promises from preclinical studies. Translational Gastroenterology and Hepatology, 2020, 5, 42-42.	1.5	16
39	Cholangiocarcinoma 2020: the next horizon in mechanisms and management. Nature Reviews Gastroenterology and Hepatology, 2020, 17, 557-588.	8.2	1,155
40	Mitochondrial toxicity and body shape changes during nucleos(t)ide analogues administration in patients with chronic hepatitis B. Scientific Reports, 2020, 10, 2014.	1.6	3
41	mTORC2 Signaling Is Necessary for Timely Liver Regeneration after Partial Hepatectomy. American Journal of Pathology, 2020, 190, 817-829.	1.9	13
42	CDK9 is dispensable for YAP-driven hepatoblastoma development. Pediatric Blood and Cancer, 2020, 67, e28221.	0.8	3
43	Crenigacestat, a selective NOTCH1 inhibitor, reduces intrahepatic cholangiocarcinoma progression by blocking VEGFA/DLL4/MMP13 axis. Cell Death and Differentiation, 2020, 27, 2330-2343.	5.0	39
44	Oncogene-dependent function of BRG1 in hepatocarcinogenesis. Cell Death and Disease, 2020, 11, 91.	2.7	23
45	Mammalian Target of Rapamycin Complex 2 Signaling Is Required for Liver Regeneration in a Cholestatic Liver Injury Murine Model. American Journal of Pathology, 2020, 190, 1414-1426.	1.9	7
46	The Hippo Effector Transcriptional Coactivator with PDZ-Binding Motif Cooperates with Oncogenic β -Catenin to Induce Hepatoblastoma Development in Mice and Humans. American Journal of Pathology, 2020, 190, 1397-1413.	1.9	13
47	Combined CDK4/6 and Pan-mTOR Inhibition Is Synergistic Against Intrahepatic Cholangiocarcinoma. Clinical Cancer Research, 2019, 25, 403-413.	3.2	56
48	Combined Treatment with MEK and mTOR Inhibitors is Effective in In Vitro and In Vivo Models of Hepatocellular Carcinoma. Cancers, 2019, 11, 930.	1.7	8
49	Experimental Models to Define the Genetic Predisposition to Liver Cancer. Cancers, 2019, 11, 1450.	1.7	15
50	Loss of Fbxw7 synergizes with activated Akt signaling to promote c-Myc dependent cholangiocarcinogenesis. Journal of Hepatology, 2019, 71, 742-752.	1.8	44
51	Cholangiocarcinoma: State-of-the-art knowledge and challenges. Liver International, 2019, 39, 5-6.	1.9	6
52	The mTORC2-Akt1 Cascade Is Crucial for c-Myc to Promote Hepatocarcinogenesis in Mice and Humans. Hepatology, 2019, 70, 1600-1613.	3.6	70
53	Experimental models to unravel the molecular pathogenesis, cell of origin and stem cell properties of cholangiocarcinoma. Liver International, 2019, 39, 79-97.	1.9	25
54	Functional role of SGK3 in PI3K/Pten driven liver tumor development. BMC Cancer, 2019, 19, 343.	1.1	17

#	ARTICLE	IF	CITATIONS
55	Reply. <i>Hepatology</i> , 2019, 70, 764-765.	3.6	1
56	MEK inhibition suppresses K-Ras wild-type cholangiocarcinoma in vitro and in vivo via inhibiting cell proliferation and modulating tumor microenvironment. <i>Cell Death and Disease</i> , 2019, 10, 120.	2.7	10
57	TEA Domain Transcription Factor 4 Is the Major Mediator of Yes-Associated Protein Oncogenic Activity in Mouse and Human Hepatoblastoma. <i>American Journal of Pathology</i> , 2019, 189, 1077-1090.	1.9	25
58	Genetic Mouse Models as In Vivo Tools for Cholangiocarcinoma Research. <i>Cancers</i> , 2019, 11, 1868.	1.7	5
59	Pathogenetic, Prognostic, and Therapeutic Role of Fatty Acid Synthase in Human Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 1412.	1.3	44
60	MicroRNA-203 impacts on the growth, aggressiveness and prognosis of hepatocellular carcinoma by targeting <i>MAT2A</i> and <i>MAT2B</i> genes. <i>Oncotarget</i> , 2019, 10, 2835-2854.	0.8	18
61	Hippo Cascade Controls Lineage Commitment of Liver Tumors in Mice and Humans. <i>American Journal of Pathology</i> , 2018, 188, 995-1006.	1.9	29
62	Efficacy of MEK inhibition in a K-Ras-driven cholangiocarcinoma preclinical model. <i>Cell Death and Disease</i> , 2018, 9, 31.	2.7	23
63	Loss of Pten synergizes with c-Met to promote hepatocellular carcinoma development via mTORC2 pathway. <i>Experimental and Molecular Medicine</i> , 2018, 50, e417-e417.	3.2	39
64	Notch2 controls hepatocyte-derived cholangiocarcinoma formation in mice. <i>Oncogene</i> , 2018, 37, 3229-3242.	2.6	79
65	Animal models of biliary injury and altered bile acid metabolism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1254-1261.	1.8	105
66	Deregulation of methionine metabolism as determinant of progression and prognosis of hepatocellular carcinoma. <i>Translational Gastroenterology and Hepatology</i> , 2018, 3, 36-36.	1.5	23
67	Alterations of methionine metabolism in hepatocarcinogenesis: the emergent role of glycine N-methyltransferase in liver injury. <i>Annals of Gastroenterology</i> , 2018, 31, 552-560.	0.4	15
68	Focal adhesion kinase activation limits efficacy of Dasatinib in c-Myc driven hepatocellular carcinoma. <i>Cancer Medicine</i> , 2018, 7, 6170-6181.	1.3	11
69	The complex role of bone morphogenetic protein 9 in liver damage and regeneration: New evidence from in vivo and in vitro studies. <i>Liver International</i> , 2018, 38, 1547-1549.	1.9	2
70	Oncogene-dependent addiction to carbohydrate-responsive element binding protein in hepatocellular carcinoma. <i>Cell Cycle</i> , 2018, 17, 1496-1512.	1.3	14
71	Both <i>de novo</i> synthesized and exogenous fatty acids support the growth of hepatocellular carcinoma cells. <i>Liver International</i> , 2017, 37, 80-89.	1.9	60
72	Nonstructural protein 5B promotes degradation of the NORE1A tumor suppressor to facilitate hepatitis C virus replication. <i>Hepatology</i> , 2017, 65, 1462-1477.	3.6	5

#	ARTICLE	IF	CITATIONS
73	Oncogene dependent requirement of fatty acid synthase in hepatocellular carcinoma. <i>Cell Cycle</i> , 2017, 16, 499-507.	1.3	45
74	Glucose Catabolism in Liver Tumors Induced by c-MYC Can Be Sustained by Various PKM1/PKM2 Ratios and Pyruvate Kinase Activities. <i>Cancer Research</i> , 2017, 77, 4355-4364.	0.4	74
75	A functional mammalian target of rapamycin complex 1 signaling is indispensable for c-Myc-driven hepatocarcinogenesis. <i>Hepatology</i> , 2017, 66, 167-181.	3.6	119
76	Pan-mTOR inhibitor MLN0128 is effective against intrahepatic cholangiocarcinoma in mice. <i>Journal of Hepatology</i> , 2017, 67, 1194-1203.	1.8	77
77	Tankyrase inhibitors suppress hepatocellular carcinoma cell growth via modulating the Hippo cascade. <i>PLoS ONE</i> , 2017, 12, e0184068.	1.1	35
78	Deregulated c-Myc requires a functional HSF1 for experimental and human hepatocarcinogenesis. <i>Oncotarget</i> , 2017, 8, 90638-90650.	0.8	17
79	Cholesterol overload in the liver aggravates oxidative stress-mediated DNA damage and accelerates hepatocarcinogenesis. <i>Oncotarget</i> , 2017, 8, 104136-104148.	0.8	33
80	Inhibition of HSF1 suppresses the growth of hepatocarcinoma cell lines <i>in vitro</i> and AKT-driven hepatocarcinogenesis in mice. <i>Oncotarget</i> , 2017, 8, 54149-54159.	0.8	24
81	Central role of mTORC1 downstream of YAP/TAZ in hepatoblastoma development. <i>Oncotarget</i> , 2017, 8, 73433-73447.	0.8	26
82	Sulfatase 1: a new Jekyll and Hyde in hepatocellular carcinoma?. <i>Translational Gastroenterology and Hepatology</i> , 2016, 1, 43-43.	1.5	3
83	NORE1A Regulates MDM2 Via β -TrCP. <i>Cancers</i> , 2016, 8, 39.	1.7	9
84	Activated mutant forms of PIK3CA cooperate with RasV12 or c-Met to induce liver tumour formation in mice via AKT2/mTORC1 cascade. <i>Liver International</i> , 2016, 36, 1176-1186.	1.9	26
85	Cholangiocarcinoma: current knowledge and future perspectives consensus statement from the European Network for the Study of Cholangiocarcinoma (ENS-CCA). <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 261-280.	8.2	964
86	Programmed death ligand 1 expression in hepatocellular carcinoma: A prognostic marker and therapeutic target for liver cancer?. <i>Hepatology</i> , 2016, 64, 1847-1849.	3.6	9
87	An infernal cross-talk between oncogenic β -catenin and c-Met in hepatocellular carcinoma: Evidence from mouse modeling. <i>Hepatology</i> , 2016, 64, 1421-1423.	3.6	5
88	The dark side of the moon: AKT as a tumor suppressor in the liver?. <i>Hepatology</i> , 2016, 64, 1358-1361.	3.6	1
89	Co-activation of AKT and c-Met triggers rapid hepatocellular carcinoma development via the mTORC1/FASN pathway in mice. <i>Scientific Reports</i> , 2016, 6, 20484.	1.6	100
90	DNA-PKcs: A promising therapeutic target in human hepatocellular carcinoma?. <i>DNA Repair</i> , 2016, 47, 12-20.	1.3	25

#	ARTICLE	IF	CITATIONS
91	Differential requirement for de novo lipogenesis in cholangiocarcinoma and hepatocellular carcinoma of mice and humans. <i>Hepatology</i> , 2016, 63, 1900-1913.	3.6	82
92	[11C]acetate PET Imaging is not Always Associated with Increased Lipogenesis in Hepatocellular Carcinoma in Mice. <i>Molecular Imaging and Biology</i> , 2016, 18, 360-367.	1.3	11
93	Inactivation of fatty acid synthase impairs hepatocarcinogenesis driven by AKT in mice and humans. <i>Journal of Hepatology</i> , 2016, 64, 333-341.	1.8	115
94	Post-translational deregulation of YAP1 is genetically controlled in rat liver cancer and determines the fate and stem-like behavior of the human disease. <i>Oncotarget</i> , 2016, 7, 49194-49216.	0.8	20
95	Distinct anti-oncogenic effect of various microRNAs in different mouse models of liver cancer. <i>Oncotarget</i> , 2015, 6, 6977-6988.	0.8	49
96	Co-activation of PIK3CA and Yap promotes development of hepatocellular and cholangiocellular tumors in mouse and human liver. <i>Oncotarget</i> , 2015, 6, 10102-10115.	0.8	61
97	Molecularly targeted therapies for human hepatocellular carcinoma: Should we start from β -catenin inhibition?. <i>Journal of Hepatology</i> , 2015, 62, 257-259.	1.8	5
98	Activation of β -Catenin and Yap1 in Human Hepatoblastoma and Induction of Hepatocarcinogenesis in Mice. <i>Gastroenterology</i> , 2014, 147, 690-701.	0.6	249
99	Hydrodynamic Transfection for Generation of Novel Mouse Models for Liver Cancer Research. <i>American Journal of Pathology</i> , 2014, 184, 912-923.	1.9	271
100	Inhibition of hepatitis B virus-associated liver cancer by antiplatelet therapy: A revolution in hepatocellular carcinoma prevention?. <i>Hepatology</i> , 2013, 57, 848-850.	3.6	5
101	Hepatoma Cells From Mice Deficient in Glycine N-Methyltransferase Have Increased RAS Signaling and Activation of Liver Kinase B1. <i>Gastroenterology</i> , 2012, 143, 787-798.e13.	0.6	40
102	Deregulation of signalling pathways in prognostic subtypes of hepatocellular carcinoma: Novel insights from interspecies comparison. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 215-237.	3.3	27
103	AKT (v-akt murine thymoma viral oncogene homolog 1) and N-Ras (neuroblastoma ras viral oncogene) Tj ETQq1 1 0.784314 rgBT /Over 55, 833-845.	3.6	183
104	Cholangiocarcinomas can originate from hepatocytes in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 2911-2915.	3.9	385
105	Bmi1 Is Required for Hepatic Progenitor Cell Expansion and Liver Tumor Development. <i>PLoS ONE</i> , 2012, 7, e46472.	1.1	31
106	Increased Lipogenesis, Induced by AKT-mTORC1-RPS6 Signaling, Promotes Development of Human Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2011, 140, 1071-1083.e5.	0.6	453
107	Activation of v-Myb avian myeloblastosis viral oncogene homolog-like2 (MYBL2)-LIN9 complex contributes to human hepatocarcinogenesis and identifies a subset of hepatocellular carcinoma with mutant p53. <i>Hepatology</i> , 2011, 53, 1226-1236.	3.6	53
108	Hepatocarcinogenesis following pancreatic islet transplantation in streptozotocin- and autoimmune-diabetic rats. <i>Archives of Physiology and Biochemistry</i> , 2009, 115, 97-104.	1.0	1

#	ARTICLE	IF	CITATIONS
109	A novel prognostic subtype of human hepatocellular carcinoma derived from hepatic progenitor cells. <i>Nature Medicine</i> , 2006, 12, 410-416.	15.2	889