Marcos Vinicius Castro de Ferraz Junior

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5287079/publications.pdf

Version: 2024-02-01

1162889 1125617 21 197 13 8 citations h-index g-index papers 21 21 21 248 docs citations citing authors all docs times ranked

#	Article	IF	Citations
1	Low doses of monensin for lambs fed diets containing high level of ground flint corn. Scientia Agricola, 2021, 78, .	0.6	7
2	Narasin inclusion for feedlot lambs fed a diet containing high amounts of ground flint corn. Scientia Agricola, $2021, 78, .$	0.6	5
3	Implications of carbohydrate sources and rate of body weight gain on puberty in ewe lambs in tropical climate conditions. Tropical Animal Health and Production, 2020, 52, 373-378.	0.5	2
4	Wet citrus pulp in finishing diets for feedlot lambs:. Brazilian Journal of Veterinary Research and Animal Science, 2020, 57, e161434.	0.2	0
5	The Economy of Puberty and Early Pregnancy Diagnosis in Nellore and Nellore X Angus Females. Journal of Agricultural Studies, 2020, 8, 165.	0.2	0
6	Effects of soybean oil or various levels of whole cottonseed on growth performance, carcass traits, and meat quality of finishing bulls. Livestock Science, 2020, 232, 103934.	0.6	7
7	Effect of thyme essential oil on rumen parameters, nutrient digestibility, and nitrogen balance in wethers fed high concentrate diets. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2020, 72, 573-580.	0.1	7
8	The effect of length of storage and sodium benzoate on the nutritive value of reconstituted sorghum grain silages for dairy cows. Journal of Dairy Science, 2019, 102, 9028-9038.	1.4	5
9	The reused progesterone device has the same effect on short or long estrus synchronization protocols in tropical sheep. Tropical Animal Health and Production, 2019, 51, 1545-1549.	0.5	18
10	Plasma and milk fatty acid profiles in goats fed diets supplemented with oils from soybean, linseed or fish. Small Ruminant Research, 2019, 170, 125-130.	0.6	16
11	Thyme essential oil for sheep: effect on rumen fermentation, nutrient digestibility, nitrogen metabolism, and growth. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2019, 71, 2065-2074.	0.1	13
12	Brazilian red pepper fruit essential oil (Schinus terebinthifolius) may replace monensin in high concentrate diets for feedlot lambs. Brazilian Journal of Veterinary Research and Animal Science, 2019, 56, e153845.	0.2	2
13	Decreasing from 9 to 7 days the permanence of progesterone inserts make possible their use up to 5 folds in suckled Nellore cows. Theriogenology, 2018, 111, 56-61.	0.9	9
14	Milk yield and composition from ewes fed raw soybeans and their lambs' performance. Animal Feed Science and Technology, 2018, 238, 1-8.	1.1	10
15	A combination of nutrition and genetics is able to reduce age at puberty in Nelore heifers to below 18 months. Animal, 2018, 12, 569-574.	1.3	29
16	Effect of reproductive methods and GnRH administration on long-term protocol in Santa Ines ewes. Tropical Animal Health and Production, 2017, 49, 1303-1308.	0.5	8
17	Effect of pre-partum dam supplementation, creep-feeding and post-weaning feedlot on age at puberty in Nellore heifers. Livestock Science, 2017, 195, 58-62.	0.6	27
18	Comparison of two timed artificial insemination system schemes to synchronize estrus and ovulation in Nellore cattle. Theriogenology, 2016, 86, 1939-1943.	0.9	12

#	Article	IF	CITATIONS
19	Luteolysis in Bos indicus cows on Days 5 and 7 of estrous cycle with varying doses of PGF2α. Theriogenology, 2016, 86, 1268-1274.	0.9	7
20	Are plant growth retardants a strategy to decrease lodging and increase yield of sunflower?. Comunicata Scientiae, 2016, 7, 154.	0.4	12
21	Supplementation of grazing beef cattle with narasin. Pesquisa Agropecuaria Brasileira, 0, 55, .	0.9	1