Georg von Samson-Himmelstjerna

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5287988/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Immunization Trials with Recombinant Major Sperm Protein of the Bovine Lungworm Dictyocaulus viviparus. Pathogens, 2022, 11, 55.	2.8	1
2	World association for the advancement of veterinary parasitology (WAAVP): Third edition of guideline for evaluating the efficacy of equine anthelmintics. Veterinary Parasitology, 2022, 303, 109676.	1.8	22
3	Efficacy of oral fluralaner (Bravecto) against Tunga penetrans in dogs: A negative control, randomized field study in an endemic community in Brazil. PLoS Neglected Tropical Diseases, 2022, 16, e0010251.	3.0	5
4	Absence of Polymorphisms in Codons 167, 198 and 200 of All Seven β-Tubulin Isotypes of Benzimidazole Susceptible and Resistant Parascaris spp. Specimens from Australia. Pathogens, 2022, 11, 490.	2.8	4
5	Comparison of FECPAKG2, a modified Mini-FLOTAC technique and combined sedimentation and flotation for the coproscopic examination of helminth eggs in horses. Parasites and Vectors, 2022, 15, 166.	2.5	7
6	Experimental evidence for the lack of sensitivity of in vivo faecal egg count reduction testing for the detection of early development of benzimidazole resistance. Parasitology Research, 2021, 120, 153-159.	1.6	8
7	Anthelmintic resistance of horse strongyle nematodes to ivermectin and pyrantel in Lithuania. Acta Veterinaria Scandinavica, 2021, 63, 5.	1.6	24
8	Chronic Wasting Due to Liver and Rumen Flukes in Sheep. Animals, 2021, 11, 549.	2.3	12
9	Susceptible trichostrongyloid species mask presence of benzimidazole-resistant Haemonchus contortus in cattle. Parasites and Vectors, 2021, 14, 101.	2.5	11
10	Pharyngeal Pumping and Tissue-Specific Transgenic P-Glycoprotein Expression Influence Macrocyclic Lactone Susceptibility in Caenorhabditis elegans. Pharmaceuticals, 2021, 14, 153.	3.8	13
11	Genetic variability, cryptic species and phylogenetic relationship of six cyathostomin species based on mitochondrial and nuclear sequences. Scientific Reports, 2021, 11, 8245.	3.3	10
12	Genetic diversity of vector-borne pathogens in spotted and brown hyenas from Namibia and Tanzania relates to ecological conditions rather than host taxonomy. Parasites and Vectors, 2021, 14, 328.	2.5	2
13	Very low intraspecific sequence variation in selected nuclear and mitochondrial Parascaris univalens genes. Infection, Genetics and Evolution, 2021, 95, 105035.	2.3	6
14	Spread of anthelmintic resistance in intestinal helminths of dogs and cats is currently less pronounced than in ruminants and horses – Yet it is of major concern. International Journal for Parasitology: Drugs and Drug Resistance, 2021, 17, 36-45.	3.4	19
15	Does the <i>in vitro</i> egg hatch test predict the failure of benzimidazole treatment in <i>Haemonchus contortus</i> ?. Parasite, 2021, 28, 62.	2.0	4
16	Identical 18S rRNA haplotypes of Hepatozoon canis in dogs and foxes in Brandenburg, Germany. Ticks and Tick-borne Diseases, 2020, 11, 101520.	2.7	17
17	Haemonchus sp. in beef cattle in Brazil: species composition and frequency of benzimidazole resistance alleles. Preventive Veterinary Medicine, 2020, 185, 105162.	1.9	9
18	Assessment of the F200Y mutation frequency in the β tubulin gene of Haemonchus contortus following the exposure to a discriminating concentration of thiabendazole in the egg hatch test. Experimental Parasitology, 2020, 217, 107957.	1.2	10

#	Article	IF	CITATIONS
19	Molecular analysis of polymorphic species of the genus Marshallagia (Nematoda: Ostertagiinae). Parasites and Vectors, 2020, 13, 411.	2.5	9
20	Comparative Analysis of Intestinal Helminth Infections in Colic and Non-Colic Control Equine Patients. Animals, 2020, 10, 1916.	2.3	11
21	The P-glycoprotein repertoire of the equine parasitic nematode Parascaris univalens. Scientific Reports, 2020, 10, 13586.	3.3	16
22	Investigations on the occurrence of tapeworm infections in German horse populations with comparison of different antibody detection methods based on saliva and serum samples. Parasites and Vectors, 2020, 13, 462.	2.5	13
23	Increased immune marker variance in a population of invasive birds. Scientific Reports, 2020, 10, 21764.	3.3	7
24	Increasing importance of anthelmintic resistance in European livestock: creation and meta-analysis of an open database. Parasite, 2020, 27, 69.	2.0	110
25	Detection of target-site and metabolic resistance to pyrethroids in the bed bug Cimex lectularius in Berlin, Germany. International Journal for Parasitology: Drugs and Drug Resistance, 2020, 14, 274-283.	3.4	5
26	New codon 198 β-tubulin polymorphisms in highly benzimidazole resistant Haemonchus contortus from goats in three different states in Sudan. Parasites and Vectors, 2020, 13, 114.	2.5	37
27	Efficacy of imidacloprid 10%/moxidectin 1% spot-on formulation (Advocate®) in the prevention and treatment of feline aelurostrongylosis. Parasites and Vectors, 2020, 13, 65.	2.5	8
28	A Qualitative Market Analysis Applied to Mini-FLOTAC and Fill-FLOTAC for Diagnosis of Helminth Infections in Ruminants. Frontiers in Veterinary Science, 2020, 7, 580649.	2.2	6
29	Nuclear and mitochondrial marker sequences reveal close relationship between Coronocyclus coronatus and a potential Cylicostephanus calicatus cryptic species complex. Infection, Genetics and Evolution, 2019, 75, 103956.	2.3	8
30	Coâ€infections with <i>Plasmodium</i> , <i> Ascaris</i> and <i>Giardia</i> among Rwandan schoolchildren. Tropical Medicine and International Health, 2019, 24, 409-420.	2.3	13
31	Epidemiology of strongyle nematode infections and first report of benzimidazole resistance in Haemonchus contortus in goats in South Darfur State, Sudan. BMC Veterinary Research, 2019, 15, 184.	1.9	12
32	Survey of German pet owners quantifying endoparasitic infection risk and implications for deworming recommendations. Parasites and Vectors, 2019, 12, 203.	2.5	25
33	Concurrent Proteomic Fingerprinting and Molecular Analysis of Cyathostomins. Proteomics, 2019, 19, 1800290.	2.2	16
34	Dermacentor reticulatus in Berlin/Brandenburg (Germany): Activity patterns and associated pathogens. Ticks and Tick-borne Diseases, 2019, 10, 191-206.	2.7	32
35	100 Questions in Livestock Helminthology Research. Trends in Parasitology, 2019, 35, 52-71.	3.3	54
36	High genetic diversity in the <i>Dirofilaria repens</i> species complex revealed by mitochondrial genomes of feline microfilaria samples from Narathiwat, Thailand. Transboundary and Emerging Diseases, 2019, 66, 389-399.	3.0	22

#	Article	IF	CITATIONS
37	Established and novel approaches for teaching and learning of veterinary parasitology in Berlin. Veterinary Parasitology, 2018, 252, 58-61.	1.8	4
38	Control of helminth ruminant infections by 2030. Parasitology, 2018, 145, 1655-1664.	1.5	97
39	Animal and human tungiasis-related knowledge and treatment practices among animal keeping households in Bugiri District, South-Eastern Uganda. Acta Tropica, 2018, 177, 81-88.	2.0	18
40	Comment on "The optimal timing of post-treatment sampling for the assessment of anthelminthic drug efficacy against Ascaris infections in humans― International Journal for Parasitology: Drugs and Drug Resistance, 2018, 8, 329-330.	3.4	0
41	Factors associated with diversity, quantity and zoonotic potential of ectoparasites on urban mice and voles. PLoS ONE, 2018, 13, e0199385.	2.5	24
42	Molecular marker sequences of cattle Cooperia species identify Cooperia spatulata as a morphotype of Cooperia punctata. PLoS ONE, 2018, 13, e0200390.	2.5	21
43	A multi-country study to assess the effect of a treatment with moxidectin pour-on during the dry period on milk production in dairy cows. Veterinary Parasitology, 2017, 237, 104-109.	1.8	3
44	Economic assessment of Ostertagia ostertagi and Fasciola hepatica infections in dairy cattle herds in Germany using Paracalc ®. Veterinary Parasitology, 2017, 240, 39-48.	1.8	23
45	Reduced efficacy of albendazole against Ascaris lumbricoides in Rwandan schoolchildren. International Journal for Parasitology: Drugs and Drug Resistance, 2017, 7, 262-271.	3.4	95
46	High intensity of Tunga penetrans infection causing severe disease among pigs in Busoga, South Eastern Uganda. BMC Veterinary Research, 2017, 13, 206.	1.9	12
47	Small rodents as paratenic or intermediate hosts of carnivore parasites in Berlin, Germany. PLoS ONE, 2017, 12, e0172829.	2.5	30
48	Molecular diagnosis and characterization of Cryptosporidium spp. in turkeys and chickens in Germany reveals evidence for previously undetected parasite species. PLoS ONE, 2017, 12, e0177150.	2.5	28
49	Two Severe Cases of Tungiasis in Goat Kids in Uganda. Journal of Insect Science, 2016, 16, 34.	1.5	13
50	Successful Treatment of Severe Tungiasis in Pigs Using a Topical Aerosol Containing Chlorfenvinphos, Dichlorphos and Gentian Violet. PLoS Neglected Tropical Diseases, 2016, 10, e0005056.	3.0	10
51	The Mitochondrial Genomes of the Zoonotic Canine Filarial Parasites Dirofilaria (Nochtiella) repens and Candidatus Dirofilaria (Nochtiella) Honkongensis Provide Evidence for Presence of Cryptic Species. PLoS Neglected Tropical Diseases, 2016, 10, e0005028.	3.0	47
52	Susceptibility to Ticks and Lyme Disease Spirochetes Is Not Affected in Mice Coinfected with Nematodes. Infection and Immunity, 2016, 84, 1274-1286.	2.2	11
53	Benzimidazole resistance survey for Haemonchus , Teladorsagia and Trichostrongylus in three European countries using pyrosequencing including the development of new assays for Trichostrongylus. International Journal for Parasitology: Drugs and Drug Resistance, 2016, 6, 230-240.	3.4	42
54	Vector-borne pathogens in dogs and red foxes from the federal state of Brandenburg, Germany. Veterinary Parasitology, 2016, 224, 44-51.	1.8	37

#	Article	IF	CITATIONS
55	Tungiasis-associated morbidity in pigs and dogs in endemic villages of Uganda. Parasites and Vectors, 2016, 9, 44.	2.5	23
56	Elevated temperatures and long drought periods have a negative impact on survival and fitness of strongylid third stage larvae. International Journal for Parasitology, 2016, 46, 229-237.	3.1	18
57	Rapid selection for β-tubulin alleles in codon 200 conferring benzimidazole resistance in an Ostertagia ostertagi isolate on pasture. Veterinary Parasitology, 2015, 209, 84-92.	1.8	23
58	Genetic blueprint of the zoonotic pathogen Toxocara canis. Nature Communications, 2015, 6, 6145.	12.8	103
59	Macrocyclic Lactones Differ in Interaction with Recombinant P-Glycoprotein 9 of the Parasitic Nematode Cylicocylus elongatus and Ketoconazole in a Yeast Growth Assay. PLoS Pathogens, 2015, 11, e1004781.	4.7	26
60	Identification of novel splice variants of the voltage- and Ca2+-dependent K+-channel SLO-1 of Trichuris muris. Molecular and Biochemical Parasitology, 2015, 199, 5-8.	1.1	3
61	Absence of detectable benzimidazole-resistance associated alleles in Haemonchus placei in cattle in Nigeria revealed by pyrosequencing of β-tubulin isotype 1. Parasitology Research, 2015, 114, 1997-2001.	1.6	13
62	Vaccination with recombinant paramyosin against the bovine lungworm Dictyocaulus viviparus considerably reduces worm burden and larvae shedding. Parasites and Vectors, 2015, 8, 119.	2.5	22
63	Development of a multiplex fluorescence immunological assay for the simultaneous detection of antibodies against Cooperia oncophora, Dictyocaulus viviparus and Fasciola hepatica in cattle. Parasites and Vectors, 2015, 8, 335.	2.5	18
64	Efficacy of selected anthelmintic drugs against cyathostomins in horses in the federal state of Brandenburg, Germany. Parasitology Research, 2015, 114, 4441-4450.	1.6	15
65	Anthelmintic resistance to ivermectin and moxidectin in gastrointestinal nematodes of cattle in Europe. International Journal for Parasitology: Drugs and Drug Resistance, 2015, 5, 163-171.	3.4	123
66	Transgenically expressed Parascaris P-glycoprotein-11 can modulate ivermectin susceptibility in Caenorhabditis elegans. International Journal for Parasitology: Drugs and Drug Resistance, 2015, 5, 44-47.	3.4	37
67	Animal Reservoirs of Zoonotic Tungiasis in Endemic Rural Villages of Uganda. PLoS Neglected Tropical Diseases, 2015, 9, e0004126.	3.0	46
68	Measuring the effect of avermectins and milbemycins on somatic muscle contraction of adult Haemonchus contortus and on motility of Ostertagia circumcincta in vitro. Parasitology, 2014, 141, 948-956.	1.5	14
69	Efficacy of Cyclooctadepsipeptides and Aminophenylamidines against Larval, Immature and Mature Adult Stages of a Parasitologically Characterized Trichurosis Model in Mice. PLoS Neglected Tropical Diseases, 2014, 8, e2698.	3.0	14
70	Characterization of the Ca2+-Gated and Voltage-Dependent K+-Channel Slo-1 of Nematodes and Its Interaction with Emodepside. PLoS Neglected Tropical Diseases, 2014, 8, e3401.	3.0	40
71	Tungiasis—A Neglected Disease with Many Challenges for Global Public Health. PLoS Neglected Tropical Diseases, 2014, 8, e3133.	3.0	91
72	Recent advances in candidate-gene and whole-genome approaches to the discovery of anthelmintic resistance markers and the description of drug/receptor interactions. International Journal for Parasitology: Drugs and Drug Resistance, 2014, 4, 164-184.	3.4	149

#	Article	IF	CITATIONS
73	Pathogens in ticks collected from dogs in Berlin/Brandenburg, Germany. Parasites and Vectors, 2014, 7, 535.	2.5	63
74	Tick infestation and prophylaxis of dogs in northeastern Germany: A prospective study. Ticks and Tick-borne Diseases, 2014, 5, 336-342.	2.7	38
75	Analysis of putative inhibitors of anthelmintic resistance mechanisms in cattle gastrointestinal nematodes. International Journal for Parasitology, 2014, 44, 647-658.	3.1	23
76	Rapid method for recovery of strongylid third stage larvae of parasitic nematodes from small soil samples. Experimental Parasitology, 2014, 142, 91-94.	1.2	7
77	The in vitro assay profile of macrocyclic lactone resistance in three species of sheep trichostrongyloids. International Journal for Parasitology: Drugs and Drug Resistance, 2013, 3, 109-118.	3.4	34
78	In vivo efficacy of PF1022A and nicotinic acetylcholine receptor agonists alone and in combination against Nippostrongylus brasiliensis. Parasitology, 2013, 140, 1252-1265.	1.5	2
79	Discrimination of Gastrointestinal Nematode Eggs from Crude Fecal Egg Preparations by Inhibitor-Resistant Conventional and Real-Time PCR. PLoS ONE, 2013, 8, e61285.	2.5	70
80	Phylogenetic Characterization of β-Tubulins and Development of Pyrosequencing Assays for Benzimidazole Resistance in Cattle Nematodes. PLoS ONE, 2013, 8, e70212.	2.5	54
81	Global Change and Helminth Infections in Grazing Ruminants in Europe: Impacts, Trends and Sustainable Solutions. Agriculture (Switzerland), 2013, 3, 484-502.	3.1	82
82	Evaluation of the Egg Hatch Assay and the Larval Migration Inhibition Assay to detect anthelmintic resistance in cattle parasitic nematodes on farms. Parasitology International, 2012, 61, 614-618.	1.3	42
83	Anthelmintic resistance in equine parasites – detection, potential clinical relevance and implications for control. Veterinary Parasitology, 2012, 185, 2-8.	1.8	93
84	Standardization of the egg hatch test for the detection of benzimidazole resistance in parasitic nematodes. Parasitology Research, 2009, 105, 825-834.	1.6	105
85	Amplification of ribosomal DNA of Anoplocephalidae: Anoplocephala perfoliata diagnosis by PCR as a possible alternative to coprological methods. Veterinary Parasitology, 2004, 124, 205-215.	1.8	30
86	Occurrence of Strongylid Nematode Parasites on Horse Farms in Berlin and Brandenburg, Germany, With High Seroprevalence of Strongylus vulgaris Infection. Frontiers in Veterinary Science, 0, 9, .	2.2	9