

# Fernando Ramos

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5288313/fernando-ramos-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

539  
papers

4,084  
citations

27  
h-index

55  
g-index

551  
ext. papers

4,989  
ext. citations

2.8  
avg, IF

5.68  
L-index

#	Paper	IF	Citations
539	Safety and efficacy of a feed additive consisting of an essential oil from ( <i>L.</i> ) <i>J. Presl</i> (camphor white oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e06985	2.3	0
538	Assessment of the feed additive consisting of NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG).. <i>EFSA Journal</i> , <b>2022</b> , 20, e06975	2.3	
537	Safety and efficacy of two solvent extracts of rosemary ( <i>L.</i> ) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL).. <i>EFSA Journal</i> , <b>2022</b> , 20, e06978	2.3	
536	Application of Releasing Systems in Active Packaging of Meat Products. <i>Food Bioactive Ingredients</i> , <b>2022</b> , 303-352	0.2	
535	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e06984	2.3	
534	Safety of the fermentation product of NRRL 458 (Amaferm) as a feed additive for dairy cows (Biozyme Inc.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e06983	2.3	
533	Efficacy of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07162	2.3	
532	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of ( <i>Lam.</i> ) <i>Hook.f. &amp; Thomson</i> (ylang ylang oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07159	2.3	0
531	Safety and efficacy of a feed additive consisting of ferric citrate chelate (CI-FER) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07155	2.3	
530	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by DSM 32731 for all terrestrial animal species (Biomin GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07157	2.3	0
529	Safety and efficacy of a feed additive consisting of DSM 33189 and (formerly ) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07151	2.3	
528	Assessment of the feed additive consisting of (formerly ) DSM 12856 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07148	2.3	
527	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07168	2.3	
526	Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07163	2.3	
525	Safety and efficacy of a feed additive consisting of NITE BP-01844 (BA-KING) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing species (Tas Biopharma Co. Ltd.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07152	2.3	
524	Safety and efficacy of a feed additive consisting of astaxanthin-rich for salmon and trout (Igene Biotechnology, Inc.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07161	2.3	
523	Safety and efficacy of the feed additive consisting of CECT 4529 ( D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07150	2.3	

522	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07167	2.3	
521	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07164	2.3	
520	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07166	2.3	0
519	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07160	2.3	0
518	Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07154	2.3	
517	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07165	2.3	
516	Safety and efficacy of the feed additives consisting of l-glutamic acid and monosodium l-glutamate monohydrate produced by NITE BP-01681 for all animal species (METEX NOOVISTAGO).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07156	2.3	
515	Safety and efficacy of a feed additive consisting of an extract of olibanum from Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07158	2.3	0
514	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by KCCM 80235 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07153	2.3	0
513	Assessment of the feed additive consisting of (formerly ) NCIMB 30236 for all animal species for the renewal of its authorisation (BioCC OJl). <i>EFSA Journal</i> , <b>2022</b> , 20, e07149	2.3	
512	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and Tolsa, S.A).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07250	2.3	0
511	Assessment of the feed additive consisting of DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07241	2.3	
510	Safety and efficacy of a feed additive consisting of ATCC PTA-6737 ( PB6) for turkeys for fattening, turkeys reared for breeding, laying hens, minor poultry species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07244	2.3	1
509	Safety of feed additives consisting of Edamascone [07.083] and (E)-Edamascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07248 <sup>3</sup>	2.3	
508	Safety and efficacy of a feed additive consisting of l-methionine produced by the combined activities of KCCM 80245 and KCCM 80246 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07247	2.3	
507	Efficacy of Whey Protein Film Incorporated with Portuguese Green Tea ( L.) Extract for the Preservation of Latin-Style Fresh Cheese.. <i>Foods</i> , <b>2022</b> , 11,	4.9	3
506	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07246	2.3	
505	Assessment of the feed additive consisting of NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07243	2.3	

504	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07249	2.3	
503	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07284	2.3	
502	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07285	2.3	
501	Safety and efficacy of a feed additive consisting of NBIMCC 8270, NBIMCC 8242, NBIMCC 8269, ssp. NBIMCC 8250, NBIMCC 8244 and NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07245	2.3	
500	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07255	2.3	
499	Safety and efficacy of a feed additive consisting of lactic acid produced by (synonym ) DSM 32789 for all animal species except for fish (Jungbunzlauer SA).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07268	2.3	0
498	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07252	2.3	
497	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07253	2.3	
496	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07286	2.3	1
495	Safety and efficacy of a feed additive consisting of 6-phytase (produced by DSM 23036) (OptiPhos) for poultry for fattening, chickens reared for laying, laying hens, turkeys reared for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for	2.3	
494	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07287	2.3	
493	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07266	2.3	
492	Ecotoxicological effects of untreated pig manure from diets with or without growth-promoting supplements on <i>Eisenia andrei</i> in subtropical soils.. <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 1	5.1	
491	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07269	2.3	0
490	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S).. <i>EFSA Journal</i> , <b>2022</b> , 20, e07251	2.3	
489	Development of active films utilizing antioxidant compounds obtained from tomato and lemon by-products for use in food packaging. <i>Food Control</i> , <b>2022</b> , 109128	6.2	3
488	Diphenyl sulfide and 2-aminophenyl phenyl sulfide: An experimental thermochemical study. <i>Journal of Chemical Thermodynamics</i> , <b>2022</b> , 172, 106832	2.9	
487	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by LMG S-27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). <i>EFSA Journal</i> , <b>2021</b> , 19, e06906	2.3	

486	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06903	2.3	1
485	Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). <i>EFSA Journal</i> , <b>2021</b> , 19, e06899	2.3	
484	Assessment of the feed additive consisting of (formerly ) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06900	2.3	0
483	Safety and efficacy of a feed additive consisting of (formerly ) NCIMB 30121 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06901	2.3	1
482	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. <i>EFSA Journal</i> , <b>2021</b> , 19, e06894	2.3	
481	Safety and efficacy of a feed additive consisting of an aqueous extract of (L.) Osbeck (lemon extract) for use in all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , <b>2021</b> , 19, e06893	2.3	1
480	Assessment of the feed additive consisting of (formerly DSM 16245 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06902	2.3	
479	Food supplement vitamins, minerals, amino-acids, fatty acids, phenolic and alkaloid-based substances: An overview of their interaction with drugs. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2021</b> , 1-35	11.5	2
478	Bioactive Edible Films and Coatings Based in Gums and Starch: Phenolic Enrichment and Foods Application. <i>Coatings</i> , <b>2021</b> , 11, 1393	2.9	3
477	Safety and efficacy of a feed additive consisting of strains CNCM I-4606, CNCM I-5043 and CNCM I-4607 and CNCM I-4609 for all animal species (Nolivade). <i>EFSA Journal</i> , <b>2021</b> , 19, e06907	2.3	0
476	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from (L.) Osbeck for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06891	2.3	0
475	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). <i>EFSA Journal</i> , <b>2021</b> , 19, e06905	2.3	2
474	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06974	2.3	2
473	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of L. for all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , <b>2021</b> , 19, e06904	2.3	
472	Safety and efficacy of a feed additive consisting of (formerly ) DSM 26571 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06898	2.3	
471	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06896	2.3	
470	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06897	2.3	
469	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). <i>EFSA Journal</i> , <b>2021</b> , 19, e06892	2.3	

468	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06895	2.3	
467	Safety and efficacy of the feed additive consisting of Vitamin B/Riboflavin produced by CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , <b>2021</b> , 19, e06462	2.3	2
466	Safety and efficacy of the feed additive consisting of DSM 28710 (B-Act) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06449	2.3	1
465	Safety and efficacy of a feed additive consisting of serine protease produced by DSM 19670 (Ronozyme ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06448	2.3	1
464	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06468	2.3	1
463	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , <b>2021</b> , 19, e06447	2.3	5
462	Safety and efficacy of a feed additive consisting of endo-1,4- $\alpha$ -xylanase produced by LMG S-15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , <b>2021</b> , 19, e06456	2.3	1
461	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , <b>2021</b> , 19, e06454	2.3	2
460	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend <sup>®</sup> 200G) for chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , <b>2021</b> , 19, e06466	2.3	1
459	Highlights of Current Dietary Guidelines in Five Continents. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	15
458	Safety and efficacy of the additive consisting of muramidase produced by DSM 32338 (Balancius <sup>®</sup> ) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , <b>2021</b> , 19, e06452	2.3	
457	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06467	2.3	5
456	Safety and efficacy of a feed additive consisting on 'ATCC PTA-6750 (formerly ) for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06469	2.3	
455	Safety and efficacy of a feed additive consisting of a dried extract from (L.) Roxb. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06444	2.3	2
454	Efficacy of the feed additive consisting of decoquinatate (Deccox) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , <b>2021</b> , 19, e06453	2.3	1
453	Safety and efficacy of the feed additive consisting of FERM BP-2789 (Miya-Gold S) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd). <i>EFSA Journal</i> , <b>2021</b> , 19, e06450	2.3	
452	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06457	2.3	1
451	Safety and efficacy of the feed additive consisting of l-tryptophan produced by KCCM 80210 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , <b>2021</b> , 19, e06425	2.3	1

450	Safety and efficacy of an additive consisting of 'DSM 32324 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06523	2.3	
449	Safety and efficacy of a feed additive consisting of l-valine produced by 'CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06521	2.3	1
448	Safety and efficacy of an additive consisting of 'DSM 32325 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06524	2.3	
447	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V). <i>EFSA Journal</i> , <b>2021</b> , 19, e06528	2.3	1
446	Safety and efficacy of a feed additive consisting of a dried extract from the roots of L. ( dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06527	2.3	1
445	Safety and efficacy of a feed additive consisting of PTA-6507, NRRL B-50013 and NRRL B-50104 (Enviva PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition). <i>EFSA Journal</i> , <b>2021</b> , 19, e06535 <sup>2.3</sup>	2.3	0
444	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06541	2.3	1
443	Safety and efficacy of a feed additive consisting of endo-1,4-Bxylanase (ECONASEXT) produced by CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Rusel Oy). <i>EFSA Journal</i> , <b>2021</b> , 19, e06536	2.3	1
442	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06533 <sup>2.3</sup>	2.3	6
441	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). <i>EFSA Journal</i> , <b>2021</b> , 19, e06529	2.3	1
440	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from (L.) Osbeck and of lime oil from (Christm.) Swingle for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06548	2.3	9
439	Safety and efficacy of a feed additive consisting of a tincture derived from roots of L. (gentian tincture) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06547	2.3	6
438	Safety and efficacy of an additive consisting of synthetic vitamin K (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06538	2.3	
437	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). <i>EFSA Journal</i> , <b>2021</b> , 19, e06531	2.3	1
436	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06530	2.3	1
435	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06545	2.3	
434	Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Nutrition). <i>EFSA Journal</i> , <b>2021</b> , 19, e06539	2.3	
433	Safety and efficacy of a feed additive consisting of a dried extract from the roots of C.A. Meyer ( dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06526	2.3	

432	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of L. ( dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06525	2.3	0
431	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE[Chromium]) for all growing poultry species (Kemin Europa NV). <i>EFSA Journal</i> , <b>2021</b> , 19, e06546	2.3	
430	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06540	2.3	1
429	Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06520	2.3	2
428	Assessment of a feed additive consisting of RRR-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06532	2.3	1
427	Safety and efficacy of an additive consisting of DSM 25840 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06522	2.3	
426	Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06537	2.3	2
425	Texture-Modified Food for Dysphagic Patients: A Comprehensive Review. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	7
424	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06621-3		
423	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Gallinarum B/00111 (Bafasal) for all avian species (Proteon Pharmaceuticals S.A.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06534	2.3	1
422	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06618	2.3	
421	Efficacy of the feed additive containing (formerly ) CNCM I-3740 (Biacton) for chickens for fattening, turkeys for fattening and laying hens (ChemVet dk A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06627	2.3	
420	Assessment of the feed additive consisting of (formerly ) DSM 21762 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06613	2.3	3
419	Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06622	2.3	1
418	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06624	2.3	1
417	Assessment of the feed additive consisting of (formerly ) DSM 12836 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06626	2.3	
416	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Titanium Dioxide Manufacturers Association). <i>EFSA Journal</i> , <b>2021</b> , 19, e06630	2.3	2
415	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06616	2.3	



414	Safety and efficacy of an additive consisting of potassium diformate (FormiLHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06617	2.3	1
413	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. <i>EFSA Journal</i> , <b>2021</b> , 19, e06615	2.3	1
412	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06623	2.3	1
411	Safety and efficacy of a feed additive consisting of disodium 5'-guanylate produced with KCCM 10530 and K-12 KFCC 11067 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06619	2.3	1
410	Assessment of the feed additive consisting of (formerly ) DSM 12837 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06614	2.3	
409	Safety and efficacy of a feed additive consisting on (formerly ) CECT 8350 and (formerly ) CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06631	2.3	0
408	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Blanco for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06625	2.3	1
407	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty Chemicals GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06628	2.3	
406	Safety and efficacy of the feed additive consisting of CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06620	2.3	
405	Safety and efficacy of feed additives consisting of Vitamin B (98%) and Vitamin B (80%) as riboflavin produced by KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06629	2.3	
404	Assessment of a feed additive consisting of vitamin B (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). <i>EFSA Journal</i> , <b>2021</b> , 19, e06612	2.3	
403	Safety of a feed additive consisting of a tincture derived from L. (great mullein tincture) for use in all animal species (MANGHEBATI SAS). <i>EFSA Journal</i> , <b>2021</b> , 19, e06711	2.3	
402	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , <b>2021</b> , 19, e06706	2.3	3
401	Assessment of the feed additive consisting of DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06713	2.3	0
400	Safety and efficacy of a feed additive consisting of (Formerly ) IMI 507027 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06704	2.3	0
399	Safety and efficacy of a feed additive consisting of (formerly ) IMI 507026 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06703	2.3	1
398	Assessment of the feed additive consisting of (formerly ) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06696	2.3	19
397	Safety and efficacy of a feed additive consisting of (formerly ) IMI 507023 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06700	2.3	0

396	Assessment of the feed additive consisting of DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06697	2.3	0
395	Safety and efficacy of a feed additive consisting of IMI 507024 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06701	2.3	0
394	Development and Validation of a Multi-detection Confirmatory Method for Antibiotics Determination in Piglet Kidneys by UHPLC-TOF-MS According Commission Decision 2002/657/EC. <i>Food Analytical Methods</i> , <b>2021</b> , 14, 430-440	3.4	2
393	Assessing antibiotic residues in piglet liver and kidney samples: How to manage the results obtained. <i>Food Control</i> , <b>2021</b> , 122, 107819	6.2	2
392	Industrial Fruits By-Products and Their Antioxidant Profile: Can They Be Exploited for Industrial Food Applications?. <i>Foods</i> , <b>2021</b> , 10,	4.9	5
391	Microbial Biofilms in the Food Industry-A Comprehensive Review. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	38
390	Novel Active Food Packaging Films Based on Whey Protein Incorporated with Seaweed Extract: Development, Characterization, and Application in Fresh Poultry Meat. <i>Coatings</i> , <b>2021</b> , 11, 229	2.9	15
389	Assessment of the feed additive consisting of endo-1,4- $\alpha$ -xylanase produced by CBS 114044 (ECONASEXT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , <b>2021</b> , 19, e06458	2.3	4
388	Safety and efficacy of a feed additive consisting on ssp. ATCC PTA-6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , <b>2021</b> , 19, e06470	2.3	3
387	Safety for the user of the feed additive consisting of ferric citrate chelate (CI-FER) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06455	2.3	1
386	Assessment of the feed additive consisting of DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , <b>2021</b> , 19, e06451	2.3	3
385	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of $\square$ L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , <b>2021</b> , 19, e06709	2.3	1
384	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06698	2.3	3
383	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , <b>2021</b> , 19, e06714	2.3	
382	Safety and efficacy of an additive consisting of xanthan gum produced by strains ?????, ????? for all animal species (Biopolymer International). <i>EFSA Journal</i> , <b>2021</b> , 19, e06710	2.3	1
381	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06699	2.3	
380	Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , <b>2021</b> , 19, e06715	2.3	1
379	The Role of Food Supplementation in Microcirculation-A Comprehensive Review. <i>Biology</i> , <b>2021</b> , 10,	4.9	3

378	Safety and efficacy of a feed additive consisting of (formerly ) IMI 507028 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06705	2.3	0
377	Safety and efficacy of a feed additive consisting of IMI 507025 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , <b>2021</b> , 19, e06702	2.3	0
376	Halophytes as source of bioactive phenolic compounds and their potential applications. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2021</b> , 1-24	11.5	7
375	Nutrient value of <i>Salicornia ramosissima</i> and green extraction process for mineral analysis. <i>Journal of Food Composition and Analysis</i> , <b>2021</b> , 104, 104135	4.1	2
374	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , <b>2021</b> , 19, e06340	2.3	27
373	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06987	2.3	
372	Safety and efficacy of a feed additive consisting of $\beta$ -galactosidase (produced by ATCC SD6740) and endo-1,4- $\alpha$ -xyylanase (produced by CBS 139997) (Capsozyme SB Plus) for chickens for fattening, chickens reared for laying and minor poultry species (for fattening and reared for laying) (Industrial Técnica Pecuaria S.A.).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06981	2.3	
371	Safety and efficacy of a feed additive consisting of l-isoleucine produced by KCCM 80185 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06977	2.3	
370	Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06980	2.3	
369	Safety and efficacy of a feed additive consisting of monosodium l-glutamate produced by fermentation with KCCM 80187 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06982	2.3	
368	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous Silica Producers (ASASP)).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06976	2.3	0
367	Safety and efficacy of a feed additive consisting of a tincture from the bark of J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , <b>2021</b> , 19, e06986	2.3	1
366	Safety and efficacy of Bonvital (DSM 7134) as a feed additive for laying hens. <i>EFSA Journal</i> , <b>2020</b> , 18, e06277	2.3	1
365	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06285	2.3	6
364	Safety of methanethiol [12.003] when used as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06288	2.3	
363	Safety and efficacy of Correlink DABS1781 (NRRL B-67259) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06279	2.3	
362	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06287	2.3	1
361	Safety and efficacy of Nimicoat (carvacrol) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , <b>2020</b> , 18, e06070	2.3	1

360	Safety and efficacy of GalliPro Fit ( DSM 32324, DSM 32325 and DSM 25840) for all poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , <b>2020</b> , 18, e06094	2.3	3
359	Safety and efficacy of CNCM I-3698 and CNCM I-3699 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06082	2.3	3
358	Safety and efficacy of Biacton ( CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. <i>EFSA Journal</i> , <b>2020</b> , 18, e06083	2.3	2
357	Safety and efficacy of propyl gallate for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06069	2.3	3
356	Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06074	2.3	3
355	Benzocaine: A comprehensive thermochemical study. <i>Journal of Chemical Thermodynamics</i> , <b>2020</b> , 147, 106119	2.9	4
354	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06137	2.3	
353	Safety and efficacy of OptiPhos PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06141	2.3	2
352	Safety and efficacy of 'dry grape extract 60-20' when used as feed flavouring for dogs. <i>EFSA Journal</i> , <b>2020</b> , 18, e06067	2.3	
351	Safety and efficacy of Capsozyme SB Plus (β-galactosidase and endo-1,4-β-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06086	2.3	1
350	Safety and efficacy of Biacton (Lactobacillus farciminis CNCM I-3740) as a feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2020</b> , 18, e06084	2.3	
349	Safety and efficacy of a dried aqueous ethanol extract of L. leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06016	2.3	2
348	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06019	2.3	8
347	Safety and efficacy of l-isoleucine produced by fermentation with KCCM 80189 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06021	2.3	3
346	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06001	2.3	1
345	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06017	2.3	2
344	Safety of liginosulphonate for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06000	2.3	
343	Evaluation of the mycotoxins content of spp. : a gourmet plant alternative to salt. <i>Food Additives and Contaminants: Part B Surveillance</i> , <b>2020</b> , 13, 162-170	3.3	5

342	Safety and efficacy of l-tryptophan produced by fermentation using CGMCC 7.267 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06013	2.3	1
341	Safety and efficacy of l-cystine produced using strain NITE BP-02525 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06020	2.3	
340	Assessment of the application for renewal of authorisation of l-isoleucine produced by FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06022	2.3	
339	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , <b>2020</b> , 18, e06023	2.3	0
338	Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , <b>2020</b> , 18, e06145	2.3	
337	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from <i>L. rhizome</i> when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06146	2.3	1
336	Safety and efficacy of TechnoSpore (DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06158	2.3	1
335	Safety and efficacy of OptiPhosPLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , <b>2020</b> , 18, e06161	2.3	1
334	Safety of l-tryptophan produced using CGMCC 11674 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06168	2.3	1
333	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06077	2.3	0
332	Safety and efficacy of APSA PHYTAFEED <sup>®</sup> (6-phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06142	2.3	
331	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06164	2.3	0
330	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06015	2.3	1
329	Safety and efficacy of IMP (disodium 5'-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06140	2.3	2
328	Safety and efficacy of essential oil, oleoresin and tincture from <i>Roscoe</i> when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06147	2.3	0
327	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM I-3399 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06144	2.3	
326	Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06166	2.3	5
325	Safety and efficacy of a dried aqueous ethanol extract of leaves from <i>L.</i> when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06018	2.3	

324	Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. <i>EFSA Journal</i> , <b>2020</b> , 18, e06026	2.3	2
323	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , <b>2020</b> , 18, e06012	2.3	
322	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , <b>2020</b> , 18, e05979	2.3	2
321	Statement on the safety and efficacy of Shellac for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06065	2.3	
320	Safety and efficacy of l-glutamine produced using NITE BP-02524 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06075	2.3	2
319	Safety and efficacy of l-cysteine hydrochloride monohydrate produced by fermentation using KCCM 80180 and KCCM 80181 as a flavouring additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06003	2.3	1
318	Assessment of the application for renewal of the authorisation of Amaferm (fermentation product of NRRL 458) as a feed additive for dairy cows. <i>EFSA Journal</i> , <b>2020</b> , 18, e06011	2.3	3
317	Assessment of the application for renewal of authorisation of Ecobiol ( CECT 5940) as a feed additive for chickens for fattening and its extension of use for chickens reared for laying. <i>EFSA Journal</i> , <b>2020</b> , 18, e06014	2.3	3
316	Efficacy of Cygro 10G (maduramicin ammonium) for turkeys. <i>EFSA Journal</i> , <b>2020</b> , 18, e06079	2.3	1
315	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06101	2.3	1
314	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06066	2.3	
313	Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. <i>EFSA Journal</i> , <b>2020</b> , 18, e06063	2.3	0
312	Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. <i>EFSA Journal</i> , <b>2020</b> , 18, e06068	2.3	
311	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06281	2.3	1
310	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06282	2.3	0
309	Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06078	2.3	8
308	Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2020</b> , 18, e06283	2.3	3
307	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06333	2.3	2

306	Safety of potassium diformate (FormiLHS) as a feed additive for sows, from ADDCON EUROPE GmbH. <i>EFSA Journal</i> , <b>2020</b> , 18, e06339	2.3	2
305	L. subsp. Leaves: Nutritional Profile, Phenolic Composition and Biological Properties. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 18,	4.6	3
304	Assessment of the application for renewal of authorisation of AveMixXG 10 (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) for chickens for fattening. <i>EFSA Journal</i> , <b>2020</b> , 18, e06062	2.3	
303	Assessment of the application for renewal of the authorisation of Actisaf Sc 47 ( CNCM I-4407) as a feed additive for calves for rearing. <i>EFSA Journal</i> , <b>2020</b> , 18, e06167	2.3	1
302	Safety and efficacy of DSM 29026 as a silage additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06159		
301	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06334	2.3	1
300	Safety of vitamin B (in the form of cyanocobalamin) produced by CNCM-I 5541 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06335	2.3	
299	Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06332	2.3	
298	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06337	2.3	
297	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06338	2.3	1
296	Assessment of the application for renewal of authorisation of endo-1,4-xylanase produced by CBS 109.713 and endo-1,4-glucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , <b>2020</b> , 18, e06331	2.3	
295	Assessment of the application for renewal of authorisation of 6-phytase produced by CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. <i>EFSA Journal</i> , <b>2020</b> , 18, e06336	2.3	
294	Uptake of enrofloxacin from seawater to the macroalgae <i>Ulva</i> and its use in IMTA systems. <i>Aquaculture</i> , <b>2020</b> , 516, 734609	4.4	2
293	Integrated multitrophic aquaculture systems [Potential risks for food safety. <i>Trends in Food Science and Technology</i> , <b>2020</b> , 96, 79-90	15.3	25
292	Safety and efficacy of monosodium l-glutamate monohydrate produced by KCCM 80188 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06085	2.3	4
291	The use of ultra-high-pressure-liquid-chromatography tandem time-of-flight mass spectrometry as a confirmatory method in drug residue analysis: Application to the determination of antibiotics in piglet liver. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2020</b> , 1153-122264	3.2	4
290	Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. <i>EFSA Journal</i> , <b>2020</b> , 18, e06169	2.3	0
289	Safety and efficacy of Sorbiflore ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , <b>2020</b> , 18, e06080	2.3	2

288	Safety and efficacy of Correlink ABS747 ( NRRL B-67257) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06278	2.3	1
287	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. <i>EFSA Journal</i> , <b>2020</b> , 18, e06280	2.3	2
286	Assessment of the application for renewal of authorisation of Biosprint ( MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2020</b> , 18, e06284	2.3	2
285	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06064	2.3	2
284	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B) as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06289	2.3	1
283	Industrial multi-fruits juices by-products: total antioxidant capacity and phenolics profile by LCMS/MS to ascertain their reuse potential. <i>European Food Research and Technology</i> , <b>2020</b> , 246, 2271-2282	2.4	5
282	Safety of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06206	2.3	
281	Safety and efficacy of AextraXAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06165	2.3	
280	Maltitol: Analytical Determination Methods, Applications in the Food Industry, Metabolism and Health Impacts. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	11
279	Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06203	2.3	9
278	Safety and efficacy of DSM 32962 as a silage additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06203	2.3	12
277	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06211	2.3	5
276	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06214	2.3	1
275	Safety and efficacy of ethyl cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06210	2.3	1
274	Experimental and Theoretical Thermochemical Study of Nitrobenzaldehyde Isomers. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2020</b> , 65, 4935-4945	2.8	3
273	Natural Sweeteners: The Relevance of Food Naturalness for Consumers, Food Security Aspects, Sustainability and Health Impacts. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	26
272	Safety and efficacy of montmorillonite-illite (FIMIX 1g557) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06095	2.3	
271	Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , <b>2020</b> , 18, e06202	2.3	2



270	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06205	2.3	2
269	Safety and efficacy of hydroxypropyl cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06213	2.3	1
268	Safety and efficacy of OptiPhosPLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06204	2.3	3
267	Safety and efficacy of microcrystalline cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06209	2.3	2
266	Safety and efficacy of methyl cellulose for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06212	2.3	2
265	Safety of ammonium formate (E295) for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06076	2.3	
264	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 10534 for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06071	2.3	1
263	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , <b>2020</b> , 18, e06072	2.3	2
262	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06162	2.3	
261	Safety and efficacy of fumonisin esterase from DSM 32159 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06207	2.3	3
260	Safety and efficacy of Sorbiflore <sup>®</sup> ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2020</b> , 18, e06081	2.3	2
259	Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06286	2.3	2
258	Safety and efficacy of oct-1-en-3-ol, pent-1-en-3-ol, oct-1-en-3-one, oct-1-en-3-yl acetate, isopulegol and 5-methylhept-2-en-4-one, belonging to chemical group 5 and of isopulegone and Damascone belonging to chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06002	2.3	3
257	Assessment of the application for renewal of authorisation of FormiLHS (potassium diformate) for sows. <i>EFSA Journal</i> , <b>2020</b> , 18, e06024	2.3	2
256	Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , <b>2020</b> , 18, e06025	2.3	1
255	Safety and efficacy of Avizyme 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. <i>EFSA Journal</i> , <b>2020</b> , 18, e06027	2.3	
254	Assessment of fipronil toxicity to the freshwater midge Chironomus riparius: Molecular, biochemical, and organismal responses. <i>Aquatic Toxicology</i> , <b>2019</b> , 216, 105292	5.1	12
253	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05609	2.3	2

252	Safety and efficacy of Robenz 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05613	2.3	2
251	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80135 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05694	2.3	5
250	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80152 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05695	2.3	5
249	Assessment of the application for renewal of authorisation of Lantharenol (lanthanum carbonate octahydrate) for cats. <i>EFSA Journal</i> , <b>2019</b> , 17, e05542	2.3	1
248	Safety and efficacy of muramidase from DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , <b>2019</b> , 17, e05686	2.3	2
247	Assessment of the application for renewal of authorisation of Bactocell ( CNCM I-4622) as a feed additive for weaned piglets, pigs for fattening, minor porcine species (weaned and for fattening), chickens for fattening, laying hens and minor avian species for fattening and for laying and its application for weaned piglets, pigs for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05688	2.3	2
246	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05692	2.3	4
245	Assessment of the application for renewal of the authorisation of PHYZYMEXP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05702	2.3	1
244	Assessment of the application for renewal of authorisation of Biosprint ( MUCL 39885) for sows. <i>EFSA Journal</i> , <b>2019</b> , 17, e05719	2.3	3
243	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , <b>2019</b> , 17, e05537	2.3	12
242	Safety and efficacy of NBF-2 (DSM 32264) as a feed additive for cats. <i>EFSA Journal</i> , <b>2019</b> , 17, e05526	2.3	
241	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05527	2.3	1
240	Safety and efficacy of LevucellSB ( CNCM I-1079) as a feed additive for all pigs. <i>EFSA Journal</i> , <b>2019</b> , 17, e05535	2.3	
239	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05604	2.3	1
238	Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05611	2.3	4
237	Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , <b>2019</b> , 17, e05648	2.3	127
236	Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. <i>EFSA Journal</i> , <b>2019</b> , 17, e05652	2.3	2
235	Safety and efficacy of an essential oil of ssp. (Link) leetsw. for all poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05653	2.3	4

234	Safety and efficacy of BiominDC-C as a zootechnical feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2019</b> , 17, e05688	2.3	3
233	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05697	2.3	12
232	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05651	2.3	3
231	Development and validation of a multi-residue and multi-class screening method of 44 antibiotics in salmon ( <i>Salmo salar</i> ) using ultra-high-performance liquid chromatography/time-of-flight mass spectrometry: Application to farmed salmon. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2019</b> , 1118-1119, 78-84	3.2	11
230	Safety and efficacy of l-tryptophan produced by fermentation with CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05601	2.3	5
229	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05602	2.3	1
228	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05643	2.3	12
227	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05645	2.3	3
226	Assessment of the application for renewal of authorisation of Bonvital ( DSM 7134) as a feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05650	2.3	3
225	Safety and efficacy of 26 compounds belonging to chemical group 3 (Unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , <b>2019</b> , 17, e05654	2.3	14
224	Fate and effects of two pesticide formulations in the invertebrate <i>Folsomia candida</i> using a natural agricultural soil. <i>Science of the Total Environment</i> , <b>2019</b> , 675, 90-97	10.2	11
223	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05543	2.3	2
222	Detection and quantification of 47 antibiotic residues in farmed European sea bass ( <i>Dicentrarchus labrax</i> ) using a multi-class and multi-residue UHPLC-MS/MS method. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2019</b> , 36, 561-570	3.2	1
221	Thermochemical Study of Methyl n-Methoxybenzoates: An Experimental and Computational Approach. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2019</b> , 64, 1898-1908	2.8	4
220	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. <i>EFSA Journal</i> , <b>2019</b> , 17, e05640	2.3	1
219	Safety and efficacy of HOSTAZYM X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05529	2.3	
218	Safety and efficacy of l-valine produced by fermentation using 'KCCM'11201P for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05538	2.3	5
217	Safety and efficacy of Deccox (decoquinat) for chickens for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05541	2.3	2

216	Safety and efficacy of Calsporin (™ DSM™15544) for all poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05605	2.3	3
215	Safety and efficacy of l-tryptophan produced with CGMCC 11674 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05642	2.3	7
214	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , <b>2019</b> , 17, e05528	2.3	
213	Safety and efficacy of 8-mercapto--menthan-3-one and -menth-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05530	2.3	2
212	Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , <b>2019</b> , 17, e05532	2.3	14
211	Safety and efficacy of B-Act ( DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. <i>EFSA Journal</i> , <b>2019</b> , 17, e05536	2.3	3
210	Safety for the environment of vitamin D for salmonids. <i>EFSA Journal</i> , <b>2019</b> , 17, e05540	2.3	
209	Safety and efficacy of Actisaf Sc47 ( CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , <b>2019</b> , 17, e05600	2.3	2
208	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05603	2.3	2
207	Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. <i>EFSA Journal</i> , <b>2019</b> , 17, e05607	2.3	1
206	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05610	2.3	1
205	Safety and efficacy of Bonvital (™, DSM 7134) as an additive in water for drinking for sows. <i>EFSA Journal</i> , <b>2019</b> , 17, e05612	2.3	2
204	Safety and efficacy of Probiotic Lactina ( NBIMCC 8270 NBIMCC 8242 NBIMCC 8269 ssp. NBIMCC 8250 ssp. NBIMCC 8244 and NBIMCC 8253) as a feed additive for chickens for fattening and suckling and weaned rabbits. <i>EFSA Journal</i> , <b>2019</b> , 17, e05646	2.3	3
203	Safety and efficacy of Cinergy Life B3 HiCon ( NRRL B-50508, .™ NRRL B-50509 and B-50510) as a feed additive for pigs for fattening and minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05647	2.3	1
202	From laboratory to the field: Validating molecular markers of effect in <i>Folsomia candida</i> exposed to a fungicide-based formulation. <i>Environment International</i> , <b>2019</b> , 127, 522-530	12.9	2
201	First international descriptive and interventional survey for cholesterol and non-cholesterol sterol determination by gas- and liquid-chromatography-Urgent need for harmonisation of analytical methods. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2019</b> , 190, 115-125	5.1	13
200	Oxytetracycline accumulation in the macroalgae <i>Ulva</i> : Potential risks for IMTA systems. <i>Chemosphere</i> , <b>2019</b> , 226, 60-66	8.4	6
199	Pomegranate and grape by-products and their active compounds: Are they a valuable source for food applications?. <i>Trends in Food Science and Technology</i> , <b>2019</b> , 86, 68-84	15.3	59

198	Safety and efficacy of sodium selenate as feed additive for ruminants. <i>EFSA Journal</i> , <b>2019</b> , 17, e05788	2.3	0
197	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05782	2.3	1
196	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05783	2.3	4
195	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05784	2.3	2
194	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. <i>EFSA Journal</i> , <b>2019</b> , 17, e05789	2.3	1
193	Efficacy of DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. <i>EFSA Journal</i> , <b>2019</b> , 17, e05793	2.3	
192	Safety of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05794	2.3	2
191	Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. <i>EFSA Journal</i> , <b>2019</b> , 17, e05795	2.3	1
190	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05720	2.3	1
189	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80176 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05729	2.3	6
188	Safety and efficacy of FRA Octazyme C Dry (endo-1,4- $\alpha$ -xylanase, mannan-endo-1,4- $\alpha$ -mannosidase, $\alpha$ -amylase, endo-1,3(4)- $\alpha$ -glucanase, pectinase, endo-1,4- $\alpha$ -glucanase, protease, $\beta$ -galactosidase) as a feed additive for weaned piglets and chickens for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05730	2.3	1
187	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05792	2.3	1
186	Safety and efficacy of Biomin DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , <b>2019</b> , 17, e05724	2.3	3
185	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05785	2.3	2
184	Safety and efficacy of DSM 32457 as a silage additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05787	2.3	0
183	Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , <b>2019</b> , 17, e05791	2.3	2
182	Safety and efficacy of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05879	2.3	2
181	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05786	2.3	4

180	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , <b>2019</b> , 17, e05912	2.3	1
179	Safety and efficacy of ZM16 10 ( DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05883	2.3	
178	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling and weaned) and growing minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05894	2.3	3
177	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05893	2.3	2
176	Safety and efficacy of a tincture derived from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05910	2.3	1
175	Safety and efficacy of l-methionine produced by fermentation with KCCM 80184 and KCCM 80096 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05917	2.3	3
174	Safety and efficacy of Belfeed B MP/ML (endo-1,4- $\alpha$ -xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05892	2.3	1
173	Safety of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05890	2.3	
172	Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. <i>EFSA Journal</i> , <b>2019</b> , 17, e05891	2.3	
171	Assessment of the application for renewal of authorisation of ECONASEXT (endo-1,4- $\alpha$ -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , <b>2019</b> , 17, e05880	2.3	2
170	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll Stay-Pink 10%-CWS) for salmonids, crustaceans and other fish. <i>EFSA Journal</i> , <b>2019</b> , 17, e05920	2.3	5
169	Efficacy of ZM16 10 ( DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05881	2.3	1
168	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05886	2.3	10
167	Safety and efficacy of an essential oil from ssp. (Link) letsw. for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05909	2.3	5
166	Assessment of the application for renewal of authorisation of Biosprint ( MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , <b>2019</b> , 17, e05915	2.3	3
165	Safety of butylated hydroxy anisole (BHA) for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05913	2.3	1
164	Efficacy of EB15 10 ( DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05882	2.3	
163	Safety of l-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05885	2.3	1

162	Safety for the environment of Monimax (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. <i>EFSA Journal</i> , <b>2019</b> , 17, e05888	2.3	2
161	Efficacy of RONOZYMEWX (endo-1,4- $\beta$ -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , <b>2019</b> , 17, e05919	2.3	
160	Safety and efficacy of CI-FER[[ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05916	2.3	3
159	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , <b>2019</b> , 17, e05914	2.3	1
158	Tissue depletion of five antibiotic residues in farmed European seabass ( <i>Dicentrarchus labrax</i> ). <i>Aquaculture</i> , <b>2019</b> , 498, 413-421	4.4	8
157	An Overview of Cholesterol Absorption <b>2019</b> , 65-76		
156	Safety and efficacy of 'NBF-1 (DSM 32203) as a feed additive for dogs. <i>EFSA Journal</i> , <b>2019</b> , 17, e05524	2.3	0
155	Thermochemistry of R-SH group in gaseous phase: Experimental and theoretical studies of three sulfur imidazole derivatives. <i>Journal of Chemical Thermodynamics</i> , <b>2018</b> , 122, 65-72	2.9	6
154	Experimental and theoretical study of methyl n-hydroxybenzoates. <i>Journal of Chemical Thermodynamics</i> , <b>2018</b> , 124, 1-9	2.9	7
153	The Intramolecular Hydrogen Bond N-H $\cdots$ S in 2,2'-Diaminodiphenyl Disulfide: Experimental and Computational Thermochemistry. <i>Journal of Physical Chemistry A</i> , <b>2018</b> , 122, 239-248	2.8	13
152	Environmental and human health risk indicators for agricultural pesticides in estuaries. <i>Ecotoxicology and Environmental Safety</i> , <b>2018</b> , 150, 224-231	7	44
151	Isothermal Thermogravimetric Study for Determining Sublimation Enthalpies of Some Hydroxyflavones. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2018</b> , 63, 1925-1936	2.8	9
150	Antimicrobial resistance in aquaculture: Current knowledge and alternatives to tackle the problem. <i>International Journal of Antimicrobial Agents</i> , <b>2018</b> , 52, 135-143	14.3	189
149	A new subtype of <i>Entamoeba gingivalis</i> : "E. gingivalis ST2, kamaktli variant". <i>Parasitology Research</i> , <b>2018</b> , 117, 1277-1284	2.4	17
148	Gas-phase enthalpies of formation of ethyl hydroxybenzoates: An experimental and theoretical approach. <i>Journal of Chemical Thermodynamics</i> , <b>2018</b> , 116, 176-184	2.9	6
147	Safety of vitamin B (80%) as riboflavin produced by KCCM-10445 for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05223	2.3	6
146	Safety and efficacy of vitamin B (riboflavin) produced by ????? for all animal species based on a dossier submitted by BASF SE. <i>EFSA Journal</i> , <b>2018</b> , 16, e05337	2.3	7
145	Safety and efficacy of KCCM 10673P and KCTC 10258BP when used as a technological feed additive for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05275	2.3	2

144	Prevalence of two <i>Entamoeba gingivalis</i> ST1 and ST2-kamaktli subtypes in the human oral cavity under various conditions. <i>Parasitology Research</i> , <b>2018</b> , 117, 2941-2948	2.4	16
143	Safety and efficacy of muramidase from DSM 32338 as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05342	2.3	5
142	Quality control programmes for veterinary antimicrobial medicines. <i>Regulatory Toxicology and Pharmacology</i> , <b>2018</b> , 99, 1-4	3.4	3
141	Screening of human and veterinary pharmaceuticals in estuarine waters: A baseline assessment for the Tejo estuary. <i>Marine Pollution Bulletin</i> , <b>2018</b> , 135, 1079-1084	6.7	49
140	Effects of the neonicotinoids acetamiprid and thiacloprid in their commercial formulations on soil fauna. <i>Chemosphere</i> , <b>2018</b> , 194, 85-93	8.4	34
139	Evaluation of antimicrobials residues in farmed gilthead seabream ( <i>Sparus aurata</i> ) after administration through medicated feed. <i>Food Control</i> , <b>2018</b> , 86, 110-116	6.2	5
138	UHPLC-DAD Multi-Method for Determination of Phenolics in Aromatic Plants. <i>Food Analytical Methods</i> , <b>2018</b> , 11, 440-450	3.4	22
137	Safety and efficacy of Monteban G100 (narasin) for ducks for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05461	2.3	
136	Safety and efficacy of DSM 28343 as a feed additive for piglets. <i>EFSA Journal</i> , <b>2018</b> , 16, e05221	2.3	1
135	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. <i>EFSA Journal</i> , <b>2018</b> , 16, e05222	2.3	2
134	Safety and efficacy of EB15 10 ( DSM 25841) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05199	2.3	1
133	Safety and efficacy of ZM16 10 ( DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05200	2.3	1
132	Safety and efficacy of fumonisin esterase from DSM 32159 as a technological feed additive for pigs and poultry. <i>EFSA Journal</i> , <b>2018</b> , 16, e05269	2.3	6
131	Safety and efficacy of l-arginine produced by fermentation using KCCM 10741P for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05277	2.3	1
130	Safety and efficacy of Kelforce (l-glutamic acid, -diacetic acid, tetrasodium salt (GLDA-Na)) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05279	2.3	1
129	Safety and efficacy of ECONASE XT (endo-1,4- $\beta$ -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , <b>2018</b> , 16, e05216	2.3	2
128	Safety and efficacy of Calsporin ( DSM 15544) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05219	2.3	4
127	Safety and efficacy of Hemicell HT (endo-1,4- $\beta$ -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05270	2.3	2



126	Safety and efficacy of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05218	2.3	1
125	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05272	2.3	1
124	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05341	2.3	5
123	Assessment of the application for renewal of authorisation of selenomethionine produced by 'CNCM I-3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05386	2.3	6
122	Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05458	2.3	6
121	Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. <i>EFSA Journal</i> , <b>2018</b> , 16, e05456	2.3	1
120	Safety and efficacy of DSM 28343 as a feed additive for calves for rearing. <i>EFSA Journal</i> , <b>2018</b> , 16, e05220	2.3	1
119	Safety and efficacy of l-arginine produced by fermentation with NITE BP-02186 for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05276	2.3	3
118	Safety and efficacy of 'CNCM I-4785 and 'CNCM I-4323NCIMB 40788 as a silage additive for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05455	2.3	
117	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , <b>2018</b> , 16, e05459	2.3	7
116	Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05460	2.3	3
115	Safety and efficacy of a super critical carbon dioxide extract of L. flos when used as a feed flavouring for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05462	2.3	1
114	Safety and efficacy of cumin tincture (L.) when used as a sensory additive for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05273	2.3	1
113	Safety and efficacy of vitamin B (riboflavin 5'-phosphate ester monosodium salt) for all animal species when used in water for drinking. <i>EFSA Journal</i> , <b>2018</b> , 16, e05531	2.3	4
112	Safety and efficacy of Coxar (nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05214	2.3	1
111	Safety and efficacy of Amylofeed (endo-1,3(4)-β-glucanase and endo-1,4-β-xylanase and α-amylase) as a feed additive for piglets and minor growing porcine species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05271	2.3	1
110	Safety and efficacy of COXAM (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , <b>2018</b> , 16, e05338	2.3	3
109	Safety and efficacy of vitamin B (in the form of cyanocobalamin) produced by spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , <b>2018</b> , 16, e05336	2.3	9

108	Assessment of the application for renewal of authorisation of Actisaf Sc47 ( CNCM I-4407) for lambs for fattening, minor dairy ruminants, horses and pigs for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05339 <sup>2,3</sup>	2.3	1
107	Assessment of the application for renewal of authorisation of Calsporin ( DSM 15544) for chickens for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05340	2.3	4
106	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05203	2.3	3
105	Guidance on the assessment of the efficacy of feed additives. <i>EFSA Journal</i> , <b>2018</b> , 16, e05274	2.3	172
104	Safety and efficacy of D2/CSL ( CECT 4529) as a feed additive for cats and dogs. <i>EFSA Journal</i> , <b>2018</b> , 16, e05278	2.3	2
103	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. <i>EFSA Journal</i> , <b>2018</b> , 16, e05206	2.3	262
102	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2018</b> , 16, e05215	2.3	4
101	Active polylactic acid film incorporated with green tea extract: Development, characterization and effectiveness. <i>Industrial Crops and Products</i> , <b>2018</b> , 123, 100-110	5.9	30
100	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , <b>2018</b> , 16, e05268	2.3	2
99	Safety and efficacy of HemicellHT (endo-1,4- $\alpha$ -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04677	2.3	2
98	Safety of l-lysine sulfate produced by fermentation with CGMCC 3705 for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04714	2.3	13
97	Safety and efficacy of CNCM I-4785 as a silage additive for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04758	2.3	1
96	Safety of l-tryptophan technically pure, produced by fermentation with DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. <i>EFSA Journal</i> , <b>2017</b> , 15, e04712	2.3	6
95	Safety and efficacy of HOSTAZYM X (endo-1,4- $\alpha$ -xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. <i>EFSA Journal</i> , <b>2017</b> , 15, e04708	2.3	1
94	Safety and efficacy of Calsporin ( DSM 15544) as a feed additive for dogs. <i>EFSA Journal</i> , <b>2017</b> , 15, e04760 <sup>2,3</sup>	2.3	3
93	Safety and efficacy of D2/CSL ( CECT 4529) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , <b>2017</b> , 15, e04762	2.3	2
92	Safety and efficacy of PB6 ( ATCC PTA-6737) as a feed additive for sows. <i>EFSA Journal</i> , <b>2017</b> , 15, e04855 <sup>2,3</sup>	2.3	3
91	Safety and efficacy of OPTIPHOS (6-phytase) as a feed additive for finfish. <i>EFSA Journal</i> , <b>2017</b> , 15, e04763 <sup>2,3</sup>	2.3	1

90	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04938	2.3	5
89	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , <b>2017</b> , 15, e05094	2.3	7
88	Safety and efficacy of Avatec 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails and partridges) except laying birds. <i>EFSA Journal</i> , <b>2017</b> , 15, e04857	2.3	2
87	Safety and efficacy of HOSTAZYM X (endo-1,4- $\beta$ -xylanase) as a feed additive for carps. <i>EFSA Journal</i> , <b>2017</b> , 15, e04942	2.3	2
86	Safety and efficacy of Amylofeed (endo-1,3(4)- $\beta$ -glucanase and endo-1,4- $\beta$ -xylanase and $\alpha$ -amylase) as a feed additive for piglets and minor porcine species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04856	2.3	1
85	Safety and efficacy of AviMatrix (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , <b>2017</b> , 15, e05025	2.3	2
84	Safety and efficacy of VevoVital (benzoic acid) as feed additive for minor porcine species. <i>EFSA Journal</i> , <b>2017</b> , 15, e05026	2.3	1
83	Safety and efficacy of Calsporin (DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , <b>2017</b> , 15, e04764	2.3	3
82	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , <b>2017</b> , 15, e04709	2.3	1
81	Safety and efficacy of l-threonine produced by fermentation with CGMCC 11473 for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04939	2.3	4
80	Sodium Reduction in Bread: A Role for Glasswort ( <i>Salicornia ramosissima</i> J. Woods). <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2017</b> , 16, 1056-1071	16.4	27
79	Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04672	2.3	3
78	Safety and efficacy of selenium-enriched yeast (CNCM I-3399) for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04937	2.3	1
77	Safety of vitamin D addition to feedingstuffs for fish. <i>EFSA Journal</i> , <b>2017</b> , 15, e04713	2.3	5
76	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04941	2.3	4
75	Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. <i>EFSA Journal</i> , <b>2017</b> , 15, e04945	2.3	3
74	Guidance on the identity, characterisation and conditions of use of feed additives. <i>EFSA Journal</i> , <b>2017</b> , 15, e05023	2.3	167
73	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for avian and porcine species. <i>EFSA Journal</i> , <b>2017</b> , 15, e05024	2.3	6

72	Safety and efficacy of RONOZYMEWX (endo-1,4- $\beta$ -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , <b>2017</b> , 15, e05020	2.3	2
71	Guidance on the assessment of the safety of feed additives for the consumer. <i>EFSA Journal</i> , <b>2017</b> , 15, e05022	2.3	176
70	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04711	2.3	1
69	Evaluation of sublimation enthalpy by thermogravimetry: Analysis of the diffusion effects in the case of methyl and phenyl substituted hydantoins. <i>Thermochimica Acta</i> , <b>2017</b> , 655, 181-193	2.9	23
68	Safety and efficacy of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e05095	2.3	3
67	Guidance on the assessment of the safety of feed additives for the target species. <i>EFSA Journal</i> , <b>2017</b> , 15, e05021	2.3	214
66	Safety and efficacy of l-arginine produced by KCCM 80099 for all animal species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04858	2.3	2
65	Safety and efficacy of ENZY CARBOPLUS (endo-1,4- $\beta$ -xylanase and endo-1,3(4)- $\beta$ -glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. <i>EFSA Journal</i> , <b>2017</b> , 15, e05097	2.3	3
64	Safety and efficacy of LevucellSC ( CNCM I-1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. <i>EFSA Journal</i> , <b>2017</b> , 15, e04944	2.3	1
63	Safety of l-tryptophan technically pure, produced by CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , <b>2017</b> , 15, e04705	2.3	7
62	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , <b>2017</b> , 15, e04710	2.3	1
61	Assessment of the application for renewal of authorisation of VevoVital (benzoic acid) as feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , <b>2017</b> , 15, e05093	2.3	1
60	Nitrofurantoin Veterinary Drug Residues in Chicken Eggs <b>2017</b> , 457-464		3
59	Safety and efficacy of LevucellSB ( CNCM I-1079) as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , <b>2017</b> , 15, e04674	2.3	2
58	Efficacy of Levucell SB ( CNCM I-1079) as a feed additive for weaned piglets. <i>EFSA Journal</i> , <b>2017</b> , 15, e04932		1
57	Matrix Effects in Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry Antibiotic Multi-Detection Methods in Food Products with Animal Origins. <i>Food Analytical Methods</i> , <b>2016</b> , 9, 23-29	3.4	10
56	Modification of the terms of the authorisation regarding the formulation of Maxiban G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , <b>2016</b> , 14, e04614	2.3	2
55	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. <i>EFSA Journal</i> , <b>2016</b> , 14, e04622	2.3	2

54	Safety and efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , <b>2016</b> , 14, e04623	2.3	3
53	Detection and Quantification of 41 Antibiotic Residues in Gilthead Sea Bream ( <i>Sparus aurata</i> ) From Aquaculture Origin, Using a Multiclass and Multi-residue UHPLC-MS/MS Method. <i>Food Analytical Methods</i> , <b>2016</b> , 9, 2749-2753	3.4	8
52	Cholesterol absorption and synthesis markers in Portuguese hypercholesterolemic adults: A cross-sectional study. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 28, 85-90	3.9	4
51	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. <i>EFSA Journal</i> , <b>2016</b> , 14, e04627	2.3	1
50	Safety and efficacy of B-Act <sup>®</sup> ( <i>Bacillus licheniformis</i> DSM 28710) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , <b>2016</b> , 14, e04615	2.3	5
49	Safety and efficacy of fumonisin esterase (FUMzyme <sup>®</sup> ) as a technological feed additive for all avian species. <i>EFSA Journal</i> , <b>2016</b> , 14, e04617	2.3	7
48	Safety and efficacy of tartrazine (E102) for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents. <i>EFSA Journal</i> , <b>2016</b> , 14, e04613	2.3	2
47	Experimental and computational thermochemical study of benzofuran, benzothiophene and indole derivatives. <i>Journal of Chemical Thermodynamics</i> , <b>2016</b> , 97, 297-306	2.9	13
46	Analytical strategies for the detection and quantification of antibiotic residues in aquaculture fishes: A review. <i>Trends in Food Science and Technology</i> , <b>2016</b> , 52, 16-30	15.3	89
45	Ecotoxicological effects of pig manure on <i>Folsomia candida</i> in subtropical Brazilian soils. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 314, 113-120	12.8	15
44	A multiresidue approach for the simultaneous quantification of antibiotics in macroalgae by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2016</b> , 1033-1034, 361-367	3.2	8
43	A novel insight on an ancient aromatic plant: The rosemary ( <i>Rosmarinus officinalis</i> L.). <i>Trends in Food Science and Technology</i> , <b>2015</b> , 45, 355-368	15.3	114
42	"Add-on" effect of phytosterols-enriched fermented milk on lipids and markers of cholesterol metabolism in statin-treated elderly patients. <i>Steroids</i> , <b>2015</b> , 99, 293-8	2.8	8
41	Sulfathiazole: analytical methods for quantification in seawater and macroalgae. <i>Environmental Toxicology and Pharmacology</i> , <b>2015</b> , 39, 77-84	5.8	10
40	Multidetector of antibiotics in liver tissue by ultra-high-pressure-liquid-chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 976-977, 49-54	3.2	19
39	Analysis of chloramphenicol residues in the macroalgae <i>Ulva lactuca</i> through ultra-high performance liquid chromatography coupled to tandem mass spectrometry (UHPLC-MS/MS). <i>Marine Pollution Bulletin</i> , <b>2015</b> , 91, 180-4	6.7	4
38	The influence of sulfathiazole on the macroalgae <i>Ulva lactuca</i> . <i>Chemosphere</i> , <b>2014</b> , 100, 105-10	8.4	24
37	Trends in the use of natural antioxidants in active food packaging: a review. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2014</b> , 31, 374-95	3.2	134

36	Occurrence of PCDD/Fs and dioxin-like PCBs in superficial sediment of Portuguese estuaries. <i>Environmental Science and Pollution Research</i> , <b>2014</b> , 21, 9396-407	5.1	5
35	Molecular epidemiology and genetic diversity of <i>Entamoeba</i> species in a chelonian collection. <i>Journal of Medical Microbiology</i> , <b>2014</b> , 63, 271-283	3.2	16
34	Early contamination of European flounder ( <i>Platichthys flesus</i> ) by PCDD/Fs and dioxin-like PCBs in European waters. <i>Marine Pollution Bulletin</i> , <b>2014</b> , 85, 292-6	6.7	3
33	Multi-residue and multi-class determination of antibiotics in gilthead sea bream ( <i>Sparus aurata</i> ) by ultra high-performance liquid chromatography-tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2014</b> , 31, 817-26	3.2	37
32	Sales of antibiotics for veterinary use in Portugal between 2006 and 2009. <i>International Journal of Antimicrobial Agents</i> , <b>2014</b> , 44, 567-8	14.3	1
31	Multi-residue and multi-class method for the determination of antibiotics in bovine muscle by ultra-high-performance liquid chromatography tandem mass spectrometry. <i>Meat Science</i> , <b>2014</b> , 98, 58-64	6.4	48
30	Development, optimization and application of an analytical methodology by ultra performance liquid chromatography-tandem mass spectrometry for determination of amanitins in urine and liver samples. <i>Analytica Chimica Acta</i> , <b>2013</b> , 799, 77-87	6.6	25
29	Development and validation of a multi-residue and multiclass ultra-high-pressure liquid chromatography-tandem mass spectrometry screening of antibiotics in milk. <i>International Dairy Journal</i> , <b>2013</b> , 33, 38-43	3.5	30
28	The effects of chloramphenicol on <i>Ulva lactuca</i> . <i>Chemosphere</i> , <b>2013</b> , 91, 552-7	8.4	15
27	Advances in analytical methods to study cholesterol metabolism: the determination of serum noncholesterol sterols. <i>Biomedical Chromatography</i> , <b>2013</b> , 27, 1234-42	1.7	12
26	Determination of furaltadone and nifursol residues in poultry eggs by liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 4227-34	5.7	21
25	Determination of Amoxicillin Stability in Chicken Meat by Liquid Chromatography-Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , <b>2012</b> , 5, 471-479	3.4	12
24	Detection, accumulation, distribution, and depletion of furaltadone and nifursol residues in poultry muscle, liver, and gizzard. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 11927-34	5.7	31
23	Selection of the derivatization reagent--the case of human blood cholesterol, its precursors and phytosterols GC-MS analyses. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2011</b> , 879, 3806-11	3.2	27
22	A LC-MS/MS methodology to determine furaltadone residues in the macroalgae <i>Ulva lactuca</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2011</b> , 879, 3832-6	3.2	8
21	The effects of the nitrofurantoin furaltadone on <i>Ulva lactuca</i> . <i>Chemosphere</i> , <b>2011</b> , 82, 1010-6	8.4	19
20	PCDD/Fs and dioxin-like PCBs in sediment and biota from the Mondego estuary (Portugal). <i>Chemosphere</i> , <b>2011</b> , 83, 1345-52	8.4	49
19	Evaluation of Phytosterols in Milk and Yogurts Used as Functional Foods in Portugal. <i>Food Analytical Methods</i> , <b>2011</b> , 4, 28-34	3.4	16

18	Evolution of Mineral Contents in Tomato Fruits During the Ripening Process After Harvest. <i>Food Analytical Methods</i> , <b>2011</b> , 4, 410-415	3.4	13
17	Clenbuterol storage stability in the bovine urine and liver samples used for European official control in the azores islands (portugal). <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 910-4	5.7	20
16	Production of in house reference materials for ELISA screening of bovine urine and liver samples for clenbuterol. <i>Accreditation and Quality Assurance</i> , <b>2008</b> , 13, 299-304	0.7	3
15	Determination of nitrofurans in animal feeds by liquid chromatography-UV photodiode array detection and liquid chromatography-ionspray tandem mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2007</b> , 586, 359-65	6.6	67
14	Optimization of analytical procedures for GC/MS determination of phytosterols and phytostanols in enriched milk and yoghurt. <i>Food Chemistry</i> , <b>2007</b> , 102, 113-117	8.5	44
13	Determination of the furaltadone metabolite 5-methylmorpholino-3-amino-2-oxazolidinone (AMoz) using liquid chromatography coupled to electrospray tandem mass spectrometry during the nitrofurans crisis in Portugal. <i>Accreditation and Quality Assurance</i> , <b>2007</b> , 12, 543-551	0.7	17
12	Analytical Methodologies for Chloramphenicol Residues Determination in Food Matrixes: A Brief Review. <i>Current Pharmaceutical Analysis</i> , <b>2006</b> , 2, 53-57	0.6	5
11	Determination of chloramphenicol residues in rainbow trouts by gas chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2005</b> , 529, 249-256	6.6	43
10	Food poisoning by clenbuterol in Portugal. <i>Food Additives and Contaminants</i> , <b>2005</b> , 22, 563-6		102
9	Proposed guidelines for clenbuterol food poisoning. <i>American Journal of Medicine</i> , <b>2004</b> , 117, 362	2.4	21
8	Clenbuterol food poisoning diagnosis by gas chromatography-mass spectrometric serum analysis. <i>Analytica Chimica Acta</i> , <b>2003</b> , 483, 207-213	6.6	80
7	Control of the illegal use of clenbuterol in bovine production. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2003</b> , 32, 311-6	3.5	41
6	OPTIMIZATION OF DIPHASIC DIALYSIS PROCEDURE FOR CLENBUTEROL RESIDUES EXTRACTION IN BOVINE RETINA AND HAIR. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2001</b> , 24, 251-263	1.3	5
5	SOLID PHASE EXTRACTION (SPE) FOR MULTI-RESIDUE ANALYSIS OF $\beta$ -AGONISTS IN BOVINE URINE. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>1999</b> , 22, 2307-2320	1.3	15
4	Beta2-adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography-mass spectrometry. <i>Biomedical Applications</i> , <b>1998</b> , 716, 366-70		22
3	Occurrence of $\beta$ - Adrenergic Agonist Residues in Urine of Animal Meat Producers in Portugal. <i>Journal of AOAC INTERNATIONAL</i> , <b>1998</b> , 81, 544-548	1.7	13
2	Determination of salbutamol in rats at low concentrations using liquid chromatography with electrochemical detection. <i>Analytica Chimica Acta</i> , <b>1993</b> , 275, 279-283	6.6	14
1	Energy contribution of heterocyclic sulfur and a disulfide bond in solid and gaseous phase. <i>Structural Chemistry</i> , 1	1.8	

