## Graeme J Hankey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5288777/publications.pdf

Version: 2024-02-01

949 papers 210,610 citations

157 h-index 437 g-index

987 all docs

987
docs citations

times ranked

987

176994 citing authors

#	Article	IF	CITATIONS
1	Dabigatran versus Warfarin in Patients with Atrial Fibrillation. New England Journal of Medicine, 2009, 361, 1139-1151.	13.9	9,839
2	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	6.3	9,122
3	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
4	Rivaroxaban versus Warfarin in Nonvalvular Atrial Fibrillation. New England Journal of Medicine, 2011, 365, 883-891.	13.9	8,006
5	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	6.3	5,847
6	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
7	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
8	Prevention of Cardiovascular Events and Death with Pravastatin in Patients with Coronary Heart Disease and a Broad Range of Initial Cholesterol Levels. New England Journal of Medicine, 1998, 339, 1349-1357.	13.9	5,230
9	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
10	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
11	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
12	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
13	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
14	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
15	Collaborative overview of randomised trials of antiplatelet therapy Prevention of death, myocardial infarction, and stroke by prolonged antiplatelet therapy in various categories of patients. BMJ: British Medical Journal, 1994, 308, 81-106.	2.4	3,105
16	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	6.3	3,062
17	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017, 70, 1-25.	1.2	2,705
18	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625

#	Article	IF	CITATIONS
19	Clopidogrel and Aspirin versus Aspirin Alone for the Prevention of Atherothrombotic Events. New England Journal of Medicine, 2006, 354, 1706-1717.	13.9	2,582
20	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE) Tj ETQq0 0	0 rgBT /Ov	verlock 10 Tf 2,565
21	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	4.9	2,308
22	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	3.4	2,269
23	Apixaban in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 364, 806-817.	13.9	2,207
24	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
25	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
26	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
27	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	4.9	2,005
28	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
29	Time to treatment with intravenous alteplase and outcome in stroke: an updated pooled analysis of ECASS, ATLANTIS, NINDS, and EPITHET trials. Lancet, The, 2010, 375, 1695-1703.	6.3	1,871
30	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
31	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
32	Strategies for Multivessel Revascularization in Patients with Diabetes. New England Journal of Medicine, 2012, 367, 2375-2384.	13.9	1,573
33	Global, regional, and national burden of Parkinson's disease, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 939-953.	4.9	1,573
34	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
35	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
36	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	4.9	1,512

#	Article	IF	Citations
37	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. JAMA - Journal of the American Medical Association, 2017, 317, 165.	3.8	1,492
38	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. Lancet, The, 2016, 388, 761-775.	6.3	1,414
39	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	6.3	1,281
40	Effect of Clopidogrel Added to Aspirin in Patients with Atrial Fibrillation. New England Journal of Medicine, 2009, 360, 2066-2078.	13.9	1,273
41	Rapid Blood-Pressure Lowering in Patients with Acute Intracerebral Hemorrhage. New England Journal of Medicine, 2013, 368, 2355-2365.	13.9	1,269
42	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	6.3	1,230
43	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	4.7	1,199
44	Global, regional, and national burden of migraine and tension-type headache, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 954-976.	4.9	1,101
45	The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised controlled trial. Lancet, The, 2012, 379, 2352-2363.	6.3	1,018
46	Colchicine in Patients with Chronic Coronary Disease. New England Journal of Medicine, 2020, 383, 1838-1847.	13.9	1,010
47	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. Neuroepidemiology, 2015, 45, 161-176.	1.1	1,002
48	Effects of alteplase beyond 3 h after stroke in the Echoplanar Imaging Thrombolytic Evaluation Trial (EPITHET): a placebo-controlled randomised trial. Lancet Neurology, The, 2008, 7, 299-309.	4.9	971
49	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	13.9	959
50	Homocysteine and vascular disease. Lancet, The, 1999, 354, 407-413.	6.3	914
51	Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. Lancet, The, 2005, 365, 387-97.	6.3	897
52	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
53	Stroke. Lancet, The, 2017, 389, 641-654.	6.3	887
54	Vorapaxar in the Secondary Prevention of Atherothrombotic Events. New England Journal of Medicine, 2012, 366, 1404-1413.	13.9	841

#	Article	IF	CITATIONS
55	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	6.3	786
56	Homocyst(e)ine and Cardiovascular Disease: A Critical Review of the Epidemiologic Evidence. Annals of Internal Medicine, 1999, 131, 363.	2.0	781
57	Patients With Prior Myocardial Infarction, Stroke, or Symptomatic Peripheral Arterial Disease in the CHARISMA Trial. Journal of the American College of Cardiology, 2007, 49, 1982-1988.	1.2	752
58	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	6.3	740
59	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. Lancet Neurology, The, 2008, 7, 391-399.	4.9	732
60	Rivaroxaban for Stroke Prevention after Embolic Stroke of Undetermined Source. New England Journal of Medicine, 2018, 378, 2191-2201.	13.9	730
61	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	<b>6.</b> 3	716
62	Swallowing Function After Stroke. Stroke, 1999, 30, 744-748.	1.0	702
63	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
64	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	6.3	609
65	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
66	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. Lancet, The, 2015, 386, 46-55.	6.3	606
67	Collaborative systematic review of the randomised trials of organised inpatient (stroke unit) care after stroke. BMJ: British Medical Journal, 1997, 314, 1151-1151.	2.4	583
68	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
69	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	<b>6.</b> 3	571
70	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.4	558
71	Prevention of stroke and systemic embolism with rivaroxaban compared with warfarin in patients with non-valvular atrial fibrillation and moderate renal impairment. European Heart Journal, 2011, 32, 2387-2394.	1.0	536
72	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. BMJ: British Medical Journal, 2011, 342, d548-d548.	2.4	530

#	Article	IF	Citations
73	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	3.0	528
74	General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. Lancet, The, 2008, 372, 2132-2142.	6.3	514
75	A randomized trial of anticoagulants versus aspirin after cerebral ischemia of presumed arterial origin. Annals of Neurology, 1997, 42, 857-865.	2.8	509
76	Aspirin resistance. Lancet, The, 2006, 367, 606-617.	6.3	503
77	Critical Issues in Peripheral Arterial Disease Detection and Management <subtitle>A Call to Action</subtitle> . Archives of Internal Medicine, 2003, 163, 884.	4.3	486
78	Cerebral angiographic risk in mild cerebrovascular disease Stroke, 1990, 21, 209-222.	1.0	485
79	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
80	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
81	Renal Dysfunction as a Predictor of Stroke and Systemic Embolism in Patients With Nonvalvular Atrial Fibrillation. Circulation, 2013, 127, 224-232.	1.6	463
82	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	2.1	461
83	Screening for Atrial Fibrillation. Circulation, 2017, 135, 1851-1867.	1.6	453
84	Treatment and secondary prevention of stroke: evidence, costs, and effects on individuals and populations*. Lancet, The, 1999, 354, 1457-1463.	6.3	433
85	Organised inpatient (stroke unit) care for stroke. , 2007, , CD000197.		428
86	Magnesium for acute stroke (Intravenous Magnesium Efficacy in Stroke trial): randomised controlled trial. Lancet, The, 2004, 363, 439-445.	6.3	418
87	Effectiveness of thigh-length graduated compression stockings to reduce the risk of deep vein thrombosis after stroke (CLOTS trial 1): a multicentre, randomised controlled trial. Lancet, The, 2009, 373, 1958-1965.	6.3	414
88	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
89	Rivaroxaban—Once daily, oral, direct factor Xa inhibition Compared with vitamin K antagonism for prevention of stroke and Embolism Trial in Atrial Fibrillation: Rationale and Design of the ROCKET AF study. American Heart Journal, 2010, 159, 340-347.e1.	1.2	395
90	Effect of timing and method of enteral tube feeding for dysphagic stroke patients (FOOD): a multicentre randomised controlled trial. Lancet, The, 2005, 365, 764-772.	6.3	359

#	Article	IF	Citations
91	Five-Year Survival After First-Ever Stroke and Related Prognostic Factors in the Perth Community Stroke Study. Stroke, 2000, 31, 2080-2086.	1.0	349
92	Efficacy and Safety of Rivaroxaban Compared With Warfarin Among Elderly Patients With Nonvalvular Atrial Fibrillation in the Rivaroxaban Once Daily, Oral, Direct Factor Xa Inhibition Compared With Vitamin K Antagonism for Prevention of Stroke and Embolism Trial in Atrial Fibrillation (ROCKET AF). Circulation, 2014, 130, 138-146.	1.6	345
93	Dabigatran Etexilate. Circulation, 2011, 123, 1436-1450.	1.6	340
94	Long-Term Disability After First-Ever Stroke and Related Prognostic Factors in the Perth Community Stroke Study, 1989–1990. Stroke, 2002, 33, 1034-1040.	1.0	337
95	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
96	What are the components of effective stroke unit care?. Age and Ageing, 2002, 31, 365-371.	0.7	331
97	Extending thrombolysis to 4·5–9 h and wake-up stroke using perfusion imaging: a systematic review and meta-analysis of individual patient data. Lancet, The, 2019, 394, 139-147.	6.3	321
98	Ten-Year Risk of First Recurrent Stroke and Disability After First-Ever Stroke in the Perth Community Stroke Study. Stroke, 2004, 35, 731-735.	1.0	320
99	Rivaroxaban compared with warfarin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a subgroup analysis of ROCKET AF. Lancet Neurology, The, 2012, 11, 315-322.	4.9	310
100	Swallowing Disorders following Acute Stroke: Prevalence and Diagnostic Accuracy. Cerebrovascular Diseases, 2000, 10, 380-386.	0.8	309
101	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
102	Pravastatin Therapy and the Risk of Stroke. New England Journal of Medicine, 2000, 343, 317-326.	13.9	302
103	The unruptured intracranial aneurysm treatment score. Neurology, 2015, 85, 881-889.	1.5	301
104	Behavioural intervention for dysphagia in acute stroke: a randomised controlled trial. Lancet Neurology, The, 2006, 5, 31-37.	4.9	298
105	Long-Term Risk of First Recurrent Stroke in the Perth Community Stroke Study. Stroke, 1998, 29, 2491-2500.	1.0	297
106	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	<b>6.</b> 3	294
107	Effects of folic acid supplementation on overall and site-specific cancer incidence during the randomised trials: meta-analyses of data on 50â€^000 individuals. Lancet, The, 2013, 381, 1029-1036.	6.3	289
108	Medical Treatment of Peripheral Arterial Disease. JAMA - Journal of the American Medical Association, 2006, 295, 547.	3.8	285

#	Article	IF	CITATIONS
109	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
110	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. Lancet, The, 2011, 378, 584-594.	6.3	273
111	The Burden of Cardiovascular Diseases Among US States, 1990-2016. JAMA Cardiology, 2018, 3, 375.	3.0	271
112	Higher risk of death and stroke in patients with persistent vs. paroxysmal atrial fibrillation: results from the ROCKET-AF Trial. European Heart Journal, 2015, 36, 288-296.	1.0	266
113	B vitamins in patients with recent transient ischaemic attack or stroke in the VITAmins TO Prevent Stroke (VITATOPS) trial: a randomised, double-blind, parallel, placebo-controlled trial. Lancet Neurology, The, 2010, 9, 855-865.	4.9	264
114	Risk of Recurrent Venous Thromboembolism in Patients With Common Thrombophilia. Archives of Internal Medicine, 2006, 166, 729.	4.3	259
115	Comparison of idraparinux with vitamin K antagonists for prevention of thromboembolism in patients with atrial fibrillation: a randomised, open-label, non-inferiority trial. Lancet, The, 2008, 371, 315-321.	6.3	257
116	Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Adults Aged 20-64 Years in 1990-2013: Data from the Global Burden of Disease 2013 Study. Neuroepidemiology, 2015, 45, 190-202.	1.1	255
117	How Do Stroke Units Improve Patient Outcomes?. Stroke, 1997, 28, 2139-2144.	1.0	249
118	Long-Term Outcome after Ischaemic Stroke/Transient Ischaemic Attack. Cerebrovascular Diseases, 2003, 16, 14-19.	0.8	244
119	Low Free Testosterone Predicts Frailty in Older Men: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3165-3172.	1.8	240
120	Outcomes After Cardioversion and Atrial Fibrillation Ablation in Patients Treated With Rivaroxaban and Warfarin in the ROCKET AF Trial. Journal of the American College of Cardiology, 2013, 61, 1998-2006.	1.2	240
121	Guideline for the diagnosis and management of hypertension in adults — 2016. Medical Journal of Australia, 2016, 205, 85-89.	0.8	236
122	Outcomes of Temporary Interruption of Rivaroxaban Compared With Warfarin in Patients With Nonvalvular Atrial Fibrillation. Circulation, 2014, 129, 1850-1859.	1.6	234
123	Association Between High Homocyst(e)ine and Ischemic Stroke due to Large- and Small-Artery Disease but Not Other Etiologic Subtypes of Ischemic Stroke. Stroke, 2000, 31, 1069-1075.	1.0	229
124	Secondary stroke prevention. Lancet Neurology, The, 2014, 13, 178-194.	4.9	227
125	Lower Testosterone Levels Predict Incident Stroke and Transient Ischemic Attack in Older Men. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2353-2359.	1.8	226
126	Long-term risk of carotid restenosis in patients randomly assigned to endovascular treatment or endarterectomy in the Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS): long-term follow-up of a randomised trial. Lancet Neurology, The, 2009, 8, 908-917.	4.9	222

#	Article	IF	CITATIONS
127	Irbesartan in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 364, 928-938.	13.9	220
128	Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. Lancet Neurology, The, 2016, 15, 174-184.	4.9	217
129	Epidemiology of Aneurysmal Subarachnoid Hemorrhage in Australia and New Zealand. Stroke, 2000, 31, 1843-1850.	1.0	216
130	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. Lancet, The, 2019, 393, 265-274.	6.3	213
131	Factors Associated With Major Bleeding Events. Journal of the American College of Cardiology, 2014, 63, 891-900.	1.2	212
132	Incomplete Inhibition of Thromboxane Biosynthesis by Acetylsalicylic Acid. Circulation, 2008, 118, 1705-1712.	1.6	210
133	Cohort Profile: The Health In Men Study (HIMS). International Journal of Epidemiology, 2009, 38, 48-52.	0.9	209
134	Endovascular treatment with angioplasty or stenting versus endarterectomy in patients with carotid artery stenosis in the Carotid And Vertebral Artery Transluminal Angioplasty Study (CAVATAS): long-term follow-up of a randomised trial. Lancet Neurology, The, 2009, 8, 898-907.	4.9	196
135	Primary and Secondary Prevention ofÂlschemic Stroke and CerebralÂHemorrhage. Journal of the American College of Cardiology, 2020, 75, 1804-1818.	1.2	189
136	Intracranial Hemorrhage Among Patients With Atrial Fibrillation Anticoagulated With Warfarin or Rivaroxaban. Stroke, 2014, 45, 1304-1312.	1.0	187
137	Cardiovascular Risk Factors Associated With Venous Thromboembolism. JAMA Cardiology, 2019, 4, 163.	3.0	187
138	Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. Neuroepidemiology, 2015, 45, 230-236.	1.1	186
139	Results of a Multicentre, Randomised Controlled Trial of Intra-Arterial Urokinase in the Treatment of Acute Posterior Circulation Ischaemic Stroke. Cerebrovascular Diseases, 2005, 20, 12-17.	0.8	185
140	Body Mass Index and Survival in Men and Women Aged 70 to 75. Journal of the American Geriatrics Society, 2010, 58, 234-241.	1.3	185
141	Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. Lancet, The, 2011, 377, 2013-2022.	6.3	185
142	Trials of streptokinase in severe acute ischaemic stroke. Lancet, The, 1995, 345, 578-579.	6.3	184
143	Searching for Atrial Fibrillation Poststroke. Circulation, 2019, 140, 1834-1850.	1.6	184
144	A Multicentre, Randomized, Double-Blinded, Placebo-Controlled Phase III Study to Investigate Extending the Time for Thrombolysis in Emergency Neurological Deficits (EXTEND). International Journal of Stroke, 2012, 7, 74-80.	2.9	182

#	Article	IF	Citations
145	Outcomes of Discontinuing Rivaroxaban Compared With Warfarin in Patients With Nonvalvular Atrial Fibrillation. Journal of the American College of Cardiology, 2013, 61, 651-658.	1.2	181
146	Effects of homocysteine lowering with B vitamins on cognitive aging: meta-analysis of 11 trials with cognitive data on 22,000 individuals. American Journal of Clinical Nutrition, 2014, 100, 657-666.	2.2	180
147	Impact of Global Geographic Region on Time in Therapeutic Range on Warfarin Anticoagulant Therapy: Data From the ROCKET AF Clinical Trial. Journal of the American Heart Association, 2013, 2, e000067.	1.6	179
148	Ten-Year Survival After First-Ever Stroke in the Perth Community Stroke Study. Stroke, 2003, 34, 1842-1846.	1.0	178
149	National Stroke Association guidelines for the management of transient ischemic attacks. Annals of Neurology, 2006, 60, 301-313.	2.8	178
150	Clopidogrel Plus Aspirin Versus Warfarin in Patients With Stroke and Aortic Arch Plaques. Stroke, 2014, 45, 1248-1257.	1.0	178
151	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. Lancet, The, 2019, 393, 877-888.	6.3	178
152	Ontogeny and Polarization of Macrophages in Inflammation: Blood Monocytes Versus Tissue Macrophages. Frontiers in Immunology, 2014, 5, 683.	2.2	177
153	Complications of cerebral angiography for patients with mild carotid territory ischaemia being considered for carotid endarterectomy Journal of Neurology, Neurosurgery and Psychiatry, 1990, 53, 542-548.	0.9	170
154	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). Neurology, 2016, 86, 2138-2145.	1.5	170
155	Potential New Risk Factors for Ischemic Stroke. Stroke, 2006, 37, 2181-2188.	1.0	166
156	Greater Rupture Risk for Familial as Compared to Sporadic Unruptured Intracranial Aneurysms. Stroke, 2009, 40, 1952-1957.	1.0	166
157	Evaluation of a novel antiplatelet agent for secondary prevention in patients with a history of atherosclerotic disease: Design and rationale for the Thrombin-Receptor Antagonist in Secondary Prevention of Atherothrombotic Ischemic Events (TRA 2°P)-TIMI 50 trial. American Heart Journal, 2009, 158, 335-341, e3	1.2	166
158	Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. Lancet Neurology, The, 2012, 11, 225-231.	4.9	164
159	Population-level risks of alcohol consumption by amount, geography, age, sex, and year: a systematic analysis for the Global Burden of Disease Study 2020. Lancet, The, 2022, 400, 185-235.	6.3	161
160	Thienopyridines or Aspirin to Prevent Stroke and Other Serious Vascular Events in Patients at High Risk of Vascular Disease?. Stroke, 2000, 31, 1779-1784.	1.0	159
161	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. Neuroepidemiology, 2015, 45, 203-214.	1,1	159
162	Gastrointestinal Bleeding in Patients WithÂAtrial Fibrillation Treated With Rivaroxaban or Warfarin. Journal of the American College of Cardiology, 2015, 66, 2271-2281.	1.2	159

#	Article	IF	CITATIONS
163	Homocysteine-lowering trials for prevention of cardiovascular events: A review of the design and power of the large randomized trials. American Heart Journal, 2006, 151, 282-287.	1.2	156
164	Mechanisms of Stroke in COVID-19. Cerebrovascular Diseases, 2020, 49, 451-458.	0.8	156
165	Low Free Testosterone Predicts Mortality from Cardiovascular Disease But Not Other Causes: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 179-189.	1.8	155
166	In Older Men an Optimal Plasma Testosterone Is Associated With Reduced All-Cause Mortality and Higher Dihydrotestosterone With Reduced Ischemic Heart Disease Mortality, While Estradiol Levels Do Not Predict Mortality. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E9-E18.	1.8	155
167	Clinical characteristics and outcomes with rivaroxaban vs. warfarin in patients with non-valvular atrial fibrillation but underlying native mitral and aortic valve disease participating in the ROCKET AF trial. European Heart Journal, 2014, 35, 3377-3385.	1.0	154
168	Aspirin to Prevent Cardiovascular Disease: The Association of Aspirin Dose and Clopidogrel With Thrombosis and Bleeding. Annals of Internal Medicine, 2009, 150, 379.	2.0	152
169	Common variants at 6p21.1 are associated with large artery atherosclerotic stroke. Nature Genetics, 2012, 44, 1147-1151.	9.4	152
170	Rate, degree, and predictors of recovery from disability following ischemic stroke. Neurology, 2007, 68, 1583-1587.	1.5	150
171	Surgery for Primary Intracerebral Hemorrhage: Is It Safe and Effective?. Stroke, 1997, 28, 2126-2132.	1.0	149
172	Endothelial and Platelet Activation in Acute Ischemic Stroke and Its Etiological Subtypes. Stroke, 2003, 34, 2132-2137.	1.0	147
173	Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713.	2.9	147
174	Recurrent Stroke With Rivaroxaban Compared With Aspirin According to Predictors of Atrial Fibrillation. JAMA Neurology, 2019, 76, 764.	4.5	147
175	Rivaroxaban or aspirin for patent foramen ovale and embolic stroke of undetermined source: a prespecified subgroup analysis from the NAVIGATE ESUS trial. Lancet Neurology, The, 2018, 17, 1053-1060.	4.9	146
176	Retinal microvasculature in acute lacunar stroke: a cross-sectional study. Lancet Neurology, The, 2009, 8, 628-634.	4.9	145
177	Management of major bleeding events in patients treated with rivaroxaban vs. warfarin: results from the ROCKET AF trial. European Heart Journal, 2014, 35, 1873-1880.	1.0	145
178	The prognosis of hospital-referred transient ischaemic attacks Journal of Neurology, Neurosurgery and Psychiatry, 1991, 54, 793-802.	0.9	142
179	Rivaroxaban for Stroke Prevention in East Asian Patients From the ROCKET AF Trial. Stroke, 2014, 45, 1739-1747.	1.0	142
180	Streptokinase for acute ischemic stroke with relationship to time of administration: Australian Streptokinase (ASK) Trial Study Group. JAMA - Journal of the American Medical Association, 1996, 276, 961-966.	3.8	142

#	Article	IF	Citations
181	Polypharmacy and the Efficacy and Safety of Rivaroxaban Versus Warfarin in the Prevention of Stroke in Patients With Nonvalvular Atrial Fibrillation. Circulation, 2016, 133, 352-360.	1.6	141
182	Trends in Incidence and Outcome of Stroke in Perth, Western Australia During 1989 to 2001. Stroke, 2008, 39, 776-782.	1.0	140
183	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2012, 11, CD009286.	1.5	140
184	Stroke Unit Care Benefits Patients With Intracerebral Hemorrhage. Stroke, 2013, 44, 3044-3049.	1.0	139
185	The VITATOPS (Vitamins to Prevent Stroke) Trial: Rationale and Design of an International, Large, Simple, Randomised Trial of Homocysteine-Lowering Multivitamin Therapy in Patients with Recent Transient Ischaemic Attack or Stroke. Cerebrovascular Diseases, 2002, 13, 120-126.	0.8	138
186	Depression as a modifiable factor to decrease the risk of dementia. Translational Psychiatry, 2017, 7, e1117-e1117.	2.4	138
187	Low Free Testosterone Concentration as a Potentially Treatable Cause of Depressive Symptoms in Older Men. Archives of General Psychiatry, 2008, 65, 283.	13.8	137
188	Effect of thrombolysis with alteplase within 6 h of acute ischaemic stroke on long-term outcomes (the third International Stroke Trial [IST-3]): 18-month follow-up of a randomised controlled trial. Lancet Neurology, The, 2013, 12, 768-776.	4.9	137
189	Inherited Thrombophilia in Ischemic Stroke and Its Pathogenic Subtypes. Stroke, 2001, 32, 1793-1799.	1.0	133
190	Homocysteine and Depression in Later Life. Archives of General Psychiatry, 2008, 65, 1286.	13.8	133
191	Reference Ranges and Determinants of Testosterone, Dihydrotestosterone, and Estradiol Levels Measured using Liquid Chromatography-Tandem Mass Spectrometry in a Population-Based Cohort of Older Men. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 4030-4039.	1.8	133
192	Efficacy and safety of rivaroxaban in patients with diabetes and nonvalvular atrial fibrillation: The Rivaroxaban Once-daily, Oral, Direct Factor Xa Inhibition Compared with Vitamin K Antagonism for Prevention of Stroke and Embolism Trial in Atrial Fibrillation (ROCKET AF Trial). American Heart Journal, 2015, 170, 675-682.e8.	1.2	128
193	Stroke. Archives of Neurology, 1999, 56, 748.	4.9	127
194	Cause of Death and Predictors of Allâ€Cause Mortality in Anticoagulated Patients With Nonvalvular Atrial Fibrillation: Data From ROCKET AF. Journal of the American Heart Association, 2016, 5, e002197.	1.6	127
195	Isolated Angiitis/Angiopathy of the Central Nervous System. Cerebrovascular Diseases, 1991, 1, 2-15.	0.8	125
196	Digoxin use in patients with atrial fibrillation and adverse cardiovascular outcomes: a retrospective analysis of the Rivaroxaban Once Daily Oral Direct Factor Xa Inhibition Compared with Vitamin K Antagonism for Prevention of Stroke and Embolism Trial in Atrial Fibrillation (ROCKET AF). Lancet, The, 2015, 385, 2363-2370.	6.3	123
197	Stroke: Working Toward a Prioritized World Agenda. Stroke, 2010, 41, 1084-1099.	1.0	122
198	Transient ischaemic attacks: which patients are at high (and low) risk of serious vascular events?. Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 640-652.	0.9	120

#	Article	IF	Citations
199	Is There a Stroke Belt in China and Why?. Stroke, 2013, 44, 1775-1783.	1.0	119
200	Intravenous Minocycline in Acute Stroke. Stroke, 2013, 44, 2493-2499.	1.0	118
201	Hormonal Factors and Risk of Aneurysmal Subarachnoid Hemorrhage. Stroke, 2001, 32, 606-612.	1.0	115
202	Triggers of Subarachnoid Hemorrhage. Stroke, 2003, 34, 1771-1776.	1.0	114
203	Embolic strokes of undetermined source: Prevalence and patient features in the ESUS Global Registry. International Journal of Stroke, 2016, 11, 526-533.	2.9	113
204	Symptomatic carotid ischaemic events: safest and most cost effective way of selecting patients for angiography, before carotid endarterectomy BMJ: British Medical Journal, 1990, 300, 1485-1491.	2.4	112
205	Trends in the Incidence, Severity, and Short-Term Outcome of Stroke in Perth, Western Australia. Stroke, 1999, 30, 2105-2111.	1.0	112
206	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment—ls there a gender difference?. Maturitas, 2011, 69, 359-364.	1.0	112
207	Hearing loss and the risk of dementia in later life. Maturitas, 2018, 112, 1-11.	1.0	111
208	Differing Risk Factor Profiles of Ischemic Stroke Subtypes. Stroke, 2010, 41, 624-629.	1.0	110
209	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. European Journal of Endocrinology, 2009, 161, 591-598.	1.9	109
210	Aspirin resistance:a new independent predictor of vascular events?**Editorials published in the Journal of the American College of Cardiologyreflect the views of the authors and do no necessarily represent the views of JACCor the American College of Cardiology Journal of the American College of Cardiology, 2003, 41, 966-968.	1.2	108
211	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. Lancet, The, 2017, 390, 588-599.	6.3	108
212	Homocysteine and stroke. Current Opinion in Neurology, 2001, 14, 95-102.	1.8	106
213	Management of acute ischaemic stroke: new guidelines from the American Stroke Association and European Stroke Initiative. Lancet Neurology, The, 2003, 2, 698-701.	4.9	106
214	Ethnic variation in adverse cardiovascular outcomes and bleeding complications in the Clopidogrel for High Atherothrombotic Risk and Ischemic Stabilization, Management, and Avoidance (CHARISMA) study. American Heart Journal, 2009, 157, 658-665.	1.2	106
215	Safety and efficacy of fluoxetine on functional recovery after acute stroke (EFFECTS): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 661-669.	4.9	106
216	Physical activity and all-cause mortality in older women and men. British Journal of Sports Medicine, 2012, 46, 664-668.	3.1	105

#	Article	IF	CITATIONS
217	The Stroke Riskometerâ,,¢ App: Validation of a Data Collection Tool and Stroke Risk Predictor. International Journal of Stroke, 2015, 10, 231-244.	2.9	103
218	Efficacy and Safety of Rivaroxaban in Patients With Heart Failure and Nonvalvular Atrial Fibrillation. Circulation: Heart Failure, 2013, 6, 740-747.	1.6	102
219	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. British Journal of Clinical Pharmacology, 2011, 71, 592-599.	1.1	101
220	Optimal achieved blood pressure in acute intracerebral hemorrhage. Neurology, 2015, 84, 464-471.	1.5	101
221	Intracerebral hemorrhage location and outcome among INTERACT2 participants. Neurology, 2017, 88, 1408-1414.	1.5	101
222	B vitamins in stroke prevention: time to reconsider. Lancet Neurology, The, 2017, 16, 750-760.	4.9	101
223	150â€minutes of vigorous physical activity per week predicts survival and successful ageing: a population-based 11-year longitudinal study of 12â€201 older Australian men. British Journal of Sports Medicine, 2014, 48, 220-225.	3.1	100
224	Genome-wide association meta-analysis of functional outcome after ischemic stroke. Neurology, 2019, 92, e1271-e1283.	1.5	99
225	Initial Clinical and Demographic Predictors of Swallowing Impairment Following Acute Stroke. Dysphagia, 2001, 16, 208-215.	1.0	98
226	Selective Serotonin Reuptake Inhibitors for Stroke Recovery. Stroke, 2013, 44, 844-850.	1.0	97
227	Active and Passive Smoking and the Risk of Subarachnoid Hemorrhage. Stroke, 2004, 35, 633-637.	1.0	96
228	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. European Journal of Endocrinology, 2008, 158, 785-792.	1.9	96
229	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. Lancet, The, 2018, 391, 2019-2027.	6.3	96
230	Platelet glycoprotein lbî± Kozak polymorphism is associated with an increased risk of ischemic stroke. Blood, 2001, 98, 36-40.	0.6	94
231	Aspirin resistance: Table 1. BMJ: British Medical Journal, 2004, 328, 477.	2.4	94
232	Homocysteine-Lowering Treatment With Folic Acid, Cobalamin, and Pyridoxine Does Not Reduce Blood Markers of Inflammation, Endothelial Dysfunction, or Hypercoagulability in Patients With Previous Transient Ischemic Attack or Stroke. Stroke, 2005, 36, 144-146.	1.0	94
233	Association of Cardiovascular Risk Factors and Disease With Depression in Later Life. American Journal of Geriatric Psychiatry, 2007, 15, 506-513.	0.6	94
234	Relationship Between Time in Therapeutic Range and Comparative Treatment Effect of Rivaroxaban and Warfarin: Results From the ROCKET AF Trial. Journal of the American Heart Association, 2014, 3, e000521.	1.6	94

#	Article	IF	Citations
235	Successful Mental Health Aging: Results From a Longitudinal Study of Older Australian Men. American Journal of Geriatric Psychiatry, 2006, 14, 27-35.	0.6	93
236	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	6.3	92
237	Trends in Five-Year Survival and Risk of Recurrent Stroke after First-Ever Stroke in the Perth Community Stroke Study. Cerebrovascular Diseases, 2005, 19, 179-185.	0.8	90
238	The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. PLoS ONE, 2008, 3, e3011.	1.1	90
239	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	4.9	90
240	Stroke: Working toward a Prioritized World Agenda. International Journal of Stroke, 2010, 5, 238-256.	2.9	89
241	Efficacy and Safety of Vorapaxar in Patients With Prior Ischemic Stroke. Stroke, 2013, 44, 691-698.	1.0	89
242	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75ÂYears. Journal of the American Medical Directors Association, 2015, 16, 296-300.	1.2	89
243	Prevalence of Sexual Activity and Associated Factors in Men Aged 75 to 95 Years. Annals of Internal Medicine, 2010, 153, 693.	2.0	88
244	Peripheral arterial disease: prognostic significance and prevention of atherothrombotic complications. Medical Journal of Australia, 2004, 181, 150-154.	0.8	87
245	The third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. Trials, 2008, 9, 37.	0.7	86
246	Bâ€vitamins reduce the longâ€term risk of depression after stroke: The VITATOPSâ€DEP trial. Annals of Neurology, 2010, 68, 503-510.	2.8	85
247	Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study: baseline characteristics and short-term effects of fenofibrate [ISRCTN64783481]., 2005, 4, 13.		84
248	Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Children and Youth Aged 0-19 Years: Data from the Global and Regional Burden of Stroke 2013. Neuroepidemiology, 2015, 45, 177-189.	1.1	84
249	Enlarged perivascular spaces and cognitive impairment after stroke and transient ischemic attack. International Journal of Stroke, 2018, 13, 47-56.	2.9	84
250	Prognosis of Symptomatic Carotid Artery Occlusion. Cerebrovascular Diseases, 1991, 1, 245-256.	0.8	83
251	Antithrombotic drugs for patients with ischaemic stroke and transient ischaemic attack to prevent recurrent major vascular events. Lancet Neurology, The, 2010, 9, 273-284.	4.9	83
252	Rivaroxaban for secondary stroke prevention in patients with embolic strokes of undetermined source: Design of the NAVIGATE ESUS randomized trial. European Stroke Journal, 2016, 1, 146-154.	2.7	83

#	Article	IF	Citations
253	Smoking and Risk of Stroke. European Journal of Cardiovascular Prevention and Rehabilitation, 1999, 6, 207-211.	3.1	82
254	Efficacy and safety of rivaroxaban compared with warfarin in patients with peripheral artery disease and non-valvular atrial fibrillation: insights from ROCKET AF. European Heart Journal, 2014, 35, 242-249.	1.0	82
255	METACOHORTS for the study of vascular disease and its contribution to cognitive decline and neurodegeneration: An initiative of the Joint Programme for Neurodegenerative Disease Research. Alzheimer's and Dementia, 2016, 12, 1235-1249.	0.4	82
256	Nutrition and the risk of stroke. Lancet Neurology, The, 2012, 11, 66-81.	4.9	81
257	Ischaemic cardiac outcomes in patients with atrial fibrillation treated with vitamin K antagonism or factor Xa inhibition: results from the ROCKET AF trial. European Heart Journal, 2014, 35, 233-241.	1.0	81
258	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61.	1.1	81
259	Demonstration of the validity of the SF-36 for measurement of the temporal recovery of quality of life outcomes in burns survivors. Burns, 2010, 36, 1013-1020.	1.1	79
260	24-Month effect of smoking cessation on cognitive function and brain structure in later life. Neurolmage, 2011, 55, 1480-1489.	2.1	79
261	The need for a large-scale trial of fibrate therapy in diabetes: the rationale and design of the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. [ISRCTN64783481]., 2004, 3, 9.		77
262	Soluble Glycoprotein VI Is Raised in the Plasma of Patients With Acute Ischemic Stroke. Stroke, 2011, 42, 498-500.	1.0	77
263	Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. Neuroepidemiology, 2010, 35, 36-44.	1.1	76
264	Associations between Testosterone Levels and Incident Prostate, Lung, and Colorectal Cancer. A Population-Based Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1319-1329.	1.1	76
265	In Older Men, Higher Plasma Testosterone or Dihydrotestosterone Is an Independent Predictor for Reduced Incidence of Stroke but Not Myocardial Infarction. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4565-4573.	1.8	76
266	The incidence of venous thromboembolism: a prospective, communityâ€based study in Perth, Western Australia. Medical Journal of Australia, 2008, 189, 144-147.	0.8	75
267	Obesity and Metabolic Syndrome Increase the Risk of Incident Depression in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2009, 17, 889-898.	0.6	75
268	Antithrombotic therapy for stroke prevention in non-valvular atrial fibrillation. Lancet Neurology, The, 2012, 11, 1066-1081.	4.9	75
269	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. European Urology, 2018, 74, 585-594.	0.9	75
270	Efficacy and safety of rivaroxaban vs. warfarin in patients with non-valvular atrial fibrillation and a history of cancer: observations from ROCKET AF. European Heart Journal Quality of Care & Clinical Outcomes, 2019, 5, 145-152.	1.8	75

#	Article	IF	CITATIONS
271	Alteplase for Acute Ischemic Stroke. Stroke, 2015, 46, 746-756.	1.0	74
272	Relation of Risk of Stroke in Patients With Atrial Fibrillation to Body Mass Index (from Patients) Tj ETQq0 0 0 rgE	BT /Overloo 0.7	ck 10 Tf 50 71 74
273	Protein Z in Ischemic Stroke and its Etiologic Subtypes. Stroke, 2003, 34, 2415-2419.	1.0	73
274	Effect of Clopidogrel plus ASA vs. ASA Early after TIA and Ischaemic Stroke: A Substudy of the CHARISMA Trial. International Journal of Stroke, 2011, 6, 3-9.	2.9	73
275	Deep vein thrombosis: update on diagnosis and management. Medical Journal of Australia, 2019, 210, 516-524.	0.8	73
276	Preventing Depression After Stroke. Journal of Clinical Psychiatry, 2006, 67, 1104-1109.	1.1	73
277	International Variations in Surgical Practice for Spontaneous Intracerebral Hemorrhage. Stroke, 2003, 34, 2593-2597.	1.0	72
278	B Vitamins and Magnetic Resonance Imaging–Detected Ischemic Brain Lesions in Patients With Recent Transient Ischemic Attack or Stroke. Stroke, 2012, 43, 3266-3270.	1.0	72
279	Associations of total osteocalcin with all-cause and cardiovascular mortality in older men. The Health In Men Study. Osteoporosis International, 2012, 23, 599-606.	1.3	71
280	New Strategy to Reduce the Global Burden of Stroke. Stroke, 2015, 46, 1740-1747.	1.0	71
281	Impact of Treatment of People with Transient Ischaemic Attacks on Stroke Incidence and Public Health. Cerebrovascular Diseases, 1996, 6, 26-33.	0.8	70
282	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: The Health in Men Study. International Journal of Epidemiology, 2009, 38, 1049-1059.	0.9	70
283	Stroke Risk and Antithrombotic Strategies in Atrial Fibrillation. Stroke, 2010, 41, 2705-2713.	1.0	70
284	Antiplatelet therapy and the effects of B vitamins in patients with previous stroke or transient ischaemic attack: a post-hoc subanalysis of VITATOPS, a randomised, placebo-controlled trial. Lancet Neurology, The, 2012, 11, 512-520.	4.9	70
285	Ultrasound settings significantly alter arterial lumen and wall thickness measurements. Cardiovascular Ultrasound, 2008, 6, 6.	0.5	69
286	Depression, Antidepressant Use and Mortality in Later Life: The Health in Men Study. PLoS ONE, 2010, 5, e11266.	1.1	69
287	Effect of B Vitamins and Lowering Homocysteine on Cognitive Impairment in Patients With Previous Stroke or Transient Ischemic Attack. Stroke, 2013, 44, 2232-2239.	1.0	67
288	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. PLoS ONE, 2014, 9, e111882.	1.1	67

#	Article	IF	CITATIONS
289	Low Vitamin D Status Is an Independent Predictor of Increased Frailty and All-Cause Mortality in Older Men: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3821-3828.	1.8	66
290	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	<b>5.</b> 5	66
291	Association between phosphodiesterase 4D gene and ischaemic stroke. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 1067-1069.	0.9	65
292	Cytochrome P450 metabolites of arachidonic acid are elevated in stroke patients compared with healthy controls. Clinical Science, 2011, 121, 501-507.	1.8	65
293	Atrial Fibrillation and Dementia: A Report From the AF-SCREEN International Collaboration. Circulation, 2022, 145, 392-409.	1.6	65
294	Validation of a clinical classification for subtypes of acute cerebral infarction Journal of Neurology, Neurosurgery and Psychiatry, 1994, 57, 1173-1179.	0.9	64
295	Rationale and Design of a Randomized, Double-Blind, Parallel-Group Study of Terutroban 30 mg/day versus Aspirin 100 mg/day in Stroke Patients: The Prevention of Cerebrovascular and Cardiovascular Events of Ischemic Origin with Terutroban in Patients with a History of Ischemic Stroke or Transient Ischemic Attack (PERFORM) Study. Cerebrovascular Diseases. 2009. 27. 509-518.	0.8	64
296	The global and regional burden of stroke. The Lancet Global Health, 2013, 1, e239-e240.	2.9	64
297	Homocysteine or Renal Impairment. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 1158-1164.	1.1	63
298	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. European Journal of Endocrinology, 2013, 169, 401-408.	1.9	63
299	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: a study protocol for three multicentre randomised controlled trials. Trials, 2015, 16, 369.	0.7	63
300	Higher Free Thyroxine Levels Predict Increased Incidence of Dementia in Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E2230-E2237.	1.8	62
301	Global Survey of the Frequency of Atrial Fibrillation–Associated Stroke. Stroke, 2016, 47, 2197-2202.	1.0	62
302	Global prevention of stroke and dementia: the WSO Declaration. Lancet Neurology, The, 2020, 19, 487-488.	4.9	61
303	Prognosis and prognostic factors of retinal infarction: a prospective cohort study BMJ: British Medical Journal, 1991, 302, 499-504.	2.4	60
304	Predictors of Death and Vascular Events in the Elderly. Stroke, 2000, 31, 863-868.	1.0	60
305	Cerebral small vessel disease, medial temporal lobe atrophy and cognitive status in patients with ischaemic stroke and transient ischaemic attack. European Journal of Neurology, 2017, 24, 276-282.	1.7	60
306	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. Clinical Endocrinology, 2008, 68, 404-412.	1.2	59

#	Article	IF	CITATIONS
307	Management of Acute Stroke in Patients Taking Novel Oral Anticoagulants. International Journal of Stroke, 2014, 9, 627-632.	2.9	58
308	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. Psychoneuroendocrinology, 2016, 64, 57-65.	1.3	58
309	<i>COL4A2</i> is associated with lacunar ischemic stroke and deep ICH. Neurology, 2017, 89, 1829-1839.	1.5	58
310	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). Maturitas, 2016, 86, 3-9.	1.0	57
311	Lacunar transient ischaemic attacks: a clinically useful concept?. Lancet, The, 1991, 337, 335-338.	6.3	56
312	Thienopyridine derivatives (ticlopidine, clopidogrel) versus aspirin for preventing stroke and other serious vascular events in high vascular risk patients., 2000,, CD001246.		55
313	Body Adiposity in Later Life and the Incidence of Dementia: The Health in Men Study. PLoS ONE, 2011, 6, e17902.	1.1	55
314	Older Men Who Use Computers Have Lower Risk of Dementia. PLoS ONE, 2012, 7, e44239.	1.1	55
315	Risk of dementia and death in community-dwelling older men with bipolar disorder. British Journal of Psychiatry, 2016, 209, 121-126.	1.7	55
316	Clopidogrel and thrombotic thrombocytopenic purpura. Lancet, The, 2000, 356, 269-270.	6.3	54
317	Antiplatelet drugs. Medical Journal of Australia, 2003, 178, 568-574.	0.8	54
318	The effect of long-term homocysteine-lowering on carotid intima-media thickness and flow-mediated vasodilation in stroke patients: a randomized controlled trial and meta-analysis. BMC Cardiovascular Disorders, 2008, 8, 24.	0.7	54
319	Thyroid Hormones and Depression: The Health In Men Study. American Journal of Geriatric Psychiatry, 2011, 19, 763-770.	0.6	54
320	Intracranial Hemorrhage and Novel Anticoagulants for Atrial Fibrillation: What Have We Learned?. Current Cardiology Reports, 2014, 16, 480.	1.3	53
321	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	1.8	53
322	Premorbid personality traits are associated with post-stroke behavioral and psychological symptoms: a three-month follow-up study in Perth, Western Australia. International Psychogeriatrics, 2009, 21, 1063-1071.	0.6	52
323	Aspirin decreases the risk of depression in older men with high plasma homocysteine. Translational Psychiatry, 2012, 2, e151-e151.	2.4	52
324	How Well Do Standard Stroke Outcome Measures Reflect Quality of Life?. Stroke, 2013, 44, 3161-3165.	1.0	52

#	Article	IF	CITATIONS
325	Use and outcomes of antiarrhythmic therapy in patients with atrial fibrillation receiving oral anticoagulation: Results from the ROCKET AF trial. Heart Rhythm, 2014, 11, 925-932.	0.3	52
326	Sodium Valproate, a Histone Deacetylase Inhibitor, Is Associated With Reduced Stroke Risk After Previous Ischemic Stroke or Transient Ischemic Attack. Stroke, 2018, 49, 54-61.	1.0	52
327	Collaborative pooled analysis of data on C-reactive protein gene variants and coronary disease: judging causality by Mendelian randomisation. European Journal of Epidemiology, 2008, 23, 531-540.	2.5	51
328	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. Clinical Endocrinology, 2012, 76, 741-748.	1.2	51
329	Use of concomitant aspirin in patients with atrial fibrillation: Findings from the ROCKET AF trial. American Heart Journal, 2016, 179, 77-86.	1.2	51
330	A randomized control trial of intensive aphasia therapy after acute stroke: The Very Early Rehabilitation for SpEech (VERSE) study. International Journal of Stroke, 2021, 16, 556-572.	2.9	51
331	Enhanced antiplatelet effect of clopidogrel in patients whose platelets are least inhibited by aspirin: a randomized crossover trial. Journal of Thrombosis and Haemostasis, 2005, 3, 2649-2655.	1.9	50
332	Protein Z Gene Polymorphisms, Protein Z Concentrations, and Ischemic Stroke. Stroke, 2005, 36, 1123-1127.	1.0	50
333	Prevalence and Predictors of Sexual Problems in Men Aged 75–95 Years: A Populationâ€Based Study. Journal of Sexual Medicine, 2012, 9, 442-453.	0.3	50
334	The Prognostic Significance of Right Bundle Branch Block: A Metaâ€analysis of Prospective Cohort Studies. Clinical Cardiology, 2015, 38, 604-613.	0.7	50
335	Focal cerebral ischaemia and infarction due to antihypertensive therapy. Medical Journal of Australia, 1987, 146, 412-414.	0.8	49
336	Aspirin resistance. Thrombosis Research, 2007, 120, 337-346.	0.8	49
337	Length of Carotid Stenosis Predicts Peri-Procedural Stroke or Death and Restenosis in Patients Randomized to Endovascular Treatment or Endarterectomy. International Journal of Stroke, 2014, 9, 297-305.	2.9	49
338	Nonâ€valvular atrial fibrillation and stroke prevention. Medical Journal of Australia, 2001, 174, 234-239.	0.8	48
339	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). Psychological Medicine, 2007, 37, 1775-1786.	2.7	48
340	Time frame and predictors of recovery from disability following recurrent ischemic stroke. Neurology, 2007, 68, 202-205.	1.5	48
341	Thienopyridine derivatives versus aspirin for preventing stroke and other serious vascular events in high vascular risk patients. The Cochrane Library, 2009, , CD001246.	1.5	48
342	Rates and predictors of risk of stroke and its subtypes in diabetes: a prospective observational study. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 281-287.	0.9	48

#	Article	IF	CITATIONS
343	Blood pressure control and stroke or bleeding risk in anticoagulated patients with atrial fibrillation: Results from the ROCKET AF Trial. American Heart Journal, 2016, 178, 74-84.	1.2	48
344	ANGIOGRAPHICALLY DEMONSTRATED ARTERIAL SPASM IN A CASE OF BENIGN SEXUAL HEADACHE AND BENIGN EXERTIONAL HEADACHE. Australian and New Zealand Journal of Medicine, 1989, 19, 466-468.	0.5	47
345	Preventable stroke and stroke prevention. Journal of Thrombosis and Haemostasis, 2005, 3, 1638-1645.	1.9	47
346	Secondary Prevention of Recurrent Stroke. Stroke, 2005, 36, 218-221.	1.0	47
347	Antiplatelet Therapy for Secondary Prevention of Noncardioembolic Ischemic Stroke. Stroke, 2008, 39, 1638-1646.	1.0	47
348	Genome Screen to Detect Linkage to Intracranial Aneurysm Susceptibility Genes. Stroke, 2008, 39, 1434-1440.	1.0	47
349	Retinal Microvascular Signs May Provide Clues to the Underlying Vasculopathy in Patients With Deep Intracerebral Hemorrhage. Stroke, 2010, 41, 618-623.	1.0	47
350	Association between depression and hospital outcomes among older men. Cmaj, 2013, 185, 117-123.	0.9	47
351	Clinical usefulness of plasma homocysteine in vascular disease. Medical Journal of Australia, 2004, 181, 314-318.	0.8	46
352	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. Clinical Endocrinology, 2009, 70, 455-463.	1,2	46
353	Why Calls for More Routine Carotid Stenting Are Currently Inappropriate. Stroke, 2013, 44, 1186-1190.	1.0	46
354	Clinical Outcomes With Rivaroxaban in Patients Transitioned From Vitamin K Antagonist Therapy. Annals of Internal Medicine, 2013, 158, 861.	2.0	46
355	Non-vitamin K antagonist oral anticoagulants and atrial fibrillation guidelines in practice: barriers to and strategies for optimal implementation. Europace, 2015, 17, 1007-1017.	0.7	46
356	Characterization of Patients with Embolic Strokes of Undetermined Source in the NAVIGATE ESUS Randomized Trial. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1673-1682.	0.7	46
357	Warfarin-Aspirin Recurrent Stroke Study (WARSS) Trial. Stroke, 2002, 33, 1723-1726.	1.0	45
358	The influence of body mass index on mortality and bleeding among patients with or at high-risk of atherothrombotic disease. European Heart Journal, 2008, 30, 857-865.	1.0	45
359	Complaints of difficulty to fall asleep increase the risk of depression in later life: The health in men study. Journal of Affective Disorders, 2011, 134, 208-216.	2.0	45
360	Higher Luteinizing Hormone is Associated with Poor Memory Recall: The Health in Men Study. Journal of Alzheimer's Disease, 2010, 19, 943-951.	1.2	44

#	Article	IF	CITATIONS
361	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. European Journal of Endocrinology, 2011, 164, 569-577.	1.9	44
362	Assessing the risk of stroke from neck manipulation: a systematic review. International Journal of Clinical Practice, 2012, 66, 940-947.	0.8	44
363	Low molecular weight heparins and heparinoids. Medical Journal of Australia, 2002, 177, 379-383.	0.8	42
364	Performance of a Statistical Model to Predict Stroke Outcome in the Context of a Large, Simple, Randomized, Controlled Trial of Feeding. Stroke, 2003, 34, 127-133.	1.0	42
365	Intracerebral haemorrhage: a need for more data and new research directions. Lancet Neurology, The, 2010, 9, 133-134.	4.9	42
366	A comparison of aphasia therapy outcomes before and after a Very Early Rehabilitation programme following stroke. International Journal of Language and Communication Disorders, 2014, 49, 149-161.	0.7	42
367	Homocysteine and stroke. Lancet, The, 2005, 365, 194-196.	6.3	42
368	Alcohol use and mortality in older men and women. Addiction, 2010, 105, 1391-1400.	1.7	41
369	The timing, extent, progression and regression of deep vein thrombosis in immobile stroke patients: observational data from the CLOTS multicenter randomized trials. Journal of Thrombosis and Haemostasis, 2011, 9, 2193-2200.	1.9	41
370	Is Hypovitaminosis D Associated with Abdominal Aortic Aneurysm, and is There a Dose–response Relationship?. European Journal of Vascular and Endovascular Surgery, 2013, 45, 657-664.	0.8	41
371	NARNIA: a new twist to an old tale. A pilot RCT to evaluate a multilevel approach to improving discourse in aphasia. Aphasiology, 2015, 29, 1345-1382.	1.4	41
372	Global, Regional, and National Levels of Maternal Mortality, 1990–2015: A Systematic Analysis for the Global Burden of Disease Study 2015. Obstetrical and Gynecological Survey, 2017, 72, 11-13.	0.2	41
373	Trends in incidence and prevalence of hospitalization for atrial fibrillation and associated mortality in Western Australia, 1995–2010. International Journal of Cardiology, 2016, 208, 19-25.	0.8	40
374	Compressive mononeuropathy of the deep palmar branch of the ulnar nerve in cyclists Journal of Neurology, Neurosurgery and Psychiatry, 1988, 51, 1588-1590.	0.9	39
375	Systemic markers of inflammation are independently associated with S100B concentration: results of an observational study in subjects with acute ischaemic stroke. Journal of Neuroinflammation, 2010, 7, 71.	3.1	39
376	The effect of homocysteine-lowering with B-vitamins on osteoporotic fractures in patients with cerebrovascular disease: substudy of VITATOPS, a randomised placebo-controlled trial. BMC Geriatrics, 2013, 13, 88.	1.1	39
377	Associations of insulinâ€like growth factorâ€l and its binding proteins and testosterone with frailty in older men. Clinical Endocrinology, 2013, 78, 752-759.	1.2	39
378	End of Study Transition From Study Drug to Open-Label Vitamin K Antagonist Therapy. Circulation: Cardiovascular Quality and Outcomes, 2013, 6, 470-478.	0.9	39

#	Article	IF	Citations
379	Unanswered questions and research priorities to optimise stroke prevention in atrial fibrillation with the new oral anticoagulants. Thrombosis and Haemostasis, 2014, 112, 808-816.	1.8	39
380	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. Maturitas, 2015, 81, 36-41.	1.0	39
381	C-reactive protein in ischemic stroke and its etiologic subtypes. Journal of Stroke and Cerebrovascular Diseases, 2003, 12, 74-81.	0.7	38
382	Venous thromboembolism: diagnosis and management of deep venous thrombosis. Medical Journal of Australia, 2005, 182, 476-481.	0.8	38
383	VITATOPS, the VITAmins TO Prevent Stroke Trial: Rationale and Design of a Randomised Trial of B-Vitamin Therapy in Patients with Recent Transient Ischaemic Attack or Stroke (NCT00097669) (ISRCTN74743444). International Journal of Stroke, 2007, 2, 144-150.	2.9	38
384	ASPIRIN USE, DEPRESSION, AND COGNITIVE IMPAIRMENT IN LATER LIFE: THE HEALTH IN MEN STUDY. Journal of the American Geriatrics Society, 2010, 58, 990-992.	1.3	38
385	Update on the third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke and baseline features of the 3035 patients recruited. Trials, 2011, 12, 252.	0.7	38
386	Socioeconomic disparities in stroke rates and outcome: pooled analysis of stroke incidence studies in Australia and New Zealand. Medical Journal of Australia, 2011, 195, 10-14.	0.8	38
387	Social support and subsequent disability: it is not the size of your network that counts. Age and Ageing, 2012, 41, 674-677.	0.7	38
388	Changes in body mass in later life and incident dementia. International Psychogeriatrics, 2013, 25, 467-478.	0.6	38
389	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	4.7	38
390	Amnesia following thalamic hemorrhage. Another stroke syndrome Stroke, 1988, 19, 776-778.	1.0	37
391	Cost-effective investigation of patients with suspected transient ischaemic attacks Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 171-176.	0.9	37
392	Ongoing and Planned Trials of Antiplatelet Therapy in the Acute and Long-Term Management of Patients with Ischaemic Brain Syndromes: Setting a New Standard of Care. Cerebrovascular Diseases, 2004, 17, 11-16.	0.8	37
393	Carotid intima-medial thickness measured on multiple ultrasound frames: evaluation of a DICOM-based software system. Cardiovascular Ultrasound, 2007, 5, 29.	0.5	37
394	Predicting outcome in hyper-acute stroke: validation of a prognostic model in the Third International Stroke Trial (IST3). Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 397-400.	0.9	37
395	Modifiable lifestyle behaviours account for most cases of subarachnoid haemorrhage: A population-based case–control study in Australasia. Journal of the Neurological Sciences, 2012, 313, 92-94.	0.3	37
396	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. Molecular Psychiatry, 2012, 17, 559-566.	4.1	37

#	Article	IF	CITATIONS
397	Homocysteine, Frailty, and All-Cause Mortality in Older Men: The Health in Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 590-598.	1.7	37
398	Prognostic Significance of Hyponatremia in Acute Intracerebral Hemorrhage: Pooled Analysis of the Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial Studies*. Critical Care Medicine, 2016, 44, 1388-1394.	0.4	37
399	Characteristics of Recurrent Ischemic Stroke After Embolic Stroke of Undetermined Source. JAMA Neurology, 2020, 77, 1233.	4.5	37
400	Methylenetetrahydrofolate Reductase Polymorphisms and Homocysteine-Lowering Effect of Vitamin Therapy in Singaporean Stroke Patients. Stroke, 2006, 37, 456-460.	1.0	36
401	Native valve disease in patients with non-valvular atrial fibrillation on warfarin or rivaroxaban. Heart, 2016, 102, 1036-1043.	1.2	36
402	Efficacy and Safety of Rivaroxaban Versus Warfarin in Patients Taking Nondihydropyridine Calcium Channel Blockers for Atrial Fibrillation (from the ROCKET AF Trial). American Journal of Cardiology, 2017, 120, 588-594.	0.7	36
403	Collagen platelet receptor polymorphisms integrin alpha2beta1 C807T and GPVI Q317L and risk of ischemic stroke. Journal of Thrombosis and Haemostasis, 2003, 1, 963-970.	1.9	35
404	Measurement of soluble P-selectin and soluble CD40 ligand in serum and plasma. Journal of Thrombosis and Haemostasis, 2004, 2, 2067-2069.	1.9	35
405	Associations of IGF1 and IGFBPs 1 and 3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. European Journal of Endocrinology, 2011, 164, 715-723.	1.9	34
406	Amount of Therapy Matters in Very Early Aphasia Rehabilitation after Stroke: A Clinical Prognostic Model. Seminars in Speech and Language, 2013, 34, 129-141.	0.5	34
407	Predicting major bleeding in patients with noncardioembolic stroke on antiplatelets. Neurology, 2017, 89, 936-943.	1.5	34
408	Effect of Long-Term Homocysteine Reduction with B Vitamins on Arterial Wall Inflammation Assessed by Fluorodeoxyglucose Positron Emission Tomography: A Randomised Double-Blind, Placebo-Controlled Trial. Cerebrovascular Diseases, 2009, 27, 259-265.	0.8	33
409	Plasma homocysteine and MTHFRC677T polymorphism as risk factors for incident dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 70-75.	0.9	33
410	A Call for Quality Research on Salt Intake and Health: From the World Hypertension League and Supporting Organizations. Journal of Clinical Hypertension, 2014, 16, 469-471.	1.0	33
411	The Association between Lesion Location and Functional Outcome after Ischemic Stroke. International Journal of Stroke, 2015, 10, 1270-1276.	2.9	33
412	Effect of alteplase on the CT hyperdense artery sign and outcome after ischemic stroke. Neurology, 2016, 86, 118-125.	1.5	33
413	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. Environment International, 2019, 125, 430-436.	4.8	33
414	Transient Ischemic Attack and Acute Ischemic Stroke. Stroke, 2011, 42, 404-408.	1.0	32

#	Article	IF	CITATIONS
415	CRP 1846G>A polymorphism increases risk of frailty. Maturitas, 2012, 71, 261-266.	1.0	32
416	Plasma total homocysteine is associated with abdominal aortic aneurysm and aortic diameter in older men. Journal of Vascular Surgery, 2013, 58, 364-370.	0.6	32
417	Lessons Learned from Whole Exome Sequencing in Multiplex Families Affected by a Complex Genetic Disorder, Intracranial Aneurysm. PLoS ONE, 2015, 10, e0121104.	1.1	32
418	How Many Older People Are Frail? Using Multiple Imputation to Investigate Frailty in the Population. Journal of the American Medical Directors Association, 2015, 16, 439.e1-439.e7.	1.2	32
419	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4224-4231.	1.8	32
420	B vitamins for stroke prevention. Stroke and Vascular Neurology, 2018, 3, 51-58.	1.5	32
421	Stroke Care during the COVID-19 Pandemic: International Expert Panel Review. Cerebrovascular Diseases, 2021, 50, 245-261.	0.8	32
422	The role of imaging in the management of cerebral and ocular ischaemia. Neuroradiology, 1991, 33, 381-390.	1.1	31
423	Predictors of impaired cognitive function in men over the age of 80 years: results from the Health in Men Study. Age and Ageing, 2005, 34, 77-80.	0.7	31
424	Efficacy of B Vitamins in Lowering Homocysteine in Older Men. Stroke, 2006, 37, 547-549.	1.0	31
425	Differential Associations of Cortical and Subcortical Cerebral Atrophy With Retinal Vascular Signs in Patients With Acute Stroke. Stroke, 2010, 41, 2143-2150.	1.0	31
426	A risk table to assist health practitioners assess and prevent the onset of depression in later life. Preventive Medicine, 2013, 57, 878-882.	1.6	31
427	Hospitalizations in patients with atrial fibrillation: an analysis from ROCKET AF. Europace, 2016, 18, 1135-1142.	0.7	31
428	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. American Journal of Kidney Diseases, 2016, 68, 94-102.	2.1	31
429	Sex hormones and incident dementia in older men: The health in men study. Psychoneuroendocrinology, 2018, 98, 139-147.	1.3	31
430	Population Impact of Potentially Modifiable Risk Factors for Stroke. Stroke, 2020, 51, 719-728.	1.0	31
431	What Is the Best Mix of Populationâ€Wide and Highâ€Risk Targeted Strategies of Primary Stroke and Cardiovascular Disease Prevention?. Journal of the American Heart Association, 2020, 9, e014494.	1.6	31
432	Atrial fibrillation. Medical Journal of Australia, 2007, 186, 197-202.	0.8	30

#	Article	IF	Citations
433	Alcohol consumption and cognitive impairment in older men: A mendelian randomization study. Neurology, 2014, 82, 1038-1044.	1.5	30
434	FAmily-Led RehabiliTaTion aftEr Stroke in INDia: The ATTEND Pilot Study. International Journal of Stroke, 2015, 10, 609-614.	2.9	30
435	Is it a stroke?. BMJ, The, 2015, 350, h56-h56.	3.0	30
436	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. International Journal of Geriatric Psychiatry, 2016, 31, 412-420.	1.3	30
437	Treatment Consistency Across Levels of Baseline Renal Function With Rivaroxaban or Warfarin. Circulation, 2017, 135, 1001-1003.	1.6	30
438	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. Clinical Endocrinology, 2018, 88, 88-95.	1.2	30
439	Long-term Exposure to Low Air Pollutant Concentrations and the Relationship with All-Cause Mortality and Stroke in Older Men. Epidemiology, 2019, 30, S82-S89.	1.2	30
440	A global view of atherothrombosis: Baseline characteristics in the Clopidogrel for High Atherothrombotic Risk and Ischemic Stabilization, Management, and Avoidance (CHARISMA) trial. American Heart Journal, 2005, 150, 401.e1-401.e7.	1.2	29
441	Location and Size of Ruptured Intracranial Aneurysm and Serious Clinical Outcomes Early after Subarachnoid Hemorrhage: A Population-Based Study in Australasia. Cerebrovascular Diseases, 2011, 31, 573-579.	0.8	29
442	A Randomized Placebo Controlled Trial of Early Treatment of Acute Ischemic Stroke with Atorvastatin and Irbesartan. International Journal of Stroke, 2012, 7, 104-111.	2.9	29
443	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2019, 2019, .	1.5	29
444	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e625-e637.	1.8	29
445	Can the long term outcome of individual patients with transient ischaemic attacks be predicted accurately?. Journal of Neurology, Neurosurgery and Psychiatry, 1993, 56, 752-759.	0.9	28
446	Anticoagulant therapy for patients with ischaemic stroke. Nature Reviews Neurology, 2012, 8, 319-328.	4.9	28
447	Diabetes, Myocardial Infarction and Stroke Are Distinct and Duration-Dependent Predictors of Subsequent Cardiovascular Events and All-Cause Mortality in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1038-1047.	1.8	28
448	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3934-3942.	1.8	28
449	Determinants and Prognostic Significance of Hematoma Sedimentation Levels in Acute Intracerebral Hemorrhage. Cerebrovascular Diseases, 2016, 41, 80-86.	0.8	28
450	Early Prediction of Poor Outcome Despite Successful Recanalization After Endovascular Treatment for Anterior Large Vessel Occlusion Stroke. World Neurosurgery, 2018, 115, e312-e321.	0.7	28

#	Article	IF	Citations
451	The role of diet in secondary stroke prevention. Lancet Neurology, The, 2021, 20, 150-160.	4.9	28
452	ORBITAL MYOSITIS: A STUDY OF SIX CASES. Australian and New Zealand Journal of Medicine, 1987, 17, 585-591.	0.5	27
453	Cyclooxygenase-2 Inhibitors. Stroke, 2003, 34, 2736-2740.	1.0	27
454	Failure of Aspirin to Prevent Atherothrombosis. American Journal of Cardiovascular Drugs, 2004, 4, 57-67.	1.0	27
455	Retinopathy and Lobar Intracerebral Hemorrhage. Archives of Neurology, 2010, 67, 1224.	4.9	27
456	Constraint-induced aphasia therapy (CIAT): a randomised controlled trial in very early stroke rehabilitation. Aphasiology, 2016, 30, 566-584.	1.4	27
457	Outcomes of Endovascular Thrombectomy with and without Thrombolysis for Acute Large Artery Ischaemic Stroke at a Tertiary Stroke Centre. Cerebrovascular Diseases Extra, 2017, 7, 95-102.	0.5	27
458	Predictors of Recurrent Ischemic Stroke in Patients with Embolic Strokes of Undetermined Source and Effects of Rivaroxaban Versus Aspirin According to Risk Status: The NAVIGATE ESUS Trial. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 2273-2279.	0.7	27
459	Fluoxetine for stroke recovery: Meta-analysis of randomized controlled trials. International Journal of Stroke, 2020, 15, 365-376.	2.9	27
460	Evaluating Rates of Recurrent Ischemic Stroke Among Young Adults With Embolic Stroke of Undetermined Source. JAMA Neurology, 2022, 79, 450.	4.5	27
461	Study design of the International Stroke Trial (IST), baseline data, and outcome in 984 randomised patients in the pilot study Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 371-376.	0.9	26
462	Retinal Microvascular Signs: A Key to Understanding the Underlying Pathophysiology of Different Stroke Subtypes?. International Journal of Stroke, 2008, 3, 297-305.	2.9	26
463	Clopidogrel and Aspirin versus Aspirin Alone for the Prevention of Stroke in Patients with a History of Atrial Fibrillation: Subgroup Analysis of the CHARISMA Randomized Trial. Cerebrovascular Diseases, 2008, 25, 344-347.	0.8	26
464	Greater effect of stroke thrombolysis in the presence of arterial obstruction. Annals of Neurology, 2011, 70, 601-605.	2.8	26
465	Thrombolysis ImPlementation in Stroke (TIPS): evaluating the effectiveness of a strategy to increase the adoption of best evidence practice – protocol for a cluster randomised controlled trial in acute stroke care. Implementation Science, 2014, 9, 38.	2.5	26
466	The triangular association of ADH1B genetic polymorphism, alcohol consumption and the risk of depression in older men. Molecular Psychiatry, 2014, 19, 995-1000.	4.1	26
467	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). Psychological Medicine, 2019, 49, 232-242.	2.7	26
468	In Older Men, Lower Plasma 25-Hydroxyvitamin D Is Associated with Reduced Incidence of Prostate, but Not Colorectal or Lung Cancer. PLoS ONE, 2014, 9, e99954.	1.1	26

#	Article	IF	CITATIONS
469	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2021, 2021, CD009286.	1.5	26
470	The utility of testing tactile perception of direction of scratch as a sensitive clinical sign of posterior column dysfunction in spinal cord disorders Journal of Neurology, Neurosurgery and Psychiatry, 1989, 52, 395-398.	0.9	25
471	Mechanism of stroke complicating cardiopulmonary bypass surgery. Australian and New Zealand Journal of Medicine, 1994, 24, 154-160.	0.5	25
472	Venous thromboembolism: diagnosis and management of pulmonary embolism. Medical Journal of Australia, 2005, 182, 569-574.	0.8	25
473	Is plasma homocysteine a modifiable risk factor for stroke?. Nature Clinical Practice Neurology, 2006, 2, 26-33.	2.7	25
474	Stroke: Working toward a Prioritized World Agenda. Cerebrovascular Diseases, 2010, 30, 127-147.	0.8	25
475	Temporal trends in the incidence and recurrence of hospitalised atherothrombotic disease in an Australian population, 2000–07: data linkage study. Heart, 2012, 98, 1449-1456.	1.2	25
476	Are Myocardial Infarction–Associated Single-Nucleotide Polymorphisms Associated With Ischemic Stroke, 2012, 43, 980-986.	1.0	25
477	Dual Antiplatelet Therapy in Acute Transient Ischemic Attack and Minor Stroke. New England Journal of Medicine, 2013, 369, 82-83.	13.9	25
478	Relation Between Serum Thrombospondin-2 and Cardiovascular Mortality in Older Men Screened for Abdominal Aortic Aneurysm. American Journal of Cardiology, 2013, 111, 1800-1804.	0.7	25
479	Validity of Self-Reported versus Hospital-Coded Diagnosis of Stroke: A Cross-Sectional and Longitudinal Study. Cerebrovascular Diseases, 2014, 37, 256-262.	0.8	25
480	Differing Associations of White Matter Lesions and Lacunar Infarction with Retinal Microvascular Signs. International Journal of Stroke, 2014, 9, 921-925.	2.9	25
481	Determinants of post-stroke cognitive impairment: analysis from VISTA. Acta Neurologica Scandinavica, 2017, 135, 603-607.	1.0	25
482	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. Heart, 2021, 107, 282-289.	1.2	25
483	Mitochondrial encephalomyopathy with corticosteroid dependence. Medical Journal of Australia, 1989, 151, 100-108.	0.8	25
484	Asia Pacific Consensus Forum on Stroke Management. Stroke, 1998, 29, 1730-1736.	1.0	24
485	Gangliosides for Acute Ischemic Stroke. Stroke, 2002, 33, 2336-2336.	1.0	24

Is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive) Tj ETQq0 0 0 rgBT /  $\frac{2}{2.8}$  rlock  $\frac{12}{4}$  Tf 50 62

28

486

#	Article	IF	Citations
487	Design of future acute-stroke treatment trials. Lancet Neurology, The, 2003, 2, 54-61.	4.9	24
488	Traditional Risk Factors for Incident Cardiovascular Events Have Limited Importance in Later Life Compared With the Health in Men Study Cardiovascular Risk Score. Stroke, 2011, 42, 952-959.	1.0	24
489	Insulin Resistance and Depressive Symptoms in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2015, 23, 872-880.	0.6	24
490	STroke imAging pRevention and Treatment (START): A Longitudinal Stroke Cohort Study: Clinical Trials Protocol. International Journal of Stroke, 2015, 10, 636-644.	2.9	24
491	The Role of Nutrition in the Risk and Burden of Stroke. Stroke, 2017, 48, 3168-3174.	1.0	24
492	Homocysteine and stroke. Lancet, The, 2005, 365, 194-6.	6.3	24
493	Migraine and risk of subarachnoid haemorrhage: a population-based case-control study. Journal of Clinical Neuroscience, 2005, 12, 534-537.	0.8	23
494	Suicide in older men: The health in men cohort study (HIMS). Preventive Medicine, 2016, 93, 33-38.	1.6	23
495	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical and health economic analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2017, 18, 627.	0.7	23
496	Guideline for the diagnosis and management of hypertension in adults — 2016. Medical Journal of Australia, 2017, 206, 141-141.	0.8	23
497	Non-vitamin K oral anticoagulants for secondary stroke prevention in patients with atrial fibrillation. European Heart Journal Supplements, 2020, 22, 113-121.	0.0	23
498	Associations of Serum Testosterone and Sex Hormone–Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men. Annals of Internal Medicine, 2022, 175, 159-170.	2.0	23
499	Angiotensin-Converting Enzyme Inhibitors for Stroke Prevention. Stroke, 2003, 34, 354-356.	1.0	22
500	Bayesian methods for metaâ€enalysis of causal relationships estimated using genetic instrumental variables. Statistics in Medicine, 2010, 29, 1298-1311.	0.8	22
501	Effect of Clopidogrel on the Rate and Functional Severity of Stroke Among High Vascular Risk Patients. Stroke, 2010, 41, 1679-1683.	1.0	22
502	Cardiovascular Disease, Depression and Mortality: The Health In Men Study. American Journal of Geriatric Psychiatry, 2012, 20, 433-440.	0.6	22
503	Plasma Angiopoietin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. Stroke, 2014, 45, 1064-1068.	1.0	22
504	A randomized controlled trial of very early rehabilitation in speech after stroke. International Journal of Stroke, 2016, 11, 586-592.	2.9	22

#	Article	IF	CITATIONS
505	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. Trials, 2016, 17, 13.	0.7	22
506	Trends in age- and sex-specific prevalence and incidence of cardiovascular disease in Western Australia. European Journal of Preventive Cardiology, 2018, 25, 1280-1290.	0.8	22
507	Intrathecal baclofen for severe spasticity. Medical Journal of Australia, 1986, 145, 465-466.	0.8	22
508	Asymptomatic carotid stenosis: how should it be managed?. Medical Journal of Australia, 1995, 163, 197-200.	0.8	21
509	Amphetamine-Associated Stroke. Cerebrovascular Diseases, 1996, 6, 149-155.	0.8	21
510	Dominantly inherited proximal myotonic myopathy and leukoencephalopathy in a family with an incidental CLCN1 mutation. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 64, 543-547.	0.9	21
511	Current Oral Antiplatelet Agents to Prevent Atherothrombosis. Cerebrovascular Diseases, 2001, 11, 11-17.	0.8	21
512	Adding aspirin to clopidogrel after TIA and ischemic stroke. Neurology, 2005, 64, 1117-1121.	1.5	21
513	Advances in Primary Stroke Prevention. Stroke, 2006, 37, 317-319.	1.0	21
514	Polygenic Overlap Between Kidney Function and Large Artery Atherosclerotic Stroke. Stroke, 2014, 45, 3508-3513.	1.0	21
515	Use of Dual Antiplatelet Therapy and Patient Outcomes in Those Undergoing Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2016, 9, 1694-1702.	1.1	21
516	GISCOME – Genetics of Ischaemic Stroke Functional Outcome network: A protocol for an international multicentre genetic association study. European Stroke Journal, 2017, 2, 229-237.	2.7	21
517	Selective Serotonin Reuptake Inhibitors and Bleeding Risk in Anticoagulated Patients With Atrial Fibrillation: An Analysis From the ROCKET AF Trial. Journal of the American Heart Association, 2018, 7, e008755.	1.6	21
518	Peripheral neuropathy associated with sicca syndrome Journal of Neurology, Neurosurgery and Psychiatry, 1987, 50, 1085-1086.	0.9	20
519	Treatment With B Vitamins and Incidence of Cancer in Patients With Previous Stroke or Transient Ischemic Attack. Stroke, 2012, 43, 1572-1577.	1.0	20
520	Why the United States Center for Medicare and Medicaid Services (CMS) Should not Extend Reimbursement Indications for Carotid Artery Angioplasty/Stenting. European Journal of Vascular and Endovascular Surgery, 2012, 43, 247-251.	0.8	20
521	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). International Journal of Geriatric Psychiatry, 2015, 30, 1215-1223.	1.3	20
522	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. Hormones and Cancer, 2017, 8, 119-126.	4.9	20

#	Article	IF	Citations
523	Frequency and features of embolic stroke of undetermined source in young adults. European Stroke Journal, 2018, 3, 110-116.	2.7	20
524	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of <scp>IGF</scp> 1. Clinical Endocrinology, 2018, 88, 333-340.	1.2	20
525	Long term survival with early childhood intracerebral tumours Journal of Neurology, Neurosurgery and Psychiatry, 1989, 52, 778-781.	0.9	19
526	Homocysteine Levels in Patients with Stroke. CNS Drugs, 2001, 15, 437-443.	2.7	19
527	Genome Screen to Detect Linkage to Common Susceptibility Genes for Intracranial and Aortic Aneurysms. Stroke, 2009, 40, 71-76.	1.0	19
528	Ischaemic stroke – prevention is better than cure. Journal of the Royal College of Physicians of Edinburgh, The, 2010, 40, 56-63.	0.2	19
529	Antithrombotic treatment after stroke due to intracerebral haemorrhage. The Cochrane Library, 2017, 2017, CD012144.	1.5	19
530	Stroke Prevention in Older Adults. Stroke, 2020, 51, 3770-3777.	1.0	19
531	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study. Alzheimer's and Dementia, 2022, 18, 1907-1918.	0.4	19
532	Problem in the Recent American Heart Association Guideline on Secondary Stroke Prevention: B Vitamins to Lower Homocysteine Do Prevent Stroke. Stroke, 2022, 53, 2702-2708.	1.0	19
533	CHIASMAL APOPLEXY DUE TO INTRACHIASMATIC VASCULAR MALFORMATION RUPTURE. Australian and New Zealand Journal of Medicine, 1987, 17, 444-446.	0.5	18
534	Why is the outcome of transient ischaemic attacks different in different groups of patients?. BMJ: British Medical Journal, 1993, 306, 1107-1111.	2.4	18
535	1: Transient ischaemic attacks and stroke. Medical Journal of Australia, 2000, 172, 394-400.	0.8	18
536	Associations of homocysteine, C-reactive protein and cardiovascular disease in patients with renal disease. Current Opinion in Nephrology and Hypertension, 2001, 10, 377-383.	1.0	18
537	Prevention of coronary heart disease with aspirin and clopidogrel: efficacy, safety, costs and cost-effectiveness. Expert Opinion on Pharmacotherapy, 2004, 5, 493-503.	0.9	18
538	Vascular disease of the heart, brain and limbs: new insights into a looming epidemic. Lancet, The, 2005, 366, 1753-1754.	6.3	18
539	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. European Journal of Endocrinology, 2012, 166, 191-197.	1.9	18
540	Increased serum angiopoietin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. International Journal of Cardiology, 2013, 167, 1159-1163.	0.8	18

#	Article	IF	CITATIONS
541	Reducing Haemorrhagic Transformation after Thrombolysis for Stroke: A Strategy Utilising Minocycline. Stroke Research and Treatment, 2013, 2013, 1-7.	0.5	18
542	HDL cholesterol and the risk of depression over 5 years. Molecular Psychiatry, 2014, 19, 637-638.	4.1	18
543	Depression, antidepressants and the risk of cardiovascular events and death in older men. Maturitas, 2019, 128, 4-9.	1.0	18
544	Genetically Determined Risk of Depression and Functional Outcome After Ischemic Stroke. Stroke, 2019, 50, 2219-2222.	1.0	18
545	Pulmonary embolism: update on diagnosis and management. Medical Journal of Australia, 2019, 211, 82-87.	0.8	18
546	Clusterâ€Randomized Trial of Thrombolysis Implementation Support in Metropolitan and Regional Australian Stroke Centers: Lessons for Individual and Systems Behavior Change. Journal of the American Heart Association, 2020, 9, e012732.	1.6	18
547	Digital Health in Primordial and Primary Stroke Prevention: A Systematic Review. Stroke, 2022, 53, 1008-1019.	1.0	18
548	Circulating free testosterone and risk of aggressive prostate cancer: Prospective and Mendelian randomisation analyses in international consortia. International Journal of Cancer, 2022, 151, 1033-1046.	2.3	18
549	Stroke. Annals of Emergency Medicine, 2001, 37, S137-S144.	0.3	17
550	Dietary Intake of Key Nutrients and Subarachnoid Hemorrhage: A Population-Based Case-Control Study in Australasia. Cerebrovascular Diseases, 2011, 31, 464-470.	0.8	17
551	Association of clinical and aetiologic subtype of acute ischaemic stroke with inflammation, oxidative stress and vascular function: A cross-sectional observational study. Medical Science Monitor, 2011, 17, CR467-CR473.	0.5	17
552	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. Clinical Endocrinology, 2013, 79, 725-732.	1.2	17
553	Health Service Management Study for Stroke: A Randomized Controlled Trial to Evaluate Two Models of Stroke Care. International Journal of Stroke, 2014, 9, 400-405.	2.9	17
554	AVERT2(a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. BMJ, The, 2015, 351, h6432.	3.0	17
555	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). BMJ Open, 2015, 5, e008378.	0.8	17
556	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. BMJ Open, 2016, 6, e012027.	0.8	17
557	Longevity Klotho gene polymorphism and the risk of dementia in older men. Maturitas, 2017, 101, 1-5.	1.0	17
558	Older men with bipolar disorder: Clinical associations with early and late onset illness. International Journal of Geriatric Psychiatry, 2018, 33, 1613-1619.	1.3	17

#	Article	IF	Citations
559	Herpes simplex encephalitis in third trimester of pregnancy. Neurology, 1987, 37, 1534-1534.	1.5	16
560	Stroke units: an Australian perspective. Australian and New Zealand Journal of Medicine, 1997, 27, 437-438.	0.5	16
561	Informal care giving for disabled stroke survivors. BMJ: British Medical Journal, 2004, 328, 1085-1086.	2.4	16
562	Ximelagatran or Warfarin for Stroke Prevention in Patients With Atrial Fibrillation?. Stroke, 2004, 35, 389-391.	1.0	16
563	Antiplatelet therapy for the prevention of recurrent stroke and other serious vascular events: a review of the clinical trial data and guidelines. Current Medical Research and Opinion, 2007, 23, 1453-1462.	0.9	16
564	The Use of Platelet Function Assays May Help to Determine Appropriate Antiplatelet Treatment Options in a Patient With Recurrent Stroke on Baby Aspirin. Stroke, 2010, 41, 2398-2399.	1.0	16
565	Vitamin Supplementation and Stroke Prevention. Stroke, 2012, 43, 2814-2818.	1.0	16
566	Do risks outweigh benefits in thrombolysis for stroke?. BMJ, The, 2013, 347, f5215-f5215.	3.0	16
567	ICARUSS: An effective model for risk factor management in stroke survivors. International Journal of Stroke, 2020, 15, 438-453.	2.9	16
568	Letters to the editor. Muscle and Nerve, 1990, 13, 360-363.	1.0	15
569	Editorial Comment—Routine Thrombophilia Testing in Stroke Patients Is Unjustified. Stroke, 2003, 34, 1826-1827.	1.0	15
570	Cardiovascular safety of rofecoxib (Vioxx): lessons learned and unanswered questions. Medical Journal of Australia, 2004, 181, 524-525.	0.8	15
571	Sustained Homocysteine-Lowering Effect over Time of Folic Acid-Based Multivitamin Therapy in Stroke Patients despite Increasing Folate Status in the Population. Cerebrovascular Diseases, 2005, 19, 110-116.	0.8	15
572	The tissue factor pathway in ischemic stroke. Blood Coagulation and Fibrinolysis, 2006, 17, 527-532.	0.5	15
573	Long-Term Outcome of Endovascular Treatment versus Medical Care for Carotid Artery Stenosis in Patients Not Suitable for Surgery and Randomised in the Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS). Cerebrovascular Diseases, 2009, 28, 1-7.	0.8	15
574	Low Ambient Temperature and Intracerebral Hemorrhage: The INTERACT2 Study. PLoS ONE, 2016, 11, e0149040.	1.1	15
575	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9ÂYears Follow-up: The Health in Men Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 65-69.	1.2	15
576	Risk of prevalent and incident dementia associated with insulin-like growth factor and insulin-like growth factor-binding protein 3. Molecular Psychiatry, 2018, 23, 1825-1829.	4.1	15

#	Article	IF	CITATIONS
577	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. PLoS ONE, 2014, 9, e102578.	1.1	15
578	One Year after CAPRIE, IST and ESPS 2. Cerebrovascular Diseases, 1998, 8, 1-7.	0.8	14
579	The implementation of intravenous tissue plasminogen activator in acute ischaemic stroke – a scientific position statement from the National Stroke Foundation and the Stroke Society of Australasia. Internal Medicine Journal, 2009, 39, 317-324.	0.5	14
580	Which dietary and lifestyle behaviours may be important in the aetiology (and prevention) of stroke?. Journal of Clinical Neuroscience, 2011, 18, 76-80.	0.8	14
581	Lowering blood pressure in acute stroke: the SCAST trial. Lancet, The, 2011, 377, 696-698.	6.3	14
582	Novel Oral Anticoagulants for Atrial Fibrillation. Current Atherosclerosis Reports, 2013, 15, 344.	2.0	14
583	Hospital costs associated with depression in a cohort of older men living in Western Australia. General Hospital Psychiatry, 2014, 36, 33-37.	1.2	14
584	The benefits of aspirin in early secondary stroke prevention. Lancet, The, 2016, 388, 312-314.	6.3	14
585	Lacunar Infarcts, Depression, and Anxiety Symptoms One Year after Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 831-834.	0.7	14
586	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	4.5	14
587	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. European Heart Journal, 2022, 43, 202-209.	1.0	14
588	Evacuation of Intracerebral Hematoma Is Likely to Be Beneficial—Against. Stroke, 2003, 34, 1568-1569.	1.0	13
589	Redefining risks after TIA and minor ischaemic stroke. Lancet, The, 2005, 365, 2065-2066.	<b>6.</b> 3	13
590	High-sensitivity C-reactive protein and clopidogrel treatment in patients at high risk of cardiovascular events: a substudy from the CHARISMA trial. Heart, 2011, 97, 626-631.	1.2	13
591	Neurological disorders. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2013, 27, 867-875.	1.4	13
592	Trends in HIV/AIDS morbidity and mortality in Eastern Mediterranean countries, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 123-136.	1.0	13
593	Outcome Assessment by Central Adjudicators Versus Site Investigators in Stroke Trials. Stroke, 2019, 50, 2187-2196.	1.0	13
594	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. Clinical Endocrinology, 2019, 90, 375-383.	1,2	13

#	Article	IF	Citations
595	Effects of Fluoxetine on Outcomes at 12 Months After Acute Stroke, 2021, 52, 3082-3087.	1.0	13
596	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. PLoS ONE, 2015, 10, e0134475.	1.1	13
597	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis. Journal of Affective Disorders, 2022, 309, 314-323.	2.0	13
598	Detection of basilar artery thrombosis by computed tomography. Clinical Radiology, 1988, 39, 140-143.	0.5	12
599	Role of lipid-modifying therapy in the prevention of initial and recurrent stroke. Current Opinion in Lipidology, 2002, 13, 645-651.	1.2	12
600	Anticoagulants Versus Antiplatelet Agents for Acute Ischemic Stroke. Stroke, 2003, 34, 1571-1572.	1.0	12
601	Statins after transient ischaemic attack and ischaemic stroke. Lancet Neurology, The, 2006, 5, 810-812.	4.9	12
602	Management of Cholesterol to Reduce the Burden of Stroke in Asia: Consensus Statement. International Journal of Stroke, 2010, 5, 209-216.	2.9	12
603	Populationâ€based observational study of claudication in older men: the Health in Men Study. Medical Journal of Australia, 2010, 192, 641-645.	0.8	12
604	Alternative Calculations of Individual Patient Time in Therapeutic Range While Taking Warfarin: Results From the ROCKET AF Trial. Journal of the American Heart Association, 2015, 4, e001349.	1.6	12
605	Higher mortality in patients with right hemispheric intracerebral haemorrhage: INTERACT1 and 2. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 1319-1323.	0.9	12
606	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw132.	1.7	12
607	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. Addiction Biology, 2017, 22, 570-578.	1.4	12
608	Highâ€Sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The) Tj ETQq0	O O rgBT /	Overlock 10 T
609	Peliosis hepatis in a renal transplant recipient and in a haemodialysis patient. Medical Journal of Australia, 1987, 146, 102-105.	0.8	11
610	Clinical update: management of stroke. Lancet, The, 2007, 369, 1330-1332.	6.3	11
611	Is homocysteine a causal and treatable risk factor for stroke?. Lancet Neurology, The, 2007, 6, 751-752.	4.9	11
612	Management of peripheral arterial disease in the elderly: focus on cilostazol. Clinical Interventions in Aging, 2008, Volume 3, 17-23.	1.3	11

#	Article	IF	CITATIONS
613	Age at intracranial aneurysm rupture among generations. Neurology, 2009, 72, 695-698.	1.5	11
614	Replacing aspirin and warfarin for secondary stroke prevention: is it worth the costs?. Current Opinion in Neurology, 2010, 23, 65-72.	1.8	11
615	A Multidisciplinary Social Communication and Coping Skills Group Intervention for Adults with Acquired Brain Injury (ABI): A Pilot Feasibility Study in an Inpatient Setting. Brain Impairment, 2011, 12, 210-222.	0.5	11
616	Impact of behavioural risk factors on death within 10 years for women and men in their 70s: absolute risk charts. BMC Public Health, 2012, 12, 669.	1.2	11
617	Peripheral arterial disease increases the risk of subsequent hip fracture in older men: the Health in Men Study. Osteoporosis International, 2013, 24, 1683-1688.	1.3	11
618	Whole Exome Sequencing of Intracranial Aneurysm. Stroke, 2013, 44, S26-S28.	1.0	11
619	Angiogenesis inhibition and depression in older men. Journal of Psychiatry and Neuroscience, 2014, 39, 200-205.	1.4	11
620	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). BMC Geriatrics, 2015, 15, 164.	1.1	11
621	Reported amount of salt added to food is associated with increased all-cause and cancer-related mortality in older men in a prospective cohort study. Journal of Nutrition, Health and Aging, 2015, 19, 805-811.	1.5	11
622	Efficacy and safety of rivaroxaban versus warfarin in patients from mainland China with nonvalvular atrial fibrillation: A subgroup analysis from the ROCKET AF trial. Thrombosis Research, 2017, 156, 184-190.	0.8	11
623	Efficacy and safety of rivaroxaban compared with warfarin in patients with carotid artery disease and nonvalvular atrial fibrillation: Insights from the ROCKET AF trial. Clinical Cardiology, 2018, 41, 39-45.	0.7	11
624	Selective Serotonin Reuptake Inhibitors for Stroke Recovery. Stroke, 2020, 51, e142-e143.	1.0	11
625	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1489-1500.	1.8	11
626	Risk of Fractures in Stroke Patients Treated With a Selective Serotonin Reuptake Inhibitor: A Systematic Review and Meta-Analysis. Stroke, 2021, 52, 2802-2808.	1.0	11
627	Ocular flutter, postural body tremulousness and CSF pleocytosis: a rare post-infectious syndrome Journal of Neurology, Neurosurgery and Psychiatry, 1987, 50, 1235-1236.	0.9	10
628	An "n of 1" trial of intravenous immunoglobulin treatment for chronic inflammatory demyelinating polyneuropathy Journal of Neurology, Neurosurgery and Psychiatry, 1994, 57, 1137-1137.	0.9	10
629	Surgery for Primary Intracerebral Hemorrhage: Meta-analysis of CT-Era Studies. Stroke, 1998, 29, 1477-1478.	1.0	10
630	Heparin in acute ischaemic stroke: The T wave is negative and it's time to stop. Medical Journal of Australia, 1998, 169, 534-536.	0.8	10

#	Article	IF	Citations
631	You need an operation. Lancet, The, 1999, 353, S35-S36.	6.3	10
632	Neuroprotection for acute ischaemic stroke: hope reignited. Lancet Neurology, The, 2006, 5, 287-288.	4.9	10
633	Subarachnoid haemorrhage. BMJ: British Medical Journal, 2009, 339, b2874-b2874.	2.4	10
634	Overexpression of the Multidrug Resistance Protein-4 Transporter in Patients Undergoing Coronary Artery Bypass Graft Surgery. Journal of the American College of Cardiology, 2011, 58, 762-764.	1.2	10
635	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. Australasian Journal on Ageing, 2011, 30, 13-16.	0.4	10
636	Selective Serotonin Reuptake Inhibitors and Risk of Cerebral Bleeding. Stroke, 2014, 45, 1917-1918.	1.0	10
637	From clinical to tissue-based dual TIA. Neurology, 2015, 84, 1426-1432.	1.5	10
638	<scp>CT</scp> perfusion in acute stroke calls: A pictorial review and differential diagnoses. Journal of Medical Imaging and Radiation Oncology, 2016, 60, 165-171.	0.9	10
639	Outcome of Patients Receiving Thrombolytic Therapy While on Rivaroxaban for Nonvalvular Atrial Fibrillation (from Rivaroxaban Once Daily Oral Direct Factor Xa Inhibition Compared With Vitamin K) Tj ETQq1 1 Cardiology, 2017, 120, 1837-1840.	0.784314	rgBT  Overlo
640	Net clinical benefit of rivaroxaban compared with warfarin in atrial fibrillation: Results from ROCKET AF. International Journal of Cardiology, 2018, 257, 78-83.	0.8	10
641	Family-led rehabilitation in India (ATTEND)—Findings from the process evaluation of a randomized controlled trial. International Journal of Stroke, 2019, 14, 53-60.	2.9	10
642	Acute Routine Leukocyte and Neutrophil Counts Are Predictive of Poststroke Recovery at 3 and 12 Months Poststroke: An Exploratory Study. Neurorehabilitation and Neural Repair, 2020, 34, 844-855.	1.4	10
643	Plasma Amyloid-Beta Levels in a Pre-Symptomatic Dutch-Type Hereditary Cerebral Amyloid Angiopathy Pedigree: A Cross-Sectional and Longitudinal Investigation. International Journal of Molecular Sciences, 2021, 22, 2931.	1.8	10
644	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	1.0	10
645	Secondary Prevention of Stroke: Study Protocol for a Telehealth-Delivered Physical Activity and Diet Pilot Randomized Trial (ENAbLE-Pilot). Cerebrovascular Diseases, 2021, 50, 605-611.	0.8	10
646	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. European Journal of Endocrinology, 2020, 182, 23-33.	1.9	10
647	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. Health Technology Assessment, 2020, 24, 1-94.	1.3	10
648	Longitudinal changes in serum testosterone and sex hormoneâ€binding globulin in men aged 40–69 years from the UK Biobank. Clinical Endocrinology, 2022, 96, 589-598.	1,2	10

#	Article	IF	CITATIONS
649	The effect of treating people with reversible ischaemic attacks of the brain and eye on the incidence of stroke in Australia. Australian and New Zealand Journal of Medicine, 1997, 27, 420-430.	0.5	9
650	Folic Acid–Based Multivitamin Therapy to Prevent Stroke. Stroke, 2004, 35, 1995-1998.	1.0	9
651	Perception of worsening health predicts mortality in older men: The Health in Men Study (HIMS). Archives of Gerontology and Geriatrics, 2012, 55, 363-368.	1.4	9
652	Novel oral anticoagulants in secondary prevention of stroke. Best Practice and Research in Clinical Haematology, 2013, 26, 131-139.	0.7	9
653	Serum Endostatin Concentrations Are Higher in Men with Symptoms of Intermittent Claudication. Disease Markers, 2014, 2014, 1-5.	0.6	9
654	Comparison of idrabiotaparinux with vitamin K antagonists for prevention of thromboembolism in patients with atrial fibrillation: the Borealisâ€Atrial Fibrillation Study. Journal of Thrombosis and Haemostasis, 2014, 12, 824-830.	1.9	9
655	Stroke prevention with rivaroxaban in higherâ€risk populations with atrial fibrillation. International Journal of Clinical Practice, 2015, 69, 743-756.	0.8	9
656	Off-Hour Admission and Outcomes in Patients with Acute Intracerebral Hemorrhage in the INTERACT2 Trial. Cerebrovascular Diseases, 2015, 40, 114-120.	0.8	9
657	No Relationship of Lipid-Lowering Agents to Hematoma Growth. Stroke, 2015, 46, 857-859.	1.0	9
658	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. Journal of Affective Disorders, 2018, 241, 269-274.	2.0	9
659	Crossâ€sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a communityâ€based cohort of older men. Clinical Endocrinology, 2019, 90, 562-569.	1.2	9
660	Nerinetide before reperfusion in acute ischaemic stroke: déjà vu or new insights?. Lancet, The, 2020, 395, 843-844.	6.3	9
661	CERVICAL MYELOPATHY DUE TO CALCIFICATION OF THE LIGAMENTUM FLAVUM. ANZ Journal of Surgery, 1988, 58, 247-249.	0.3	8
662	Risk factors for non-haemorrhagic stroke in patients with coronary heart disease and the effect of lipid-modifying therapy with pravastatin. Journal of Hypertension, 2002, 20, 2513-2517.	0.3	8
663	The beginning of the end of warfarin?. Medical Journal of Australia, 2004, 180, 549-551.	0.8	8
664	Is There Really a Power Shortage in Clinical Trials Testing the "Homocysteine Hypothesis?― Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, e147.	1.1	8
665	What do the results of the PRoFESS trial teach us?. Lancet Neurology, The, 2008, 7, 860-862.	4.9	8
666	Downward trend in the prevalence of hospitalisation for atherothrombotic disease. International Journal of Cardiology, 2013, 164, 185-192.	0.8	8

#	Article	IF	Citations
667	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. Atherosclerosis, 2016, 251, 19-24.	0.4	8
668	Noncentral Nervous System Systemic Embolism in Patients With Atrial Fibrillation. Circulation: Cardiovascular Quality and Outcomes, 2017, $10$ , .	0.9	8
669	Safety and Efficacy of Rivaroxaban in Patients With Cardiac Implantable Electronic Devices: Observations From the ROCKET AF Trial. Journal of the American Heart Association, 2017, 6, .	1.6	8
670	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. Clinical Endocrinology, 2017, 86, 278-285.	1.2	8
671	Distinct inflammatory responses differentiate cerebral infarct from transient ischaemic attack. Journal of Clinical Neuroscience, 2017, 35, 97-103.	0.8	8
672	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. Journal of Affective Disorders, 2018, 239, 269-273.	2.0	8
673	Antithrombotic Therapy for Stroke Prevention. Circulation, 2019, 139, 1131-1133.	1.6	8
674	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). International Journal of Geriatric Psychiatry, 2019, 34, 408-414.	1.3	8
675	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. PLoS ONE, 2021, 16, e0248931.	1.1	8
676	Higher premorbid serum testosterone predicts COVID-19-related mortality risk in men. European Journal of Endocrinology, 2022, 187, 159-170.	1.9	8
677	LOCALISING VALUE OF PRIMARY POSITION UPBEATING NYSTAGMUS. Australian and New Zealand Journal of Medicine, 1987, 17, 333-335.	0.5	7
678	New drugs, or new trials of current drugs, for the treatment of acute ischaemic stroke?. Lancet, The, 2001, 358, 683-684.	6.3	7
679	Ethnicity Does Not Affect the Homocysteine-Lowering Effect of B-Vitamin Therapy in Singaporean Stroke Patients. Stroke, 2009, 40, 2209-2211.	1.0	7
680	Stroke: fresh insights into causes, prevention, and treatment. Lancet Neurology, The, 2011, 10, 2-3.	4.9	7
681	Training caregivers of disabled patients after stroke. Lancet, The, 2013, 382, 2043-2044.	6.3	7
682	ICARUSS, the Integrated Care for the Reduction of Secondary Stroke Trial: Rationale and Design of a Randomized Controlled Trial of a Multimodal Intervention to Prevent Recurrent Stroke in Patients with a Recent Cerebrovascular Event, ACTRN = 12611000264987. International Journal of Stroke, 2015, 10, 773-777.	2.9	7
683	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. International Journal of Cardiology, 2018, 254, 316-321.	0.8	7
684	Correlated Resting-State Functional MRI Activity of Frontostriatal, Thalamic, Temporal, and Cerebellar Brain Regions Differentiates Stroke Survivors with High Compared to Low Depressive Symptom Scores. Neural Plasticity, 2019, 2019, 1-12.	1.0	7

#	Article	IF	CITATIONS
685	CSPS.com Trial of Adding Cilostazol to Antiplatelet Therapy to Reduce Recurrent Stroke. Stroke, 2020, 51, 696-698.	1.0	7
686	Longitudinal Stroke Recovery Associated With Dysregulation of Complement System—A Proteomics Pathway Analysis. Frontiers in Neurology, 2020, 11, 692.	1.1	7
687	Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). International Journal of Stroke, 2022, 17, 236-241.	2.9	7
688	DISSEMINATED HISTOPLASMOSIS. Australian and New Zealand Journal of Medicine, 1986, 16, 66-68.	0.5	6
689	Prolonged exacerbation of the neurological sequelae of stroke by postâ€stroke partial epileptic seizures. Australian and New Zealand Journal of Medicine, 1993, 23, 306-306.	0.5	6
690	Rembrandt's self-portrait. Lancet, The, 1998, 351, 915.	6.3	6
691	Ximelagatran or warfarin in atrial fibrillation?. Lancet, The, 2004, 363, 734.	6.3	6
692	Protein Z Levels, Protein Z G79A Polymorphism, and Prothrombotic Conditions. Stroke, 2005, 36, 1821-1822.	1.0	6
693	The ABCD, California, and unified ABCD2 risk scores predicted stroke within 2, 7, and 90 days after TIA. Evidence-Based Medicine, 2007, 12, 88-88.	0.6	6
694	Cilostazol shows promise as an alternative to aspirin for patients with ischaemic stroke. Lancet Neurology, The, 2008, 7, 469-470.	4.9	6
695	EPITHET—where next?. Lancet Neurology, The, 2008, 7, 570-571.	4.9	6
696	Dabigatran etexilate in people with atrial fibrillation. BMJ: British Medical Journal, 2010, 341, c3784-c3784.	2.4	6
697	Should adult patients be routinely tested for heritable thrombophilia after an episode of venous thromboembolism?. Medical Journal of Australia, 2011, 195, 139-142.	0.8	6
698	Elevated homocysteine is associated with poorer self-perceived physical health in older men: The Health in Men Study. Maturitas, 2012, 73, 158-163.	1.0	6
699	Letter by Mead et al Regarding Article, "Selective Serotonin Reuptake Inhibitors for Stroke: More Trials are Needed". Stroke, 2013, 44, e40-1.	1.0	6
700	Stroke in Young Adults. JAMA - Journal of the American Medical Association, 2013, 309, 1171.	3.8	6
701	Impact of polyvascular disease on patients with atrial fibrillation: Insights from ROCKET AF. American Heart Journal, 2018, 200, 102-109.	1.2	6
702	Combining Neurovascular and Neurodegenerative Magnetic Resonance Imaging Measures in Stroke. Stroke, 2019, 50, 1136-1139.	1.0	6

#	Article	IF	CITATIONS
703	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. Aging and Mental Health, 2020, 24, 627-633.	1.5	6
704	Update on the EFFECTS study of fluoxetine for stroke recovery: a randomised controlled trial in Sweden. Trials, 2020, 21, 233.	0.7	6
705	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 164-171.	1.7	6
706	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case–Control Study. American Journal of Hypertension, 2021, 34, 414-425.	1.0	6
707	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. Maturitas, 2021, 145, 6-11.	1.0	6
708	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. PLoS ONE, 2016, 11, e0163781.	1.1	6
709	The Hospital Frailty Risk Score Identifies Fewer Cases of Frailty in a Community-Based Cohort of Older Men Than the FRAIL Scale and Frailty Index. Journal of the American Medical Directors Association, 2022, 23, 1348-1353.e8.	1.2	6
710	Associations between diabetes, body mass index and frailty: The Western Australian Health In Men Study. Maturitas, 2022, 161, 58-64.	1.0	6
711	Endovascular Therapy for Acute Basilar Artery Occlusion. Circulation, 2022, 146, 18-20.	1.6	6
712	Acute cerebellar syndrome complicating infectious mononucleosis Journal of Neurology, Neurosurgery and Psychiatry, 1987, 50, 1713-1714.	0.9	5
713	Transient ischaemic attacks. Medical Journal of Australia, 1995, 162, 260-263.	0.8	5
714	Stroke among Australian Aboriginals in Perth, WA, 1988-1992. Australian and New Zealand Journal of Medicine, 1995, 25, 55-55.	0.5	5
715	Controversies in Health Care. Medical Journal of Australia, 1997, 166, 419-422.	0.8	5
716	Rembrandt's self-portrait. Lancet, The, 1998, 351, 915.	6.3	5
717	Stroke Prediction and Prevention by Carotid Endarterectomy: Keep an Eye on the Doughnut and Not Just the Hole. Cerebrovascular Diseases, 1999, 9, 345-350.	0.8	5
718	Treatment and secondary prevention of stroke. Lancet, The, 2000, 355, 320-321.	6.3	5
719	Management of the first-time transient is chaemic attack. Emergency Medicine (Fremantle, W A ), 2001, 13, 70-81.	0.0	5
720	Antiplatelet therapy for stroke prevention. Current Atherosclerosis Reports, 2007, 9, 312-318.	2.0	5

#	Article	IF	CITATIONS
721	Will prasugrel supersede clopidogrel for acute coronary syndromes?. Medical Journal of Australia, 2008, 188, 381-382.	0.8	5
722	Mechanical thrombectomy with the Solitaire AB device in large intracerebral artery occlusions.  Journal of Medical Imaging and Radiation Oncology, 2013, 57, 149-155.  Response to Letter Regarding Article, at celegial Instrumction as a Predictor of Stroke and Systemic	0.9	5
723	Embolism in Patients With Nonvalvular Atrial Fibrillation: Validation of the R <sub>2</sub> CHADS <sub>2</sub> Index in the ROCKET AF (Rivaroxaban Once-Daily, Oral, Direct Factor Xa Inhibition) Tj ETQq1 1 0.7	84314 rgB 1.6	T <u>/</u> Overlock
724	2013, 128, e172-3.  Propositional idea density in older men's written language: Findings from the HIMS study using computerised analysis. Clinical Linguistics and Phonetics, 2015, 29, 85-101.	0.5	5
725	Mechanical thrombectomy for anterior circulation stroke: 5-year experience in a statewide service with differences in pretreatment time metrics across two hospitals sites. Journal of NeuroInterventional Surgery, 2017, 9, 535-540.	2.0	5
726	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over. Hypertension, 2017, 69, 1053-1059.	1.3	5
727	Public Health Interventions for Decreasing Dementia Risk. JAMA Neurology, 2018, 75, 11.	4.5	5
728	Statistical analysis plan (SAP) for the Very Early Rehabilitation in Speech (VERSE) after stroke trial: an international 3-arm clinical trial to determine the effectiveness of early, intensive, prescribed, direct aphasia therapy. International Journal of Stroke, 2018, 13, 863-880.	2.9	5
729	Fluoxetine and Fractures After Stroke. Stroke, 2019, 50, 3280-3282.	1.0	5
730	Cost-benefit of outcome adjudication in nine randomised stroke trials. Clinical Trials, 2020, 17, 576-580.	0.7	5
731	Mechanical thrombectomy is efficacious in patients with preâ€stroke moderate disability. Journal of Medical Imaging and Radiation Oncology, 2021, 65, 858-863.	0.9	5
732	Healing Right Way: study protocol for a stepped wedge cluster randomised controlled trial to enhance rehabilitation services and improve quality of life in Aboriginal Australians after brain injury. BMJ Open, 2021, 11, e045898.	0.8	5
733	Hearing impairment and frailty in later life: The Health in Men Study (HIMS). Maturitas, 2022, 156, 30-36.	1.0	5
734	Measures Associated With Early, Late, and Persistent Clinically Significant Symptoms of Depression 1 Year After Stroke in the AFFINITY Trial. Neurology, 2022, 98, .	1.5	5
735	Automated CT Perfusion Detection of the Acute Infarct Core in Ischemic Stroke: A Systematic Review and Meta-Analysis. Cerebrovascular Diseases, 2023, 52, 97-109.	0.8	5
736	Benign recurrent unilateral abducens nerve palsy. Australian and New Zealand Journal of Medicine, 1990, 20, 173-174.	0.5	4
737	The risks and benefits of antithrombotic therapy in chronic atrial fibrillation. Medical Journal of Australia, 1996, 164, 624-626.	0.8	4
738	Clopidogrel: a new safe and effective antiplatelet agent. But unanswered questions remain. Medical Journal of Australia, 1997, 167, 120-121.	0.8	4

#	Article	IF	CITATIONS
739	Preventing stroke: what is the real progress?. Medical Journal of Australia, 1999, 171, 285-286.	0.8	4
740	Insulin Resistance a Possible Causal and Treatable Risk Factor for Ischemic Stroke. Archives of Neurology, 2010, 67, 1177-8.	4.9	4
741	Why the US Center for Medicare and Medicaid Services Should Not Extend Reimbursement Indications for Carotid Artery Angioplasty/Stenting. Angiology, 2012, 63, 639-644.	0.8	4
742	How effective is citicoline for acute ischaemic stroke? Lancet, The, 2012, 380, 318-320.	6.3	4
743	Why the United States Center for Medicare and Medicaid Services (CMS) should not extend reimbursement indications for carotid artery angioplasty/stenting. Brain and Behavior, 2012, 2, 200-207.	1.0	4
744	Cardiovascular diseases do not influence the mental health outcome of older men with depression over 6 years. Journal of Affective Disorders, 2013, 144, 248-252.	2.0	4
745	Cross vascular risk for first and recurrent hospitalised atherothrombosis determined retrospectively from linked data. BMJ Open, 2013, 3, e003813.	0.8	4
746	Is there really misuse and abuse of dabigatran?. Medical Journal of Australia, 2013, 198, 358-359.	0.8	4
747	Preâ€hospital stroke management: an <scp>A</scp> ustralian perspective. Internal Medicine Journal, 2014, 44, 1151-1153.	0.5	4
748	Association of Depression with Sexual and Daily Activities: A Community Study of Octogenarian Men. American Journal of Geriatric Psychiatry, 2015, 23, 234-242.	0.6	4
749	Recommended standards for assessing blood pressure in human research where blood pressure or hypertension is a major focus. Journal of Human Hypertension, 2017, 31, 487-490.	1.0	4
750	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. International Journal of Stroke, 2017, 12, 208-210.	2.9	4
751	Ischaemic Stroke and the Echocardiographic "Bubble Study― Are We Screening the Right Patients?. Heart Lung and Circulation, 2019, 28, 1183-1189.	0.2	4
752	Rivaroxaban versus warfarin in patients with atrial fibrillation enrolled in Latin America: Insights from ROCKET AF. American Heart Journal, 2021, 236, 4-12.	1.2	4
753	Statistical reanalysis of vascular event outcomes in primary and secondary vascular prevention trials. BMC Medical Research Methodology, 2021, 21, 218.	1.4	4
754	Five cases of sudden hearing loss of presumed vascular origin. Medical Journal of Australia, 1987, 147, 188-190.	0.8	3
755	MEDIAN NERVE COMPRESSION IN THE PALM OF THE HAND BY AN ANOMALOUSLY ENLARGED ULNAR ARTERY. ANZ Journal of Surgery, 1988, 58, 511-513.	0.3	3
756	MATTERS ARISING: Hankey et al reply:. Journal of Neurology, Neurosurgery and Psychiatry, 1991, 54, 758-759.	0.9	3

#	Article	IF	CITATIONS
757	Aspirin for the primary prevention of cardiovascular events. Medical Journal of Australia, 2002, 177, 343-344.	0.8	3
758	Recurrent Migraine Aura Triggered by Coronary Angiography. Practical Neurology, 2004, 4, 308-309.	0.5	3
759	Is clopidogrel the antiplatelet drug of choice for high-risk patients with stroke/TIA?: No. Journal of Thrombosis and Haemostasis, 2005, 3, 1137-1140.	1.9	3
760	Atrial Fibrillation. Primary Care - Clinics in Office Practice, 2005, 32, 1083-1107.	0.7	3
761	Review: statins prevent stroke and reduce mortality. Evidence-Based Medicine, 2008, 13, 113-113.	0.6	3
762	Response to Letter Regarding Article, $\hat{a} \in \infty$ Incomplete Inhibition of Thromboxane Biosynthesis by Acetylsalicylic Acid: Determinants and Effect on Cardiovascular Risk $\hat{a} \in \mathbb{R}$ Circulation, 2009, 119, .	1.6	3
763	At Last, a RE-Lyable Alternative to Warfarin for Atrial Fibrillation. International Journal of Stroke, 2009, 4, 454-455.	2.9	3
764	An optimum blood pressure target after lacunar stroke?. Lancet, The, 2013, 382, 482-484.	6.3	3
765	Optimum Blood Pressure Target After Lacunar Stroke. Hypertension, 2014, 63, 918-922.	1.3	3
766	Predicting Early Recurrent Stroke With the Recurrence Risk Estimator. JAMA Neurology, 2016, 73, 376.	4.5	3
767	Ischemic Events After Intracerebral Hemorrhage. JAMA Neurology, 2021, 78, 795.	4.5	3
768	Effect of X-Ray Attenuation of Arterial Obstructions on Intravenous Thrombolysis and Outcome after Ischemic Stroke. PLoS ONE, 2015, 10, e0145683.	1.1	3
769	Cerebral arterial gas embolism proven by computed tomography following transthoracic echocardiography using bubble contrast. Diving and Hyperbaric Medicine, 2020, 50, 300-302.	0.2	3
770	Time to revise primary prevention guidelines for stroke and cardiovascular disease. Lancet Neurology, The, 2022, 21, 686-687.	4.9	3
771	Recent advances in cerebrovascular disease. Reviews in Clinical Gerontology, 1992, 2, 187-206.	0.5	2
772	Intracerebral hemorrhage: External validation and extension of a model for prediction of 30-day survival. Annals of Neurology, 1992, 32, 225-225.	2.8	2
773	Surgical evacuation may not benefit patients with spontaneous supratentorial intracranial haemorrhage. Journal of Clinical Neuroscience, 1997, 4, 490-492.	0.8	2
774	Cardiovascular health in Australia: Current state and future directions. Heart, Lung and Circulation,	0.1	2

#	Article	IF	CITATIONS
775	Heparin should not be used presently for acute ischaemic stroke. Journal of Clinical Neuroscience, 2000, 7, 160-161.	0.8	2
776	Thrombolysis for acute ischaemic stroke. Journal of Clinical Neuroscience, 2001, 8, 103-105.	0.8	2
777	Antiplatelet Drugs in the Secondary Prevention of Stroke. Practical Neurology, 2002, 2, 12-25.	0.5	2
778	Is there a role for laboratory testing to identify patients at risk of aspirin treatment failure?. Blood Coagulation and Fibrinolysis, 2004, 15, 129-130.	0.5	2
779	Cardiovascular safety of rofecoxib (Vioxx): lessons learned and unanswered questions. Medical Journal of Australia, 2005, 182, 199-199.	0.8	2
780	How I Interpreted the Randomised Trials of Carotid Angioplasty/stenting versus Endarterectomy. European Journal of Vascular and Endovascular Surgery, 2008, 36, 34-40.	0.8	2
781	The Cochrane Neurological Network. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 1-1.	0.9	2
782	When the patient fails to respond to treatment: TIAs that go on, and on. Practical Neurology, 2008, 8, 103-111.	0.5	2
783	Suboptimal awareness and control of hypertension increases the risk of subarachnoid hemorrhage in the community: results from the ACROSS. Neurological Research, 2011, 33, 1068-1071.	0.6	2
784	Why the United States Center for Medicare and Medicaid Services should not extend reimbursement indications for carotid artery angioplasty/stenting. Vascular, 2012, 20, 1-7.	0.4	2
785	CHARACTERISTICS AND OUTCOMES OF PATIENTS WITH ATRIAL FIBRILLATION AND SIGNIFICANT VALVULAR LESIONS: EXPERIENCE FROM THE ROCKET AF TRIAL. Journal of the American College of Cardiology, 2013, 61, E282.	1.2	2
786	Social Network and Stroke Risk. Stroke, 2014, 45, 2853-2854.	1.0	2
787	The ability of the ABCD <sup>2</sup> score to predict stroke 1 year after TIA or minor stroke was assessed. Annals of Internal Medicine, 2016, 165, JC23.	2.0	2
788	Changes in differential gene expression during a fatal stroke. Journal of Clinical Neuroscience, 2016, 23, 130-134.	0.8	2
789	Body Mass Index and Vascular Disease in Men Aged 65ÂYears and Over: HIMS (Health In Men Study). Journal of the American Heart Association, 2017, 6, .	1.6	2
790	Profile of diabetes in men aged 79–97 years: the Western Australian Health in Men Study. Diabetic Medicine, 2017, 34, 786-793.	1.2	2
791	Patent Foramen Ovale Closure. Circulation, 2018, 137, 1991-1993.	1.6	2
792	Patient-Reported Satisfaction and Study Drug Discontinuation: Post-Hoc Analysis of Findings from ROCKET AF. Cardiology and Therapy, 2019, 8, 283-295.	1.1	2

#	Article	IF	CITATIONS
793	Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2020, 21, 971.	0.7	2
794	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. Neuroepidemiology, 2021, 55, 206-215.	1.1	2
795	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. BMC Medical Informatics and Decision Making, 2021, 21, 241.	1.5	2
796	Transient ischaemic attacks. Medical Journal of Australia, 1995, 163, 278-278.	0.8	2
797	Review: Dipyridamole given with or without aspirin reduces recurrent stroke. ACP Journal Club, 2005, 143, 10.	0.1	2
798	ASYMPTOMATIC CEREBELLAR VENOUS ANGIOMA. Australian and New Zealand Journal of Medicine, 1987, 17, 441-443.	0.5	1
799	MANAGEMENT OF NON-CONVULSIVE STATUS EPILEPTICUS. Lancet, The, 1987, 329, 1427.	6.3	1
800	Adult Onset Medulloblastoma Cerebelli with Leptomeningeal Dissemination and Coincidental Primary Hyperparathyroidism. Journal of Medical Imaging and Radiation Oncology, 1989, 33, 111-115.	0.6	1
801	LATEâ€ONSET POSTâ€HEMIPLEGIC HEMIDYSTONIA: CT AND ANGIOGRAPHIC FINDINGS. Australian and New Zealand Journal of Medicine, 1989, 19, 147-150.	0.5	1
802	Neurology Postgraduate Medical Journal, 1991, 67, 509-531.	0.9	1
803	Air embolism – a neglected cause of stroke complicating cardiopulmonary bypass (CPB) surgery. Australian and New Zealand Journal of Medicine, 1994, 24, 732-733.	0.5	1
804	How will society handle people with presymptomatic genetic disease?. Medical Journal of Australia, 1997, 166, 55-55.	0.8	1
805	Methylene tetrahydrofolate reductase mutation and stroke in a monozygotic twin. Australian and New Zealand Journal of Medicine, 1998, 28, 849-850.	0.5	1
806	S29 Caprie results: implications for the neurologist. Atherosclerosis, 1998, 136, S31.	0.4	1
807	Antiplatelet drugs. Medical Journal of Australia, 1999, 170, 379-382.	0.8	1
808	Clinical types of transient ischemic attacks. , 2001, , 8-21.		1
809	Neurological Letter from Australia. Practical Neurology, 2001, 1, 58-59.	0.5	1
810	Neurology and neurosurgery. Medical Journal of Australia, 2002, 176, 26-26.	0.8	1

#	Article	IF	Citations
811	Longâ€term management of venous thromboembolism: is there a role for lowâ€intensity warfarin therapy?. Medical Journal of Australia, 2003, 179, 68-69.	0.8	1
812	More on: enhanced antiplatelet effect of clopidogrel in patients whose platelets are least inhibited by aspirin: a randomized crossover trial. Journal of Thrombosis and Haemostasis, 2006, 4, 1639-1640.	1.9	1
813	Response to Letter by Castilla-Guerra et al. Stroke, 2009, 40, .	1.0	1
814	Systemic vascular function, measured with forearm flow mediated dilatation, in acute and stable cerebrovascular disease: a case-control study. Cardiovascular Ultrasound, 2010, 8, 46.	0.5	1
815	Thienopyridine Derivatives Versus Aspirin for Preventing Stroke and Other Serious Vascular Events in High Vascular Risk Patients. Stroke, 2010, 41, .	1.0	1
816	Systemic arterial inflammation, measured with 18FDG-PET, is common amongst subjects with both recent and prior cerebrovascular disease. Clinical Neurology and Neurosurgery, 2012, 114, 613-616.	0.6	1
817	An old drug for a common disease. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 473-474.	0.9	1
818	Intermittent pneumatic compression after stroke. Lancet Neurology, The, 2014, 13, 1163-1165.	4.9	1
819	Is the 'liberation procedure' for multiple sclerosis really liberating?. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 362-362.	0.9	1
820	In catheter ablation of AF, continuing vs interrupting warfarin reduced periprocedural thromboembolic events. Annals of Internal Medicine, 2014, 161, JC12.	2.0	1
821	In intracranial artery stenosis, adding angioplasty and stenting to medical therapy increased stroke or death. Annals of Internal Medicine, 2014, 160, JC4.	2.0	1
822	CT perfusion can delineate lacunar infarcts in acute stroke calls. Neurology: Clinical Practice, 2015, 5, 542-544.	0.8	1
823	Response by Piccini et al to Letters Regarding Article, "Polypharmacy and the Efficacy and Safety of Rivaroxaban Versus Warfarin in the Prevention of Stroke in Patients With Nonvalvular Atrial Fibrillation― Circulation, 2016, 134, e7-8.	1.6	1
824	The ABC-stroke risk score was superior to the CHA <sub>2</sub> DS <sub>2</sub> -VASc score for predicting stroke in atrial fibrillation. Annals of Internal Medicine, 2016, 164, JC69.	2.0	1
825	Assessing the outcome of stroke in Australia. Medical Journal of Australia, 2017, 206, 343-344.	0.8	1
826	Beyond Stroke Prevention in Atrial Fibrillation: Exploring Further Unmet Needs with Rivaroxaban. Thrombosis and Haemostasis, 2018, 118, S34-S44.	1.8	1
827	Differential associations of ferritin and 25â€hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. Diabetes/Metabolism Research and Reviews, 2019, 35, e3172.	1.7	1
828	Prasugrel or clopidogrel for long-term secondary stroke prevention?. Lancet Neurology, The, 2019, 18, 222-223.	4.9	1

#	Article	IF	CITATIONS
829	Review: After stroke or TIA, adding clopidogrel to aspirin for $\hat{a} = \hat{A} = \hat{A}$ month reduces recurrence and MACE. Annals of Internal Medicine, 2019, 171, JC14.	2.0	1
830	Understanding Evidence. , 2020, , 10-34.		1
831	Boon or bane? Using antidepressants after stroke. Maturitas, 2021, 153, 68-70.	1.0	1
832	Pharmacotherapy for diabetes and stroke risk: Results from ROCKET AF. Heart Rhythm O2, 2021, 2, 215-222.	0.6	1
833	Evolution of Evidence-Based Medicine in Stroke. Cerebrovascular Diseases, 2021, 50, 1-12.	0.8	1
834	The size of the problem of stroke. , 2005, , 1-8.		1
835	The LIPID Trial: Impact of Lipid Lowering Therapy With Pravastatin on the Risk of Stroke. Journal of the American College of Cardiology, 1998, 31, 282A.	1.2	1
836	Recurrent stroke rate was higher than coronary heart disease rate in the first year after stroke but similar after the first year. ACP Journal Club, 2006, 144, 50.	0.1	1
837	Risk factor management to prevent stroke. Advances in Neurology, 2003, 92, 179-85.	0.8	1
838	Homocysteine-lowering therapy did not prevent stroke recurrence. ACP Journal Club, 2004, 141, 21.	0.1	1
839	Botulinum toxin A injections improved wrist and finger spasticity after stroke. ACP Journal Club, 2003, 138, 22.	0.1	1
840	Homocysteine-lowering therapy did not prevent stroke recurrence. ACP Journal Club, 2004, 141, 21.	0.1	1
841	An unusual case of childhood paraplegia. Medical Journal of Australia, 1987, 146, 142-144.	0.8	0
842	Polyneuropathy cranialis following cervical epidural anaesthesia Journal of Neurology, Neurosurgery and Psychiatry, 1988, 51, 1106-1107.	0.9	0
843	Rehabilitation for stroke survivors. Australian and New Zealand Journal of Medicine, 1990, 20, 101-102.	0.5	0
844	MATTERS ARISING: Hankey and Warlow reply:. Journal of Neurology, Neurosurgery and Psychiatry, 1993, 56, 325-325.	0.9	0
845	Cerebrovascular disease: a clinical approach. Reviews in Clinical Gerontology, 1994, 4, 289-310.	0.5	0
846	Thrombolysis for Stroke-Reply. JAMA - Journal of the American Medical Association, 1997, 277, 19.	3.8	0

#	Article	IF	Citations
847	Heparin in acute ischaemic stroke. Medical Journal of Australia, 1999, 170, 567-568.	0.8	0
848	Neurological disorders. Medical Journal of Australia, 2000, 172, 393-393.	0.8	0
849	Rubeosis Iridis. Practical Neurology, 2001, 1, 54-55.	0.5	0
850	Post-herpetic neuralgia was not frequent or severe after a first episode of herpes zoster. Evidence-Based Medicine, 2001, 6, 58-58.	0.6	0
851	In reply: Lowâ€molecularâ€weight heparins and heparinoids. Medical Journal of Australia, 2003, 178, 414-415.	0.8	0
852	A prediction rule identified patients with atrial fibrillation at low risk of stroke while taking aspirin. Evidence-Based Medicine, 2004, 9, 29-29.	0.6	0
853	P3-139 Predictors of impaired cognitive function in men over the age of 80 years. Neurobiology of Aging, 2004, 25, S394-S395.	1.5	0
854	Venous thromboembolism: diagnosis and management of pulmonary embolism. Medical Journal of Australia, 2005, 183, 220-221.	0.8	0
855	Review: dipyridamole given with or without aspirin reduces recurrent stroke. Evidence-Based Medicine, 2005, 10, 113-113.	0.6	0
856	PSR1 COST-EFFECTIVENESS OF CLOPIDOGREL VERSUS ASPIRIN IN THE PREVENTION OF ISCHEMIC EVENTS IN STROKE AND TIA PATIENTS: A FOUR-EUROPEAN COUNTRY ANALYSIS. Value in Health, 2005, 8, 334.	0.1	0
857	PSR8 BUILDING A LINK BETWEEN DISABILITY AFTER AN ISCHEMIC STROKE AND NEED FOR FOLLOW-UP CARE. Value in Health, 2005, 8, 336.	0.1	0
858	Homocysteine-Should We Screen and Treat in Preventive Cardiology Programs?. Journal of Cardiopulmonary Rehabilitation and Prevention, 2006, 26, 281-287.	0.5	0
859	Medical Management of Peripheral Arterial Disease—Reply. JAMA - Journal of the American Medical Association, 2006, 296, 41.	3.8	0
860	WO1-OR-6 LONG-TERM TREATMENT WITH FOLIC ACID, VITAMIN B6 AND B12 DOES NOT IMPROVE VASCULAR STRUCTURE OR FUNCTION: A RANDOMIZED CONTROLLED TRIAL. Atherosclerosis Supplements, 2007, 8, 1-2.	1.2	0
861	Guidelines for the management of acute coronary syndromes 2006. Medical Journal of Australia, 2007, 186, 101-102.	0.8	0
862	Chapter 19 Costs and health care system issues. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 92, 373-388.	1.0	0
863	Review: Statins prevent stroke and reduce mortality. Annals of Internal Medicine, 2008, 149, JC1.	2.0	0
864	Commentary on 'Azathioprine for multiple sclerosis'. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 132-132.	0.9	0

#	Article	IF	Citations
865	Commentary on "Immunosuppressant drugs for myasthenia gravis". Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 6-6.	0.9	0
866	The BASICS of treating symptomatic basilar artery thrombosis. Lancet Neurology, The, 2009, 8, 695-697.	4.9	0
867	IN16-MO-01 What is new in population-based stroke prevention?. Journal of the Neurological Sciences, 2009, 285, S15.	0.3	O
868	Response to Letter by Stöllberger et al Regarding Article, "Stroke Risk and Antithrombotic Strategies in Atrial Fibrillation― Stroke, 2011, 42, .	1.0	0
869	Carotid artery stenting increased short-term risk for stroke or death more than endarterectomy in symptomatic carotid stenosis. Annals of Internal Medicine, 2011, 154, JC1.	2.0	0
870	P2-64 Absolute risk charts for death within 10 years for Australian in their 70's by behavioural risk factors. Journal of Epidemiology and Community Health, 2011, 65, A237-A237.	2.0	0
871	Is rivaroxaban safer and more effective than warfarin in patients with atrial fibrillation and stroke or TIA? – Author's reply. Lancet Neurology, The, 2012, 11, 660-661.	4.9	0
872	Secondary progressive multiple sclerosis: a shared therapeutic decision. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 365-365.	0.9	0
873	Standard strategies for acute ischemic stroke within the rtPA therapeutic window: Australia. Neurology: Clinical Practice, 2013, 3, 215-216.	0.8	0
874	Adding endovascular therapy to t-PA did not improve 90-day survival or functional independence after stroke. Annals of Internal Medicine, 2013, 158, JC12.	2.0	0
875	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. Sao Paulo Medical Journal, 2013, 131, 208-209.	0.4	0
876	Evidence-to-practice gaps in post-stroke management: a focus on care in a stroke unit and anticoagulation to prevent death, disability and recurrent stroke. Future Neurology, 2014, 9, 449-459.	0.9	0
877	QBleed predicted risk for gastrointestinal and intracranial bleeding. Annals of Internal Medicine, 2014, 161, JC13.	2.0	0
878	The Japan Statin Treatment Against Recurrent Stroke (J-STARS) Trial: Where to Now?. EBioMedicine, 2015, 2, 1008-1009.	2.7	0
879	Adding neurovascular thrombectomy to IV t-PA reduced disability in acute ischemic stroke. Annals of Internal Medicine, 2015, 163, JC5.	2.0	0
880	Glyceryl trinitrate did not improve functional outcome in patients with acute stroke and high BP. Annals of Internal Medicine, 2015, 162, JC12.	2.0	0
881	Authors' reply to Huwez. BMJ, The, 2015, 350, h995-h995.	3.0	О
882	Lipid lowering for primary prevention of stroke in older adults?. BMJ, The, 2015, 350, h2568-h2568.	3.0	0

#	Article	IF	CITATIONS
883	Intensive lowering of systolic BP did not reduce death or disability more than standard lowering in ICH. Annals of Internal Medicine, 2016, 165, JC32.	2.0	O
884	Glyburide for cerebral oedema: could an old dog have a new trick? Lancet Neurology, The, 2016, 15, 1109-1111.	4.9	0
885	Pooled RCTs: In symptomatic carotid stenosis, endarterectomy had lower periprocedural risk than stenting. Annals of Internal Medicine, 2017, 167, JC45.	2.0	O
886	Which Patients With Ischemic Stroke and Insulin Resistance May Benefit From Pioglitazone Hydrochloride?. JAMA Neurology, 2017, 74, 1294.	4.5	0
887	Antithrombotic Treatment After Stroke Because Of Intracerebral Hemorrhage. Stroke, 2017, 48, .	1.0	O
888	O1â€11â€04: HEARING LOSS IN OLDER MEN AND RISK OF DEMENTIA. Alzheimer's and Dementia, 2018, 14, P248	3.0.4	0
889	Intrathecal Baclofen for Severe Spasticity. , 0, , 149-152.		O
890	In acute ischemic stroke with potentially salvageable tissue, thrombectomy at 6 to 16 h increased living at home. Annals of Internal Medicine, 2019, 171, JC66.	2.0	0
891	Prevention of Stroke by Lowering Blood Cholesterol Concentrations. , 2020, , 297-307.		O
892	Prevention of Stroke by Modification of Additional Vascular and Lifestyle Risk Factors. , 2020, , 308-336.		0
893	Long-term Antithrombotic Therapy for Large and Small Artery Occlusive Disease. , 2020, , 384-411.		O
894	Language and Cognitive Rehabilitation after Stroke. , 2020, , 501-516.		0
895	Reperfusion of Ischaemic Brain by Intravenous Thrombolysis. , 2020, , 98-126.		0
896	Collateral Flow Enhancement: Blood Pressure Lowering and Alteration of Blood Viscosity. , 2020, , 146-153.		0
897	Termination Based on Event Accrual in Per Protocol Versus Intention to Treat in the ROCKET AF Trial. Journal of the American Heart Association, 2021, 10, e022485.	1.6	0
898	Antiplatelet therapies in neurology. , 2002, , 1040-1054.		0
899	Cost-Benefit Issues., 2002,,.		O
900	Understanding evidence., 2005,, 9-30.		0

#	Article	IF	CITATIONS
901	Carotid artery revascularisation. , 2005, , 245-287.		O
902	Anticoagulation. , 2005, , 168-197.		O
903	Treatment of subarachnoid haemorrhage. , 2005, , 376-406.		O
904	Neuroprotection., 2005,, 126-156.		0
905	Antiplatelet therapy. , 2005, , 198-244.		О
906	Augmentation of cerebral blood flow: fibrinogen-depleting agents, haemodilution and pentoxifylline. , 2005, , 120-125.		0
907	Treatment of brain oedema. , 2005, , 157-167.		O
908	Reperfusion of ischaemic brain by thrombolysis. , 2005, , 87-119.		0
909	Lowering blood cholesterol concentrations. , 2005, , 296-307.		O
910	Arterial dissection and arteritis., 2005,, 353-359.		0
911	Lowering blood pressure. , 2005, , 288-295.		O
912	Treatment of intracerebral haemorrhage. , 2005, , 360-375.		0
913	Modification of other vascular risk factors and lifestyle. , 2005, , 308-329.		O
914	General supportive acute stroke care., 2005,, 58-86.		0
915	Antithrombotic therapy for preventing recurrent cardiogenic embolism., 2005,, 330-352.		O
916	Organised acute stroke care., 2005,, 31-57.		0
917	Transient Ischemic Attacks. , 2006, , 209-212.		O
918	Cerebral Angiitis. , 2009, , 306-306.		O

#	Article	IF	CITATIONS
919	Familial Periodic Ataxia., 2009, , 635-635.		О
920	Prevalence and Predictors of Sexual Dysfunction in Older Men., 2011,, P1-341-P1-341.		0
921	Transient ischaemic attacks. Medical Journal of Australia, 1995, 163, 111-111.	0.8	0
922	Should stroke medicine be a separate subspecialty?. BMJ: British Medical Journal, 1998, 316, 628-628.	2.4	0
923	OR18-2 Higher Plasma Estradiol Concentration Is Independently Associated with Lower Biological Age, Assessed as Leucocyte Telomere Length, in Older Men. Journal of the Endocrine Society, 2019, 3, .	0.1	0
924	Advances in Epidemiology, Outcomes, and Population Science. Stroke, 2021, 52, 4057-4059.	1.0	0
925	Cerebral arterial gas embolism proven by computed tomography following transthoracic echocardiography using bubble contrast. Diving and Hyperbaric Medicine, 2020, 50, 300-302.	0.2	0
926	Embolic Stroke of Undetermined Source: Can We Identify Subgroups With High Risk for Atrial Fibrillation Who May Benefit From Oral Anticoagulation?. Circulation, 2021, 144, 1747-1749.	1.6	0
927	The ABCD, California, and unified ABCD2 risk scores predicted stroke within 2, 7, and 90 days after TIA. ACP Journal Club, 2007, 146, 79.	0.1	0
928	Botulinum toxin A injections improved wrist and finger spasticity after stroke. ACP Journal Club, 2003, 138, 22.	0.1	0
929	A prediction rule identified patients with atrial fibrillation at low risk for stroke while taking aspirin. ACP Journal Club, 2004, 140, 25.	0.1	О
930	Adding aspirin to clopidogrel increased bleeding without reducing recurrent ischemic vascular events in high-risk patients. ACP Journal Club, 2004, 141, 68.	0.1	0
931	Stenting was noninferior to endarterectomy in patients with severe carotid artery stenosis and coexisting conditions. ACP Journal Club, 2005, 142, 41.	0.1	0
932	Review: dipyridamole given with or without aspirin reduces recurrent stroke. ACP Journal Club, 2005, 143, 10.	0.1	0
933	Recurrent stroke rate was higher than coronary heart disease rate in the first year after stroke but similar after the first year. ACP Journal Club, 2006, 144, 50.	0.1	0
934	The ABCD, California, and unified ABCD2 risk scores predicted stroke within 2, 7, and 90 days after TIA. ACP Journal Club, 2007, 146, 79.	0.1	0
935	Review: statins prevent stroke and reduce mortality. ACP Journal Club, 2008, 149, 7.	0.1	0
936	Health care issues, benefits and costs., 0,, 275-292.		0

#	Article	IF	Citations
937	Cardiac events after atypical transient ischemic attack. ACP Journal Club, 1993, 118, 24.	0.1	O
938	Carotid endarterectomy combined with medical care and antiplatelet therapy reduced the overall incidence of ipsilateral neurologic events in men with asymptomatic carotid stenosis. ACP Journal Club, 1993, 118, 72.	0.1	0
939	Cholesterol reduction and risk for stroke: a meta-analysis. ACP Journal Club, 1993, 119, 66.	0.1	O
940	Review: Anticoagulants and platelet antiaggregants prevent strokes in high-risk patients. ACP Journal Club, 1994, 121, 60.	0.1	0
941	Higher diastolic blood pressure but not total cholesterol level increases the risk for fatal stroke, particularly in middle age. ACP Journal Club, 1996, 124, 80.	0.1	O
942	Vitamin E, vitamin C, and $\hat{I}^2$ -carotene were not associated with a decreased risk for stroke in men. ACP Journal Club, 1999, 131, 77.	0.1	0
943	Fruit and vegetable intake decreased risk for ischemic stroke. ACP Journal Club, 2000, 132, 115.	0.1	0
944	Patients with carotid artery stenosis had a high risk for stroke, and some types of stroke were not prevented by endarterectomy. ACP Journal Club, 2000, 133, 71.	0.1	0
945	Postherpetic neuralgia was not frequent or severe after a first episode of herpes zoster. ACP Journal Club, 2001, 134, 70.	0.1	O
946	A prediction rule identified patients with atrial fibrillation at low risk for stroke while taking aspirin. ACP Journal Club, 2004, 140, 25.	0.1	0
947	Adding aspirin to clopidogrel increased bleeding without reducing recurrent ischemic vascular events in high-risk patients. ACP Journal Club, 2004, 141, 68.	0.1	0
948	Stenting was noninferior to endarterectomy in patients with severe carotid artery stenosis and coexisting conditions. ACP Journal Club, 2005, 142, 41.	0.1	0
949	Physiotherapy offered late after stroke increased mobility but improvements were not maintained. ACP Journal Club, 1992, 117, 35.	0.1	O