

Rewi Newnham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5288860/publications.pdf>

Version: 2024-02-01

20
papers

1,486
citations

687363

13
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

1988
citing authors

#	ARTICLE	IF	CITATIONS
1	Drivers of 20th century sea-level change in southern New Zealand determined from proxy and instrumental records. <i>Journal of Quaternary Science</i> , 2022, 37, 1025-1043.	2.1	6
2	An extended last glacial maximum in the Southern Hemisphere: A contribution to the SHeMax project. <i>Earth-Science Reviews</i> , 2022, 231, 104090.	9.1	9
3	Density separation in pollen preparation: How low can you go?. <i>Journal of Paleolimnology</i> , 2020, 63, 225-234.	1.6	5
4	Subdividing the Holocene Series/Epoch: formalization of stages/ages and subseries/subepochs, and designation of GSSPs and auxiliary stratotypes. <i>Journal of Quaternary Science</i> , 2019, 34, 173-186.	2.1	126
5	Formal Subdivision of the Holocene Series/Epoch: A Summary. <i>Journal of the Geological Society of India</i> , 2019, 93, 135-141.	1.1	84
6	Two-step human environmental impact history for northern New Zealand linked to late-Holocene climate change. <i>Holocene</i> , 2018, 28, 1093-1106.	1.7	22
7	Holocene temperature, humidity and seasonality in northern New Zealand linked to Southern Hemisphere summer insolation. <i>Quaternary Science Reviews</i> , 2018, 201, 77-88.	3.0	15
8	Formal ratification of the subdivision of the Holocene Series/Epoch (Quaternary System/Period): two new Global Boundary Stratotype Sections and Points (GSSPs) and three new stages/subseries. <i>Episodes</i> , 2018, 41, 213-223.	1.2	238
9	Holocene history of a raised bog, northern New Zealand, based on plant cuticles. <i>Holocene</i> , 2017, 27, 309-314.	1.7	6
10	A Last Interglacial pollen-temperature reconstruction, central North Island, New Zealand. <i>Quaternary Science Reviews</i> , 2017, 170, 136-151.	3.0	4
11	Evolution and Ecological Change During the New Zealand Quaternary. , 2017, , 235-291.		13
12	The vegetation cover of New Zealand at the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2013, 74, 202-214.	3.0	86
13	Palaeocirculation across New Zealand during the last glacial maximum at 14.21 ka. <i>Quaternary Science Reviews</i> , 2012, 36, 189-213.	3.0	59
14	Formal definition and dating of the GSSP (Global Stratotype Section and Point) for the base of the Holocene using the Greenland NGRIP ice core, and selected auxiliary records. <i>Journal of Quaternary Science</i> , 2009, 24, 3-17.	2.1	552
15	The Global Stratotype Section and Point (GSSP) for the base of the Holocene Series/Epoch (Quaternary) Tj ETQq1 1,0784314, 64 BT / Qve	1.2	1,078,431
16	A terrestrial record of Last Interglacial climate preserved by voluminous debris avalanche inundation in Taranaki, New Zealand. <i>Journal of Quaternary Science</i> , 2004, 19, 299-314.	2.1	13
17	A 28 000–7600 cal yr BP pollen record of vegetation and climate change from Pukaki Crater, northern New Zealand. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 201, 235-247.	2.3	52
18	Environmental change during the last glacial maximum (c. 25 000–16 500 years BP) at Mt Richmond, Auckland Isthmus, New Zealand. <i>Journal of the Royal Society of New Zealand</i> , 2002, 32, 155-167.	1.9	52

#	ARTICLE	IF	CITATIONS
19	Environmental change in Northland, New Zealand during the last glacial and Holocene. <i>Quaternary International</i> , 1999, 57-58, 61-70.	1.5	50
20	A Vegetation History of the Far North of New Zealand during the Late Otira (Last) Glaciation. <i>Quaternary Research</i> , 1993, 39, 361-372.	1.7	30