Kai Cheng

List of Publications by Citations

Source: https://exaly.com/author-pdf/5288925/kai-cheng-publications-by-citations.pdf

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83 3,291 31 55 h-index g-index citations papers 89 8.3 4,051 4.94 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
83	Ultrafast fluorescence imaging in vivo with conjugated polymer fluorophores in the second near-infrared window. <i>Nature Communications</i> , 2014 , 5, 4206	17.4	394
82	Fluorescence Imaging In Vivo at Wavelengths beyond 1500 nm. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 14758-62	16.4	231
81	An enzyme assisted RP-RPLC approach for in-depth analysis of human liver phosphoproteome. <i>Journal of Proteomics</i> , 2014 , 96, 253-62	3.9	166
80	Construction and validation of nano gold tripods for molecular imaging of living subjects. <i>Journal of the American Chemical Society</i> , 2014 , 136, 3560-71	16.4	144
79	Engineering Melanin Nanoparticles as an Efficient Drug-Delivery System for Imaging-Guided Chemotherapy. <i>Advanced Materials</i> , 2015 , 27, 5063-9	24	131
78	Metaproteomics reveals associations between microbiome and intestinal extracellular vesicle proteins in pediatric inflammatory bowel disease. <i>Nature Communications</i> , 2018 , 9, 2873	17.4	120
77	Hybrid nanotrimers for dual T1 and T2-weighted magnetic resonance imaging. <i>ACS Nano</i> , 2014 , 8, 9884	-916 .7	91
76	Ultra-deep tyrosine phosphoproteomics enabled by a phosphotyrosine superbinder. <i>Nature Chemical Biology</i> , 2016 , 12, 959-966	11.7	88
75	Centrifugation assisted microreactor enables facile integration of trypsin digestion, hydrophilic interaction chromatography enrichment, and on-column deglycosylation for rapid and sensitive N-glycoproteome analysis. <i>Analytical Chemistry</i> , 2012 , 84, 5146-53	7.8	84
74	A large-scale protein phosphorylation analysis reveals novel phosphorylation motifs and phosphoregulatory networks in Arabidopsis. <i>Journal of Proteomics</i> , 2013 , 78, 486-98	3.9	79
73	Fluorescence Imaging In Vivo at Wavelengths beyond 1500 nm. <i>Angewandte Chemie</i> , 2015 , 127, 14971-	1 4 %75	72
72	MetaLab: an automated pipeline for metaproteomic data analysis. <i>Microbiome</i> , 2017 , 5, 157	16.6	71
71	Comprehensive mapping of protein N-glycosylation in human liver by combining hydrophilic interaction chromatography and hydrazide chemistry. <i>Journal of Proteome Research</i> , 2014 , 13, 1713-21	5.6	61
70	Global screening of CK2 kinase substrates by an integrated phosphoproteomics workflow. <i>Scientific Reports</i> , 2013 , 3, 3460	4.9	61
69	A comprehensive differential proteomic study of nitrate deprivation in Arabidopsis reveals complex regulatory networks of plant nitrogen responses. <i>Journal of Proteome Research</i> , 2012 , 11, 230	1516	58
68	Dragon fruit-like biocage as an iron trapping nanoplatform for high efficiency targeted cancer multimodality imaging. <i>Biomaterials</i> , 2015 , 69, 30-7	15.6	54
67	Large-scale characterization of intact N-glycopeptides using an automated glycoproteomic method. <i>Journal of Proteomics</i> , 2014 , 110, 145-54	3.9	54

(2017-2017)

66	Plant Responses to Abiotic Stress Regulated by Histone Deacetylases. <i>Frontiers in Plant Science</i> , 2017 , 8, 2147	6.2	53	
65	Improvement of the quantification accuracy and throughput for phosphoproteome analysis by a pseudo triplex stable isotope dimethyl labeling approach. <i>Analytical Chemistry</i> , 2011 , 83, 7755-62	7.8	51	
64	Monolithic capillary column based glycoproteomic reactor for high-sensitive analysis of N-glycoproteome. <i>Analytical Chemistry</i> , 2013 , 85, 2847-52	7.8	50	
63	Bottom-Up Proteomics (2013-2015): Keeping up in the Era of Systems Biology. <i>Analytical Chemistry</i> , 2016 , 88, 95-121	7.8	45	
62	Perspectives of comprehensive phosphoproteome analysis using shotgun strategy. <i>Analytical Chemistry</i> , 2011 , 83, 8078-85	7.8	45	
61	Improve the coverage for the analysis of phosphoproteome of HeLa cells by a tandem digestion approach. <i>Journal of Proteome Research</i> , 2012 , 11, 2828-37	5.6	44	
60	Capture and dimethyl labeling of glycopeptides on hydrazide beads for quantitative glycoproteomics analysis. <i>Analytical Chemistry</i> , 2012 , 84, 8452-6	7.8	40	
59	Highly Efficient Release of Glycopeptides from Hydrazide Beads by Hydroxylamine Assisted PNGase F Deglycosylation for N-Glycoproteome Analysis. <i>Analytical Chemistry</i> , 2015 , 87, 10199-204	7.8	39	
58	RapidAIM: a culture- and metaproteomics-based Rapid Assay of Individual Microbiome responses to drugs. <i>Microbiome</i> , 2020 , 8, 33	16.6	39	
57	HISTONE DEACETYLASE6 Acts in Concert with Histone Methyltransferases SUVH4, SUVH5, and SUVH6 to Regulate Transposon Silencing. <i>Plant Cell</i> , 2017 , 29, 1970-1983	11.6	39	
56	Zwitterionic Manganese and Gadolinium Metal-Organic Frameworks as Efficient Contrast Agents for in Vivo Magnetic Resonance Imaging. <i>ACS Applied Materials & Discourse Agents amp; Interfaces</i> , 2017 , 9, 41378-41386	9.5	39	
55	Magnetic nanoparticles coated with maltose-functionalized polyethyleneimine for highly efficient enrichment of N-glycopeptides. <i>Journal of Chromatography A</i> , 2015 , 1425, 213-20	4.5	34	
54	A proteomic analysis of engineered tendon formation under dynamic mechanical loading in vitro. <i>Biomaterials</i> , 2011 , 32, 4085-95	15.6	34	
53	Hybrid anisotropic nanostructures for dual-modal cancer imaging and image-guided chemo-thermo therapies. <i>Biomaterials</i> , 2016 , 103, 265-277	15.6	32	
52	Functionalizing with glycopeptide dendrimers significantly enhances the hydrophilicity of the magnetic nanoparticles. <i>Chemical Communications</i> , 2015 , 51, 4093-6	5.8	31	
51	Characterization of site-specific glycosylation of secreted proteins associated with multi-drug resistance of gastric cancer. <i>Oncotarget</i> , 2016 , 7, 25315-27	3.3	31	
50	An in vitro model maintaining taxon-specific functional activities of the gut microbiome. <i>Nature Communications</i> , 2019 , 10, 4146	17.4	30	
49	Proteomics Analysis of O-GalNAc Glycosylation in Human Serum by an Integrated Strategy. Analytical Chemistry, 2017 , 89, 1469-1476	7.8	29	

48	Proteomic and Metaproteomic Approaches to Understand Host-Microbe Interactions. <i>Analytical Chemistry</i> , 2018 , 90, 86-109	7.8	29
47	A peptide N-terminal protection strategy for comprehensive glycoproteome analysis using hydrazide chemistry based method. <i>Scientific Reports</i> , 2015 , 5, 10164	4.9	28
46	Cell nucleus targeting for living cell extraction of nucleic acid associated proteins with intracellular nanoprobes of magnetic carbon nanotubes. <i>Analytical Chemistry</i> , 2013 , 85, 7038-43	7.8	28
45	A simple integrated system for rapid analysis of sialic-acid-containing N-glycopeptides from human serum. <i>Proteomics</i> , 2013 , 13, 1306-13	4.8	28
44	Salinity-Induced Palmella Formation Mechanism in Halotolerant Algae Revealed by Quantitative Proteomics and Phosphoproteomics. <i>Frontiers in Plant Science</i> , 2017 , 8, 810	6.2	28
43	Proteomic analysis of protein methylation in the yeast Saccharomyces cerevisiae. <i>Journal of Proteomics</i> , 2015 , 114, 226-33	3.9	27
42	iMetaLab 1.0: a web platform for metaproteomics data analysis. <i>Bioinformatics</i> , 2018 , 34, 3954-3956	7.2	25
41	Highly efficient extraction of cellular nucleic acid associated proteins in vitro with magnetic oxidized carbon nanotubes. <i>Analytical Chemistry</i> , 2012 , 84, 10454-62	7.8	22
40	Depletion of acidic phosphopeptides by SAX to improve the coverage for the detection of basophilic kinase substrates. <i>Journal of Proteome Research</i> , 2012 , 11, 4673-81	5.6	22
39	ArMone: a software suite specially designed for processing and analysis of phosphoproteome data. Journal of Proteome Research, 2010 , 9, 2743-51	5.6	21
38	Large-scale quantification of single amino-acid variations by a variation-associated database search strategy. <i>Journal of Proteome Research</i> , 2014 , 13, 241-8	5.6	20
37	High-sensitivity N-glycoproteomic analysis of mouse brain tissue by protein extraction with a mild detergent of N-dodecyl ED-maltoside. <i>Analytical Chemistry</i> , 2015 , 87, 2054-7	7.8	20
36	Protein digestion priority is independent of protein abundances. <i>Nature Methods</i> , 2014 , 11, 220-2	21.6	20
35	Quantitative proteomics reveals the kinetics of trypsin-catalyzed protein digestion. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6247-56	4.4	19
34	Large-scale proteome quantification of hepatocellular carcinoma tissues by a three-dimensional liquid chromatography strategy integrated with sample preparation. <i>Journal of Proteome Research</i> , 2014 , 13, 3645-54	5.6	19
33	Phosphoproteome Profiling Reveals Circadian Clock Regulation of Posttranslational Modifications in the Murine Hippocampus. <i>Frontiers in Neurology</i> , 2017 , 8, 110	4.1	19
32	Integration of cell lysis, protein extraction, and digestion into one step for ultrafast sample preparation for phosphoproteome analysis. <i>Analytical Chemistry</i> , 2014 , 86, 6786-91	7.8	17
31	Identification of chemoresistance-related cell-surface glycoproteins in leukemia cells and functional validation of candidate glycoproteins. <i>Journal of Proteome Research</i> , 2014 , 13, 1593-601	5.6	16

(2014-2014)

30	Highly efficient N-glycoproteomic sample preparation by combining C(18) and graphitized carbon adsorbents. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 3103-9	4.4	15
29	A bead-based approach for large-scale identification of in vitro kinase substrates. <i>Proteomics</i> , 2011 , 11, 4632-7	4.8	15
28	Histone tales: lysine methylation, a protagonist in Arabidopsis development. <i>Journal of Experimental Botany</i> , 2020 , 71, 793-807	7	14
27	A new method for quantitative analysis of cell surface glycoproteome. <i>Proteomics</i> , 2012 , 12, 3328-37	4.8	14
26	Specific Enrichment of Peptides with N-Terminal Serine/Threonine by a Solid-Phase Capture-Release Approach for Efficient Proteomics Analysis. <i>Analytical Chemistry</i> , 2015 , 87, 11353-60	7.8	12
25	In situ sample processing approach (iSPA) for comprehensive quantitative phosphoproteome analysis. <i>Journal of Proteome Research</i> , 2014 , 13, 3896-904	5.6	12
24	N-terminal labeling of peptides by trypsin-catalyzed ligation for quantitative proteomics. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 9205-9	16.4	12
23	A six-plex proteome quantification strategy reveals the dynamics of protein turnover. <i>Scientific Reports</i> , 2013 , 3, 1827	4.9	11
22	Proteomics analysis of site-specific glycoforms by a virtual multistage mass spectrometry method. <i>Analytica Chimica Acta</i> , 2019 , 1070, 60-68	6.6	10
21	N-Glycopeptide Reduction with Exoglycosidases Enables Accurate Characterization of Site-Specific N-Glycosylation. <i>Analytical Chemistry</i> , 2016 , 88, 11837-11843	7.8	10
20	Analysis of human serum phosphopeptidome by a focused database searching strategy. <i>Journal of Proteomics</i> , 2013 , 78, 389-97	3.9	10
19	Identification of phosphopeptides with unknown cleavage specificity by a de novo sequencing assisted database search strategy. <i>Proteomics</i> , 2014 , 14, 2410-6	4.8	9
18	Dual T and T weighted magnetic resonance imaging based on Gd loaded bioinspired melanin dots. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018 , 14, 1743-1752	6	8
17	Trypsin-catalyzed N-terminal labeling of peptides with stable isotope-coded affinity tags for proteome analysis. <i>Analytical Chemistry</i> , 2014 , 86, 1170-7	7.8	8
16	A bead-based cleavage method for large-scale identification of protease substrates. <i>Scientific Reports</i> , 2016 , 6, 22645	4.9	8
15	MetaLab 2.0 Enables Accurate Post-Translational Modifications Profiling in Metaproteomics. Journal of the American Society for Mass Spectrometry, 2020 , 31, 1473-1482	3.5	6
14	Pharmacokinetic properties of wogonin and its herb-drug interactions with docetaxel in rats with mammary tumors. <i>Biomedical Chromatography</i> , 2018 , 32, e4264	1.7	6
13	Differential analysis of N-glycoproteome between hepatocellular carcinoma and normal human liver tissues by combination of multiple protease digestion and solid phase based labeling. <i>Clinical Proteomics</i> , 2014 , 11, 26	5	6

12	High specific phosphopeptides enrichment by titanium silicalite with post-treatment of desilication. <i>Analytical Methods</i> , 2013 , 5, 2939	3.2	5
11	Drug Delivery: Engineering Melanin Nanoparticles as an Efficient Drug D elivery System for Imaging-Guided Chemotherapy (Adv. Mater. 34/2015). <i>Advanced Materials</i> , 2015 , 27, 5092-5092	24	4
10	Photoacoustic Imaging: Perylene-Diimide-Based Nanoparticles as Highly Efficient Photoacoustic Agents for Deep Brain Tumor Imaging in Living Mice (Adv. Mater. 5/2015). <i>Advanced Materials</i> , 2015 , 27, 774-774	24	4
9	Separation and characterization of human microbiomes by metaproteomics. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 108, 221-230	14.6	4
8	Differential Lysis Approach Enables Selective Extraction of Taxon-Specific Proteins for Gut Metaproteomics. <i>Analytical Chemistry</i> , 2020 , 92, 5379-5386	7.8	3
7	Chemoenzymatic Method for Glycoproteomic N-Glycan Type Quantitation. <i>Analytical Chemistry</i> , 2020 , 92, 1618-1627	7.8	3
6	Metaproteomics Reveals Growth Phase-Dependent Responses of an Gut Microbiota to Metformin. Journal of the American Society for Mass Spectrometry, 2020 , 31, 1448-1458	3.5	3
5	RapidAIM: A culture- and metaproteomics-based Rapid Assay of Individual Microbiome responses to drugs		2
4	Exploring the Microbiome-Wide Lysine Acetylation, Succinylation, and Propionylation in Human Gut Microbiota. <i>Analytical Chemistry</i> , 2021 , 93, 6594-6598	7.8	2
3	Elevated colonic microbiota-associated paucimannosidic and truncated N-glycans in pediatric ulcerative colitis. <i>Journal of Proteomics</i> , 2021 , 249, 104369	3.9	2
2	A simultaneous identification and quantification strategy for determination of sulfhydryl-containing metabolites in normal- and high-fat diet hamsters using stable isotope labeling combined with LC-MS. <i>Analytica Chimica Acta</i> , 2021 , 1184, 339016	6.6	1
1	N-Terminal Labeling of Peptides by Trypsin-Catalyzed Ligation for Quantitative Proteomics. Angewandte Chemie, 2013 , 125, 9375-9379	3.6	