

# Takaya Shimura

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5290399/takaya-shimura-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76  
papers

928  
citations

19  
h-index

25  
g-index

86  
ext. papers

1,153  
ext. citations

3.8  
avg, IF

3.65  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 76 | The Risk Analyses of Lymph Node Metastasis and Recurrence for Submucosal Invasive Colorectal Cancer: Novel Criteria to Skip Completion Surgery.. <i>Cancers</i> , <b>2022</b> , 14,  | 6.6  | 1         |
| 75 | The Modified eCura System for Identifying High-Risk Lymph Node Metastasis in Patients with Early Gastric Cancer Resected by Endoscopic Submucosal Dissection. <i>Gastroenterology Insights</i> , <b>2022</b> , 13, 60-67   | 2.1  | 3         |
| 74 | Urinary estrogen metabolites and gastric cancer risk among postmenopausal women. <i>Cancer Reports</i> , <b>2021</b> , e1574   | 1.5  |           |
| 73 | Serum Exosomal Dicer Is a Useful Biomarker for Early Detection of Differentiated Gastric Adenocarcinoma. <i>Digestion</i> , <b>2021</b> , 102, 640-649   | 3.6  | 1         |
| 72 | Urinary microRNA biomarkers for detecting the presence of esophageal cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 8508  | 4.9  | 2         |
| 71 | Relationship between Immunophenotype and Clinicopathological Findings for Superficial Nonampullary Duodenal Epithelial Tumor. <i>Digestion</i> , <b>2021</b> , 102, 870-877  | 3.6  | 1         |
| 70 | Optimal definition of coagulation syndrome after colorectal endoscopic submucosal dissection: a post hoc analysis of randomized controlled trial. <i>International Journal of Colorectal Disease</i> , <b>2021</b> , 36, 1479-1485                                     | 3    | 0         |
| 69 | Whitish elevated lesion in the oesophagus: verrucous carcinoma. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 596   | 18.8 |           |
| 68 | Novel and Simple Criteria for Predicting Mortality of Peptic Ulcer Disease. <i>Internal Medicine</i> , <b>2021</b> , 60, 2349-2356   | 1.1  | 0         |
| 67 | Phase II Prospective Study of Trastuzumab in Combination with S-1 and Oxaliplatin (SOX100) Therapy for HER2-Positive Advanced Gastric Cancer. <i>Journal of Gastrointestinal Cancer</i> , <b>2021</b> , 1  | 1.6  | 1         |
| 66 | Milky Ascites With Severe Peritonitis. <i>Gastroenterology</i> , <b>2021</b> , 161, e4-e5  | 13.3 | 0         |
| 65 | Omental adipocytes promote peritoneal metastasis of gastric cancer through the CXCL2-VEGFA axis. <i>British Journal of Cancer</i> , <b>2020</b> , 123, 459-470   | 8.7  | 10        |
| 64 | A multicenter, single-blind randomized controlled trial of endoscopic clipping closure for preventing coagulation syndrome after colorectal endoscopic submucosal dissection. <i>Gastrointestinal Endoscopy</i> , <b>2020</b> , 91, 859-867.e1                         | 5.2  | 11        |
| 63 | The first management using intubation of a nasogastric tube with Gastrografin enterography or long tube for non-strangulated acute small bowel obstruction: a multicenter, randomized controlled trial. <i>Journal of Gastroenterology</i> , <b>2020</b> , 55, 858-867 | 6.9  | 4         |
| 62 | Novel urinary protein biomarker panel for early diagnosis of gastric cancer. <i>British Journal of Cancer</i> , <b>2020</b> , 123, 1656-1664   | 8.7  | 10        |
| 61 | Pathological impact of transanal colorectal tube for obstructive colorectal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2020</b> , 34, 4011-4018  | 5.2  | 1         |
| 60 | Current status of urinary diagnostic biomarkers for colorectal cancer. <i>Clinica Chimica Acta</i> , <b>2019</b> , 498, 76-83  | 6.2  | 6         |

|    |   |     |    |
|----|---|-----|----|
| 59 | A novel urinary microRNA biomarker panel for detecting gastric cancer. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 1061-1069   | 6.9 | 25 |
| 58 | Placental growth factor is a predictive biomarker for ramucirumab treatment in advanced gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2019</b> , 83, 1037-1046   | 3.5 | 4  |
| 57 | Antitumor Effect of a Novel Photodynamic Therapy With Acetylated Glucose-conjugated Chlorin for Gastrointestinal Cancers. <i>Anticancer Research</i> , <b>2019</b> , 39, 4199-4206  | 2.3 | 3  |
| 56 | Long-term Outcomes of One Stage Surgery Using Transanal Colorectal Tube for Acute Colorectal Obstruction of Stage II/III Distal Colon Cancer. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 474-482                                      | 5.2 | 7  |
| 55 | Urinary Cysteine-Rich Protein 61 and Trefoil Factor 3 as Diagnostic Biomarkers for Colorectal Cancer. <i>Translational Oncology</i> , <b>2019</b> , 12, 539-544   | 4.9 | 14 |
| 54 | Excellent antitumor effects for gastrointestinal cancers using photodynamic therapy with a novel glucose conjugated chlorin e6. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 496, 1204-1209                           | 2.4 | 18 |
| 53 | Colorectal obstruction is a potential prognostic factor for stage II colorectal cancer. <i>International Journal of Clinical Oncology</i> , <b>2018</b> , 23, 1101-1111   | 4.2 | 10 |
| 52 | Expression and subcellular localization of AT motif binding factor 1 in colon tumours. <i>Molecular Medicine Reports</i> , <b>2017</b> , 16, 3095-3102  | 2.9 | 5  |
| 51 | Ectopic Gastric and Intestinal Phenotypes, Neuroendocrine Cell Differentiation, and SOX2 Expression Correlated With Early Tumor Progression in Colorectal Laterally Spreading Tumors. <i>Clinical Colorectal Cancer</i> , <b>2017</b> , 16, 141-146 | 3.8 | 2  |
| 50 | Urinary kallikrein 10 predicts the incurability of gastric cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 29247-29257   | 3.3 | 11 |
| 49 | Long-Term Clinical Remission in Biologically Naïve Crohn's Disease Patients with Adalimumab Therapy, Including Analyses of Switch from Adalimumab to Infliximab. <i>Case Reports in Gastroenterology</i> , <b>2016</b> , 10, 283-91                 | 1   | 4  |
| 48 | A phase II prospective study of the trastuzumab combined with 5-weekly S-1 and CDDP therapy for HER2-positive advanced gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2016</b> , 77, 957-62                                       | 3.5 | 20 |
| 47 | Autonomic nervous responses in colorectal polypectomy: Randomized controlled trial comparing air and carbon dioxide insufflation. <i>Digestive Endoscopy</i> , <b>2016</b> , 28, 203-9  | 3.7 | 4  |
| 46 | Immunogenic cell death due to a new photodynamic therapy (PDT) with glycoconjugated chlorin (G-chlorin). <i>Oncotarget</i> , <b>2016</b> , 7, 47242-47251   | 3.3 | 43 |
| 45 | Anticancer Effects of a New Aminosugar-conjugated Platinum Complex Agent Against Cisplatin-resistant Gastric Cancer. <i>Anticancer Research</i> , <b>2016</b> , 36, 6005-6009   | 2.3 | 7  |
| 44 | Evidence-based Clinical Management of Acute Malignant Colorectal Obstruction. <i>Journal of Clinical Gastroenterology</i> , <b>2016</b> , 50, 273-85  | 3   | 24 |
| 43 | Urinary ADAM12 and MMP-9/NGAL complex detect the presence of gastric cancer. <i>Cancer Prevention Research</i> , <b>2015</b> , 8, 240-8   | 3.2 | 31 |
| 42 | Preventive effect of rebamipide on N-methyl-N-nitro-N-nitrosoguanidine-induced gastric carcinogenesis in rats. <i>Experimental and Toxicologic Pathology</i> , <b>2015</b> , 67, 271-7  |     | 12 |

|    |  |     |    |
|----|--|-----|----|
| 41 | Multicenter, prospective trial of white-light imaging alone versus white-light imaging followed by magnifying endoscopy with narrow-band imaging for the real-time imaging and diagnosis of invasion depth in superficial esophageal squamous cell carcinoma. <i>Gastrointestinal Endoscopy</i> , <b>2015</b> , 81, 1355-1361.e2 | 5.2 | 37 |
| 40 | Subset Analysis of a Multicenter, Randomized Controlled Trial to Compare Magnifying Chromoendoscopy with Endoscopic Ultrasonography for Stage Diagnosis of Early Stage Colorectal Cancer. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134942   | 3.7 | 6  |
| 39 | Magnifying chromoendoscopy and endoscopic ultrasonography measure invasion depth of early stage colorectal cancer with equal accuracy on the basis of a prospective trial. <i>Clinical Gastroenterology and Hepatology</i> , <b>2014</b> , 12, 662-8.e1-2  | 6.9 | 29 |
| 38 | Management of systolic blood pressure after endoscopic submucosal dissection is crucial for prevention of post-ESD gastric bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2014</b> , 26, 504-9  | 2.2 | 9  |
| 37 | A novel predictive strategy by immunohistochemical analysis of four EGFR ligands in metastatic colorectal cancer treated with anti-EGFR antibodies. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2013</b> , 139, 367-78  | 4.9 | 24 |
| 36 | Novel nasogastric tube-related criteria for urgent endoscopy in nonvariceal upper gastrointestinal bleeding. <i>Digestive Diseases and Sciences</i> , <b>2013</b> , 58, 2564-71  | 4   | 10 |
| 35 | Infliximab salvage therapy for patients with ulcerative colitis who failed to respond to tacrolimus. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2013</b> , 25, 714-8  | 2.2 | 10 |
| 34 | Annexin A2 regulates a disintegrin and metalloproteinase 17-mediated ectodomain shedding of pro-tumor necrosis factor- $\alpha$ in monocytes and colon epithelial cells. <i>Inflammatory Bowel Diseases</i> , <b>2013</b> , 19, 1365-73  | 4.5 | 12 |
| 33 | Telmisartan inhibits cell proliferation by blocking nuclear translocation of ProHB-EGF C-terminal fragment in colon cancer cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e56770  | 3.7 | 21 |
| 32 | Nuclear translocation of pro-amphiregulin induces chemoresistance in gastric cancer. <i>Cancer Science</i> , <b>2012</b> , 103, 708-15   | 6.9 | 11 |
| 31 | Nuclear translocation of the cytoplasmic domain of HB-EGF induces gastric cancer invasion. <i>BMC Cancer</i> , <b>2012</b> , 12, 205   | 4.8 | 14 |
| 30 | Comparison of staging diagnosis by two magnifying endoscopy classification for superficial oesophageal cancer. <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 940-4  | 3.3 | 4  |
| 29 | The impact of cross-resistance between paclitaxel and docetaxel for metastatic gastric cancer. <i>Onkologie</i> , <b>2012</b> , 35, 176-83   |     | 6  |
| 28 | Combination therapy with adalimumab plus intensive granulocyte and monocyte adsorptive apheresis induced clinical remission in a Crohn's disease patient with the loss of response to scheduled adalimumab maintenance therapy: a case report. <i>Internal Medicine</i> , <b>2012</b> , 51, 595-9                                | 1.1 | 12 |
| 27 | A patient with gastric adenosquamous carcinoma with intraperitoneal free cancer cells who remained recurrence-free with postoperative S-1 chemotherapy. <i>Internal Medicine</i> , <b>2012</b> , 51, 3125-9  | 1.1 | 11 |
| 26 | C-reactive protein is a potential prognostic factor for metastatic gastric cancer. <i>Anticancer Research</i> , <b>2012</b> , 32, 491-6  | 2.3 | 26 |
| 25 | Involvement of Cell Proliferation Induced by Dual Intracellular Signaling of HB-EGF in the Development of Colitis-Associated Cancer during Ulcerative Colitis. <i>Ulcers</i> , <b>2011</b> , 2011, 1-6   |     | 20 |
| 24 | Involvement of oxidative stress and mucosal addressin cell adhesion molecule-1 (MAdCAM-1) in inflammatory bowel disease. <i>Journal of Clinical Biochemistry and Nutrition</i> , <b>2011</b> , 48, 112-6   | 3.1 | 44 |

|    |   |      |    |
|----|---|------|----|
| 23 | The role of neuregulin4 and HER4 in gastrointestinal malignant lymphoma. <i>Molecular Medicine Reports</i> , <b>2011</b> , 4, 1151-5  | 2.9  | 6  |
| 22 | A rare case of infectious colitis with ulcers in the cecum caused by Mycobacterium gordonae. <i>Internal Medicine</i> , <b>2011</b> , 50, 2583-6  | 1.1  | 3  |
| 21 | Cardiovascular tolerance and autonomic nervous responses in unsedated upper gastrointestinal small-caliber endoscopy: a comparison between transnasal and peroral procedures with newly developed mouthpiece. <i>Digestive Endoscopy</i> , <b>2011</b> , 23, 78-85  | 3.7  | 16 |
| 20 | Metastatic colorectal cancer with severe liver dysfunction successfully treated using FOLFOX therapy. <i>Journal of Gastrointestinal Cancer</i> , <b>2011</b> , 42, 68-72   | 1.6  | 7  |
| 19 | Incidence of gastrointestinal bleeding in patients with cardiovascular disease: buffered aspirin versus enteric-coated aspirin. <i>Scandinavian Journal of Gastroenterology</i> , <b>2011</b> , 46, 803-9   | 2.4  | 21 |
| 18 | A complicated case of tacrolimus-induced rapid remission after cesarean section in the early third trimester for refractory severe ulcerative colitis flaring in the initial period of gestation. <i>Case Reports in Gastroenterology</i> , <b>2011</b> , 5, 144-51 | 1    | 9  |
| 17 | Long-term high-dose proton pump inhibitor administration to Helicobacter pylori-infected Mongolian gerbils enhances neuroendocrine tumor development in the glandular stomach. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2011</b> , 12, 1049-54        | 1.7  | 7  |
| 16 | Intranuclear translocation signaling of HB-EGF carboxy-terminal fragment and mucosal defense through cell proliferation and migration in digestive tracts. <i>Digestion</i> , <b>2010</b> , 82, 145-9   | 3.6  | 12 |
| 15 | Blockage of angiotensin II type 1 receptor regulates TNF-alpha-induced MAdCAM-1 expression via inhibition of NF-kappaB translocation to the nucleus and ameliorates colitis. <i>American Journal of Physiology - Renal Physiology</i> , <b>2010</b> , 298, G255-66  | 5.1  | 35 |
| 14 | Tumor suppressor, AT motif binding factor 1 (ATBF1), translocates to the nucleus with runt domain transcription factor 3 (RUNX3) in response to TGF-beta signal transduction. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 398, 321-5 | 3.4  | 32 |
| 13 | TGFβ induces proHB-EGF shedding and EGFR transactivation through ADAM activation in gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 402, 449-54  | 3.4  | 22 |
| 12 | Role of ES cell-expressed Ras (ERas) in tumorigenicity of gastric cancer. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 955-63  | 5.8  | 23 |
| 11 | Combination chemotherapy with cisplatin and gemcitabine in malignant peritoneal mesothelioma. <i>International Journal of Clinical Oncology</i> , <b>2009</b> , 14, 266-9   | 4.2  | 8  |
| 10 | Feasibility of self-expandable metallic stent plus chemotherapy for metastatic gastric cancer with pyloric stenosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 1358-64  | 4    | 6  |
| 9  | An endocrine cell carcinoma with gastric-and-intestinal mixed phenotype adenocarcinoma component in the stomach. <i>Digestive Endoscopy</i> , <b>2009</b> , 21, 258-61  | 3.7  | 2  |
| 8  | Gastric-and-intestinal mixed endocrine cell phenotypic expression of carcinoid tumors in the rectum. <i>Oncology Reports</i> , <b>2009</b> , 21, 107-12   | 3.5  | 3  |
| 7  | Suppression of proHB-EGF carboxy-terminal fragment nuclear translocation: a new molecular target therapy for gastric cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 3956-65  | 12.9 | 26 |
| 6  | Rectal inflammatory fibroid polyp resected with endoscopic submucosal dissection. <i>Internal Medicine</i> , <b>2008</b> , 47, 2029-31  | 1.1  | 6  |

|   |  |     |    |
|---|--|-----|----|
| 5 | Gastric phenotype signet-ring cell carcinoma of the stomach with multiple bone metastases effectively treated with sequential methotrexate and 5-fluorouracil. <i>International Journal of Clinical Oncology</i> , <b>2008</b> , 13, 373-6 | 4.2 | 6  |
| 4 | Advantages of endoscopic submucosal dissection over conventional endoscopic mucosal resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2007</b> , 22, 821-6   | 4   | 59 |
| 3 | Effect of plaunotol in combination with clarithromycin against clarithromycin-resistant <i>Helicobacter pylori</i> in vitro and in vivo. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2007</b> , 60, 1060-3                           | 5.1 | 3  |
| 2 | Contribution of <i>Helicobacter pylori</i> Infection and Obesity on Heartburn in a Japanese Population. <i>Journal of Clinical Biochemistry and Nutrition</i> , <b>2006</b> , 39, 168-173  | 3.1 | 7  |
| 1 | Oral vaccination against <i>Helicobacter pylori</i> with recombinant cholera toxin B-subunit. <i>Helicobacter</i> , <b>2005</b> , 10, 345-52   | 4.9 | 7  |