

Sung Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5291367/publications.pdf>

Version: 2024-02-01

67
papers

1,989
citations

249298

26
h-index

274796

44
g-index

68
all docs

68
docs citations

68
times ranked

3199
citing authors

#	ARTICLE	IF	CITATIONS
1	Improved Erythrocyte Deformability Induced by Sodium-Glucose Cotransporter 2 Inhibitors in Type 2 Diabetic Patients. <i>Cardiovascular Drugs and Therapy</i> , 2022, 36, 59-67.	1.3	0
2	Sensitive electrochemical immunosensor to detect prohibitin 2, a potential blood cancer biomarker. <i>Talanta</i> , 2022, 238, 123053.	2.9	5
3	The Effects of Intravenous Fluid Viscosity on the Accuracy of Intravenous Infusion Flow Regulators. <i>Journal of Korean Medical Science</i> , 2022, 37, e71.	1.1	2
4	Effect of aspirin on coronavirus disease 2019. <i>Medicine (United States)</i> , 2021, 100, e26670.	0.4	8
5	Rapid bacteria-detection platform based on magnetophoretic concentration, dielectrophoretic separation, and impedimetric detection. <i>Analytica Chimica Acta</i> , 2021, 1173, 338696.	2.6	6
6	Microfluidic Single-Cell Proteomics Assay Chip: Lung Cancer Cell Line Case Study. <i>Micromachines</i> , 2021, 12, 1147.	1.4	1
7	A single snapshot multiplex immunoassay platform utilizing dense test lines based on engineered beads. <i>Biosensors and Bioelectronics</i> , 2021, 190, 113388.	5.3	16
8	Effects of osmolality and solutes on the morphology of red blood cells according to three-dimensional refractive index tomography. <i>PLoS ONE</i> , 2021, 16, e0262106.	1.1	13
9	A fully integrated bacterial pathogen detection system based on count-on-a-cartridge platform for rapid, ultrasensitive, highly accurate and culture-free assay. <i>Biosensors and Bioelectronics</i> , 2020, 152, 112007.	5.3	21
10	Association Between Renin-Angiotensin-Aldosterone System Inhibitors and COVID-19 Infection in South Korea. <i>Hypertension</i> , 2020, 76, 742-749.	1.3	33
11	Temperature Correction to Enhance Blood Glucose Monitoring Accuracy Using Electrical Impedance Spectroscopy. <i>Sensors</i> , 2020, 20, 6231.	2.1	5
12	Association between hemoglobin variability and incidence of hypertension over 40 years: a Korean national cohort study. <i>Scientific Reports</i> , 2020, 10, 12061.	1.6	8
13	Continuous, rapid concentration of foodborne bacteria (Staphylococcus aureus, Salmonella) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Control, 2020, 114, 107229.	2.8	27
14	Electrochemical Impedance Characterization of Blood Cell Suspensions—Part 2: Three-Phase Systems With Single-Shelled Particles. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 2979-2989.	2.5	5
15	Electrochemical Impedance Characterization of Blood Cell Suspensions. Part 1: Basic Theory and Application to Two-Phase Systems. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 2965-2978.	2.5	4
16	Association between dyslipidemia and serum uric acid levels in Korean adults: Korea National Health and Nutrition Examination Survey 2016-2017. <i>PLoS ONE</i> , 2020, 15, e0228684.	1.1	36
17	MATE-Seq: microfluidic antigen-TCR engagement sequencing. <i>Lab on A Chip</i> , 2019, 19, 3011-3021.	3.1	36
18	A physiometer for simultaneous measurement of whole blood viscosity and its determinants: hematocrit and red blood cell deformability. <i>Analyst, The</i> , 2019, 144, 3144-3157.	1.7	35

#	ARTICLE	IF	CITATIONS
19	Association between long-term hemoglobin variability and mortality in Korean adults: a nationwide population-based cohort study. <i>Scientific Reports</i> , 2019, 9, 17285.	1.6	4
20	Electrochemical detection of methylated DNA on a microfluidic chip with nanoelectrokinetic pre-concentration. <i>Biosensors and Bioelectronics</i> , 2018, 107, 103-110.	5.3	60
21	A microfluidic-based lid device for conventional cell culture dishes to automatically control oxygen level. <i>BioTechniques</i> , 2018, 64, 231-234.	0.8	3
22	Electrochemical impedance spectroscopy of blood. Part 2: numerical analysis of experimental dielectric spectra using the biconcave shape of human erythrocytes. <i>Analytical Methods</i> , 2018, 10, 168-179.	1.3	6
23	Electrochemical impedance spectroscopy of blood. Part 3: a study of the correlation between blood conductivity and sedimentation to shorten the erythrocyte sedimentation rate test. <i>Analytical Methods</i> , 2018, 10, 180-189.	1.3	10
24	Electrochemical impedance spectroscopy of blood for sensitive detection of blood hematocrit, sedimentation and dielectric properties. <i>Analytical Methods</i> , 2017, 9, 3302-3313.	1.3	34
25	Micro-Viscometer for Measuring Shear-Varying Blood Viscosity over a Wide-Ranging Shear Rate. <i>Sensors</i> , 2017, 17, 1442.	2.1	35
26	Stretchable Multichannel Electromyography Sensor Array Covering Large Area for Controlling Home Electronics with Distinguishable Signals from Multiple Muscles. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 21070-21076.	4.0	53
27	A movable polymeric microneedle array actuated by thermopneumatic force. <i>Sensors and Actuators A: Physical</i> , 2016, 237, 128-135.	2.0	5
28	The Effect of Pulsatile Versus Nonpulsatile Blood Flow on Viscoelasticity and Red Blood Cell Aggregation in Extracorporeal Circulation. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 49, 145-150.	0.6	15
29	On-chip Extraction of Intracellular Molecules in White Blood Cells from Whole Blood. <i>Scientific Reports</i> , 2015, 5, 15167.	1.6	36
30	Effects of Aggregation on Blood Sedimentation and Conductivity. <i>PLoS ONE</i> , 2015, 10, e0129337.	1.1	61
31	Highly Stable Liquid Metal-Based Pressure Sensor Integrated with a Microfluidic Channel. <i>Sensors</i> , 2015, 15, 11823-11835.	2.1	97
32	A Solid-State Thin-Film Ag/AgCl Reference Electrode Coated with Graphene Oxide and Its Use in a pH Sensor. <i>Sensors</i> , 2015, 15, 6469-6482.	2.1	57
33	A microfluidic device for label-free detection of <i>Escherichia coli</i> in drinking water using positive dielectrophoretic focusing, capturing, and impedance measurement. <i>Biosensors and Bioelectronics</i> , 2015, 74, 1011-1015.	5.3	64
34	A rapid, sensitive and selective electrochemical biosensor with concanavalin A for the preemptive detection of norovirus. <i>Biosensors and Bioelectronics</i> , 2015, 64, 338-344.	5.3	99
35	Improvement of the accuracy of continuous hematocrit measurement under various blood flow conditions. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	15
36	Topology optimization of the shear thinning non-Newtonian fluidic systems for minimizing wall shear stress. <i>Computers and Mathematics With Applications</i> , 2014, 67, 1154-1170.	1.4	26

#	ARTICLE	IF	CITATIONS
37	Fabrication method and characterization of electrodeposited and heat-treated iridium oxide films for pH sensing. <i>Sensors and Actuators B: Chemical</i> , 2014, 196, 31-38.	4.0	80
38	Field enhancement factor and optimal emitter density in a nanowall array. <i>Carbon</i> , 2014, 75, 289-298.	5.4	4
39	Facile method for constructing an effective electron transfer mediating layer using ferrocene-containing multifunctional redox copolymer. <i>Electrochimica Acta</i> , 2014, 133, 40-48.	2.6	18
40	High-density immobilization of antibodies onto nanobead-coated cyclic olefin copolymer plastic surfaces for application as a sensitive immunoassay chip. <i>Biomedical Microdevices</i> , 2013, 15, 691-698.	1.4	13
41	Integrated microfluidic viscometer equipped with fluid temperature controller for measurement of viscosity in complex fluids. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 657-668.	1.0	49
42	A Chemically Synthesized Capture Agent Enables the Selective, Sensitive, and Robust Electrochemical Detection of Anthrax Protective Antigen. <i>ACS Nano</i> , 2013, 7, 9452-9460.	7.3	56
43	On-Chip Parylene-C Microstencil for Simple-to-Use Patterning of Proteins and Cells on Polydimethylsiloxane. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 2658-2668.	4.0	15
44	Rapid Detection of Norovirus from Fresh Lettuce Using Immunomagnetic Separation and a Quantum Dots Assay. <i>Journal of Food Protection</i> , 2013, 76, 707-711.	0.8	17
45	Protein patterning utilizing region-specific control of wettability by surface modification under atmospheric pressure. <i>Applied Physics Letters</i> , 2013, 103, 123701.	1.5	1
46	Field enhancement factor for the floating sphere model of the nanotube array in parallel-plate geometry. , 2012, , .		0
47	Fluidic low pass filter for hydrodynamic flow stabilization in microfluidic environments. <i>Lab on A Chip</i> , 2012, 12, 1881.	3.1	51
48	Special issue on BioMEMS. <i>Biomedical Engineering Letters</i> , 2012, 2, 69-70.	2.1	1
49	Improvement of electrical blood hematocrit measurements under various plasma conditions using a novel hematocrit estimation parameter. <i>Biosensors and Bioelectronics</i> , 2012, 35, 416-420.	5.3	31
50	Surface modification of PDMS by atmospheric-pressure plasma-enhanced chemical vapor deposition and analysis of long-lasting surface hydrophilicity. <i>Sensors and Actuators B: Chemical</i> , 2012, 162, 425-434.	4.0	65
51	PDMS through-hole fabrication by soft lithography using CH ₄ . , 2011, , .		0
52	Bead Packing and Release Using Flexible Polydimethylsiloxane Membrane for Semi-Continuous Biosensing. <i>Artificial Organs</i> , 2011, 35, E136-44.	1.0	8
53	Fabrication of PDMS through-holes using the MIMIC method and the surface treatment by atmospheric-pressure CH ₄ /He RF plasma. <i>Journal of Micromechanics and Microengineering</i> , 2011, 21, 097001.	1.5	15
54	Continuous cell cross over and lysis in a microfluidic device. <i>Microfluidics and Nanofluidics</i> , 2010, 8, 695-701.	1.0	13

#	ARTICLE	IF	CITATIONS
55	Experimental Investigation of Pulsatility Effect on the Deformability and Hemolysis of Blood Cells. Artificial Organs, 2010, 34, E103-9.	1.0	16
56	A Highly Accurate and Consistent Microfluidic Viscometer for Continuous Blood Viscosity Measurement. Artificial Organs, 2010, 34, 944-949.	1.0	57
57	A Microfluidic Device for Continuous White Blood Cell Separation and Lysis From Whole Blood. Artificial Organs, 2010, 34, 996-1002.	1.0	27
58	Silica nanochannel device for pH sensing based on surface charge density changes. , 2010, , .		0
59	Viscosity measurement using hydrodynamic diverging chamber and digital counting in microfluidic channels. , 2010, , .		1
60	Impedance measurement of normal and cancerous human breast cells using a microfluidic tunnel. , 2010, , .		0
61	Penn State Hersheyâ€™Center for Pediatric Cardiovascular Research. Artificial Organs, 2009, 33, 883-887.	1.0	4
62	Pediatric cardiopulmonary bypass circuits: a review of studies conducted at the Penn State Pediatric Cardiac Research Laboratories. Journal of Extra-Corporeal Technology, 2009, 41, P50-8.	0.2	3
63	Hydrogen Ion Sensing Using Schottky Contacted Silicon Nanowire FETs. IEEE Nanotechnology Magazine, 2008, 7, 745-748.	1.1	20
64	Continuous cytometric bead processing within a microfluidic device for bead based sensing platforms. Lab on A Chip, 2007, 7, 588-595.	3.1	28
65	A microfluidic device for continuous, real time blood plasma separation. Lab on A Chip, 2006, 6, 871-880.	3.1	399
66	Microfluidic Devices for Continuous Blood Plasma Separation and Analysis During Pediatric Cardiopulmonary Bypass Procedures. ASAIO Journal, 2006, 52, 698-704.	0.9	19
67	Blood Plasma Separation in Microfluidic Channels Using Flow Rate Control. ASAIO Journal, 2005, 51, 585-590.	0.9	37