
## Jeffery T Lichtenhan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5291728/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Medial olivocochlear reflex effects on amplitude growth functions of long- and short-latency<br>components of click-evoked otoacoustic emissions in humans. Journal of Neurophysiology, 2021, 125,<br>1938-1953.  | 1.8 | 6         |
| 2  | Intracochlear Electrocochleography and Speech Perception Scores in Cochlear Implant Recipients.<br>Laryngoscope, 2021, 131, E2681-E2688.  | 2.0 | 3         |
| 3  | Reducing Auditory Nerve Excitability by Acute Antagonism of Ca2+-Permeable AMPA Receptors.<br>Frontiers in Synaptic Neuroscience, 2021, 13, 680621.   | 2.5 | 5         |
| 4  | Measurements From Ears With Endolymphatic Hydrops and 2-Hydroxypropyl-Beta-Cyclodextrin Provide<br>Evidence That Loudness Recruitment Can Have a Cochlear Origin. Frontiers in Surgery, 2021, 8, 687490.          | 1.4 | 2         |
| 5  | The Spatial Origins of Cochlear Amplification Assessed by Stimulus-Frequency Otoacoustic Emissions.<br>Biophysical Journal, 2020, 118, 1183-1195.   | 0.5 | 16        |
| 6  | Early Detection of Endolymphatic Hydrops using the Auditory Nerve Overlapped Waveform (ANOW).<br>Neuroscience, 2020, 425, 251-266.  | 2.3 | 11        |
| 7  | Is cochlear synapse loss an origin of low-frequency hearing loss associated with endolymphatic hydrops?. Hearing Research, 2020, 398, 108099.   | 2.0 | 8         |
| 8  | A Revised Surgical Approach to Induce Endolymphatic Hydrops in the Guinea Pig. Journal of Visualized Experiments, 2020, , .   | 0.3 | 4         |
| 9  | Cochlear compound action potentials from high-level tone bursts originate from wide cochlear regions that are offset toward the most sensitive cochlear region. Journal of Neurophysiology, 2019, 121, 1018-1033. | 1.8 | 16        |
| 10 | Patients With Normal Hearing Thresholds but Difficulty Hearing in Noisy Environments: A Study on the Willingness to Try Auditory Training. Otology and Neurotology, 2018, 39, 950-956.                            | 1.3 | 6         |
| 11 | Surveying Patients with â€~Hidden Hearing Loss'. Hearing Journal, 2018, 71, 28,30.  | 0.1 | 2         |
| 12 | Editorial: New Advances in Electrocochleography for Clinical and Basic Investigation. Frontiers in Neuroscience, 2018, 12, 310.   | 2.8 | 11        |
| 13 | Efferent inhibition strength is a physiological correlate of hyperacusis in children with autism spectrum disorder. Journal of Neurophysiology, 2017, 118, 1164-1172.   | 1.8 | 41        |
| 14 | Contralateral Inhibition of Click- and Chirp-Evoked Human Compound Action Potentials. Frontiers in Neuroscience, 2017, 11, 189.   | 2.8 | 22        |
| 15 | The Auditory Nerve Overlapped Waveform (ANOW) Detects Small Endolymphatic Manipulations That<br>May Go Undetected by Conventional Measurements. Frontiers in Neuroscience, 2017, 11, 405.                         | 2.8 | 12        |
| 16 | Human Summating Potential Using Continuous Loop Averaging Deconvolution: Response Amplitudes<br>Vary with Tone Burst Repetition Rate and Duration. Frontiers in Neuroscience, 2017, 11, 429.                      | 2.8 | 8         |
| 17 | Direct administration of 2-Hydroxypropyl-Beta-Cyclodextrin into guinea pig cochleae: Effects on physiological and histological measurements. PLoS ONE, 2017, 12, e0175236.  | 2.5 | 20        |
| 18 | Behavioral Pure-Tone Threshold Shifts Caused by Tympanic Membrane Electrodes. Ear and Hearing, 2016, 37, e273-e275.   | 2.1 | 5         |

JEFFERY T LICHTENHAN

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Drug delivery into the cochlear apex: Improved control to sequentially affect finely spaced regions along the entire length of the cochlear spiral. Journal of Neuroscience Methods, 2016, 273, 201-209.   | 2.5 | 17        |
| 20 | Assessment of low-frequency hearing with narrow-band chirp-evoked 40-Hz sinusoidal auditory steady-state response. International Journal of Audiology, 2016, 55, 239-247.  | 1.7 | 6         |
| 21 | Medial olivocochlear efferent reflex inhibition of human cochlear nerve responses. Hearing Research, 2016, 333, 216-224.   | 2.0 | 46        |
| 22 | An analysis of cochlear response harmonics: Contribution of neural excitation. Journal of the Acoustical Society of America, 2015, 138, 2957-2963.   | 1.1 | 12        |
| 23 | The auditory nerve overlapped waveform (ANOW): A new objective measure of low-frequency hearing.<br>AIP Conference Proceedings, 2015, , .  | 0.4 | 2         |
| 24 | How Does Wind Turbine Noise Affect People?. Acoustics Today, 2014, 10, 20-28.  | 1.0 | 14        |
| 25 | The Auditory Nerve Overlapped Waveform (ANOW) Originates in the Cochlear Apex. JARO - Journal of the Association for Research in Otolaryngology, 2014, 15, 395-411.  | 1.8 | 47        |
| 26 | Amplitude modulation of audible sounds by non-audible sounds: Understanding the effects of wind turbine noise. Proceedings of Meetings on Acoustics, 2013, , .   | 0.3 | 6         |
| 27 | Large endolymphatic potentials from low-frequency and infrasonic tones in the guinea pig. Journal of the Acoustical Society of America, 2013, 133, 1561-1571.  | 1.1 | 34        |
| 28 | A New Auditory Threshold Estimation Technique for Low Frequencies. Ear and Hearing, 2013, 34, 42-51.   | 2.1 | 61        |
| 29 | Effects of Low-Frequency Biasing on Otoacoustic and Neural Measures Suggest that<br>Stimulus-Frequency Otoacoustic Emissions Originate Near the Peak Region of the Traveling Wave.<br>JARO - Journal of the Association for Research in Otolaryngology, 2012, 13, 17-28. | 1.8 | 24        |
| 30 | Click- and chirp-evoked human compound action potentials. Journal of the Acoustical Society of America, 2010, 127, 2992-2996.  | 1.1 | 31        |
| 31 | Temporary hearing loss influences post-stimulus time histogram and single neuron action potential estimates from human compound action potentials. Journal of the Acoustical Society of America, 2008, 123, 2200-2212.   | 1.1 | 27        |
| 32 | The influence of noise exposure on the parameters of a convolution model of the compound action potential. Journal of the Acoustical Society of America, 2008, 124, 2174-2185.   | 1.1 | 8         |
| 33 | Predicting severity of cochlear hair cell damage in adult chickens using DPOAE input–output functions. Hearing Research, 2005, 201, 109-120.   | 2.0 | 9         |
| 34 | Influence of hearing sensitivity on mechano-electric transduction. Journal of the Acoustical Society of America, 2003, 114, 3251-3263.   | 1.1 | 9         |