

Diego Quattrone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5292235/publications.pdf>

Version: 2024-02-01

71
papers

3,292
citations

361296

20
h-index

175177

52
g-index

80
all docs

80
docs citations

80
times ranked

3250
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	2.7	9
2	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	2.7	17
3	Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799.	2.7	9
4	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	2.7	22
5	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	2.7	7
6	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	2.3	9
7	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	2.3	9
8	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
9	The Kraepelian concept of schizophrenia: Dying but not yet dead. <i>Schizophrenia Research</i> , 2022, 242, 102-105.	1.1	9
10	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	2.7	7
11	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	2.7	38
12	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	2.7	58
13	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	2.7	34
14	Do Idiopathic Parkinson's Disease and Schizophrenia Lie on the Same Genetic Spectrum?. <i>Biological Psychiatry</i> , 2021, 89, 207-208.	0.7	0
15	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021, 10, .	2.8	72
16	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	2.3	17
17	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	2.3	4
18	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	2.4	12

#	ARTICLE	IF	CITATIONS
19	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	1.1	4
20	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
21	Duration of Untreated Disorder and Cannabis Use: An Observational Study on a Cohort of Young Italian Patients Experiencing Psychotic Experiences and Dissociative Symptoms. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12632.	1.2	16
22	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	2.3	60
23	Letter to the editor: Is polygenic risk for Parkinson's disease associated with less risk of first episode psychosis?. <i>Psychological Medicine</i> , 2020, 50, 173-176.	2.7	1
24	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
25	T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S296-S296.	2.3	0
26	S92. REASONS TO START SMOKING CANNABIS: A CASE CONTROL-ANALYSIS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S69-S69.	2.3	0
27	S115. EVALUATION OF THE CLINICAL UTILITY OF SYMPTOM DIMENSIONS ON LONG-TERM CLINICAL AND FUNCTIONAL OUTCOMES IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S78-S78.	2.3	0
28	S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. <i>Schizophrenia Bulletin</i> , 2020, 46, S83-S83.	2.3	0
29	Do AKT1, COMT and FAAH influence reports of acute cannabis intoxication experiences in patients with first episode psychosis, controls and young adult cannabis users?. <i>Translational Psychiatry</i> , 2020, 10, 143.	2.4	11
30	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
31	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	1.6	41
32	Psychiatry Trainees' Attitudes, Knowledge, and Training in Addiction Psychiatry—A European Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 585607.	1.3	9
33	Successful clozapine rechallenge following recurrent clozapine-associated pancreatitis: a case report. <i>BMC Pharmacology & Toxicology</i> , 2020, 21, 35.	1.0	5
34	Substance-induced psychosis and schizophrenia: the interaction point. <i>I P Pavlov Russian Medical Biological Herald</i> , 2020, 28, 593-604.	0.2	1
35	IQ differences between patients with first episode psychosis in London and Palermo reflect differences in patterns of cannabis use. <i>Schizophrenia Research</i> , 2019, 210, 81-88.	1.1	5
36	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	1.0	10

#	ARTICLE	IF	CITATIONS
37	T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S219-S220.	2.3	2
38	O1.4. CAN PRS FOR SCHIZOPHRENIA, BIPOLAR DISORDER AND MAJOR DEPRESSION DISTINGUISH AFFECTIVE PSYCHOSIS DIAGNOSTIC CATEGORIES? THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S160-S160.	2.3	0
39	O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S176-S176.	2.3	0
40	The Relationship Between Dissociative Experiences and Cannabis Use: a Systematic Review. <i>Current Addiction Reports</i> , 2019, 6, 21-33.	1.6	6
41	Differential gene expression analysis in blood of first episode psychosis patients. <i>Schizophrenia Research</i> , 2019, 209, 88-97.	1.1	27
42	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S122-S122.	2.3	0
43	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	3.7	528
44	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019, 45, S165-S166.	2.3	0
45	O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. <i>Schizophrenia Bulletin</i> , 2019, 45, S195-S195.	2.3	0
46	Jumping to conclusions at first onset of psychosis predicts longer admissions, more compulsory admissions and police involvement over the next 4 years: the GAP study. <i>Psychological Medicine</i> , 2019, 49, 2256-2266.	2.7	14
47	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	2.7	69
48	O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. <i>Schizophrenia Bulletin</i> , 2018, 44, S110-S110.	2.3	2
49	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	6.0	235
50	F68. PREMORBID IQ, EDUCATIONAL LEVEL AND JUMPING TO CONCLUSIONS AS PREDICTORS OF CLINICAL OUTCOME AT FIRST ONSET OF PSYCHOSIS OVER THE NEXT 4 YEARS: THE GAP STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S246-S246.	2.3	0
51	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S7-S7.	2.3	2
52	F99. FIRST EPISODE PSYCHOSIS PATIENTS WHO USED CANNABIS DEVELOP THEIR ILLNESS AT A SIGNIFICANTLY YOUNGER AGE THAN THOSE WHO NEVER USED CONSISTENTLY ACROSS EUROPE AND BRAZIL. <i>Schizophrenia Bulletin</i> , 2018, 44, S258-S259.	2.3	0
53	S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2018, 44, S354-S355.	2.3	1
54	35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S59-S59.	2.3	0

#	ARTICLE	IF	CITATIONS
55	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. Schizophrenia Bulletin, 2018, 44, S158-S159.	2.3	1
56	O2.1. FIRST EPISODE PSYCHOSIS PATIENTS ACROSS EUROPE DIFFER IN INTELLECTUAL QUOTIENT (IQ) AND EXPOSURE TO ENVIRONMENTAL HAZARDS. Schizophrenia Bulletin, 2018, 44, S75-S76.	2.3	0
57	Does Personality Matter? Temperament and Character Dimensions in Panic Subtypes. Noropsikiyatri Arsivi, 2018, 55, 325-329.	0.2	3
58	Novel psychoactive substance consumption is more represented in bipolar disorder than in psychotic disorders: A multicenter observational study. Human Psychopharmacology, 2017, 32, e2578.	0.7	59
59	Abnormal illness behavior and Internet addiction severity: The role of disease conviction, irritability, and alexithymia. Journal of Behavioral Addictions, 2017, 6, 92-97.	1.9	14
60	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. Epidemiology and Psychiatric Sciences, 2016, 25, 532-540.	1.8	46
61	First-generation antipsychotics and QTc: any role for mediating variables?. Human Psychopharmacology, 2016, 31, 313-318.	0.7	24
62	A Prediction Modelling and Pattern Detection Approach for the First-Episode Psychosis Associated to Cannabis Use. , 2016, , .		5
63	Traditional marijuana, high potency cannabis and synthetic cannabinoids: increasing risk for psychosis. World Psychiatry, 2016, 15, 195-204.	4.8	201
64	Effects of continuation, frequency, and type of cannabis use on relapse in the first 2 years after onset of psychosis: an observational study. Lancet Psychiatry, 2016, 3, 947-953.	3.7	120
65	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. British Journal of Psychiatry, 2016, 209, 361-365.	1.7	193
66	Substance use, medication adherence and outcome one year following a first episode of psychosis. Schizophrenia Research, 2016, 170, 311-317.	1.1	55
67	The RS685012 Polymorphism of ACCN2, the Human Ortholog of Murine Acid-Sensing Ion Channel (ASIC1) Gene, is Highly Represented in Patients with Panic Disorder. NeuroMolecular Medicine, 2016, 18, 91-98.	1.8	17
68	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. PLoS ONE, 2016, 11, e0148212.	1.1	50
69	Unraveling Exercise Addiction: The Role of Narcissism and Self-Esteem. Journal of Addiction, 2014, 2014, 1-6.	0.9	29
70	Novel Psychoactive Substances in Young Adults with and without Psychiatric Comorbidities. BioMed Research International, 2014, 2014, 1-7.	0.9	99
71	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9.	2.7	10