

Daisuke Gotoh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5294347/daisuke-gotoh-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

473
citations

11
h-index

19
g-index

73
ext. papers

651
ext. citations

3
avg, IF

3.26
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 58 | Intravesical Bacillus Calmette-Guerin treatment-induced sleep quality deterioration in patients with non-muscle invasive bladder cancer: functional outcome assessment based on a questionnaire survey and actigraphy. <i>Supportive Care in Cancer</i> , 2022 , 30, 887-895 | 3.9 | 1 |
| 57 | Significant Improvement of Prognosis After the Advent of Immune Checkpoint Inhibitors in Patients with Advanced, Unresectable, or Metastatic Urothelial Carcinoma: A Propensity Score Matching and Inverse Probability of Treatment Weighting Analysis on Real-World Data.. <i>Cancer Management and Research</i> , 2022 , 14, 623-635 | 3.6 | 0 |
| 56 | A prospective, single-arm trial of fluorescent ureteroscopy-assisted thulium-holmium:YAG dual laser ablation for upper urinary tract cancer: Study protocol of the FLUAM trial.. <i>Contemporary Clinical Trials Communications</i> , 2022 , 26, 100902 | 1.8 | 1 |
| 55 | Association between urine 6-sulfatoxy-melatonin level and intravesical Bacillus Calmette-Guerin treatment-induced sleep quality deterioration in patients with non-muscle invasive bladder cancer.. <i>Supportive Care in Cancer</i> , 2022 , 1 | 3.9 | |
| 54 | Response to Pembrolizumab After Dose-Reduced Cisplatin Plus Gemcitabine Chemotherapy Is Inferior to That After Carboplatin Plus Gemcitabine Chemotherapy in Cisplatin-Unfit Patients With Advanced Urothelial Carcinoma.. <i>Clinical Genitourinary Cancer</i> , 2021 , | 3.3 | 1 |
| 53 | Effects of low-dose insulin or a soluble guanylate cyclase activator on lower urinary tract dysfunction in streptozotocin-induced diabetic rats. <i>Life Sciences</i> , 2021 , 286, 120001 | 6.8 | 1 |
| 52 | Differential diagnosis of memory impairment in areas affected by a natural disaster:a case report. <i>Fukushima Journal of Medical Sciences</i> , 2021 , 67, 38-44 | 0.9 | |
| 51 | Clinical outcomes after intravesical bacillus Calmette-Guérin for the highest-risk non-muscle-invasive bladder cancer newly defined in the Japanese Urological Association Guidelines 2019. <i>International Journal of Urology</i> , 2021 , 28, 720-726 | 2.3 | 1 |
| 50 | Hexylaminolevulinatе-mediated fluorescent urine cytology with a novel automated detection technology for screening and surveillance of bladder cancer. <i>BJU International</i> , 2021 , 128, 244-253 | 5.6 | 4 |
| 49 | Effects of the Great East Japan Earthquake and the Fukushima Daiichi Nuclear Power Plant accident on behavioural and psychological symptoms of dementia among patients. <i>Psychogeriatrics</i> , 2021 , 21, 709-715 | 1.8 | |
| 48 | Efficacy of vibegron, a novel B-adrenoreceptor agonist, for lower urinary tract dysfunction in mice with spinal cord injury. <i>International Journal of Urology</i> , 2021 , 28, 1068-1072 | 2.3 | 2 |
| 47 | Time-dependent progression of neurogenic lower urinary tract dysfunction after spinal cord injury in the mouse model. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F26-F32 | 4.3 | 1 |
| 46 | Sodium plays an important role in the absorption of intravesical fluid. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 177-182 | 1.9 | 1 |
| 45 | Photodynamic Diagnosis-Assisted En Bloc Transurethral Resection of Bladder Tumor for Nonmuscle Invasive Bladder Cancer: Short-Term Oncologic and Functional Outcomes. <i>Journal of Endourology</i> , 2021 , 35, 319-327 | 2.7 | 5 |
| 44 | Trends in treatment outcomes for retractile testis in Japanese boys: A single-center study. <i>International Journal of Urology</i> , 2021 , 28, 327-332 | 2.3 | 1 |
| 43 | Photodynamic Diagnosis-Assisted Transurethral Resection Using Oral 5-Aminolevulinic Acid Decreases the Risk of Repeated Recurrence in Non-Muscle-Invasive Bladder Cancer: A Cumulative Incidence Analysis by the Person-Time Method. <i>Diagnostics</i> , 2021 , 11, | 3.8 | 7 |
| 42 | Optimal timing of ureteroscopic lithotripsy after the initial drainage treatment and risk factors for postoperative febrile urinary tract infection in patients with obstructive pyelonephritis: a retrospective study. <i>BMC Urology</i> , 2021 , 21, 10 | 2.2 | 3 |

| | | | |
|----|---|-----|---|
| 41 | Functional and histologic imaging of urinary bladder wall after exposure to psychological stress and protamine sulfate. <i>Scientific Reports</i> , 2021 , 11, 19440 | 4.9 | 0 |
| 40 | Does Treatment Response With Antidementia Drugs After 6 Months in Alzheimer's Disease Predict Long-term Treatment Outcome?. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 195-197 | 1.7 | 3 |
| 39 | Initial experience of complete laparoscopic radical nephroureterectomy combined with transvesical laparoscopic excision of distal ureter in patients with upper urinary tract cancer. <i>World Journal of Surgical Oncology</i> , 2020 , 18, 104 | 3.4 | 4 |
| 38 | A Japanese man with spina bifida who successfully fathered a child following fertility treatment. <i>IJU Case Reports</i> , 2020 , 3, 90-92 | 0.5 | |
| 37 | Urethral dysfunction and alterations of nitric oxide mechanisms in streptozotocin-induced diabetic rats with or without low-dose insulin treatment. <i>Life Sciences</i> , 2020 , 249, 117537 | 6.8 | 2 |
| 36 | Disabled Homolog 2 (DAB2) Protein in Tumor Microenvironment Correlates with Aggressive Phenotype in Human Urothelial Carcinoma of the Bladder. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 3 |
| 35 | Urethral dysfunction in a rat model of chemically induced prostatic inflammation: potential involvement of the MRP5 pump. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F754-F762 | 4.3 | 2 |
| 34 | Integrative assessment of clinicopathological parameters and the expression of PD-L1, PD-L2 and PD-1 in tumor cells of retroperitoneal sarcoma. <i>Oncology Letters</i> , 2020 , 20, 190 | 2.6 | 5 |
| 33 | Trends in the Treatment Outcomes and Features of Cryptorchidism in Boys: A Single-Institute Experience. <i>Research and Reports in Urology</i> , 2020 , 12, 373-381 | 1.3 | 2 |
| 32 | Trends in treatment outcomes of hydrocele in Japanese children: A single-institute experience. <i>International Journal of Urology</i> , 2020 , 27, 946-950 | 2.3 | 2 |
| 31 | Is Endoscopic Transurethral Incision Really Effective for Boys with Refractory Daytime Incontinence?. <i>Research and Reports in Urology</i> , 2020 , 12, 273-277 | 1.3 | |
| 30 | Effects of a new β -adrenoceptor agonist, vibegron, on neurogenic bladder dysfunction and remodeling in mice with spinal cord injury. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2120-2127 | 2.3 | 4 |
| 29 | A Potential Application of Dynamic Contrast-Enhanced Magnetic Resonance Imaging Combined with Photodynamic Diagnosis for the Detection of Bladder Carcinoma in Situ: Toward the Future MRI-PDD Fusion TURBT. <i>Diagnostics</i> , 2019 , 9, | 3.8 | 4 |
| 28 | Evaluation of Preoperative Abdominal Adipose Tissue-, Inflammation-, Muscle Mass-, and Nutritional Status-based Prognostic Markers to Assess Renal Dysfunction in Living Kidney Donors. <i>Transplantation Proceedings</i> , 2019 , 51, 1706-1716 | 1.1 | 1 |
| 27 | Intravesical treatment of chemotherapeutic agents sensitizes bacillus Calmette-Guerin by the modulation of the tumor immune environment. <i>Oncology Reports</i> , 2019 , 41, 1863-1874 | 3.5 | 4 |
| 26 | Clinical Impact of the Increase in Immunosuppressive Cell-Related Gene Expression in Urine Sediment during Intravesical Bacillus Calmette-Guérin. <i>Diseases (Basel, Switzerland)</i> , 2019 , 7, | 4.4 | 7 |
| 25 | Evaluation of pro- and anti-tumor effects induced by three colony-stimulating factors, G-CSF, GM-CSF and M-CSF, in bladder cancer cells: Is G-CSF a friend of bladder cancer cells?. <i>International Journal of Oncology</i> , 2019 , 54, 2237-2249 | 4.4 | 5 |
| 24 | Effect of bladder distension on arginine vasopressin secretion in rats. <i>BMC Research Notes</i> , 2019 , 12, 72 | 2.3 | |

| | | | |
|----|--|-----|----|
| 23 | Prognostic impact of tumor-infiltrating CD276/Foxp3-positive lymphocytes and associated circulating cytokines in patients undergoing radical nephrectomy for localized renal cell carcinoma. <i>Oncology Letters</i> , 2019 , 17, 4004-4010 | 2.6 | 4 |
| 22 | Supplementary granulocyte macrophage colony-stimulating factor to chemotherapy and programmed death-ligand 1 blockade decreases local recurrence after surgery in bladder cancer. <i>Cancer Science</i> , 2019 , 110, 3315-3327 | 6.9 | 11 |
| 21 | Urinary nerve growth factor can predict therapeutic efficacy in children with monosymptomatic nocturnal enuresis. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2311-2317 | 2.3 | 2 |
| 20 | Tadalafil, a phosphodiesterase type 5 inhibitor, restores urethra and detrusor function in the initial phase of diabetes in rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 241-247 | 1.9 | 4 |
| 19 | Clinical Significance of Postoperative Nutritional Status as a Prognostic Factor in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2019 , 51, 1763-1772 | 1.1 | 3 |
| 18 | Time-Dependent Changes of Urethral Function in Diabetes Mellitus: A Review. <i>International Neurourology Journal</i> , 2019 , 23, 91-99 | 2.6 | 9 |
| 17 | The diagnostic utility of retroperitoneoscopic tissue biopsy for unresectable retroperitoneal lesions excluding urogenital cancers. <i>World Journal of Surgical Oncology</i> , 2019 , 17, 35 | 3.4 | 2 |
| 16 | Dual benefit of supplementary oral 5-aminolevulinic acid to pelvic radiotherapy in a syngenic prostate cancer model. <i>Prostate</i> , 2019 , 79, 340-351 | 4.2 | 11 |
| 15 | Preoperative predictive factors focused on inflammation-, nutrition-, and muscle-status in patients with upper urinary tract urothelial carcinoma undergoing nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 533-545 | 4.2 | 25 |
| 14 | Long-term Changes in Renal Function, Blood Electrolyte Levels, and Nutritional Indices after Radical Cystectomy and Ileal Conduit in Patients with Bladder Cancer. <i>Urology Journal</i> , 2019 , 16, 145-151 ^{0.9} | | 4 |
| 13 | Overactive bladder induces transient hypertension. <i>BMC Research Notes</i> , 2018 , 11, 196 | 2.3 | 4 |
| 12 | Aquaporin-2 plays an important role in water transportation through the bladder wall in rats. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2434-2440 | 2.3 | 8 |
| 11 | Impact of Preoperative Abdominal Visceral Adipose Tissue Area and Nutritional Status on Renal Function After Donor Nephrectomy in Japanese Living Donors for Renal Transplantation. <i>Annals of Transplantation</i> , 2018 , 23, 364-376 | 1.4 | 6 |
| 10 | Gamma-Klotho exhibits multiple roles in tumor growth of human bladder cancer. <i>Oncotarget</i> , 2018 , 9, 19508-19524 | 3.3 | 11 |
| 9 | Clinical utility of bioelectrical impedance analysis in patients with locoregional muscle invasive or metastatic urothelial carcinoma: a subanalysis of changes in body composition during neoadjuvant systemic chemotherapy. <i>Supportive Care in Cancer</i> , 2018 , 26, 1077-1086 | 3.9 | 6 |
| 8 | Tadalafil, a phosphodiesterase type 5 inhibitor, improves bladder blood supply and restores the initial phase of lower urinary tract dysfunction in diabetic rats. <i>Neurourology and Urodynamics</i> , 2018 , 37, 666-672 | 2.3 | 18 |
| 7 | Successful salvage of allograft dysfunction triggered by transplant renal vein thrombosis immediately after kidney transplantation: a case report. <i>International Journal of Nephrology and Renovascular Disease</i> , 2018 , 11, 321-327 | 2.5 | 2 |
| 6 | Diagnostic and prognostic role of urinary collagens in primary human bladder cancer. <i>Cancer Science</i> , 2017 , 108, 2221-2228 | 6.9 | 23 |

| | | | |
|---|--|-----|----|
| 5 | Integrative Assessment of Pretreatment Inflammation-, Nutrition-, and Muscle-Based Prognostic Markers in Patients with Muscle-Invasive Bladder Cancer Undergoing Radical Cystectomy. <i>Oncology</i> , 2017 , 93, 259-269 | 3.6 | 48 |
| 4 | Clinical impact of postoperative loss in psoas major muscle and nutrition index after radical cystectomy for patients with urothelial carcinoma of the bladder. <i>BMC Cancer</i> , 2017 , 17, 237 | 4.8 | 47 |
| 3 | Collagen type IV alpha 1 (COL4A1) and collagen type XIII alpha 1 (COL13A1) produced in cancer cells promote tumor budding at the invasion front in human urothelial carcinoma of the bladder. <i>Oncotarget</i> , 2017 , 8, 36099-36114 | 3.3 | 61 |
| 2 | Regulatory T Cells and Tumor-Associated Macrophages in the Tumor Microenvironment in Non-Muscle Invasive Bladder Cancer Treated with Intravesical Bacille Calmette-Guérin: A Long-Term Follow-Up Study of a Japanese Cohort. <i>International Journal of Molecular Sciences</i> , 2017 , 18, 1000 | 6.3 | 46 |
| 1 | Exploration of risk factors predicting outcomes for primary T1 high-grade bladder cancer and validation of the Spanish Urological Club for Oncological Treatment scoring model: Long-term follow-up experience at a single institute. <i>International Journal of Urology</i> , 2015 , 22, 541-7 | 2.3 | 35 |