

Paola Marziani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5295343/publications.pdf>

Version: 2024-02-01

168
papers

4,955
citations

109321

35
h-index

102487

66
g-index

169
all docs

169
docs citations

169
times ranked

2766
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenomenology of Broad Emission Lines in Active Galactic Nuclei. <i>Annual Review of Astronomy and Astrophysics</i> , 2000, 38, 521-571.	24.3	337
2	Comparative Analysis of the High- and Low-Ionization Lines in the Broad-Line Region of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 1996, 104, 37.	7.7	293
3	Eigenvector 1: An Optimal Correlation Space for Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2000, 536, L5-L9.	4.5	251
4	The Metamorphosis of Supernova SN 2008D/XRF 080109: A Link Between Supernovae and GRBs/Hypernovae. <i>Science</i> , 2008, 321, 1185-1188.	12.6	191
5	C<sc>iv</sc>1549 as an Eigenvector 1 Parameter for Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2007, 666, 757-777.	4.5	188
6	An Optical Spectroscopic Atlas of Low-Redshift Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2003, 145, 199-211.	7.7	166
7	Searching for the Physical Drivers of the Eigenvector 1 Correlation Space. <i>Astrophysical Journal</i> , 2001, 558, 553-560.	4.5	145
8	Average Quasar Spectra in the Context of Eigenvector 1. <i>Astrophysical Journal</i> , 2002, 566, L71-L75.	4.5	129
9	THE EFFECT OF RADIATION PRESSURE ON EMISSION-LINE PROFILES AND BLACK HOLE MASS DETERMINATION IN ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 724, 318-328.	4.5	118
10	Kinematic Linkage between the Broad- and Narrow-Line-emitting Gas in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2002, 576, L9-L13.	4.5	117
11	Searching for the physical drivers of eigenvector 1: influence of black hole mass and Eddington ratio. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 345, 1133-1144.	4.4	110
12	Detailed characterization of H ² emission line profile in low- <i>z</i> SDSS quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 403, 1759-1786.	4.4	105
13	Average Ultraviolet Quasar Spectra in the Context of Eigenvector 1: A Baldwin Effect Governed by the Eddington Ratio?. <i>Astrophysical Journal</i> , 2004, 617, 171-183.	4.5	96
14	THE FIRST SPECTROSCOPICALLY RESOLVED SUB-PARSEC ORBIT OF A SUPERMASSIVE BINARY BLACK HOLE. <i>Astrophysical Journal</i> , 2012, 759, 118.	4.5	95
15	The XMM-Newton and BeppoSAX view of the Ultra Luminous Infrared Galaxy MKN231. <i>Astronomy and Astrophysics</i> , 2004, 420, 79-88.	5.1	94
16	Broad-line region physical conditions along the quasar eigenvector 1 sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 1033-1048.	4.4	83
17	The Close Environment of Seyfert Galaxies and Its Implication for Unification Models. <i>Astrophysical Journal</i> , 1999, 513, L111-L114.	4.5	80
18	New insights on the QSO radio-loud/radio-quiet dichotomy: SDSS spectra in the context of the 4D eigenvector1 parameter space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 387, 856-870.	4.4	80

#	ARTICLE	IF	CITATIONS
19	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. <i>Astronomy and Astrophysics</i> , 2009, 495, 83-112.	5.1	80
20	A Main Sequence for Quasars. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 5, .	2.8	76
21	Highly accreting quasars: sample definition and possible cosmological implications. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 1211-1229.	4.4	70
22	The Quasar Main Sequence Explained by the Combination of Eddington Ratio, Metallicity, and Orientation. <i>Astrophysical Journal</i> , 2019, 882, 79.	4.5	69
23	Estimating black hole masses in quasars using broad optical and UV emission lines. <i>New Astronomy Reviews</i> , 2012, 56, 49-63.	12.8	67
24	Is MgII λ 2800 a reliable virial broadening estimator for quasars?. <i>Astronomy and Astrophysics</i> , 2013, 555, A89.	5.1	67
25	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. <i>Astronomy and Astrophysics</i> , 2006, 456, 929-939.	5.1	59
26	The Demise of the Classical Broad-Line Region in the Luminous Quasar PG 1416 α 129. <i>Astrophysical Journal</i> , 2000, 545, L15-L18.	4.5	58
27	BROAD-LINE REGION PHYSICAL CONDITIONS IN EXTREME POPULATION A QUASARS: A METHOD TO ESTIMATE CENTRAL BLACK HOLE MASS AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2012, 757, 62.	4.5	58
28	EVIDENCE FOR PERIODICITY IN 43 YEAR-LONG MONITORING OF NGC 5548. <i>Astrophysical Journal, Supplement Series</i> , 2016, 225, 29.	7.7	57
29	VLT/ISAAC spectra of the H β region in intermediate redshift quasars. <i>Astronomy and Astrophysics</i> , 2004, 423, 121-132.	5.1	49
30	On the Origin of Broad Fe K α and H β Lines in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 1998, 501, 54-68.	4.5	48
31	Radio-loud Active Galactic Nuclei in the Context of the Eigenvector 1 Parameter Space. <i>Astrophysical Journal</i> , 2003, 597, L17-L20.	4.5	47
32	What does CIV λ 1549 tell us about the physical driver of the Eigenvector quasar sequence?. <i>Astronomy and Astrophysics</i> , 2017, 608, A122.	5.1	47
33	Highly accreting quasars: The SDSS low-redshift catalog. <i>Astronomy and Astrophysics</i> , 2018, 620, A118.	5.1	45
34	Host Galaxies and Circumgalactic Environment of α -Narrow Line Seyfert 1 Nuclei. <i>Astronomical Journal</i> , 2001, 121, 702-709.	4.7	45
35	LOW-IONIZATION OUTFLOWS IN HIGH EDDINGTON RATIO QUASARS. <i>Astrophysical Journal</i> , 2013, 764, 150.	4.5	41
36	REVERBERATION AND PHOTOIONIZATION ESTIMATES OF THE BROAD-LINE REGION RADIUS IN LOW- z QUASARS. <i>Astrophysical Journal</i> , 2013, 771, 31.	4.5	35

#	ARTICLE	IF	CITATIONS
37	The peculiar Balmer line profiles of OQ 208. <i>Astrophysical Journal</i> , 1993, 410, 56.	4.5	35
38	The Circumgalactic Environment of Bright IRAS Galaxies. <i>Astrophysical Journal</i> , 2002, 572, 169-177.	4.5	34
39	High Metal Content of Highly Accreting Quasars. <i>Astrophysical Journal</i> , 2021, 910, 115.	4.5	33
40	WINGS-SPE. <i>Astronomy and Astrophysics</i> , 2014, 566, A32.	5.1	32
41	Pictor A: A new double-peaked emission-line quasar. <i>Astrophysical Journal</i> , 1995, 438, L1.	4.5	32
42	GTC spectra of $z \sim 2.3$ quasars: comparison with local luminosity analogs. <i>Astronomy and Astrophysics</i> , 2014, 570, A96.	5.1	31
43	Searching for the Physical Drivers of Eigenvector 1: From Quasars to Nanoquasars. <i>Astrophysical Journal</i> , 2002, 571, L77-L80.	4.5	31
44	Quasars in the 4D eigenvector 1 context: a stroll down memory lane. <i>Frontiers in Astronomy and Space Sciences</i> , 2015, 2, .	2.8	29
45	First direct comparison of high and low ionization line kinematics in active galactic nuclei. <i>Astrophysical Journal</i> , 1995, 445, L85.	4.5	29
46	The Intermediate-Line Region in Active Galactic Nuclei: A Region "Præter Necessitatem". <i>Astrophysical Journal</i> , 1999, 518, L9-L12.	4.5	29
47	O I AND Ca II OBSERVATIONS IN INTERMEDIATE REDSHIFT QUASARS. <i>Astrophysical Journal, Supplement Series</i> , 2015, 217, 3.	7.7	28
48	The most powerful quasar outflows as revealed by the Civ $\lambda 1549$ resonance line. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	28
49	Radio loudness along the quasar main sequence. <i>Astronomy and Astrophysics</i> , 2019, 630, A110.	5.1	28
50	H β variability of the recurrent nova T Coronae Borealis. <i>Astronomy and Astrophysics</i> , 2004, 415, 609-616.	5.1	26
51	Black hole mass estimates in quasars. <i>Astronomy and Astrophysics</i> , 2019, 627, A88.	5.1	25
52	Blue outliers among intermediate redshift quasars. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	23
53	NO EVIDENCE FOR A SYSTEMATIC Fe II EMISSION LINE REDSHIFT IN TYPE 1 ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal Letters</i> , 2012, 752, L7.	8.3	22
54	The Phylogeny of Quasars and the Ontogeny of Their Central Black Holes. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	22

#	ARTICLE	IF	CITATIONS
55	Comparing H β line profiles in the 4D Eigenvector 1 context. <i>New Astronomy Reviews</i> , 2009, 53, 198-201.	12.8	21
56	On core-collapse supernovae in normal and in Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 331, L25-L29.	4.4	20
57	Gravitational redshift of emission lines in the AGN spectra. <i>Astrophysics and Space Science</i> , 2015, 360, 1.	1.4	20
58	Dark Energy Constraints from Quasar Observations. <i>Acta Physica Polonica A</i> , 2021, 139, 389-393.	0.5	20
59	A NEW METHOD TO OBTAIN THE BROAD LINE REGION SIZE OF HIGH REDSHIFT QUASARS. <i>Astrophysical Journal</i> , 2014, 794, 95.	4.5	19
60	Emission line galaxies and active galactic nuclei in WINGS clusters. <i>Astronomy and Astrophysics</i> , 2017, 599, A83.	5.1	19
61	Extreme quasars at high redshift. <i>Astronomy and Astrophysics</i> , 2018, 618, A179.	5.1	19
62	Quasars and their emission lines as cosmological probes. <i>Advances in Space Research</i> , 2014, 54, 1331-1340.	2.6	18
63	On the Origin of the Fundamental Plane and Faber–Jackson Relations: Implications for the Star Formation Problem. <i>Astrophysical Journal</i> , 2017, 838, 163.	4.5	18
64	Revealing the Broad Line Region of NGC 1275: The Relationship to Jet Power. <i>Astrophysical Journal</i> , 2018, 869, 143.	4.5	18
65	The hybrid solution for the Fundamental Plane. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 45-63.	4.4	17
66	Twin peaks - IC 4329A and Arakelian 120. <i>Astrophysical Journal</i> , 1992, 393, 658.	4.5	17
67	3C 57 as an atypical radio-loud quasar: implications for the radio-loud/radio-quiet dichotomy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 450, 1916-1925.	4.4	16
68	Highly Accreting Quasars at High Redshift. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 4, .	2.8	16
69	The CaFe Project: Optical Fe II and Near-infrared Ca II Triplet Emission in Active Galaxies. I. Photoionization Modeling. <i>Astrophysical Journal</i> , 2020, 902, 76.	4.5	16
70	Arp 194: Evidence of Tidal Stripping of Gas and Cross-Fueling. <i>Astronomical Journal</i> , 2003, 125, 1897-1907.	4.7	15
71	The Extreme Red Excess in Blazar Ultraviolet Broad Emission Lines. <i>Astrophysical Journal</i> , 2020, 903, 44.	4.5	15
72	X-ray spectroscopic survey of highly accreting AGN. <i>Astronomy and Astrophysics</i> , 2022, 657, A57.	5.1	15

#	ARTICLE	IF	CITATIONS
73	Past, Present, and Future of the Scaling Relations of Galaxies and Active Galactic Nuclei. <i>Frontiers in Astronomy and Space Sciences</i> , 2021, 8, .	2.8	15
74	Panchromatic properties of the extreme Fe ⁱⁱ emitter PHL 1092. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 4187-4202.	4.4	14
75	Extreme Quasars as Distance Indicators in Cosmology. <i>Frontiers in Astronomy and Space Sciences</i> , 2020, 6, .	2.8	14
76	The transformation of Spirals into S0 galaxies in the cluster environment. <i>Frontiers in Astronomy and Space Sciences</i> , 2015, 2, .	2.8	13
77	Quasar Massive Ionized Outflows Traced by CIV λ 1549 and [OIII] λ 4959,5007. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	12
78	Selection of highly-accreting quasars. <i>Astronomy and Astrophysics</i> , 2020, 635, A151.	5.1	12
79	The parallelism between galaxy clusters and early-type galaxies. <i>Astronomy and Astrophysics</i> , 2020, 641, A94.	5.1	12
80	UV spectral diagnostics for low redshift quasars: estimating physical conditions and radius of the broad line region. <i>Astrophysics and Space Science</i> , 2015, 356, 339-346.	1.4	11
81	THE EXTREME ULTRAVIOLET VARIABILITY OF QUASARS. <i>Astrophysical Journal</i> , 2016, 830, 104.	4.5	11
82	The Case for Two Quasar Populations. <i>Open Astronomy</i> , 2011, 20, .	0.6	10
83	Quasar Outflows: in the 4D Eigenvector 1 Context. <i>The Astronomical Review</i> , 2012, 7, 33-57.	4.0	10
84	AGN Broad Line Region Variability in the Context of Eigenvector 1: Case of NGC 5548. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 5, .	2.8	10
85	Quasars: From the Physics of Line Formation to Cosmology. <i>Atoms</i> , 2019, 7, 18.	1.6	10
86	Hunting the nature of the enigmatic narrow-line Seyfert 1 galaxy PKS 2004-447. <i>Astronomy and Astrophysics</i> , 0, , .	5.1	10
87	UGC 3995: A Close Pair of Spiral Galaxies. <i>Astronomical Journal</i> , 1999, 117, 2736-2747.	4.7	10
88	A photoionization method for estimating BLR α size in quasars. <i>Advances in Space Research</i> , 2014, 54, 1355-1361.	2.6	9
89	THE EXTREME ULTRAVIOLET DEFICIT: JET CONNECTION IN THE QUASAR 1442+101. <i>Astrophysical Journal</i> , 2015, 812, 79.	4.5	9
90	Quasars as Cosmological Standard Candles. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	9

#	ARTICLE	IF	CITATIONS
91	Fifty Years of Quasars: Physical Insights and Potential for Cosmology. Journal of Physics: Conference Series, 2014, 565, 012018.	0.4	8
92	Interpreting automatic AGN classifiers with saliency maps. Astronomy and Astrophysics, 2021, 652, A19.	5.1	8
93	The parallelism between galaxy clusters and early-type galaxies. Astronomy and Astrophysics, 2020, 643, A136.	5.1	8
94	Multiple high-velocity emission-line systems in the E + S pair CPG 29. Astrophysical Journal, 1994, 435, 668.	4.5	8
95	Measures of the Soft X-ray Excess as an Eigenvector 1 Parameter for Active Galactic Nuclei. Journal of Astrophysics and Astronomy, 2015, 36, 467.	1.0	7
96	Quasar Black Hole Mass Estimates from High-Ionization Lines: Breaking a Taboo?. Atoms, 2017, 5, 33.	1.6	7
97	SALT long-slit spectroscopy of quasar HE 0435-4312: fast displacement of the Mg II emission line. Astronomy and Astrophysics, 2017, 601, A32.	5.1	7
98	The Parallelism between Galaxy Clusters and Early-type Galaxies. I. The Light and Mass Profiles. Astrophysical Journal, 2019, 875, 103.	4.5	7
99	The CaFe Project: Optical Fe II and Near-infrared Ca II Triplet Emission in Active Galaxies. II. The Driver(s) of the Ca II and Fe II and Its Potential Use as a Chemical Clock. Astrophysical Journal, 2021, 918, 29.	4.5	7
100	The main sequence of quasars: The taming of the extremes. Astronomische Nachrichten, 2022, 343, .	1.2	7
101	Optical Singly-Ionized Iron Emission in Radio-Quiet and Relativistically Jetted Active Galactic Nuclei. Universe, 2021, 7, 484.	2.5	7
102	Supermassive Black Holes in Quasars. AIP Conference Proceedings, 2006, , .	0.4	6
103	Fifty Years of Quasars: Current Impressions and Future Perspectives. Astrophysics and Space Science Library, 2012, , 549-570.	2.7	6
104	The fundamental plane of clusters of galaxies. Astronomische Nachrichten, 2013, 334, 373-376.	1.2	6
105	Phylogenetic Analyses of Quasars and Galaxies. Frontiers in Astronomy and Space Sciences, 2017, 4, .	2.8	6
106	HE0359-3959: An Extremely Radiating Quasar. Frontiers in Astronomy and Space Sciences, 2017, 4, .	2.8	6
107	A Multimessenger View of Galaxies and Quasars From Now to Mid-century. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	6
108	Broad UV Emission Lines in Type-1 Active Galactic Nuclei: A Note on Spectral Diagnostics and the Excitation Mechanism. Atoms, 2020, 8, 94.	1.6	6

#	ARTICLE	IF	CITATIONS
109	Balmer Line Variations in the Radio-loud Active Galactic Nucleus PG 1512+370. <i>Astrophysical Journal</i> , 1998, 495, 222-226.	4.5	6
110	Main trends of the quasar main sequence - effect of viewing angle. <i>Contributions of the Astronomical Observatory Skalnaté Pleso</i> , 2020, 50, .	0.1	6
111	Isolating an Outflow Component in Single-Epoch Spectra of Quasars. <i>Galaxies</i> , 2022, 10, 54.	3.0	6
112	The extreme ultraviolet spectra of low-redshift radio-loud quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 4233-4239.	4.4	5
113	Editorial: Quasars at All Cosmic Epochs. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 5, .	2.8	5
114	Linear spectropolarimetric analysis of fairall 9 with VLT/FORS2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 508, 79-99.	4.4	5
115	Observations of the Ca ii IR Triplet in High Luminosity Quasars: Exploring the Sample. <i>Journal of Astrophysics and Astronomy</i> , 2015, 36, 457.	1.0	4
116	The extreme ultraviolet spectrum of the kinetically dominated quasar 3C 270.1. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 453, L16-L20.	3.3	4
117	Exploring Possible Relations Between Optical Variability Time Scales and Broad Emission Line Shapes in AGN. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 5, .	2.8	4
118	Maximum parsimony analysis of the effect of the environment on the evolution of galaxies. <i>Astronomy and Astrophysics</i> , 2019, 630, A63.	5.1	4
119	The Energetics of Launching the Most Powerful Jets in Quasars: A Study of 3C 82. <i>Astrophysical Journal</i> , 2020, 898, 169.	4.5	4
120	The Ultra Luminous Infrared Galaxy Mrk 231: new clues from BeppoSAX and XMM-Newton. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2004, 132, 153-156.	0.4	3
121	Active and star-forming galactic nuclei in WINGS: A preliminary report. <i>Astronomische Nachrichten</i> , 2013, 334, 412-415.	1.2	3
122	Balmer line shifts in quasars. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	3
123	Periodic optical variability of AGN. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 176-179.	0.0	3
124	Fundamental Cosmological Observations and Data Interpretation. , 2009, , 7-201.		3
125	Optical and UV properties of a radio-loud and a radio-quiet Population A quasar at high redshift. <i>Astronomische Nachrichten</i> , 0, , .	1.2	3
126	Taming the derivative: Diagnostics of the continuum and H α emission in a prototypical Population B active galaxy. <i>Astronomische Nachrichten</i> , 2022, 343, .	1.2	3

#	ARTICLE	IF	CITATIONS
127	A Photo-ionization Method for Black Hole Mass Estimation in Quasars. <i>Open Astronomy</i> , 2011, 20, .	0.6	2
128	The Powerful Jet and Gamma-Ray Flare of the Quasar PKS 0438â€“436. <i>Astrophysical Journal</i> , 2018, 869, 174.	4.5	2
129	The Highly Self-absorbed Blazar PKS 1351-018. <i>Astrophysical Journal</i> , 2021, 919, 40.	4.5	2
130	Narrow-line Seyfert 1s: what is wrong in a name?. , 2018, , .		2
131	On the Difference Between Radio Quiet and Radio Loud AGN. <i>International Astronomical Union Colloquium</i> , 1997, 163, 761-762.	0.1	1
132	An H-R diagram for AGN?. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	1
133	Asymmetry of the C IV λ 1549 \hat{a} ,,« and [O III] λ 4959, 5007 \hat{a} ,,« Lines in a Sample of RQ and RL AGN. <i>AIP Conference Proceedings</i> , 2007, , .	0,4	1
134	The Future of Quasar Studies. <i>Astrophysics and Space Science Library</i> , 2012, , 521-547.	2.7	1
135	Low Ionization Emission Lines in Quasars: Clues from OI 8446 and the Call Triplet. <i>The Astronomical Review</i> , 2014, 9, 29-40.	4.0	1
136	Techniques for profile binning and analysis of eigenvector composite spectra: Comparing H<math altimg="si19.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml.	2.6	1
137	Grand challenges in Milky Way and galaxies. <i>Frontiers in Astronomy and Space Sciences</i> , 2015, 2, .	2.8	1
138	Optical variability patterns of radio-quiet and radio-loud quasars. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 243-244.	0.0	1
139	Highly accreting quasars: a tool for cosmology?. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 245-246.	0.0	1
140	Examining supernova events in Type 1 active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 4419-4429.	4.4	1
141	The Main Sequence View of Quasars Accreting at High Rates: Influence of Star Formation*. <i>Research Notes of the AAS</i> , 2021, 5, 25.	0.7	1
142	New Eyes for Galaxies Investigation. <i>Astrophysics and Space Science Library</i> , 2016, , 697-737.	2.7	1
143	From Galileo to Modern Cosmology: Alternative Paradigms and Science Boundary Conditions. , 2009, , 301-428.		1
144	The Anatomy of Galaxies. <i>Astrophysics and Space Science Library</i> , 2016, , 243-379.	2.7	1

#	ARTICLE	IF	CITATIONS
145	FeII emission in NLS1s "originating from denser regions with higher abundances?. Proceedings of the International Astronomical Union, 2019, 15, 77-81.	0.0	1
146	FeII strength in NLS1s "dependence on the viewing angle and FWHM(H β). Proceedings of the International Astronomical Union, 2019, 15, 332-334.	0.0	1
147	Optical spectral properties of radio loud quasars along the main sequence. Proceedings of the International Astronomical Union, 2019, 15, 310-313.	0.0	1
148	Photometric and H β observations of LSI+61 $^{\circ}$ 303. Symposium - International Astronomical Union, 1994, 162, 211-212.	0.1	0
149	Unusual Balmer-Line Variations in the Radio-Loud AGN 4C 37.43. International Astronomical Union Colloquium, 1997, 159, 203-204.	0.1	0
150	A Correlation Analysis for Emission Lines in 52 AGN. International Astronomical Union Colloquium, 1997, 159, 262-263.	0.1	0
151	BAL QSOs in the eigenvector 1 context: toward a self-consistent model of the line absorbing/emitting regions. Proceedings of the International Astronomical Union, 2005, 1, 415-417.	0.0	0
152	Quasar evolution: black hole mass and accretion rate determination. Proceedings of the International Astronomical Union, 2006, 2, 83-86.	0.0	0
153	Hints on the Broad Line Region Structure of Quasars at High and Low Luminosities. Open Astronomy, 2011, 20, .	0.6	0
154	From Observations to Physical Parameters. Astrophysics and Space Science Library, 2012, , 287-336.	2.7	0
155	Models of Quasars. Astrophysics and Space Science Library, 2012, , 337-437.	2.7	0
156	Quasars in the Cosmic Environment. Astrophysics and Space Science Library, 2012, , 439-520.	2.7	0
157	Exploring low luminosity quasar diversity at ~ 6 μ m. <small>xmlns:xocs= "http://www.elsevier.com/xml/xocs/dtd" xmlns:xs= "http://www.w3.org/2001/XMLSchema" xmlns:xsi= "http://www.w3.org/2001/XMLSchema-instance" xmlns= "http://www.elsevier.com/xml/ja/dtd" xmlns:ja= "http://www.elsevier.com/xml/ja/dtd" xmlns:mml= "http://www.w3.org/1998/Math/MathML" xmlns:tb= "http://www.elsevier.com/xml/common/table/dtd" xmlns:tbl_struct= "http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce= "http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:tbl_struct= "http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce= "http://www.elsevier.com/xml/common/struct-bib/dtd"</small>	2.6	0
158	Low ionization lines in high luminosity quasars: The calcium triplet. Advances in Space Research, 2014, 54, 1375-1381.	2.6	0
159	A Photoionization Method for Estimating Black Hole Masses in Quasars. Proceedings of the International Astronomical Union, 2018, 14, 270-271.	0.0	0
160	On the Time Scales of Optical Variability of AGN and the Shape of Their Optical Emission Line Profiles. Atoms, 2019, 7, 26.	1.6	0
161	The Circum-Galactic Environment of LINERs and Bright IRAS Galaxies. , 2001, , 277-280.		0
162	Host Galaxies and Environment of Narrow Line Seyfert 1 Nuclei. , 2001, , 273-275.		0

#	ARTICLE	IF	CITATIONS
163	Quasars: The Observational Perspectives. <i>Astrophysics and Space Science Library</i> , 2012, , 91-215.	2.7	0
164	Quasars Classes and Their Relationships. <i>Astrophysics and Space Science Library</i> , 2012, , 217-286.	2.7	0
165	The New Boundaries of the Galaxy Concept. <i>Astrophysics and Space Science Library</i> , 2016, , 509-583.	2.7	0
166	Dichotomy of radio loud and radio quiet quasars in four dimensional eigenvector one (4DE1) parameter space. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 351-354.	0.0	0
167	The quasar main sequence and its potential for cosmology. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 66-71.	0.0	0
168	The Energetics of the Central Engine in the Powerful Quasar 3C 298. <i>Astronomical Journal</i> , 2022, 163, 194.	4.7	0