

Paola Marziani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5295343/publications.pdf>

Version: 2024-02-01

168
papers

4,955
citations

109321

35
h-index

102487

66
g-index

169
all docs

169
docs citations

169
times ranked

2766
citing authors

#	ARTICLE	IF	CITATIONS
1	X-ray spectroscopic survey of highly accreting AGN. <i>Astronomy and Astrophysics</i> , 2022, 657, A57.	5.1	15
2	The main sequence of quasars: The taming of the extremes. <i>Astronomische Nachrichten</i> , 2022, 343, .	1.2	7
3	Isolating an Outflow Component in Single-Epoch Spectra of Quasars. <i>Galaxies</i> , 2022, 10, 54.	3.0	6
4	The Energetics of the Central Engine in the Powerful Quasar 3C 298. <i>Astronomical Journal</i> , 2022, 163, 194.	4.7	0
5	Taming the derivative: Diagnostics of the continuum and H β emission in a prototypical Population B active galaxy. <i>Astronomische Nachrichten</i> , 2022, 343, .	1.2	3
6	The Main Sequence View of Quasars Accreting at High Rates: Influence of Star Formation*. <i>Research Notes of the AAS</i> , 2021, 5, 25.	0.7	1
7	High Metal Content of Highly Accreting Quasars. <i>Astrophysical Journal</i> , 2021, 910, 115.	4.5	33
8	Dark Energy Constraints from Quasar Observations. <i>Acta Physica Polonica A</i> , 2021, 139, 389-393.	0.5	20
9	Interpreting automatic AGN classifiers with saliency maps. <i>Astronomy and Astrophysics</i> , 2021, 652, A19.	5.1	8
10	Linear spectropolarimetric analysis of fairall 9 with VLT/FORS2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 508, 79-99.	4.4	5
11	The Highly Self-absorbed Blazar PKS 1351-018. <i>Astrophysical Journal</i> , 2021, 919, 40.	4.5	2
12	The CaFe Project: Optical Fe II and Near-infrared Ca II Triplet Emission in Active Galaxies. II. The Driver(s) of the Ca II and Fe II and Its Potential Use as a Chemical Clock. <i>Astrophysical Journal</i> , 2021, 918, 29.	4.5	7
13	Past, Present, and Future of the Scaling Relations of Galaxies and Active Galactic Nuclei. <i>Frontiers in Astronomy and Space Sciences</i> , 2021, 8, .	2.8	15
14	Optical Singly-Ionized Iron Emission in Radio-Quiet and Relativistically Jetted Active Galactic Nuclei. <i>Universe</i> , 2021, 7, 484.	2.5	7
15	Broad UV Emission Lines in Type-1 Active Galactic Nuclei: A Note on Spectral Diagnostics and the Excitation Mechanism. <i>Atoms</i> , 2020, 8, 94.	1.6	6
16	Examining supernova events in Type 1 active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 4419-4429.	4.4	1
17	Panchromatic properties of the extreme Fe α emitter PHL 1092. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 4187-4202.	4.4	14
18	Extreme Quasars as Distance Indicators in Cosmology. <i>Frontiers in Astronomy and Space Sciences</i> , 2020, 6, .	2.8	14

#	ARTICLE	IF	CITATIONS
19	Selection of highly-accreting quasars. <i>Astronomy and Astrophysics</i> , 2020, 635, A151.	5.1	12
20	The parallelism between galaxy clusters and early-type galaxies. <i>Astronomy and Astrophysics</i> , 2020, 641, A94.	5.1	12
21	The parallelism between galaxy clusters and early-type galaxies. <i>Astronomy and Astrophysics</i> , 2020, 643, A136.	5.1	8
22	Main trends of the quasar main sequence - effect of viewing angle. <i>Contributions of the Astronomical Observatory Skalnaté Pleso</i> , 2020, 50, .	0.1	6
23	The Energetics of Launching the Most Powerful Jets in Quasars: A Study of 3C482. <i>Astrophysical Journal</i> , 2020, 898, 169.	4.5	4
24	The CaFe Project: Optical Fe ii and Near-infrared Ca ii Triplet Emission in Active Galaxies. I. Photoionization Modeling. <i>Astrophysical Journal</i> , 2020, 902, 76.	4.5	16
25	The Extreme Red Excess in Blazar Ultraviolet Broad Emission Lines. <i>Astrophysical Journal</i> , 2020, 903, 44.	4.5	15
26	Maximum parsimony analysis of the effect of the environment on the evolution of galaxies. <i>Astronomy and Astrophysics</i> , 2019, 630, A63.	5.1	4
27	The Parallelism between Galaxy Clusters and Early-type Galaxies. I. The Light and Mass Profiles. <i>Astrophysical Journal</i> , 2019, 875, 103.	4.5	7
28	Quasars: From the Physics of Line Formation to Cosmology. <i>Atoms</i> , 2019, 7, 18.	1.6	10
29	On the Time Scales of Optical Variability of AGN and the Shape of Their Optical Emission Line Profiles. <i>Atoms</i> , 2019, 7, 26.	1.6	0
30	Radio loudness along the quasar main sequence. <i>Astronomy and Astrophysics</i> , 2019, 630, A110.	5.1	28
31	Black hole mass estimates in quasars. <i>Astronomy and Astrophysics</i> , 2019, 627, A88.	5.1	25
32	The Quasar Main Sequence Explained by the Combination of Eddington Ratio, Metallicity, and Orientation. <i>Astrophysical Journal</i> , 2019, 882, 79.	4.5	69
33	FeII emission in NLS1s “ originating from denser regions with higher abundances?. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 77-81.	0.0	1
34	FeII strength in NLS1s “ dependence on the viewing angle and FWHM(H β). <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 332-334.	0.0	1
35	Dichotomy of radio loud and radio quiet quasars in four dimensional eigenvector one (4DE1) parameter space. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 351-354.	0.0	0
36	Optical spectral properties of radio loud quasars along the main sequence. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 310-313.	0.0	1

#	ARTICLE	IF	CITATIONS
37	The quasar main sequence and its potential for cosmology. Proceedings of the International Astronomical Union, 2019, 15, 66-71.	0.0	0
38	Editorial: Quasars at All Cosmic Epochs. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	5
39	The Powerful Jet and Gamma-Ray Flare of the Quasar PKS 0438â€“436. Astrophysical Journal, 2018, 869, 174.	4.5	2
40	Highly accreting quasars: The SDSS low-redshift catalog. Astronomy and Astrophysics, 2018, 620, A118.	5.1	45
41	A Photoionization Method for Estimating Black Hole Masses in Quasars. Proceedings of the International Astronomical Union, 2018, 14, 270-271.	0.0	0
42	A Multimessenger View of Galaxies and Quasars From Now to Mid-century. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	6
43	Revealing the Broad Line Region of NGC 1275: The Relationship to Jet Power. Astrophysical Journal, 2018, 869, 143.	4.5	18
44	Extreme quasars at high redshift. Astronomy and Astrophysics, 2018, 618, A179.	5.1	19
45	Highly Accreting Quasars at High Redshift. Frontiers in Astronomy and Space Sciences, 2018, 4, .	2.8	16
46	AGN Broad Line Region Variability in the Context of Eigenvector 1: Case of NGC 5548. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	10
47	A Main Sequence for Quasars. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	76
48	Exploring Possible Relations Between Optical Variability Time Scales and Broad Emission Line Shapes in AGN. Frontiers in Astronomy and Space Sciences, 2018, 5, .	2.8	4
49	Narrow-line Seyfert 1s: what is wrong in a name?. , 2018, , .		2
50	On the Origin of the Fundamental Plane and Faberâ€“Jackson Relations: Implications for the Star Formation Problem. Astrophysical Journal, 2017, 838, 163.	4.5	18
51	Emission line galaxies and active galactic nuclei in WINGS clusters. Astronomy and Astrophysics, 2017, 599, A83.	5.1	19
52	The Phylogeny of Quasars and the Ontogeny of Their Central Black Holes. Frontiers in Astronomy and Space Sciences, 2017, 4, .	2.8	22
53	Quasar Massive Ionized Outflows Traced by CIV Î»1549 and [OIII] Î»4959,5007. Frontiers in Astronomy and Space Sciences, 2017, 4, .	2.8	12
54	Phylogenetic Analyses of Quasars and Galaxies. Frontiers in Astronomy and Space Sciences, 2017, 4, .	2.8	6

#	ARTICLE	IF	CITATIONS
55	HE0359-3959: An Extremely Radiating Quasar. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	6
56	Quasars as Cosmological Standard Candles. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	9
57	Quasar Black Hole Mass Estimates from High-Ionization Lines: Breaking a Taboo?. <i>Atoms</i> , 2017, 5, 33.	1.6	7
58	What does CIV λ 1549 tell us about the physical driver of the Eigenvector quasar sequence?. <i>Astronomy and Astrophysics</i> , 2017, 608, A122.	5.1	47
59	SALT long-slit spectroscopy of quasar HE 0435-4312: fast displacement of the Mg II emission line. <i>Astronomy and Astrophysics</i> , 2017, 601, A32.	5.1	7
60	THE EXTREME ULTRAVIOLET VARIABILITY OF QUASARS. <i>Astrophysical Journal</i> , 2016, 830, 104.	4.5	11
61	Balmer line shifts in quasars. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	3
62	EVIDENCE FOR PERIODICITY IN 43 YEAR-LONG MONITORING OF NGC 5548. <i>Astrophysical Journal, Supplement Series</i> , 2016, 225, 29.	7.7	57
63	Periodic optical variability of AGN. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 176-179.	0.0	3
64	Optical variability patterns of radio-quiet and radio-loud quasars. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 243-244.	0.0	1
65	Highly accreting quasars: a tool for cosmology?. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 245-246.	0.0	1
66	The extreme ultraviolet spectra of low-redshift radio-loud quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 4233-4239.	4.4	5
67	Blue outliers among intermediate redshift quasars. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	23
68	The most powerful quasar outflows as revealed by the CIV λ 1549 λ 1549 resonance line. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	28
69	New Eyes for Galaxies Investigation. <i>Astrophysics and Space Science Library</i> , 2016, , 697-737.	2.7	1
70	The Anatomy of Galaxies. <i>Astrophysics and Space Science Library</i> , 2016, , 243-379.	2.7	1
71	The New Boundaries of the Galaxy Concept. <i>Astrophysics and Space Science Library</i> , 2016, , 509-583.	2.7	0
72	THE EXTREME ULTRAVIOLET DEFICIT: JET CONNECTION IN THE QUASAR 1442+101. <i>Astrophysical Journal</i> , 2015, 812, 79.	4.5	9

#	ARTICLE	IF	CITATIONS
73	3C 57 as an atypical radio-loud quasar: implications for the radio-loud/radio-quiet dichotomy. Monthly Notices of the Royal Astronomical Society, 2015, 450, 1916-1925.	4.4	16
74	Gravitational redshift of emission lines in the AGN spectra. Astrophysics and Space Science, 2015, 360, 1.	1.4	20
75	Grand challenges in Milky Way and galaxies. Frontiers in Astronomy and Space Sciences, 2015, 2, .	2.8	1
76	The transformation of Spirals into S0 galaxies in the cluster environment. Frontiers in Astronomy and Space Sciences, 2015, 2, .	2.8	13
77	Quasars in the 4D eigenvector 1 context: a stroll down memory lane. Frontiers in Astronomy and Space Sciences, 2015, 2, .	2.8	29
78	Observations of the Ca ii IR Triplet in High Luminosity Quasars: Exploring the Sample. Journal of Astrophysics and Astronomy, 2015, 36, 457.	1.0	4
79	Measures of the Soft X-ray Excess as an Eigenvector 1 Parameter for Active Galactic Nuclei. Journal of Astrophysics and Astronomy, 2015, 36, 467.	1.0	7
80	O i AND Ca ii OBSERVATIONS IN INTERMEDIATE REDSHIFT QUASARS. Astrophysical Journal, Supplement Series, 2015, 217, 3.	7.7	28
81	UV spectral diagnostics for low redshift quasars: estimating physical conditions and radius of the broad line region. Astrophysics and Space Science, 2015, 356, 339-346.	1.4	11
82	The extreme ultraviolet spectrum of the kinetically dominated quasar 3C 270.1. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 453, L16-L20.	3.3	4
83	WINGS-SPE. Astronomy and Astrophysics, 2014, 566, A32.	5.1	32
84	Low Ionization Emission Lines in Quasars: Clues from OI 8446 and the Call Triplet. The Astronomical Review, 2014, 9, 29-40.	4.0	1
85	Highly accreting quasars: sample definition and possible cosmological implications. Monthly Notices of the Royal Astronomical Society, 2014, 442, 1211-1229.	4.4	70
86	A NEW METHOD TO OBTAIN THE BROAD LINE REGION SIZE OF HIGH REDSHIFT QUASARS. Astrophysical Journal, 2014, 794, 95.	4.5	19
87	Estimating the broad line region size and analysis of eigenvector composite spectra: Comparing H β and H γ emission lines. Monthly Notices of the Royal Astronomical Society, 2014, 442, 1211-1229.	2.6	1
88	A photoionization method for estimating BLR size in quasars. Advances in Space Research, 2014, 54, 1355-1361.	2.6	9
89	Quasars and their emission lines as cosmological probes. Advances in Space Research, 2014, 54, 1331-1340.	2.6	18
90	Exploring low luminosity quasar diversity at $z \sim 6$. Monthly Notices of the Royal Astronomical Society, 2014, 442, 1211-1229.	2.6	0

#	ARTICLE	IF	CITATIONS
91	Low ionization lines in high luminosity quasars: The calcium triplet. <i>Advances in Space Research</i> , 2014, 54, 1375-1381.	2.6	0
92	Fifty Years of Quasars: Physical Insights and Potential for Cosmology. <i>Journal of Physics: Conference Series</i> , 2014, 565, 012018.	0.4	8
93	GTC spectra of $z \sim 2.3$ quasars: comparison with local luminosity analogs. <i>Astronomy and Astrophysics</i> , 2014, 570, A96.	5.1	31
94	The hybrid solution for the Fundamental Plane. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 45-63.	4.4	17
95	REVERBERATION AND PHOTOIONIZATION ESTIMATES OF THE BROAD-LINE REGION RADIUS IN LOW- z QUASARS. <i>Astrophysical Journal</i> , 2013, 771, 31.	4.5	35
96	The fundamental plane of clusters of galaxies. <i>Astronomische Nachrichten</i> , 2013, 334, 373-376.	1.2	6
97	Active and star-forming galactic nuclei in WINGS: A preliminary report. <i>Astronomische Nachrichten</i> , 2013, 334, 412-415.	1.2	3
98	LOW-IONIZATION OUTFLOWS IN HIGH EDDINGTON RATIO QUASARS. <i>Astrophysical Journal</i> , 2013, 764, 150.	4.5	41
99	Is $M_{\text{H}\beta}$ a reliable virial broadening estimator for quasars?. <i>Astronomy and Astrophysics</i> , 2013, 555, A89.	5.1	67
100	NO EVIDENCE FOR A SYSTEMATIC Fe II EMISSION LINE REDSHIFT IN TYPE 1 ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal Letters</i> , 2012, 752, L7.	8.3	22
101	Quasar Outflows: in the 4D Eigenvector 1 Context. <i>The Astronomical Review</i> , 2012, 7, 33-57.	4.0	10
102	BROAD-LINE REGION PHYSICAL CONDITIONS IN EXTREME POPULATION A QUASARS: A METHOD TO ESTIMATE CENTRAL BLACK HOLE MASS AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2012, 757, 62.	4.5	58
103	THE FIRST SPECTROSCOPICALLY RESOLVED SUB-PARSEC ORBIT OF A SUPERMASSIVE BINARY BLACK HOLE. <i>Astrophysical Journal</i> , 2012, 759, 118.	4.5	95
104	From Observations to Physical Parameters. <i>Astrophysics and Space Science Library</i> , 2012, , 287-336.	2.7	0
105	Models of Quasars. <i>Astrophysics and Space Science Library</i> , 2012, , 337-437.	2.7	0
106	Quasars in the Cosmic Environment. <i>Astrophysics and Space Science Library</i> , 2012, , 439-520.	2.7	0
107	The Future of Quasar Studies. <i>Astrophysics and Space Science Library</i> , 2012, , 521-547.	2.7	1
108	Fifty Years of Quasars: Current Impressions and Future Perspectives. <i>Astrophysics and Space Science Library</i> , 2012, , 549-570.	2.7	6

#	ARTICLE	IF	CITATIONS
109	Estimating black hole masses in quasars using broad optical and UV emission lines. <i>New Astronomy Reviews</i> , 2012, 56, 49-63.	12.8	67
110	Quasars: The Observational Perspectives. <i>Astrophysics and Space Science Library</i> , 2012, , 91-215.	2.7	0
111	Quasars Classes and Their Relationships. <i>Astrophysics and Space Science Library</i> , 2012, , 217-286.	2.7	0
112	A Photo-ionization Method for Black Hole Mass Estimation in Quasars. <i>Open Astronomy</i> , 2011, 20, .	0.6	2
113	The Case for Two Quasar Populations. <i>Open Astronomy</i> , 2011, 20, .	0.6	10
114	Hints on the Broad Line Region Structure of Quasars at High and Low Luminosities. <i>Open Astronomy</i> , 2011, 20, .	0.6	0
115	THE EFFECT OF RADIATION PRESSURE ON EMISSION-LINE PROFILES AND BLACK HOLE MASS DETERMINATION IN ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 724, 318-328.	4.5	118
116	Broad-line region physical conditions along the quasar eigenvector 1 sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 1033-1048.	4.4	83
117	Detailed characterization of H β emission line profile in low- z SDSS quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 403, 1759-1786.	4.4	105
118	Comparing H β line profiles in the 4D Eigenvector 1 context. <i>New Astronomy Reviews</i> , 2009, 53, 198-201.	12.8	21
119	Fundamental Cosmological Observations and Data Interpretation. , 2009, , 7-201.		3
120	From Galileo to Modern Cosmology: Alternative Paradigms and Science Boundary Conditions. , 2009, , 301-428.		1
121	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. <i>Astronomy and Astrophysics</i> , 2009, 495, 83-112.	5.1	80
122	New insights on the QSO radio-loud/radio-quiet dichotomy: SDSS spectra in the context of the 4D eigenvector1 parameter space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 387, 856-870.	4.4	80
123	The Metamorphosis of Supernova SN 2008D/XRF 080109: A Link Between Supernovae and GRBs/Hypernovae. <i>Science</i> , 2008, 321, 1185-1188.	12.6	191
124	Asymmetry of the C IV λ 1549 and [O III] λ 4959, 5007 Lines in a Sample of RQ and RL AGN. <i>AIP Conference Proceedings</i> , 2007, , .	0.4	1
125	C IV λ 1549 as an Eigenvector 1 Parameter for Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2007, 666, 757-777.	4.5	188
126	Supermassive Black Holes in Quasars. <i>AIP Conference Proceedings</i> , 2006, , .	0.4	6

#	ARTICLE	IF	CITATIONS
127	Quasar evolution: black hole mass and accretion rate determination. Proceedings of the International Astronomical Union, 2006, 2, 83-86.	0.0	0
128	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. Astronomy and Astrophysics, 2006, 456, 929-939.	5.1	59
129	BAL QSOs in the eigenvector 1 context: toward a self-consistent model of the line absorbing/emitting regions. Proceedings of the International Astronomical Union, 2005, 1, 415-417.	0.0	0
130	The XMM-Newton and BeppoSAX view of the Ultra Luminous Infrared Galaxy MKN 231. Astronomy and Astrophysics, 2004, 420, 79-88.	5.1	94
131	VLT/ISAAC spectra of the H β region in intermediate redshift quasars. Astronomy and Astrophysics, 2004, 423, 121-132.	5.1	49
132	The Ultra Luminous Infrared Galaxy Mrk 231: new clues from BeppoSAX and XMM-Newton. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 153-156.	0.4	3
133	Average Ultraviolet Quasar Spectra in the Context of Eigenvector 1: A Baldwin Effect Governed by the Eddington Ratio?. Astrophysical Journal, 2004, 617, 171-183.	4.5	96
134	H β variability of the recurrent nova T Coronae Borealis. Astronomy and Astrophysics, 2004, 415, 609-616.	5.1	26
135	Searching for the physical drivers of eigenvector 1: influence of black hole mass and Eddington ratio. Monthly Notices of the Royal Astronomical Society, 2003, 345, 1133-1144.	4.4	110
136	Radio-loud Active Galactic Nuclei in the Context of the Eigenvector 1 Parameter Space. Astrophysical Journal, 2003, 597, L17-L20.	4.5	47
137	An Optical Spectroscopic Atlas of Low-Redshift Active Galactic Nuclei. Astrophysical Journal, Supplement Series, 2003, 145, 199-211.	7.7	166
138	Arp 194: Evidence of Tidal Stripping of Gas and Cross-Fueling. Astronomical Journal, 2003, 125, 1897-1907.	4.7	15
139	Kinematic Linkage between the Broad- and Narrow-Line-emitting Gas in Active Galactic Nuclei. Astrophysical Journal, 2002, 576, L9-L13.	4.5	117
140	Average Quasar Spectra in the Context of Eigenvector 1. Astrophysical Journal, 2002, 566, L71-L75.	4.5	129
141	On core-collapse supernovae in normal and in Seyfert galaxies. Monthly Notices of the Royal Astronomical Society, 2002, 331, L25-L29.	4.4	20
142	The Circumgalactic Environment of Bright IRAS Galaxies. Astrophysical Journal, 2002, 572, 169-177.	4.5	34
143	Searching for the Physical Drivers of Eigenvector 1: From Quasars to Nanoquasars. Astrophysical Journal, 2002, 571, L77-L80.	4.5	31
144	Searching for the Physical Drivers of the Eigenvector 1 Correlation Space. Astrophysical Journal, 2001, 558, 553-560.	4.5	145

#	ARTICLE	IF	CITATIONS
145	An H-R diagram for AGN?. AIP Conference Proceedings, 2001, , .	0.4	1
146	Host Galaxies and Circumgalactic Environment of "Narrow Line" Seyfert 1 Nuclei. Astronomical Journal, 2001, 121, 702-709.	4.7	45
147	The Circum-Galactic Environment of LINERs and Bright IRAS Galaxies. , 2001, , 277-280.		0
148	Host Galaxies and Environment of Narrow Line Seyfert 1 Nuclei. , 2001, , 273-275.		0
149	Eigenvector 1: An Optimal Correlation Space for Active Galactic Nuclei. Astrophysical Journal, 2000, 536, L5-L9.	4.5	251
150	The Demise of the Classical Broad-Line Region in the Luminous Quasar PG 1416~129. Astrophysical Journal, 2000, 545, L15-L18.	4.5	58
151	Phenomenology of Broad Emission Lines in Active Galactic Nuclei. Annual Review of Astronomy and Astrophysics, 2000, 38, 521-571.	24.3	337
152	The Close Environment of Seyfert Galaxies and Its Implication for Unification Models. Astrophysical Journal, 1999, 513, L111-L114.	4.5	80
153	UGC 3995: A Close Pair of Spiral Galaxies. Astronomical Journal, 1999, 117, 2736-2747.	4.7	10
154	The Intermediate-Line Region in Active Galactic Nuclei: A Region "Pr"ter Necessitatem". Astrophysical Journal, 1999, 518, L9-L12.	4.5	29
155	On the Origin of Broad Fe K"± and HiH"± Lines in Active Galactic Nuclei. Astrophysical Journal, 1998, 501, 54-68.	4.5	48
156	Balmer Line Variations in the Radio-Loud Active Galactic Nucleus PG 1512+370. Astrophysical Journal, 1998, 495, 222-226.	4.5	6
157	Unusual Balmer-Line Variations in the Radio-Loud AGN 4C 37.43. International Astronomical Union Colloquium, 1997, 159, 203-204.	0.1	0
158	On the Difference Between Radio Quiet and Radio Loud AGN. International Astronomical Union Colloquium, 1997, 163, 761-762.	0.1	1
159	A Correlation Analysis for Emission Lines in 52 AGN. International Astronomical Union Colloquium, 1997, 159, 262-263.	0.1	0
160	Comparative Analysis of the High- and Low-Ionization Lines in the Broad-Line Region of Active Galactic Nuclei. Astrophysical Journal, Supplement Series, 1996, 104, 37.	7.7	293
161	Pictor A: A new double-peaked emission-line quasar. Astrophysical Journal, 1995, 438, L1.	4.5	32
162	First direct comparison of high and low ionization line kinematics in active galactic nuclei. Astrophysical Journal, 1995, 445, L85.	4.5	29

#	ARTICLE	IF	CITATIONS
163	Photometric and H \pm observations of LSI+61 $\hat{\circ}$ 303. Symposium - International Astronomical Union, 1994, 162, 211-212.	0.1	0
164	Multiple high-velocity emission-line systems in the E + S pair CPG 29. Astrophysical Journal, 1994, 435, 668.	4.5	8
165	The peculiar Balmer line profiles of OQ 208. Astrophysical Journal, 1993, 410, 56.	4.5	35
166	Twin peaks - IC 4329A and Arakelian 120. Astrophysical Journal, 1992, 393, 658.	4.5	17
167	Hunting the nature of the enigmatic narrow-line Seyfert 1 galaxy PKS 2004-447. Astronomy and Astrophysics, 0, , .	5.1	10
168	Optical and UV properties of a radio \hat{e} loud and a radio \hat{e} quiet Population A quasar at high redshift. Astronomische Nachrichten, 0, , .	1.2	3