

Simon W Hayward

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5295904/publications.pdf>

Version: 2024-02-01

148
papers

9,000
citations

41323

49
h-index

46771

89
g-index

153
all docs

153
docs citations

153
times ranked

9795
citing authors

#	ARTICLE	IF	CITATIONS
1	Cancer-associated fibroblasts promote directional cancer cell migration by aligning fibronectin. <i>Journal of Cell Biology</i> , 2017, 216, 3799-3816.	2.3	402
2	NTP&CERHR expert panel report on the reproductive and developmental toxicity of bisphenol A. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2008, 83, 157-395.	1.4	381
3	Role of the stromal microenvironment in carcinogenesis of the prostate. <i>International Journal of Cancer</i> , 2003, 107, 1-10.	2.3	346
4	Cancer associated fibroblasts in cancer pathogenesis. <i>Seminars in Cell and Developmental Biology</i> , 2010, 21, 33-39.	2.3	323
5	Cell differentiation lineage in the prostate. <i>Differentiation</i> , 2001, 68, 270-279.	1.0	270
6	Hormonal, cellular, and molecular regulation of normal and neoplastic prostatic development. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 92, 221-236.	1.2	266
7	Regeneration of Bladder Urothelium, Smooth Muscle, Blood Vessels and Nerves Into an Acellular Tissue Matrix. <i>Journal of Urology</i> , 1996, 156, 571-577.	0.2	256
8	Cross-talk between Paracrine-Acting Cytokine and Chemokine Pathways Promotes Malignancy in Benign Human Prostatic Epithelium. <i>Cancer Research</i> , 2007, 67, 4244-4253.	0.4	255
9	Role of stroma in carcinogenesis of the prostate. <i>Differentiation</i> , 2002, 70, 473-485.	1.0	253
10	Loss of TGF- β 2 type II receptor in fibroblasts promotes mammary carcinoma growth and invasion through upregulation of TGF- β 1, MSP- and HGF-mediated signaling networks. <i>Oncogene</i> , 2005, 24, 5053-5068.	2.6	252
11	Nkx3.1 mutant mice recapitulate early stages of prostate carcinogenesis. <i>Cancer Research</i> , 2002, 62, 2999-3004.	0.4	207
12	Interactions between adult human prostatic epithelium and rat urogenital sinus mesenchyme in a tissue recombination model. <i>Differentiation</i> , 1998, 63, 131-140.	1.0	173
13	Development and characterization of efficient xenograft models for benign and malignant human prostate tissue. <i>Prostate</i> , 2005, 64, 149-159.	1.2	162
14	Altered TGF- β 2 Signaling in a Subpopulation of Human Stromal Cells Promotes Prostatic Carcinogenesis. <i>Cancer Research</i> , 2011, 71, 1272-1281.	0.4	158
15	Forkhead box A1 regulates prostate ductal morphogenesis and promotes epithelial cell maturation. <i>Development (Cambridge)</i> , 2005, 132, 3431-3443.	1.2	157
16	THE PROSTATE: DEVELOPMENT AND PHYSIOLOGY. <i>Radiologic Clinics of North America</i> , 2000, 38, 1-14.	0.9	151
17	Identification of SFRP1 as a Candidate Mediator of Stromal-to-Epithelial Signaling in Prostate Cancer. <i>Cancer Research</i> , 2005, 65, 10423-10430.	0.4	150
18	Role of Mesenchymal-Epithelial Interactions in Normal Bladder Development. <i>Journal of Urology</i> , 1996, 156, 1820-1827.	0.2	142

#	ARTICLE	IF	CITATIONS
19	Transforming Growth Factor- β Promotes Invasion in Tumorigenic but not in Nontumorigenic Human Prostatic Epithelial Cells. <i>Cancer Research</i> , 2006, 66, 8007-8016.	0.4	111
20	Review of Prostate Anatomy and Embryology and the Etiology of Benign Prostatic Hyperplasia. <i>Urologic Clinics of North America</i> , 2016, 43, 279-288.	0.8	111
21	Normal Development and Carcinogenesis of the Prostate.. <i>Annals of the New York Academy of Sciences</i> , 1996, 784, 50-62.	1.8	110
22	An orthotopic metastatic prostate cancer model in SCID mice via grafting of a transplantable human prostate tumor line. <i>Laboratory Investigation</i> , 2005, 85, 1392-1404.	1.7	107
23	NE-10 Neuroendocrine Cancer Promotes the LNCaP Xenograft Growth in Castrated Mice. <i>Cancer Research</i> , 2004, 64, 5489-5495.	0.4	105
24	Stromal Transforming Growth Factor- β Signaling Mediates Prostatic Response to Androgen Ablation by Paracrine Wnt Activity. <i>Cancer Research</i> , 2008, 68, 4709-4718.	0.4	104
25	Directed differentiation of embryonic stem cells into bladder tissue. <i>Developmental Biology</i> , 2007, 304, 556-566.	0.9	93
26	Growth Factors in Bladder Wound Healing. <i>Journal of Urology</i> , 1997, 157, 2388-2395.	0.2	89
27	Expression profiling of a human cell line model of prostatic cancer reveals a direct involvement of interferon signaling in prostate tumor progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2830-2835.	3.3	83
28	Steroid hormones stimulate human prostate cancer progression and metastasis. <i>International Journal of Cancer</i> , 2006, 118, 2123-2131.	2.3	81
29	Role for Stromal Heterogeneity in Prostate Tumorigenesis. <i>Cancer Research</i> , 2011, 71, 3459-3470.	0.4	80
30	The role of the androgen receptor in prostate development and benign prostatic hyperplasia: A review. <i>Asian Journal of Urology</i> , 2020, 7, 191-202.	0.5	78
31	Il-6 signaling between ductal carcinoma in situ cells and carcinoma-associated fibroblasts mediates tumor cell growth and migration. <i>BMC Cancer</i> , 2015, 15, 584.	1.1	76
32	The Effect of Testosterone on Androgen Receptors and Human Penile Growth. <i>Journal of Urology</i> , 1997, 158, 1113-1118.	0.2	75
33	Estrogenic effects on prostatic differentiation and carcinogenesis. <i>Reproduction, Fertility and Development</i> , 2001, 13, 285.	0.1	74
34	Molecular, cellular and developmental biology of urothelium as a basis of bladder regeneration. <i>Differentiation</i> , 2005, 73, 121-133.	1.0	74
35	A Novel Model of Urinary Tract Differentiation, Tissue Regeneration, and Disease: Reprogramming Human Prostate and Bladder Cells into Induced Pluripotent Stem Cells. <i>European Urology</i> , 2013, 64, 753-761.	0.9	73
36	Stretching Fibroblasts Remodels Fibronectin and Alters Cancer Cell Migration. <i>Scientific Reports</i> , 2015, 5, 8334.	1.6	72

#	ARTICLE	IF	CITATIONS
37	Androgen hormone action in prostatic carcinogenesis: stromal androgen receptors mediate prostate cancer progression, malignant transformation and metastasis. <i>Carcinogenesis</i> , 2012, 33, 1391-1398.	1.3	69
38	ALCAM/CD166 Is a TGF- β Responsive Marker and Functional Regulator of Prostate Cancer Metastasis to Bone. <i>Cancer Research</i> , 2014, 74, 1404-1415.	0.4	69
39	Functional Remodeling of Benign Human Prostatic Tissues <i>In Vivo</i> by Spontaneously Immortalized Progenitor and Intermediate Cells. <i>Stem Cells</i> , 2010, 28, 344-356.	1.4	68
40	Stromal Androgen Receptor in Prostate Development and Cancer. <i>American Journal of Pathology</i> , 2014, 184, 2598-2607.	1.9	65
41	Unopposed c-MYC expression in benign prostatic epithelium causes a cancer phenotype. <i>Prostate</i> , 2005, 63, 369-384.	1.2	64
42	Directed Differentiation of Bone Marrow Derived Mesenchymal Stem Cells Into Bladder Urothelium. <i>Journal of Urology</i> , 2008, 180, 1778-1783.	0.2	64
43	MESENCHYMAL-EPITHELIAL INTERACTIONS IN BLADDER SMOOTH MUSCLE DEVELOPMENT: EPITHELIAL SPECIFICITY. <i>Journal of Urology</i> , 1998, 160, 1040-1046.	0.2	63
44	Loss of TGF- β Responsiveness in Prostate Stromal Cells Alters Chemokine Levels and Facilitates the Development of Mixed Osteoblastic/Osteolytic Bone Lesions. <i>Molecular Cancer Research</i> , 2012, 10, 494-503.	1.5	62
45	Tumor-secreted Hsp90 Subverts Polycomb Function to Drive Prostate Tumor Growth and Invasion. <i>Journal of Biological Chemistry</i> , 2015, 290, 8271-8282.	1.6	62
46	The Role of Transforming Growth Factor- β Mediated Tumor-Stroma Interactions in Prostate Cancer Progression: An Integrative Approach. <i>Cancer Research</i> , 2009, 69, 7111-7120.	0.4	61
47	Evidence that the prostate-specific antigen (PSA)/Zn ²⁺ axis may play a role in human prostate cancer cell invasion. <i>Cancer Letters</i> , 2004, 207, 79-87.	3.2	59
48	Tissue-Specific Consequences of Cyclin D1 Overexpression in Prostate Cancer Progression. <i>Cancer Research</i> , 2007, 67, 8188-8197.	0.4	59
49	The rat prostatic epithelial cell line NRP-152 can differentiate in vivo in response to its stromal environment. , 1999, 39, 205-212.		55
50	Nkx3.1 and Myc crossregulate shared target genes in mouse and human prostate tumorigenesis. <i>Journal of Clinical Investigation</i> , 2012, 122, 1907-1919.	3.9	53
51	Heterogeneity of human prostate carcinoma-associated fibroblasts implicates a role for subpopulations in myeloid cell recruitment. <i>Prostate</i> , 2020, 80, 173-185.	1.2	51
52	NF- κ B and androgen receptor variant expression correlate with human BPH progression. <i>Prostate</i> , 2016, 76, 491-511.	1.2	49
53	An edgewise look at basal epithelial cells: Three-dimensional views of the rat prostate, mammary gland and salivary gland. <i>Differentiation</i> , 1996, 60, 219-227.	1.0	48
54	Quantitation of apoptotic activity following castration in human prostatic tissue in vivo. <i>Prostate</i> , 2003, 54, 212-219.	1.2	47

#	ARTICLE	IF	CITATIONS
55	Targeting the Tumor Stroma as a Novel Therapeutic Approach for Prostate Cancer. <i>Advances in Pharmacology</i> , 2012, 65, 267-313.	1.2	46
56	Development of a three-dimensional culture model of prostatic epithelial cells and its use for the study of epithelial-mesenchymal transition and inhibition of PI3K pathway in prostate cancer. <i>Prostate</i> , 2009, 69, 428-442.	1.2	45
57	Hypertension Is a Major Contributor to 20-Hydroxyeicosatetraenoic Acid-Mediated Kidney Injury in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 597-610.	3.0	44
58	Plasticity of the urothelial phenotype: Effects of gastro-intestinal mesenchyme/stroma and implications for urinary tract reconstruction. <i>Differentiation</i> , 2000, 66, 126-135.	1.0	43
59	Recruitment of CD34+ Fibroblasts in Tumor-Associated Reactive Stroma. <i>American Journal of Pathology</i> , 2014, 184, 1860-1870.	1.9	43
60	PPAR δ : A molecular link between systemic metabolic disease and benign prostate hyperplasia. <i>Differentiation</i> , 2011, 82, 220-236.	1.0	41
61	Expression of pleiotrophin in the prostate is androgen regulated and it functions as an autocrine regulator of mesenchyme and cancer associated fibroblasts and as a paracrine regulator of epithelia. <i>Prostate</i> , 2011, 71, 305-317.	1.2	41
62	E2f binding-deficient <i>Rb1</i> protein suppresses prostate tumor progression in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 704-709.	3.3	41
63	The Effect of Testosterone on Androgen Receptors and Human Penile Growth. <i>Journal of Urology</i> , 1997, 158, 1113-1118.	0.2	40
64	Endodermal Origin of Bladder Trigone Inferred From Mesenchymal-Epithelial Interaction. <i>Journal of Urology</i> , 2010, 183, 386-391.	0.2	39
65	FOXA1 deletion in luminal epithelium causes prostatic hyperplasia and alteration of differentiated phenotype. <i>Laboratory Investigation</i> , 2014, 94, 726-739.	1.7	39
66	MESENCHYMAL-EPITHELIAL INTERACTIONS IN BLADDER SMOOTH MUSCLE DEVELOPMENT: EFFECTS OF THE LOCAL TISSUE ENVIRONMENT. <i>Journal of Urology</i> , 2001, 165, 1283-1288.	0.2	38
67	The Stress Response Mediator ATF3 Represses Androgen Signaling by Binding the Androgen Receptor. <i>Molecular and Cellular Biology</i> , 2012, 32, 3190-3202.	1.1	38
68	Down-regulation of p57Kip2 Induces Prostate Cancer in the Mouse. <i>Cancer Research</i> , 2008, 68, 3601-3608.	0.4	37
69	A Role for Polyploidy in the Tumorigenicity of Pim-1-Expressing Human Prostate and Mammary Epithelial Cells. <i>PLoS ONE</i> , 2008, 3, e2572.	1.1	37
70	Urothelial transdifferentiation to prostate epithelia is mediated by paracrine TGF- β 2 signaling. <i>Differentiation</i> , 2009, 77, 95-102.	1.0	37
71	Surgical intervention for symptomatic benign prostatic hyperplasia is correlated with expression of the AP-1 transcription factor network. <i>Prostate</i> , 2014, 74, 669-679.	1.2	37
72	Transcriptional profiling of inductive mesenchyme to identify molecules involved in prostate development and disease. <i>Genome Biology</i> , 2007, 8, R213.	13.9	36

#	ARTICLE	IF	CITATIONS
73	TGF- β 1 Induces an Age-Dependent Inflammation of Nerve Ganglia and Fibroplasia in the Prostate Gland Stroma of a Novel Transgenic Mouse. <i>PLoS ONE</i> , 2010, 5, e13751.	1.1	36
74	DGAT1 Inhibitor Suppresses Prostate Tumor Growth and Migration by Regulating Intracellular Lipids and Non-Centrosomal MTOC Protein GM130. <i>Scientific Reports</i> , 2019, 9, 3035.	1.6	35
75	An E2F Binding-Deficient Rb1 Protein Partially Rescues Developmental Defects Associated with Rb1 Nullizygosity. <i>Molecular and Cellular Biology</i> , 2006, 26, 1527-1537.	1.1	34
76	Methodologies in Assaying Prostate Cancer Stem Cells. <i>Methods in Molecular Biology</i> , 2009, 568, 85-138.	0.4	34
77	Cells Comprising the Prostate Cancer Microenvironment Lack Recurrent Clonal Somatic Genomic Aberrations. <i>Molecular Cancer Research</i> , 2016, 14, 374-384.	1.5	34
78	Critical and Distinct Roles of p16 and Telomerase in Regulating the Proliferative Life Span of Normal Human Prostate Epithelial Progenitor Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 27957-27972.	1.6	32
79	Bladder Stromal Loss of Transforming Growth Factor Receptor II Decreases Fibrosis After Bladder Obstruction. <i>Journal of Urology</i> , 2009, 182, 1775-1780.	0.2	32
80	SPARCL1 suppresses metastasis in prostate cancer. <i>Molecular Oncology</i> , 2013, 7, 1019-1030.	2.1	32
81	Expression of hepatocyte nuclear factor-3 β in rat prostate, seminal vesicle, and bladder. , 1998, 211, 131-140.		30
82	UNDERSTANDING BLADDER REGENERATION: SMOOTH MUSCLE ONTOGENY. <i>Journal of Urology</i> , 1999, 162, 1101-1105.	0.2	30
83	Genome-wide analysis of AR binding and comparison with transcript expression in primary human fetal prostate fibroblasts and cancer associated fibroblasts. <i>Molecular and Cellular Endocrinology</i> , 2018, 471, 1-14.	1.6	30
84	Stromal reactivity differentially drives tumour cell evolution and prostate cancer progression. <i>Nature Ecology and Evolution</i> , 2020, 4, 870-884.	3.4	30
85	Rescue of Embryonic Epithelium Reveals That the Homozygous Deletion of the Retinoblastoma Gene Confers Growth Factor Independence and Immortality but Does Not Influence Epithelial Differentiation or Tissue Morphogenesis. <i>Journal of Biological Chemistry</i> , 2002, 277, 44475-44484.	1.6	29
86	Cathepsin D acts as an essential mediator to promote malignancy of benign prostatic epithelium. <i>Prostate</i> , 2013, 73, 476-488.	1.2	29
87	Deconstructing tumor heterogeneity: the stromal perspective. <i>Oncotarget</i> , 2020, 11, 3621-3632.	0.8	29
88	DIFFUSABLE GROWTH FACTORS INDUCE BLADDER SMOOTH MUSCLE DIFFERENTIATION. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2000, 36, 476.	0.7	28
89	Temporal-Spatial Protein Expression in Bladder Tissue Derived From Embryonic Stem Cells. <i>Journal of Urology</i> , 2008, 180, 1784-1789.	0.2	28
90	Approaches to understanding the importance and clinical implications of peroxisome proliferator-activated receptor gamma (PPAR γ) signaling in prostate cancer. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 513-527.	1.2	27

#	ARTICLE	IF	CITATIONS
91	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. <i>Endocrinology</i> , 2016, 157, 1094-1109.	1.4	27
92	Disruption of Rb/E2F Pathway Results in Increased Cyclooxygenase-2 Expression and Activity in Prostate Epithelial Cells. <i>Cancer Research</i> , 2005, 65, 3633-3642.	0.4	26
93	MESENCHYMAL-EPITHELIAL INTERACTIONS IN BLADDER SMOOTH MUSCLE DEVELOPMENT. <i>Journal of Urology</i> , 1998, 160, 1040-1046.	0.2	26
94	Approaches to Modeling Stromal-Epithelial Interactions. <i>Journal of Urology</i> , 2002, 168, 1165-1172.	0.2	25
95	Androgen Regulated Genes in Human Prostate Xenografts in Mice: Relation to BPH and Prostate Cancer. <i>PLoS ONE</i> , 2009, 4, e8384.	1.1	25
96	Pathomimetic avatars reveal divergent roles of microenvironment in invasive transition of ductal carcinoma in situ. <i>Breast Cancer Research</i> , 2017, 19, 56.	2.2	24
97	Propagation of human prostate tissue from induced pluripotent stem cells. <i>Stem Cells Translational Medicine</i> , 2020, 9, 734-745.	1.6	24
98	Use of tissue recombination to predict phenotypes of transgenic mouse models of prostate carcinoma. <i>Laboratory Investigation</i> , 2005, 85, 1086-1103.	1.7	22
99	Bladder tissue formation from cultured bladder urothelium. <i>Developmental Dynamics</i> , 2006, 235, 2795-2801.	0.8	22
100	Deficiency in Metabolic Regulators PPAR δ and PTEN Cooperates to Drive Keratinizing Squamous Metaplasia in Novel Models of Human Tissue Regeneration. <i>American Journal of Pathology</i> , 2013, 182, 449-459.	1.9	22
101	NF κ B and androgen receptor variant 7 induce expression of SRD5A isoforms and confer 5ARI resistance. <i>Prostate</i> , 2016, 76, 1004-1018.	1.2	22
102	TNF is a potential therapeutic target to suppress prostatic inflammation and hyperplasia in autoimmune disease. <i>Nature Communications</i> , 2022, 13, 2133.	5.8	22
103	Species-Specific Detection of Growth Factor Gene Expression in Developing Murine Prostatic Tissue ¹ . <i>Biology of Reproduction</i> , 1998, 59, 93-99.	1.2	21
104	Modulation of the Hypoxic Response Following Partial Bladder Outlet Obstruction. <i>Journal of Urology</i> , 2012, 188, 1549-1554.	0.2	21
105	Interaction of prostate carcinoma-associated fibroblasts with human epithelial cell lines in vivo. <i>Differentiation</i> , 2017, 96, 40-48.	1.0	21
106	PEDF regulates plasticity of a novel lipid-MTOC axis in prostate cancer associated fibroblasts. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	21
107	The Effects of interferons on the Activity of $\hat{1}\pm$ -Glycerolphosphate Dehydrogenase in Benign Prostatic Hyperplasia Cells in Primary Culture. <i>Journal of Urology</i> , 1987, 138, 648-653.	0.2	20
108	Autophagy in nuclear receptor PPAR δ -deficient mouse prostatic carcinogenesis. <i>Autophagy</i> , 2010, 6, 175-176.	4.3	20

#	ARTICLE	IF	CITATIONS
109	Reduction of pro-tumorigenic activity of human prostate cancer-associated fibroblasts using Dlk1 or SCUBE1. <i>DMM Disease Models and Mechanisms</i> , 2013, 6, 530-6.	1.2	20
110	A genetic variant near <i>GATA3</i> implicated in inherited susceptibility and etiology of benign prostatic hyperplasia (BPH) and lower urinary tract symptoms (LUTS). <i>Prostate</i> , 2017, 77, 1213-1220.	1.2	19
111	The Role of Type IV Collagenases in Rat Bladder Development and Obstruction. <i>Pediatric Research</i> , 1997, 41, 430-434.	1.1	19
112	Lipid droplet velocity is a microenvironmental sensor of aggressive tumors regulated by V-ATPase and PEDF. <i>Laboratory Investigation</i> , 2019, 99, 1822-1834.	1.7	17
113	Isolation and analysis of discreet human prostate cellular populations. <i>Differentiation</i> , 2016, 91, 139-151.	1.0	16
114	A Comprehensive Approach Toward Novel Serum Biomarkers for Benign Prostatic Hyperplasia: The MPSA Consortium. <i>Journal of Urology</i> , 2008, 179, 1243-1256.	0.2	15
115	Glucocorticoids Suppress Renal Cell Carcinoma Progression by Enhancing Na,K-ATPase Beta-1 Subunit Expression. <i>PLoS ONE</i> , 2015, 10, e0122442.	1.1	15
116	Reduced Contractility and Motility of Prostatic Cancer-Associated Fibroblasts after Inhibition of Heat Shock Protein 90. <i>Cancers</i> , 2016, 8, 77.	1.7	15
117	Loss of ephrin B2 receptor (EPHB2) sets lipid rheostat by regulating proteins DGAT1 and ATGL inducing lipid droplet storage in prostate cancer cells. <i>Laboratory Investigation</i> , 2021, 101, 921-934.	1.7	15
118	A Preliminary Study of JM-27: A Serum Marker That Can Specifically Identify Men With Symptomatic Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 2007, 177, 610-614.	0.2	14
119	Race as a Contributor to Stromal Modulation of Tumor Progression. <i>Cancers</i> , 2021, 13, 2656.	1.7	14
120	Chronic Cyclic Bladder Over Distention Up-Regulates Hypoxia Dependent Pathways. <i>Journal of Urology</i> , 2013, 190, 1603-1609.	0.2	13
121	F ₂ -Isoprostanes as a Biomarker of Oxidative Stress in the Mouse Bladder. <i>Journal of Urology</i> , 2014, 191, 1597-1601.	0.2	13
122	Androgen-dependent prostate epithelial cell selection by targeting ARR2PBneo to the LPB-Tag model of prostate cancer. <i>Laboratory Investigation</i> , 2006, 86, 1074-1088.	1.7	12
123	Hyperglycemia and T Cell infiltration are associated with stromal and epithelial prostatic hyperplasia in the nonobese diabetic mouse. <i>Prostate</i> , 2019, 79, 980-993.	1.2	12
124	Altered TGF α / β ² signaling drives cooperation between breast cancer cell populations. <i>FASEB Journal</i> , 2016, 30, 3441-3452.	0.2	11
125	Epithelial-Mesenchymal Interactions in the Bladder. <i>Advances in Experimental Medicine and Biology</i> , 1999, 462, 49-61.	0.8	11
126	Androgen receptor differentially regulates the proliferation of prostatic epithelial cells <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2016, 7, 70404-70419.	0.8	10

#	ARTICLE	IF	CITATIONS
127	Approaches to modeling stromal-epithelial interactions. <i>Journal of Urology</i> , 2002, 168, 1165-72.	0.2	10
128	Fibroblast heterogeneity in prostate carcinogenesis. <i>Cancer Letters</i> , 2022, 525, 76-83.	3.2	9
129	Spontaneous immortalization of human dermal microvascular endothelial cells. <i>World Journal of Stem Cells</i> , 2010, 2, 114.	1.3	8
130	Modeling stromal-epithelial interactions in disease progression. <i>Discovery Medicine</i> , 2010, 9, 504-11.	0.5	8
131	Immunotherapeutic Response in Tumors Is Affected by Microenvironmental ROS. <i>Cancer Research</i> , 2020, 80, 1799-1800.	0.4	7
132	Ephrin B Activate Src Family Kinases in Fibroblasts Inducing Stromal Remodeling in Prostate Cancer. <i>Cancers</i> , 2022, 14, 2336.	1.7	7
133	A simple method for freezing and storing viable tissue fragments. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1998, 34, 28-29.	0.7	5
134	Preclinical assessment of fibroblast activation protein as a target for antitumor therapy. <i>Future Oncology</i> , 2010, 6, 347-349.	1.1	5
135	Urothelial Inhibition of Transforming Growth Factor- β^2 in a Bladder Tissue Recombination Model. <i>Journal of Urology</i> , 2007, 178, 1643-1649.	0.2	4
136	Monitoring Signal Transduction in Cancer. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 1057-1058.	1.3	3
137	Rescue and Isolation of Rb-deficient Prostate Epithelium by Tissue Recombination. , 2003, 218, 17-34.		3
138	Contributions of carcinoma-associated fibroblasts to the prostate cancer microenvironment. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2020, 10, 1-6.	0.6	2
139	Endocrinology of the Prostate. , 2010, , 2592-2609.		2
140	UNDERSTANDING BLADDER REGENERATION. <i>Journal of Urology</i> , 1999, , 1101-1105.	0.2	2
141	Investigating prostate cancer tumour-stroma interactions - clinical and biological insights from an evolutionary game. <i>Nature Precedings</i> , 2011, , .	0.1	1
142	Modeling Stromal-€"Epithelial Interactions. , 2012, , 417-442.		0
143	Prostate-€"Overview. , 2018, , 309-314.		0
144	Tyrosine kinase inhibitor therapy prescribed for non-urologic diseases can modify PSA titers in urology patients. <i>Prostate</i> , 2019, 79, 259-264.	1.2	0

#	ARTICLE	IF	CITATIONS
145	Stromal Influences in Prostatic Carcinogenesis. , 2001, , 320-332.		0
146	Development and Differentiation of the Prostate Gland. , 2003, , 71-89.		0
147	Glandular Stem Cells (GSCs): Stem Cells in Glandular Organs. , 2013, , 223-233.		0
148	Cellular Signaling in the Bladder: Implications for Treatment. , 1999, , 387-391.		0