

Simon W Hayward

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5295904/simon-w-hayward-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

7,502
citations

47
h-index

82
g-index

153
ext. papers

8,233
ext. citations

5
avg, IF

5.55
L-index

#	Paper	IF	Citations
149	NTP-CERHR expert panel report on the reproductive and developmental toxicity of bisphenol A. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2008 , 83, 157-395		330
148	Role of the stromal microenvironment in carcinogenesis of the prostate. <i>International Journal of Cancer</i> , 2003 , 107, 1-10	7.5	318
147	Cancer associated fibroblasts in cancer pathogenesis. <i>Seminars in Cell and Developmental Biology</i> , 2010 , 21, 33-9	7.5	279
146	Hormonal, cellular, and molecular regulation of normal and neoplastic prostatic development. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004 , 92, 221-36	5.1	242
145	Cancer-associated fibroblasts promote directional cancer cell migration by aligning fibronectin. <i>Journal of Cell Biology</i> , 2017 , 216, 3799-3816	7.3	241
144	Role of stroma in carcinogenesis of the prostate. <i>Differentiation</i> , 2002 , 70, 473-85	3.5	236
143	Loss of TGF-beta type II receptor in fibroblasts promotes mammary carcinoma growth and invasion through upregulation of TGF-alpha-, MSP- and HGF-mediated signaling networks. <i>Oncogene</i> , 2005 , 24, 5053-68	9.2	236
142	Cross-talk between paracrine-acting cytokine and chemokine pathways promotes malignancy in benign human prostatic epithelium. <i>Cancer Research</i> , 2007 , 67, 4244-53	10.1	228
141	Regeneration of Bladder Urothelium, Smooth Muscle, Blood Vessels and Nerves Into an Acellular Tissue Matrix. <i>Journal of Urology</i> , 1996 , 156, 571-577	2.5	228
140	Cell differentiation lineage in the prostate. <i>Differentiation</i> , 2001 , 68, 270-9	3.5	222
139	Nkx3.1 mutant mice recapitulate early stages of prostate carcinogenesis. <i>Cancer Research</i> , 2002 , 62, 2999-3004	10.1	166
138	Interactions between adult human prostatic epithelium and rat urogenital sinus mesenchyme in a tissue recombination model. <i>Differentiation</i> , 1998 , 63, 131-40	3.5	152
137	Development and characterization of efficient xenograft models for benign and malignant human prostate tissue. <i>Prostate</i> , 2005 , 64, 149-59	4.2	147
136	Identification of SFRP1 as a candidate mediator of stromal-to-epithelial signaling in prostate cancer. <i>Cancer Research</i> , 2005 , 65, 10423-30	10.1	140
135	Altered TGF- β signaling in a subpopulation of human stromal cells promotes prostatic carcinogenesis. <i>Cancer Research</i> , 2011 , 71, 1272-81	10.1	137
134	Forkhead box A1 regulates prostate ductal morphogenesis and promotes epithelial cell maturation. <i>Development (Cambridge)</i> , 2005 , 132, 3431-43	6.6	134
133	The prostate: development and physiology. <i>Radiologic Clinics of North America</i> , 2000 , 38, 1-14	2.3	128

132	Role of Mesenchymal-Epithelial Interactions in Normal Bladder Development. <i>Journal of Urology</i> , 1996 , 156, 1820-1827	2.5	128
131	Normal development and carcinogenesis of the prostate. A unifying hypothesis. <i>Annals of the New York Academy of Sciences</i> , 1996 , 784, 50-62	6.5	100
130	Transforming growth factor-beta promotes invasion in tumorigenic but not in nontumorigenic human prostatic epithelial cells. <i>Cancer Research</i> , 2006 , 66, 8007-16	10.1	95
129	An orthotopic metastatic prostate cancer model in SCID mice via grafting of a transplantable human prostate tumor line. <i>Laboratory Investigation</i> , 2005 , 85, 1392-404	5.9	95
128	Stromal transforming growth factor-beta signaling mediates prostatic response to androgen ablation by paracrine Wnt activity. <i>Cancer Research</i> , 2008 , 68, 4709-18	10.1	93
127	NE-10 neuroendocrine cancer promotes the LNCaP xenograft growth in castrated mice. <i>Cancer Research</i> , 2004 , 64, 5489-95	10.1	93
126	Review of Prostate Anatomy and Embryology and the Etiology of Benign Prostatic Hyperplasia. <i>Urologic Clinics of North America</i> , 2016 , 43, 279-88	2.9	85
125	Growth Factors in Bladder Wound Healing. <i>Journal of Urology</i> , 1997 , 157, 2388-2395	2.5	83
124	Directed differentiation of embryonic stem cells into bladder tissue. <i>Developmental Biology</i> , 2007 , 304, 556-66	3.1	83
123	Expression profiling of a human cell line model of prostatic cancer reveals a direct involvement of interferon signaling in prostate tumor progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2830-5	11.5	80
122	Steroid hormones stimulate human prostate cancer progression and metastasis. <i>International Journal of Cancer</i> , 2006 , 118, 2123-31	7.5	79
121	Role for stromal heterogeneity in prostate tumorigenesis. <i>Cancer Research</i> , 2011 , 71, 3459-70	10.1	70
120	Molecular, cellular and developmental biology of urothelium as a basis of bladder regeneration. <i>Differentiation</i> , 2005 , 73, 121-33	3.5	69
119	The Effect of Testosterone on Androgen Receptors and Human Penile Growth. <i>Journal of Urology</i> , 1997 , 158, 1113-1118	2.5	68
118	Estrogenic effects on prostatic differentiation and carcinogenesis. <i>Reproduction, Fertility and Development</i> , 2001 , 13, 285-96	1.8	64
117	Il-6 signaling between ductal carcinoma in situ cells and carcinoma-associated fibroblasts mediates tumor cell growth and migration. <i>BMC Cancer</i> , 2015 , 15, 584	4.8	63
116	Directed differentiation of bone marrow derived mesenchymal stem cells into bladder urothelium. <i>Journal of Urology</i> , 2008 , 180, 1778-83	2.5	60
115	Androgen hormone action in prostatic carcinogenesis: stromal androgen receptors mediate prostate cancer progression, malignant transformation and metastasis. <i>Carcinogenesis</i> , 2012 , 33, 1391-8 ^{4.6}	4.6	59

114	A novel model of urinary tract differentiation, tissue regeneration, and disease: reprogramming human prostate and bladder cells into induced pluripotent stem cells. <i>European Urology</i> , 2013 , 64, 753-61 ^{10.2}	57
113	MESENCHYMAL-EPITHELIAL INTERACTIONS IN BLADDER SMOOTH MUSCLE DEVELOPMENT: EPITHELIAL SPECIFICITY. <i>Journal of Urology</i> , 1998 , 160, 1040-1046	2.5 57
112	ALCAM/CD166 is a TGF- β -responsive marker and functional regulator of prostate cancer metastasis to bone. <i>Cancer Research</i> , 2014 , 74, 1404-15	10.1 56
111	Unopposed c-MYC expression in benign prostatic epithelium causes a cancer phenotype. <i>Prostate</i> , 2005 , 63, 369-84	4.2 55
110	Functional remodeling of benign human prostatic tissues in vivo by spontaneously immortalized progenitor and intermediate cells. <i>Stem Cells</i> , 2010 , 28, 344-56	5.8 54
109	Loss of TGF- β -responsiveness in prostate stromal cells alters chemokine levels and facilitates the development of mixed osteoblastic/osteolytic bone lesions. <i>Molecular Cancer Research</i> , 2012 , 10, 494-503 ^{6.6}	54
108	Tissue-specific consequences of cyclin D1 overexpression in prostate cancer progression. <i>Cancer Research</i> , 2007 , 67, 8188-97	10.1 52
107	Evidence that the prostate-specific antigen (PSA)/Zn ²⁺ axis may play a role in human prostate cancer cell invasion. <i>Cancer Letters</i> , 2004 , 207, 79-87	9.9 52
106	Tumor-secreted Hsp90 subverts polycomb function to drive prostate tumor growth and invasion. <i>Journal of Biological Chemistry</i> , 2015 , 290, 8271-82	5.4 51
105	Stretching fibroblasts remodels fibronectin and alters cancer cell migration. <i>Scientific Reports</i> , 2015 , 5, 8334	4.9 51
104	The role of transforming growth factor-beta-mediated tumor-stroma interactions in prostate cancer progression: an integrative approach. <i>Cancer Research</i> , 2009 , 69, 7111-20	10.1 51
103	Stromal androgen receptor in prostate development and cancer. <i>American Journal of Pathology</i> , 2014 , 184, 2598-607	5.8 50
102	The rat prostatic epithelial cell line NRP-152 can differentiate in vivo in response to its stromal environment. <i>Prostate</i> , 1999 , 39, 205-12	4.2 47
101	An edgewise look at basal epithelial cells: three-dimensional views of the rat prostate, mammary gland and salivary gland. <i>Differentiation</i> , 1996 , 60, 219-27	3.5 46
100	Quantitation of apoptotic activity following castration in human prostatic tissue in vivo. <i>Prostate</i> , 2003 , 54, 212-9	4.2 44
99	Nkx3.1 and Myc crossregulate shared target genes in mouse and human prostate tumorigenesis. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1907-19	15.9 42
98	Development of a three-dimensional culture model of prostatic epithelial cells and its use for the study of epithelial-mesenchymal transition and inhibition of PI3K pathway in prostate cancer. <i>Prostate</i> , 2009 , 69, 428-42	4.2 41
97	Plasticity of the urothelial phenotype: effects of gastro-intestinal mesenchyme/stroma and implications for urinary tract reconstruction. <i>Differentiation</i> , 2000 , 66, 126-35	3.5 40

96	Targeting the tumor stroma as a novel therapeutic approach for prostate cancer. <i>Advances in Pharmacology</i> , 2012 , 65, 267-313	5.7	38
95	Hypertension is a major contributor to 20-hydroxyeicosatetraenoic acid-mediated kidney injury in diabetic nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 597-610	12.7	35
94	Urothelial transdifferentiation to prostate epithelia is mediated by paracrine TGF-beta signaling. <i>Differentiation</i> , 2009 , 77, 95-102	3.5	35
93	A role for polyploidy in the tumorigenicity of Pim-1-expressing human prostate and mammary epithelial cells. <i>PLoS ONE</i> , 2008 , 3, e2572	3.7	35
92	PPAR α molecular link between systemic metabolic disease and benign prostate hyperplasia. <i>Differentiation</i> , 2011 , 82, 220-36	3.5	34
91	Endodermal origin of bladder trigone inferred from mesenchymal-epithelial interaction. <i>Journal of Urology</i> , 2010 , 183, 386-91	2.5	34
90	E2f binding-deficient Rb1 protein suppresses prostate tumor progression in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 704-9	11.5	34
89	Down-regulation of p57Kip2 induces prostate cancer in the mouse. <i>Cancer Research</i> , 2008 , 68, 3601-8	10.1	34
88	Transcriptional profiling of inductive mesenchyme to identify molecules involved in prostate development and disease. <i>Genome Biology</i> , 2007 , 8, R213	18.3	34
87	NF-B and androgen receptor variant expression correlate with human BPH progression. <i>Prostate</i> , 2016 , 76, 491-511	4.2	34
86	Recruitment of CD34(+) fibroblasts in tumor-associated reactive stroma: the reactive microvasculature hypothesis. <i>American Journal of Pathology</i> , 2014 , 184, 1860-70	5.8	33
85	MESENCHYMAL-EPITHELIAL INTERACTIONS IN BLADDER SMOOTH MUSCLE DEVELOPMENT: EFFECTS OF THE LOCAL TISSUE ENVIRONMENT. <i>Journal of Urology</i> , 2001 , 165, 1283-1288	2.5	33
84	The stress response mediator ATF3 represses androgen signaling by binding the androgen receptor. <i>Molecular and Cellular Biology</i> , 2012 , 32, 3190-202	4.8	32
83	FOXA1 deletion in luminal epithelium causes prostatic hyperplasia and alteration of differentiated phenotype. <i>Laboratory Investigation</i> , 2014 , 94, 726-39	5.9	30
82	Surgical intervention for symptomatic benign prostatic hyperplasia is correlated with expression of the AP-1 transcription factor network. <i>Prostate</i> , 2014 , 74, 669-79	4.2	30
81	An E2f binding-deficient Rb1 protein partially rescues developmental defects associated with Rb1 nullizygosity. <i>Molecular and Cellular Biology</i> , 2006 , 26, 1527-37	4.8	30
80	The role of the androgen receptor in prostate development and benign prostatic hyperplasia: A review. <i>Asian Journal of Urology</i> , 2020 , 7, 191-202	2.7	29
79	Critical and distinct roles of p16 and telomerase in regulating the proliferative life span of normal human prostate epithelial progenitor cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27957-27972	5.4	28

78	Rescue of embryonic epithelium reveals that the homozygous deletion of the retinoblastoma gene confers growth factor independence and immortality but does not influence epithelial differentiation or tissue morphogenesis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 44475-84	5.4	28
77	TGF- β induces an age-dependent inflammation of nerve ganglia and fibroplasia in the prostate gland stroma of a novel transgenic mouse. <i>PLoS ONE</i> , 2010 , 5, e13751	3.7	28
76	Heterogeneity of human prostate carcinoma-associated fibroblasts implicates a role for subpopulations in myeloid cell recruitment. <i>Prostate</i> , 2020 , 80, 173-185	4.2	28
75	Expression of pleiotrophin in the prostate is androgen regulated and it functions as an autocrine regulator of mesenchyme and cancer associated fibroblasts and as a paracrine regulator of epithelia. <i>Prostate</i> , 2011 , 71, 305-17	4.2	27
74	Methodologies in assaying prostate cancer stem cells. <i>Methods in Molecular Biology</i> , 2009 , 568, 85-138	1.4	27
73	Approaches to understanding the importance and clinical implications of peroxisome proliferator-activated receptor gamma (PPARgamma) signaling in prostate cancer. <i>Journal of Cellular Biochemistry</i> , 2004 , 91, 513-27	4.7	27
72	Cathepsin D acts as an essential mediator to promote malignancy of benign prostatic epithelium. <i>Prostate</i> , 2013 , 73, 476-88	4.2	26
71	Genome-wide analysis of AR binding and comparison with transcript expression in primary human fetal prostate fibroblasts and cancer associated fibroblasts. <i>Molecular and Cellular Endocrinology</i> , 2018 , 471, 1-14	4.4	25
70	Cells Comprising the Prostate Cancer Microenvironment Lack Recurrent Clonal Somatic Genomic Aberrations. <i>Molecular Cancer Research</i> , 2016 , 14, 374-84	6.6	25
69	Temporal-spatial protein expression in bladder tissue derived from embryonic stem cells. <i>Journal of Urology</i> , 2008 , 180, 1784-9	2.5	25
68	Expression of hepatocyte nuclear factor-3alpha in rat prostate, seminal vesicle, and bladder. <i>Developmental Dynamics</i> , 1998 , 211, 131-40	2.9	24
67	Mesenchymal-epithelial interactions in bladder smooth muscle development: epithelial specificity. <i>Journal of Urology</i> , 1998 , 160, 1040-6; discussion 1079	2.5	24
66	SPARCL1 suppresses metastasis in prostate cancer. <i>Molecular Oncology</i> , 2013 , 7, 1019-30	7.9	23
65	Disruption of Rb/E2F pathway results in increased cyclooxygenase-2 expression and activity in prostate epithelial cells. <i>Cancer Research</i> , 2005 , 65, 3633-42	10.1	23
64	Approaches to Modeling Stromal-Epithelial Interactions. <i>Journal of Urology</i> , 2002 , 168, 1165-1172	2.5	23
63	Diffusable growth factors induce bladder smooth muscle differentiation. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2000 , 36, 476-84	2.6	23
62	UNDERSTANDING BLADDER REGENERATION: SMOOTH MUSCLE ONTOGENY. <i>Journal of Urology</i> , 1999 , 162, 1101-1105	2.5	23
61	Androgen regulated genes in human prostate xenografts in mice: relation to BPH and prostate cancer. <i>PLoS ONE</i> , 2009 , 4, e8384	3.7	22

60	Bladder stromal loss of transforming growth factor receptor II decreases fibrosis after bladder obstruction. <i>Journal of Urology</i> , 2009 , 182, 1775-80	2.5	22
59	Autophagy in nuclear receptor PPARgamma-deficient mouse prostatic carcinogenesis. <i>Autophagy</i> , 2010 , 6, 175-6	10.2	20
58	Use of tissue recombination to predict phenotypes of transgenic mouse models of prostate carcinoma. <i>Laboratory Investigation</i> , 2005 , 85, 1086-103	5.9	20
57	Pathomimetic avatars reveal divergent roles of microenvironment in invasive transition of ductal carcinoma in situ. <i>Breast Cancer Research</i> , 2017 , 19, 56	8.3	19
56	Bladder tissue formation from cultured bladder urothelium. <i>Developmental Dynamics</i> , 2006 , 235, 2795-801	8.0	19
55	Species-specific detection of growth factor gene expression in developing murine prostatic tissue. <i>Biology of Reproduction</i> , 1998 , 59, 93-9	3.9	19
54	The role of type IV collagenases in rat bladder development and obstruction. <i>Pediatric Research</i> , 1997 , 41, 430-4	3.2	18
53	The effect of testosterone on androgen receptors and human penile growth. <i>Journal of Urology</i> , 1997 , 158, 1113-8	2.5	17
52	Deficiency in metabolic regulators PPAR δ and PTEN cooperates to drive keratinizing squamous metaplasia in novel models of human tissue regeneration. <i>American Journal of Pathology</i> , 2013 , 182, 449-59	5.8	16
51	Reduction of pro-tumorigenic activity of human prostate cancer-associated fibroblasts using Dlk1 or SCUBE1. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 530-6	4.1	16
50	The effects of interferons on the activity of alpha-glycerolphosphate dehydrogenase in benign prostatic hyperplasia cells in primary culture. <i>Journal of Urology</i> , 1987 , 138, 648-53	2.5	16
49	DGAT1 Inhibitor Suppresses Prostate Tumor Growth and Migration by Regulating Intracellular Lipids and Non-Centrosomal MTOC Protein GM130. <i>Scientific Reports</i> , 2019 , 9, 3035	4.9	16
48	Interaction of prostate carcinoma-associated fibroblasts with human epithelial cell lines in vivo. <i>Differentiation</i> , 2017 , 96, 40-48	3.5	15
47	A genetic variant near GATA3 implicated in inherited susceptibility and etiology of benign prostatic hyperplasia (BPH) and lower urinary tract symptoms (LUTS). <i>Prostate</i> , 2017 , 77, 1213-1220	4.2	15
46	Modulation of the hypoxic response following partial bladder outlet obstruction. <i>Journal of Urology</i> , 2012 , 188, 1549-54	2.5	15
45	Propagation of human prostate tissue from induced pluripotent stem cells. <i>Stem Cells Translational Medicine</i> , 2020 , 9, 734-745	6.9	13
44	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. <i>Endocrinology</i> , 2016 , 157, 1094-109	4.8	13
43	Reduced Contractility and Motility of Prostatic Cancer-Associated Fibroblasts after Inhibition of Heat Shock Protein 90. <i>Cancers</i> , 2016 , 8,	6.6	13

42	PEDF regulates plasticity of a novel lipid-MTOC axis in prostate cancer-associated fibroblasts. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	13
41	NF- κ B and androgen receptor variant 7 induce expression of SRD5A isoforms and confer 5ARI resistance. <i>Prostate</i> , 2016 , 76, 1004-18	4.2	12
40	Isolation and analysis of discrete human prostate cellular populations. <i>Differentiation</i> , 2016 , 91, 139-51	3.5	12
39	A comprehensive approach toward novel serum biomarkers for benign prostatic hyperplasia: the MPSA Consortium. <i>Journal of Urology</i> , 2008 , 179, 1243-56	2.5	12
38	A preliminary study of JM-27: a serum marker that can specifically identify men with symptomatic benign prostatic hyperplasia. <i>Journal of Urology</i> , 2007 , 177, 610-4; discussion 614	2.5	12
37	Deconstructing tumor heterogeneity: the stromal perspective. <i>Oncotarget</i> , 2020 , 11, 3621-3632	3.3	12
36	Androgen-dependent prostate epithelial cell selection by targeting ARR(2)PBneo to the LPB-Tag model of prostate cancer. <i>Laboratory Investigation</i> , 2006 , 86, 1074-88	5.9	11
35	Hyperglycemia and T Cell infiltration are associated with stromal and epithelial prostatic hyperplasia in the nonobese diabetic mouse. <i>Prostate</i> , 2019 , 79, 980-993	4.2	10
34	Stromal reactivity differentially drives tumour cell evolution and prostate cancer progression. <i>Nature Ecology and Evolution</i> , 2020 , 4, 870-884	12.3	10
33	Glucocorticoids suppress renal cell carcinoma progression by enhancing Na,K-ATPase beta-1 subunit expression. <i>PLoS ONE</i> , 2015 , 10, e0122442	3.7	10
32	F2-isoprostanes as a biomarker of oxidative stress in the mouse bladder. <i>Journal of Urology</i> , 2014 , 191, 1597-601	2.5	10
31	Lipid droplet velocity is a microenvironmental sensor of aggressive tumors regulated by V-ATPase and PEDF. <i>Laboratory Investigation</i> , 2019 , 99, 1822-1834	5.9	9
30	Epithelial-mesenchymal interactions in the bladder. Implications for bladder augmentation. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 462, 49-61	3.6	9
29	Approaches to modeling stromal-epithelial interactions. <i>Journal of Urology</i> , 2002 , 168, 1165-72	2.5	9
28	Chronic cyclic bladder over distention up-regulates hypoxia dependent pathways. <i>Journal of Urology</i> , 2013 , 190, 1603-9	2.5	8
27	Androgen receptor differentially regulates the proliferation of prostatic epithelial cells in vitro and in vivo. <i>Oncotarget</i> , 2016 , 7, 70404-70419	3.3	8
26	Modeling stromal-epithelial interactions in disease progression. <i>Discovery Medicine</i> , 2010 , 9, 504-11	2.5	7
25	Altered TGF- β signaling drives cooperation between breast cancer cell populations. <i>FASEB Journal</i> , 2016 , 30, 3441-3452	0.9	7

24	Spontaneous immortalization of human dermal microvascular endothelial cells. <i>World Journal of Stem Cells</i> , 2010 , 2, 114-20	5.6	6
23	Race as a Contributor to Stromal Modulation of Tumor Progression. <i>Cancers</i> , 2021 , 13,	6.6	6
22	Preclinical assessment of fibroblast activation protein as a target for antitumor therapy. <i>Future Oncology</i> , 2010 , 6, 347-9	3.6	5
21	A simple method for freezing and storing viable tissue fragments. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1998 , 34, 28-9	2.6	4
20	Immunotherapeutic Response in Tumors Is Affected by Microenvironmental ROS. <i>Cancer Research</i> , 2020 , 80, 1799-1800	10.1	3
19	Urothelial inhibition of transforming growth factor-beta in a bladder tissue recombination model. <i>Journal of Urology</i> , 2007 , 178, 1643-9	2.5	3
18	Rescue and isolation of Rb-deficient prostate epithelium by tissue recombination. <i>Methods in Molecular Biology</i> , 2003 , 218, 17-33	1.4	3
17	Fibroblast heterogeneity in prostate carcinogenesis. <i>Cancer Letters</i> , 2022 , 525, 76-83	9.9	2
16	Endocrinology of the Prostate 2010 , 2592-2609		2
15	UNDERSTANDING BLADDER REGENERATION. <i>Journal of Urology</i> , 1999 , 1101-1105	2.5	2
14	Stromal Reactivity Differentially Drives Tumor Cell Evolution and Prostate Cancer Progression		2
13	Loss of ephrin B2 receptor (EPHB2) sets lipid rheostat by regulating proteins DGAT1 and ATGL inducing lipid droplet storage in prostate cancer cells. <i>Laboratory Investigation</i> , 2021 , 101, 921-934	5.9	2
12	TNF is a potential therapeutic target to suppress prostatic inflammation and hyperplasia in autoimmune disease.. <i>Nature Communications</i> , 2022 , 13, 2133	17.4	2
11	Investigating prostate cancer tumour-stroma interactions - clinical and biological insights from an evolutionary game. <i>Nature Precedings</i> , 2011 ,		1
10	Monitoring signal transduction in cancer: cDNA microarray for semiquantitative analysis. <i>Journal of Histochemistry and Cytochemistry</i> , 2001 , 49, 1057-8	3.4	1
9	Contributions of carcinoma-associated fibroblasts to the prostate cancer microenvironment. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2020 , 10, 1-6	1.7	0
8	Prostate Overview 2018 , 309-314		
7	Modeling Stromal Epithelial Interactions 2012 , 417-442		

6 Stromal Influences in Prostatic Carcinogenesis **2001**, 320-332

5 Development and Differentiation of the Prostate Gland **2003**, 71-89

4 Cellular Signaling in the Bladder: Implications for Treatment **1999**, 387-391

3 Glandular Stem Cells (GSCs): Stem Cells in Glandular Organs **2013**, 223-233

2 Tyrosine kinase inhibitor therapy prescribed for non-urologic diseases can modify PSA titers in urology patients. *Prostate*, **2019**, 79, 259-264 4.2

1 The History of Tissue Recombination Technology: Current and Future Research 40-52