

Gianpietro C Semenzato

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5296757/gianpietro-c-semenzato-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

433
papers

14,444
citations

59
h-index

98
g-index

448
ext. papers

15,946
ext. citations

5.7
avg, IF

5.65
L-index

#	Paper	IF	Citations
433	BRAF mutations in hairy-cell leukemia. <i>New England Journal of Medicine</i> , 2011 , 364, 2305-15	59.2	791
432	ATS/ERS/WASOG statement on sarcoidosis. American Thoracic Society/European Respiratory Society/World Association of Sarcoidosis and other Granulomatous Disorders. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1999 , 16, 149-73	1.1	600
431	Aberrant Wnt/beta-catenin pathway activation in idiopathic pulmonary fibrosis. <i>American Journal of Pathology</i> , 2003 , 162, 1495-502	5.8	541
430	The Lymphoproliferative Disease of Granular Lymphocytes: Updated Criteria for Diagnosis. <i>Blood</i> , 1997 , 89, 256-260	2.2	281
429	Elevated IL-8 and MCP-1 in the bronchoalveolar lavage fluid of patients with idiopathic pulmonary fibrosis and pulmonary sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994 , 149, 655-9	10.2	208
428	Human killer cell activatory receptors for MHC class I molecules are included in a multimeric complex expressed by natural killer cells. <i>Journal of Immunology</i> , 1997 , 158, 5083-6	5.3	181
427	Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. <i>Journal of Clinical Investigation</i> , 2005 , 115, 369-378	15.9	178
426	Cxcr3 and its ligand CXCL10 are expressed by inflammatory cells infiltrating lung allografts and mediate chemotaxis of T cells at sites of rejection. <i>American Journal of Pathology</i> , 2001 , 158, 1703-11	5.8	177
425	Abnormal re-epithelialization and lung remodeling in idiopathic pulmonary fibrosis: the role of deltaN-p63. <i>Laboratory Investigation</i> , 2002 , 82, 1335-45	5.9	164
424	Identification of NKp80, a novel triggering molecule expressed by human NK cells. <i>European Journal of Immunology</i> , 2001 , 31, 233-42	6.1	164
423	Sarcoidosis is a Th1/Th17 multisystem disorder. <i>Thorax</i> , 2011 , 66, 144-50	7.3	162
422	The lymphoproliferative disease of granular lymphocytes. A heterogeneous disorder ranging from indolent to aggressive conditions. <i>Cancer</i> , 1987 , 60, 2971-8	6.4	146
421	Combination of rituximab, bendamustine, and cytarabine for patients with mantle-cell non-Hodgkin lymphoma ineligible for intensive regimens or autologous transplantation. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1442-9	2.2	137
420	Clinical course and prognosis of the lymphoproliferative disease of granular lymphocytes. A multicenter study. <i>Cancer</i> , 1990 , 65, 341-8	6.4	132
419	The lymphoproliferative disease of granular lymphocytes: updated criteria for diagnosis. <i>Blood</i> , 1997 , 89, 256-60	2.2	129
418	"The sarcoidosis map": a joint survey of clinical and immunogenetic findings in two European countries. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995 , 152, 557-64	10.2	128
417	Homeostatic chemokines drive migration of malignant B cells in patients with non-Hodgkin lymphomas. <i>Blood</i> , 2004 , 104, 502-8	2.2	125

416	Involvement of the IP-10 chemokine in sarcoid granulomatous reactions. <i>Journal of Immunology</i> , 1998 , 161, 6413-20	5.3	122
415	The chemokine receptor CXCR3 is expressed on malignant B cells and mediates chemotaxis. <i>Journal of Clinical Investigation</i> , 1999 , 104, 115-21	15.9	119
414	A novel surface molecule homologous to the p58/p50 family of receptors is selectively expressed on a subset of human natural killer cells and induces both triggering of cell functions and proliferation. <i>European Journal of Immunology</i> , 1996 , 26, 1816-24	6.1	116
413	Multiple myeloma cell survival relies on high activity of protein kinase CK2. <i>Blood</i> , 2006 , 108, 1698-707	2.2	113
412	Role of IL-15, IL-2, and their receptors in the development of T cell alveolitis in pulmonary sarcoidosis. <i>Journal of Immunology</i> , 1996 , 157, 910-8	5.3	111
411	Immunosuppressive therapy for idiopathic retroperitoneal fibrosis: a retrospective analysis of 26 cases. <i>American Journal of Medicine</i> , 2004 , 116, 194-7	2.4	108
410	High serum level of the soluble form of CD30 molecule in the early phase of HIV-1 infection as an independent predictor of progression to AIDS. <i>Aids</i> , 1994 , 8, 741-5	3.5	101
409	Antibodies to the IL-12 receptor beta 2 chain mark human Th1 but not Th2 cells in vitro and in vivo. <i>Journal of Immunology</i> , 1999 , 162, 3926-32	5.3	100
408	New pathogenetic insights into the sarcoid granuloma. <i>Current Opinion in Rheumatology</i> , 2000 , 12, 71-6	5.3	99
407	High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987 , 70, 396-400	2.2	96
406	Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes. <i>Journal of Biological Chemistry</i> , 1986 , 261, 2369-75	5.4	93
405	Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. <i>Journal of Clinical Investigation</i> , 2005 , 115, 369-78	15.9	93
404	Direct Pharmacological Targeting of a Mitochondrial Ion Channel Selectively Kills Tumor Cells In Vivo. <i>Cancer Cell</i> , 2017 , 31, 516-531.e10	24.3	92
403	The activating form of CD94 receptor complex: CD94 covalently associates with the Kp39 protein that represents the product of the NKG2-C gene. <i>European Journal of Immunology</i> , 1998 , 28, 327-38	6.1	92
402	Soluble interleukin-2 receptors in the serum of patients with Hodgkin's disease. <i>British Journal of Cancer</i> , 1987 , 55, 427-8	8.7	92
401	Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997 , 89, 201-211	2.2	91
400	T cells in the myenteric plexus of achalasia patients show a skewed TCR repertoire and react to HSV-1 antigens. <i>American Journal of Gastroenterology</i> , 2008 , 103, 1598-609	0.7	91
399	CXC chemokines IP-10 and mig expression and direct migration of pulmonary CD8+/CXCR3+ T cells in the lungs of patients with HIV infection and T-cell alveolitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 162, 1466-73	10.2	89

398	Expression and function of KIR and natural cytotoxicity receptors in NK-type lymphoproliferative diseases of granular lymphocytes. <i>Blood</i> , 2003 , 102, 1797-805	2.2	87
397	Lessons for the clinic from rituximab pharmacokinetics and pharmacodynamics. <i>MAbs</i> , 2013 , 5, 826-37	6.6	83
396	Tumour necrosis factor: a cytokine with multiple biological activities. <i>British Journal of Cancer</i> , 1990 , 61, 354-61	8.7	82
395	Protein kinase CK2 in hematologic malignancies: reliance on a pivotal cell survival regulator by oncogenic signaling pathways. <i>Leukemia</i> , 2012 , 26, 1174-9	10.7	80
394	Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes.. <i>Journal of Biological Chemistry</i> , 1986 , 261, 2369-2375	5.4	80
393	CD138/syndecan-1: a useful immunohistochemical marker of normal and neoplastic plasma cells on routine trephine bone marrow biopsies. <i>Modern Pathology</i> , 1999 , 12, 1101-6	9.8	79
392	Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987 , 70, 1530-1535	2.2	77
391	HIV-1 and the lung. Infectivity, pathogenic mechanisms, and cellular immune responses taking place in the lower respiratory tract. <i>The American Review of Respiratory Disease</i> , 1993 , 147, 1038-49		73
390	Interleukin-15 promotes the growth of leukemic cells of patients with B- cell chronic lymphoproliferative disorders. <i>Blood</i> , 1996 , 87, 3327-3335	2.2	72
389	Bronchoalveolar lavage and lung histology. Comparative analysis of inflammatory and immunocompetent cells in patients with sarcoidosis and hypersensitivity pneumonitis. <i>The American Review of Respiratory Disease</i> , 1985 , 132, 400-4		72
388	Role for CXCR6 and its ligand CXCL16 in the pathogenesis of T-cell alveolitis in sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 1290-8	10.2	70
387	T-lymphocytes and cytokines in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002 , 8, 435-40	3	70
386	Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983 , 62, 1289-1296	2.2	67
385	Increased serum levels of soluble interleukin-2 receptor in patients with systemic lupus erythematosus and rheumatoid arthritis. <i>Journal of Clinical Immunology</i> , 1988 , 8, 447-52	5.7	66
384	Cytochemical study of thymocytes and T lymphocytes. <i>British Journal of Haematology</i> , 1980 , 44, 577-82	4.5	65
383	Redistribution of T lymphocytes in the lymph nodes of patients with sarcoidosis. <i>New England Journal of Medicine</i> , 1982 , 306, 48-9	59.2	65
382	The soluble interleukin-2 receptor in haematological disorders. <i>British Journal of Haematology</i> , 1987 , 67, 377-80	4.5	64
381	Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982 , 59, 688-695	2.2	64

- 380 B lymphocytes from patients with chronic lymphoproliferative disorders are equipped with different costimulatory molecules. *Cancer Research*, **1997**, 57, 4940-7 10.1 63
- 379 Clofazimine, Psora-4 and PAP-1, inhibitors of the potassium channel Kv1.3, as a new and selective therapeutic strategy in chronic lymphocytic leukemia. *Leukemia*, **2013**, 27, 1782-5 10.7 61
- 378 Intrinsic and extrinsic mechanisms contribute to maintain the JAK/STAT pathway aberrantly activated in T-type large granular lymphocyte leukemia. *Blood*, **2013**, 121, 3843-54, S1 2.2 61
- 377 Protein kinase CK2 protects multiple myeloma cells from ER stress-induced apoptosis and from the cytotoxic effect of HSP90 inhibition through regulation of the unfolded protein response. *Clinical Cancer Research*, **2012**, 18, 1888-900 12.9 61
- 376 Phenotypical and functional analysis of bronchoalveolar lavage lymphocytes in patients with HIV infection. *The American Review of Respiratory Disease*, **1988**, 138, 1609-15 61
- 375 Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. *Blood*, **1986**, 68, 293-296 2.2 59
- 374 Protein kinase CK2 inhibition down modulates the NF- κ B and STAT3 survival pathways, enhances the cellular proteotoxic stress and synergistically boosts the cytotoxic effect of bortezomib on multiple myeloma and mantle cell lymphoma cells. *PLoS ONE*, **2013**, 8, e75280 3.7 59
- 373 The mitochondrial effects of small organic ligands of BCL-2: sensitization of BCL-2-overexpressing cells to apoptosis by a pyrimidine-2,4,6-trione derivative. *Journal of Biological Chemistry*, **2006**, 281, 10066-72 5.4 58
- 372 Polymorphism of angiotensin-converting enzyme gene in sarcoidosis. *American Journal of Respiratory and Critical Care Medicine*, **1996**, 153, 851-4 10.2 58
- 371 Frontline chemotherapy with bortezomib-containing combinations improves response rate and survival in primary plasma cell leukemia: a retrospective study from GIMEMA Multiple Myeloma Working Party. *Annals of Oncology*, **2012**, 23, 1499-502 10.3 57
- 370 Expression of tumor necrosis factor-receptor superfamily members by lung T lymphocytes in interstitial lung disease. *American Journal of Respiratory and Critical Care Medicine*, **1996**, 153, 1359-67 10.2 57
- 369 Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. *Blood*, **1993**, 81, 2363-2368 2.2 55
- 368 Early effects of the antineoplastic agent salinomycin on mitochondrial function. *Cell Death and Disease*, **2015**, 6, e1930 9.8 54
- 367 Lung T cells in hypersensitivity pneumonitis: phenotypic and functional analyses. *Journal of Immunology*, **1986**, 137, 1164-72 5.3 54
- 366 Cyclophosphamide as a first-line therapy in LGL leukemia. *Leukemia*, **2014**, 28, 1134-6 10.7 53
- 365 Telomerase expression in B-cell chronic lymphocytic leukemia predicts survival and delineates subgroups of patients with the same igVH mutation status and different outcome. *Leukemia*, **2007**, 21, 965-72 10.7 53
- 364 Spontaneous production of interleukin-6 by alveolar macrophages from human immunodeficiency virus type 1-infected patients. *Journal of Infectious Diseases*, **1992**, 166, 731-7 7 53
- 363 CD8+ T lymphocytes in the lung of acquired immunodeficiency syndrome patients harbor human immunodeficiency virus type 1. *Blood*, **1995**, 85, 2308-2314 2.2 53

362	Seroreactivity to an Envelope Protein of Human T-Cell Leukemia/Lymphoma Virus in Patients With CD3 β (Natural Killer) Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997 , 90, 1977-1981	2.2	52
361	Clinical spectrum of gammadelta+ T cell LGL leukemia: analysis of 20 cases. <i>Leukemia Research</i> , 2008 , 32, 45-8	2.7	52
360	Alterations in T cells of cancer-bearers: whence specificity?. <i>Trends in Immunology</i> , 1996 , 17, 365-8		51
359	Life after ruxolitinib: Reasons for discontinuation, impact of disease phase, and outcomes in 218 patients with myelofibrosis. <i>Cancer</i> , 2020 , 126, 1243-1252	6.4	51
358	Geldanamycin-induced Lyn dissociation from aberrant Hsp90-stabilized cytosolic complex is an early event in apoptotic mechanisms in B-chronic lymphocytic leukemia. <i>Blood</i> , 2008 , 112, 4665-74	2.2	50
357	Immunology of interstitial lung diseases: cellular events taking place in the lung of sarcoidosis, hypersensitivity pneumonitis and HIV infection. <i>European Respiratory Journal</i> , 1991 , 4, 94-102	13.6	50
356	JAK/STAT/PKC β molecular pathways in synovial fluid T lymphocytes reflect the in vivo T helper-17 expansion in psoriatic arthritis. <i>Immunologic Research</i> , 2014 , 58, 61-9	4.3	49
355	Subcutaneous immunoglobulin in lymphoproliferative disorders and rituximab-related secondary hypogammaglobulinemia: a single-center experience in 61 patients. <i>Haematologica</i> , 2014 , 99, 1101-6	6.6	49
354	Lyn-mediated SHP-1 recruitment to CD5 contributes to resistance to apoptosis of B-cell chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2011 , 25, 1768-81	10.7	49
353	CCL19 and CXCL12 trigger in vitro chemotaxis of human mantle cell lymphoma B cells. <i>Clinical Cancer Research</i> , 2004 , 10, 964-71	12.9	49
352	Phorbol ester induces abnormal chronic lymphocytic leukemia cells to express features of hairy cell leukemia. <i>Blood</i> , 1985 , 66, 1035-1042	2.2	49
351	Differences among young adults, adults and elderly chronic myeloid leukemia patients. <i>Annals of Oncology</i> , 2015 , 26, 185-192	10.3	48
350	Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997 , 90, 1115-1123	2.2	48
349	Complement receptor 1 gene polymorphisms in sarcoidosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002 , 27, 17-23	5.7	48
348	Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993 , 81, 2381-2385	2.2	48
347	Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 1994 , 84, 4249-4256	2.2	48
346	Increased levels of soluble interleukin-2 receptor in non-Hodgkin β lymphomas. Relationship with clinical, histologic, and phenotypic features. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 186-91	1.9	46
345	Different types of cytotoxic lymphocytes recovered from the lungs of patients with hypersensitivity pneumonitis. <i>The American Review of Respiratory Disease</i> , 1988 , 137, 70-4		46

344	Immunohistological analysis of Tac antigen expression in tissues involved by Hodgkin's disease. <i>British Journal of Cancer</i> , 1984 , 50, 415-7	8.7	46
343	Immunohistological study in sarcoidosis: evaluation at different sites of disease activity. <i>Clinical Immunology and Immunopathology</i> , 1984 , 30, 29-40		46
342	Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984 , 63, 1271-1277	2.2	45
341	Expression and functional role of tumor necrosis factor receptors on leukemic cells from patients with type B chronic lymphoproliferative disorders. <i>Blood</i> , 1993 , 81, 752-758	2.2	44
340	Longitudinal study of alveolitis in hypersensitivity pneumonitis patients: an immunologic evaluation. <i>Journal of Allergy and Clinical Immunology</i> , 1988 , 82, 577-85	11.5	44
339	Distribution and heterogeneity of cells detected by HNK-1 monoclonal antibody in blood and tissues in normal, reactive and neoplastic conditions. <i>Clinical and Experimental Immunology</i> , 1984 , 57, 195-206	6.2	44
338	Evidence of cells bearing interleukin-2 receptor at sites of disease activity in sarcoid patients. <i>Clinical and Experimental Immunology</i> , 1984 , 57, 331-7	6.2	44
337	The CD5/CD72 receptor system is coexpressed with several functionally relevant counterstructures on human B cells and delivers a critical signaling activity. <i>Journal of Immunology</i> , 1996 , 157, 1854-62	5.3	44
336	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012 , 97, 56-63	6.6	43
335	Pulmonary immune cells in health and disease: lymphocytes. <i>European Respiratory Journal</i> , 1993 , 6, 1378-1401	13.0	43
334	Cells and molecules involved in the development of sarcoid granuloma. <i>Journal of Clinical Immunology</i> , 1998 , 18, 184-92	5.7	42
333	Telomerase activity in chronic lymphoproliferative disorders of B-cell lineage. <i>British Journal of Haematology</i> , 1999 , 106, 662-8	4.5	41
332	CD8 alveolitis in sarcoidosis: incidence, phenotypic characteristics, and clinical features. <i>American Journal of Medicine</i> , 1993 , 95, 466-72	2.4	41
331	Serum levels of tumour necrosis factor-alpha in patients with B-cell chronic lymphocytic leukaemia. <i>European Journal of Cancer</i> , 1994 , 30A, 1259-63	7.5	41
330	Activated T cells with immunoregulatory functions at different sites of involvement in sarcoidosis. Phenotypic and functional evaluations. <i>Annals of the New York Academy of Sciences</i> , 1986 , 465, 56-73	6.5	41
329	New aspects of hypersensitivity pneumonitis. <i>Current Opinion in Pulmonary Medicine</i> , 2004 , 10, 378-82	3	40
328	Alveolar macrophages from patients with AIDS and AIDS-related complex constitutively synthesize and release tumor necrosis factor alpha. <i>The American Review of Respiratory Disease</i> , 1991 , 144, 195-201		40
327	Analysis of the T cell receptor in the lymphoproliferative disease of granular lymphocytes: superantigen activation of clonal CD3+ granular lymphocytes. <i>Cancer Research</i> , 1995 , 55, 6140-5	10.1	39

326	Pancreatic tumors and immature immunosuppressive myeloid cells in blood and spleen: role of inhibitory co-stimulatory molecules PDL1 and CTLA4. An in vivo and in vitro study. <i>PLoS ONE</i> , 2013 , 8, e54824	3.7	39
325	Constitutive expression of tenascin in T-dependent zones of human lymphoid tissues. <i>American Journal of Pathology</i> , 1993 , 143, 1348-55	5.8	39
324	S1P1 expression is controlled by the pro-oxidant activity of p66Shc and is impaired in B-CLL patients with unfavorable prognosis. <i>Blood</i> , 2012 , 120, 4391-9	2.2	38
323	The neutrophil-activating protein of <i>Helicobacter pylori</i> (HP-NAP) activates the MAPK pathway in human neutrophils. <i>European Journal of Immunology</i> , 2003 , 33, 840-9	6.1	38
322	Immune mechanisms in interstitial lung diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000 , 55, 1103-20	9.3	38
321	Clinical profile associated with infections in patients with chronic lymphocytic leukemia. Protective role of immunoglobulin replacement therapy. <i>Haematologica</i> , 2015 , 100, e515-8	6.6	37
320	Protein kinase CK2 regulates AKT, NF- κ B and STAT3 activation, stem cell viability and proliferation in acute myeloid leukemia. <i>Leukemia</i> , 2017 , 31, 292-300	10.7	36
319	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993 , 81, 2723-2727	2.2	36
318	Chronic natural killer lymphoproliferative disorders: characteristics of an international cohort of 70 patients. <i>Annals of Oncology</i> , 2014 , 25, 2030-2035	10.3	35
317	Inhibition of protein kinase CK2 with the clinical-grade small ATP-competitive compound CX-4945 or by RNA interference unveils its role in acute myeloid leukemia cell survival, p53-dependent apoptosis and daunorubicin-induced cytotoxicity. <i>Journal of Hematology and Oncology</i> , 2013 , 6, 78	22.4	35
316	Interleukin-15: a novel cytokine with regulatory properties on normal and neoplastic B lymphocytes. <i>Leukemia and Lymphoma</i> , 1997 , 27, 35-42	1.9	35
315	Multiple myeloma plasma cells show different chemokine receptor profiles at sites of disease activity. <i>British Journal of Haematology</i> , 2007 , 138, 594-602	4.5	35
314	Expression and role of CCR6/CCL20 chemokine axis in pulmonary sarcoidosis. <i>Journal of Leukocyte Biology</i> , 2007 , 82, 946-55	6.5	35
313	Chemokine receptor expression in EBV-associated lymphoproliferation in hu/SCID mice: implications for CXCL12/CXCR4 axis in lymphoma generation. <i>Blood</i> , 2005 , 105, 931-9	2.2	35
312	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993 , 72, 201-6	6.4	35
311	ICAM-1 tissue overexpression associated with increased serum levels of its soluble form in HodgkinB disease. <i>British Journal of Haematology</i> , 1993 , 84, 161-2	4.5	35
310	T-lymphocyte subpopulations in chronic lymphocytic leukemia: a quantitative and functional study. <i>Cancer</i> , 1981 , 48, 2191-7	6.4	35
309	HLA class I, II, and III polymorphism in Italian patients with sarcoidosis. The Pavia-Padova Sarcoidosis Study Group. <i>Chest</i> , 1993 , 104, 1170-5	5.3	34

308	Natural killer cell function and lymphoid subpopulations in acute non-lymphoblastic leukaemia in complete remission. <i>British Journal of Cancer</i> , 1988 , 58, 368-72	8.7	34
307	mutation impacts biological and clinical features of T-LGL leukemia. <i>Oncotarget</i> , 2017 , 8, 61876-61889	3.3	34
306	Interleukin-15 triggers the proliferation and cytotoxicity of granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997 , 89, 201-11	2.2	34
305	Lyn sustains oncogenic signaling in chronic lymphocytic leukemia by strengthening SET-mediated inhibition of PP2A. <i>Blood</i> , 2015 , 125, 3747-55	2.2	33
304	Release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages in the lung of HIV-1-infected patients. A mechanism accounting for macrophage and neutrophil accumulation. <i>Journal of Immunology</i> , 1992 , 149, 3379-85	5.3	33
303	Enhanced Chemokine Receptor Recycling and Impaired S1P1 Expression Promote Leukemic Cell Infiltration of Lymph Nodes in Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2015 , 75, 4153-63	10.1	32
302	3-(2,4-dichlorophenyl)-4-(1-methyl-1H-indol-3-yl)-1H-pyrrole-2,5-dione (SB216763), a glycogen synthase kinase-3 inhibitor, displays therapeutic properties in a mouse model of pulmonary inflammation and fibrosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 332, 785-94	4.7	32
301	Genotypic evaluation of killer immunoglobulin-like receptors in NK-type lymphoproliferative disease of granular lymphocytes. <i>Leukemia</i> , 2007 , 21, 1060-9	10.7	32
300	Prognostic significance of the evaluation of bronchoalveolar lavage cell populations in patients with HIV-1 infection and pulmonary involvement. <i>Chest</i> , 1991 , 100, 1601-6	5.3	32
299	T-helper phenotype chronic lymphocytic leukaemia and "adult T-cell leukaemia" in Italy. Endemic HTLV-I-related T-cell leukaemias in southern Europe. <i>Lancet, The</i> , 1985 , 2, 633-6	4.0	32
298	Part II: Vaccines for haematological malignant disorders. <i>Lancet Oncology, The</i> , 2004 , 5, 727-37	21.7	31
297	T lymphocytes in B-cell chronic lymphocytic leukemia: characterization by monoclonal antibodies and correlation with Fc receptors. <i>Clinical Immunology and Immunopathology</i> , 1983 , 26, 155-61		31
296	The quality of life of children and adolescents with X-linked agammaglobulinemia. <i>Journal of Clinical Immunology</i> , 2009 , 29, 501-7	5.7	30
295	Glycogen Synthase Kinase-3 regulates multiple myeloma cell growth and bortezomib-induced cell death. <i>BMC Cancer</i> , 2010 , 10, 526	4.8	30
294	Selection of T lymphocytes bearing limited TCR-Vbeta regions in the lung of hypersensitivity pneumonitis and sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 155, 587-96	10.2	30
293	HIV and pulmonary immune responses. <i>Trends in Immunology</i> , 1996 , 17, 359-64		30
292	Characterization of two patients with lymphomas of large granular lymphocytes. <i>Cancer</i> , 1984 , 53, 445-52	2.4	30
291	Cytokines in sarcoidosis. <i>Seminars in Respiratory Infections</i> , 1998 , 13, 184-96		30

290	Immune effector cells in idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1997 , 3, 348-55	3	29
289	The natural killer-related receptor for HLA-C expressed on T cells from CD3+ lymphoproliferative disease of granular lymphocytes displays either inhibitory or stimulatory function. <i>Blood</i> , 1996 , 87, 2369-2375	2.2	29
288	Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. <i>Blood</i> , 1990 , 75, 1525-1530	2.2	29
287	Multimarker immunohistochemical staining of calgranulins, chloroacetate esterase, and S100 for simultaneous demonstration of inflammatory cells on paraffin sections. <i>Journal of Histochemistry and Cytochemistry</i> , 1990 , 38, 1669-75	3.4	29
286	Large granular lymphocyte disorders: new etiopathogenetic clues as a rationale for innovative therapeutic approaches. <i>Haematologica</i> , 2009 , 94, 1341-5	6.6	28
285	Towards a new age in the treatment of multiple myeloma. <i>Annals of Hematology</i> , 2007 , 86, 159-72	3	28
284	Novel players in multiple myeloma pathogenesis: role of protein kinases CK2 and GSK3. <i>Leukemia Research</i> , 2013 , 37, 221-7	2.7	27
283	Cross-talk between chronic lymphocytic leukemia (CLL) tumor B cells and mesenchymal stromal cells (MSCs): implications for neoplastic cell survival. <i>Oncotarget</i> , 2015 , 6, 42130-49	3.3	27
282	Natural killer receptors in patients with lymphoproliferative diseases of granular lymphocytes. <i>Seminars in Hematology</i> , 2003 , 40, 201-12	4	27
281	Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001 , 53, 278-87	2.8	27
280	Serum levels of soluble interleukin-2 receptor in hairy cell leukaemia: a reliable marker of neoplastic bulk. <i>British Journal of Haematology</i> , 1989 , 73, 181-6	4.5	27
279	Pulmonary alveolar macrophages in patients with sarcoidosis and hypersensitivity pneumonitis: characterization by monoclonal antibodies. <i>Journal of Clinical Immunology</i> , 1987 , 7, 64-70	5.7	27
278	Protein kinase CK2 is widely expressed in follicular, Burkitt and diffuse large B-cell lymphomas and propels malignant B-cell growth. <i>Oncotarget</i> , 2015 , 6, 6544-52	3.3	27
277	Role of bronchoalveolar lavage in predicting survival of patients with human immunodeficiency virus infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 1501-7	10.2	26
276	Clinicopathological features of aggressive large granular lymphocyte leukaemia resemble Fas ligand transgenic mice. <i>British Journal of Haematology</i> , 2000 , 108, 717-23	4.5	26
275	Human retroviruses and lung involvement. <i>The American Review of Respiratory Disease</i> , 1989 , 139, 1317-22		26
274	Transcriptional network profile on synovial fluid T cells in psoriatic arthritis. <i>Clinical Rheumatology</i> , 2015 , 34, 1571-80	3.9	25
273	In chronic lymphocytic leukaemia with complex karyotype, major structural abnormalities identify a subset of patients with inferior outcome and distinct biological characteristics. <i>British Journal of Haematology</i> , 2018 , 181, 229-233	4.5	25

272	Clinical significance of LAIR1 (CD305) as assessed by flow cytometry in a prospective series of patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2014 , 99, 881-7	6.6	25
271	HS1, a Lyn kinase substrate, is abnormally expressed in B-chronic lymphocytic leukemia and correlates with response to fludarabine-based regimen. <i>PLoS ONE</i> , 2012 , 7, e39902	3.7	25
270	The mitochondrial effects of novel apoptogenic molecules generated by psoralen photolysis as a crucial mechanism in PUVA therapy. <i>Blood</i> , 2007 , 109, 4988-94	2.2	25
269	Alveolar macrophages as a cell source of cytokine hyperproduction in HIV-related interstitial lung disease. <i>Journal of Leukocyte Biology</i> , 1995 , 58, 495-500	6.5	25
268	Detection of a Soluble form of the Receptor for Interleukin 2 in the Serum of Patients with Hairy Cell Leukaemia. <i>International Journal of Biological Markers</i> , 1986 , 1, 101-104	2.8	25
267	Heterogeneity of T-CLL defined by monoclonal antibodies in nine patients. <i>Clinical Immunology and Immunopathology</i> , 1982 , 24, 330-41		25
266	HNK-1 monoclonal antibody (Leu-7) in the identification of abnormal expansions of large granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1983 , 52, 641-7	6.2	25
265	Cortactin, another player in the Lyn signaling pathway, is over-expressed and alternatively spliced in leukemic cells from patients with B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2014 , 99, 1069-77	6.6	24
264	Ifosfamide and cyclophosphamide: effects on immunosurveillance. <i>Oncology</i> , 2003 , 65 Suppl 2, 17-20	3.6	24
263	CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cells-Cell Interaction. <i>Blood</i> , 1999 , 93, 1277-1286	2.2	24
262	Increased levels of soluble CD8 molecule in the serum of patients with acquired immunodeficiency syndrome (AIDS) and AIDS-related disorders. <i>Clinical Immunology and Immunopathology</i> , 1989 , 50, 146-53		24
261	Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1990 , 76, 2080-2085	2.2	24
260	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987 , 60, 2412-8	6.4	24
259	High serum levels of soluble interleukin-2 receptors in sarcoidosis. <i>Sarcoidosis</i> , 1987 , 4, 25-7		24
258	Inactivation of CK1 β in multiple myeloma empowers drug cytotoxicity by affecting AKT and Eatenin survival signaling pathways. <i>Oncotarget</i> , 2017 , 8, 14604-14619	3.3	24
257	Large granular lymphocytosis. <i>Haematologica</i> , 1998 , 83, 936-42	6.6	24
256	Impaired cytokine production by neutrophils isolated from patients with AIDS. <i>Aids</i> , 1998 , 12, 373-9	3.5	23
255	Gamma delta T cell receptor subsets in the lung of patients with HIV-1 infection. <i>Cellular Immunology</i> , 1994 , 153, 194-205	4.4	23

254	Immunoregulation in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1981 , 19, 416-27		23
253	High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987 , 70, 396-400	2.2	23
252	ACCESS: A Case Control Etiologic Study of Sarcoidosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005 , 22, 83-6	1.1	23
251	Major infections, secondary cancers and autoimmune diseases occur in different clinical subsets of chronic lymphocytic leukaemia patients. <i>European Journal of Cancer</i> , 2017 , 72, 103-111	7.5	22
250	Biophysical characterization and expression analysis of Kv1.3 potassium channel in primary human leukemic B cells. <i>Cellular Physiology and Biochemistry</i> , 2015 , 37, 965-78	3.9	22
249	Expression of receptor for advanced glycation end products in sarcoid granulomas. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 498-506	10.2	22
248	Chromosome studies in patients with T-CLL chronic lymphocytic leukemia and expansions of granular lymphocytes. <i>International Journal of Cancer</i> , 1984 , 34, 171-6	7.5	22
247	Generation of superoxide anion by alveolar macrophages in sarcoidosis: evidence for the activation of the oxygen metabolism in patients with high-intensity alveolitis. <i>Immunology</i> , 1989 , 66, 451-8	7.8	22
246	Ex Vivo Signaling Protein Mapping in T Lymphocytes in the Psoriatic Arthritis Joints. <i>Journal of rheumatology Supplement, The</i> , 2015 , 93, 48-52		21
245	Lyn-mediated procaspase 8 dimerization blocks apoptotic signaling in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2014 , 123, 875-83	2.2	21
244	State of the art in natural killer cell malignancies. <i>International Journal of Laboratory Hematology</i> , 2012 , 34, 117-28	2.5	21
243	In Chronic Lymphocytic Leukemia the JAK2/STAT3 Pathway Is Constitutively Activated and Its Inhibition Leads to CLL Cell Death Unaffected by the Protective Bone Marrow Microenvironment. <i>Cancers</i> , 2019 , 11,	6.6	21
242	HIV load in highly purified CD8+ T cells retrieved from pulmonary and blood compartments. <i>Journal of Leukocyte Biology</i> , 1998 , 64, 298-301	6.5	20
241	Cell apoptosis and granulomatous lung diseases. <i>Current Opinion in Pulmonary Medicine</i> , 1998 , 4, 261-6	3	20
240	Regulation of alveolar macrophage-T cell interactions during Th1-type sarcoid inflammatory process. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1999 , 277, L240-50	5.8	20
239	The growth and the control of human immunodeficiency virus in the lung: implications for highly active antiretroviral therapy. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 964-72	4.6	20
238	Serum levels of soluble interleukin-2 receptors in acute and chronic viral hepatitis. <i>Digestive Diseases and Sciences</i> , 1989 , 34, 1559-63	4	20
237	Classification of patients with T-cell chronic lymphocytic leukemia and expansions of granular lymphocytes: heterogeneity of Italian cases by a multiparameter analysis. <i>Journal of Clinical Immunology</i> , 1984 , 4, 174-84	5.7	20

236	Expression of TNF receptors by T cells and membrane TNF-alpha by alveolar macrophages suggests a role for TNF-alpha in the regulation of the local immune responses in the lung of HIV-1-infected patients. <i>Journal of Immunology</i> , 1995 , 154, 2928-38	5.3	20
235	Pulmonary alveolar macrophages from patients with active sarcoidosis express type IV collagenolytic proteinase. An enzymatic mechanism for influx of mononuclear phagocytes at sites of disease activity. <i>Journal of Clinical Investigation</i> , 1989 , 84, 605-12	15.9	20
234	Stat3 mutations impact on overall survival in large granular lymphocyte leukemia: a single-center experience of 205 patients. <i>Leukemia</i> , 2020 , 34, 1116-1124	10.7	20
233	Integrated CLL Scoring System, a New and Simple Index to Predict Time to Treatment and Overall Survival in Patients With Chronic Lymphocytic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015 , 15, 612-20.e1-5	2	19
232	Applied clinical immunology in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002 , 8, 441-4	3	19
231	B7 costimulatory molecules from malignant cells in patients with B-cell chronic lymphoproliferative disorders trigger T-cell proliferation. <i>Cancer</i> , 2000 , 89, 1259-1268	6.4	19
230	Cytotoxic events taking place in the lung of patients with HIV-1 infection. Evidence of an intrinsic defect of the major histocompatibility complex-unrestricted killing partially restored by the incubation with rIL-2. <i>The American Review of Respiratory Disease</i> , 1990 , 142, 516-22		19
229	HSP70/HSF1 axis, regulated via a PI3K/AKT pathway, is a druggable target in chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 2019 , 145, 3089-3100	7.5	18
228	Lack of expression of inhibitory KIR3DL1 receptor in patients with natural killer cell-type lymphoproliferative disease of granular lymphocytes. <i>Haematologica</i> , 2010 , 95, 1722-9	6.6	18
227	Immunological, clinical and molecular aspects of sarcoidosis. <i>Molecular Aspects of Medicine</i> , 1997 , 18, 91-165	16.7	18
226	Changes of human B and B-1a peripheral blood lymphocytes with age. <i>Hematology</i> , 2007 , 12, 337-41	2.2	18
225	Phenotypic and functional analyses of dendritic cells in patients with lymphoproliferative disease of granular lymphocytes (LDGL). <i>Blood</i> , 2005 , 106, 3926-31	2.2	18
224	Skewing of the T-cell receptor repertoire in the lung of patients with HIV-1 infection. <i>Aids</i> , 1996 , 10, 729-37	3.7	18
223	Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987 , 70, 1530-5	2.2	18
222	Origin of the soluble interleukin-2 receptor in the serum of patients with hairy cell leukemia. <i>Leukemia</i> , 1988 , 2, 788-92	10.7	18
221	Aberrant expression of CD10 and BCL6 in mantle cell lymphoma. <i>Histopathology</i> , 2017 , 71, 769-777	7.3	17
220	The combination of complex karyotype subtypes and IGHV mutational status identifies new prognostic and predictive groups in chronic lymphocytic leukaemia. <i>British Journal of Cancer</i> , 2019 , 121, 150-156	8.7	17
219	Insights Into Genetic Landscape of Large Granular Lymphocyte Leukemia. <i>Frontiers in Oncology</i> , 2020 , 10, 152	5.3	17

218	NK cells and CD38: Implication for (Immuno)Therapy in Plasma Cell Dyscrasias. <i>Cells</i> , 2020 , 9,	7.9	17
217	Prosurvival autophagy is regulated by protein kinase CK1 alpha in multiple myeloma. <i>Cell Death Discovery</i> , 2019 , 5, 98	6.9	17
216	Detection of monoclonal T populations in patients with KIR-restricted chronic lymphoproliferative disorder of NK cells. <i>Haematologica</i> , 2014 , 99, 1826-33	6.6	17
215	Targeted activation of the SHP-1/PP2A signaling axis elicits apoptosis of chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2017 , 102, 1401-1412	6.6	17
214	Leukaemic cells from chronic lymphocytic leukaemia patients undergo apoptosis following microtubule depolymerization and Lyn inhibition by nocodazole. <i>British Journal of Haematology</i> , 2014 , 165, 659-72	4.5	17
213	Pancreatic cancer alters human CD4+ T lymphocyte function: a piece in the immune evasion puzzle. <i>Pancreas</i> , 2011 , 40, 1131-7	2.6	17
212	Considerations in the treatment of multiple myeloma: a consensus statement from Italian experts. <i>European Journal of Haematology</i> , 2009 , 82, 93-105	3.8	17
211	CXCR3/CXCL10 interactions in the development of hypersensitivity pneumonitis. <i>Respiratory Research</i> , 2005 , 6, 20	7.3	17
210	Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000 , 96, 647-654	2.2	17
209	Cortactin, a Lyn substrate, is a checkpoint molecule at the intersection of BCR and CXCR4 signalling pathway in chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2017 , 178, 81-93	4.5	16
208	p66Shc deficiency enhances CXCR4 and CCR7 recycling in CLL B cells by facilitating their dephosphorylation-dependent release from F-arrestin at early endosomes. <i>Oncogene</i> , 2018 , 37, 1534-1550	8.2	16
207	BCR kinase inhibitors, idelalisib and ibrutinib, are active and effective in Richter syndrome. <i>British Journal of Haematology</i> , 2019 , 185, 193-197	4.5	16
206	A Pyrazolo[3,4-d]pyrimidine compound inhibits Fyn phosphorylation and induces apoptosis in natural killer cell leukemia. <i>Oncotarget</i> , 2016 , 7, 65171-65184	3.3	16
205	Targeting CK2-driven non-oncogene addiction in B-cell tumors. <i>Oncogene</i> , 2016 , 35, 6045-6052	9.2	16
204	Ruxolitinib discontinuation syndrome: incidence, risk factors, and management in 251 patients with myelofibrosis. <i>Blood Cancer Journal</i> , 2021 , 11, 4	7	16
203	Diagnostic and prognostic value of low percentage of glycosylated ferritin in acquired hemophagocytic lymphohistiocytosis: A single-center study. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 620-624	2.5	15
202	Epidemiology and risk factors of invasive fungal infections in a large cohort of patients with chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2017 , 35, 925-928	1.3	15
201	Immunologic effects of HIV in the lung. <i>Clinics in Chest Medicine</i> , 1996 , 17, 633-45	5.3	15

200	Role of tumor necrosis factor-alpha and its specific 55-Kd and 75-Kd receptors in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1992 , 80, 2030-2037	2.2	15
199	The interleukin-2/interleukin-2 receptor system: structural, immunological, and clinical features. <i>International Journal of Clinical and Laboratory Research</i> , 1992 , 22, 133-42		15
198	HTLV-I antibodies and lymphoproliferative disease of granular lymphocytes. <i>Lancet, The</i> , 1987 , 2, 1527	40	15
197	Bendamustine plus rituximab is an effective first-line treatment in hairy cell leukemia variant: a report of three cases. <i>Oncotarget</i> , 2017 , 8, 110727-110731	3.3	15
196	T cell large granular lymphocyte leukemia and chronic NK lymphocytosis. <i>Best Practice and Research in Clinical Haematology</i> , 2019 , 32, 207-216	4.2	14
195	Activating KIRs in Chronic Lymphoproliferative Disorder of NK Cells: Protection from Viruses and Disease Induction?. <i>Frontiers in Immunology</i> , 2014 , 5, 72	8.4	14
194	Bendamustine in chronic lymphocytic leukemia: outcome according to different clinical and biological prognostic factors in the everyday clinical practice. <i>American Journal of Hematology</i> , 2013 , 88, 955-60	7.1	14
193	Antiapoptotic effects of IL-15 on pulmonary Tc1 cells of patients with human immunodeficiency virus infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 484-9	10.2	14
192	Shedding of the soluble form of the CD8 complex by CD8+/HLA-DR+ cells in HIV-1-infected patients. <i>Aids</i> , 1991 , 5, 813-9	3.5	14
191	Phenotypical and functional analysis of natural killer cells in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1985 , 37, 262-75		14
190	Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983 , 62, 1289-96	2.2	14
189	Durability of spleen response affects the outcome of ruxolitinib-treated patients with myelofibrosis: Results from a multicentre study on 284 patients. <i>Leukemia Research</i> , 2018 , 74, 86-88	2.7	14
188	TL1A/DR3 axis involvement in the inflammatory cytokine network during pulmonary sarcoidosis. <i>Clinical and Molecular Allergy</i> , 2015 , 13, 16	3.7	13
187	Detection of Epstein-Barr virus by PCR analyses in lymphoproliferative disease of granular lymphocytes. <i>Leukemia and Lymphoma</i> , 1996 , 23, 371-4	1.9	13
186	T cells in the lung of patients with hypersensitivity pneumonitis accumulate in a clonal manner. <i>Journal of Leukocyte Biology</i> , 2004 , 75, 798-804	6.5	13
185	Functional analysis of cytotoxic cells in patients with acute nonlymphoblastic leukemia in complete remission. <i>Cancer</i> , 1989 , 64, 667-72	6.4	13
184	Evaluation of serum levels of soluble interleukin-2 receptor in patients with chronic lymphoproliferative disorders of T-lymphocytes. <i>Cancer</i> , 1989 , 64, 2019-23	6.4	13
183	Immunohistologic analysis of a human pulmonary alveolar macrophage antigen. <i>Clinical Immunology and Immunopathology</i> , 1985 , 37, 213-9		13

182	Expression of the p66Shc protein adaptor is regulated by the activator of transcription STAT4 in normal and chronic lymphocytic leukemia B cells. <i>Oncotarget</i> , 2016 , 7, 57086-57098	3.3	13
181	Seroreactivity to an envelope protein of human T-cell leukemia/lymphoma virus in patients with CD3- (natural killer) lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997 , 90, 1977-81	2.2	13
180	Role of and the axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017 , 102, e253-e256	6.6	12
179	Prognostic and Predictive Effect of IGHV Mutational Status and Load in Chronic Lymphocytic Leukemia: Focus on FCR and BR Treatments. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019 , 19, 678-685.e4	3.5	12
178	Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. <i>Experimental Hematology</i> , 2009 , 37, 1167-75	3.1	12
177	Lung lymphocytes: origin, biological functions, and laboratory techniques for their study in immune-mediated pulmonary disorders. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 1996 , 33, 423-55	9.4	12
176	Tumour-infiltrating lymphocytes bear the 75 kDa tumour necrosis factor receptor. <i>British Journal of Cancer</i> , 1995 , 71, 240-5	8.7	12
175	Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: evaluation of cytotoxic events. <i>Leukemia Research</i> , 1987 , 11, 843-7	2.7	12
174	Are T-LGL Leukemia and NK-Chronic Lymphoproliferative Disorder really two distinct diseases?. <i>Translational Medicine @ UniSa</i> , 2014 , 8, 4-11	0.5	12
173	A high definition picture of somatic mutations in chronic lymphoproliferative disorder of natural killer cells. <i>Blood Cancer Journal</i> , 2020 , 10, 42	7	11
172	The small GTPase RhoU lays downstream of JAK/STAT signaling and mediates cell migration in multiple myeloma. <i>Blood Cancer Journal</i> , 2018 , 8, 20	7	11
171	Old and Young Actors Playing Novel Roles in the Drama of Multiple Myeloma Bone Marrow Microenvironment Dependent Drug Resistance. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11
170	Bone marrow stromal cell-fueled multiple myeloma growth and osteoclastogenesis are sustained by protein kinase CK2. <i>Leukemia</i> , 2014 , 28, 2094-7	10.7	11
169	Double productive immunoglobulin sequence rearrangements in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013 , 88, 277-82	7.1	11
168	Release of prostaglandin E2 and leukotriene B4 by alveolar macrophages from patients with sarcoidosis. <i>Thorax</i> , 1997 , 52, 76-83	7.3	11
167	Functional role of IL-2 receptors on tumour-infiltrating lymphocytes. <i>British Journal of Cancer</i> , 1994 , 69, 1046-51	8.7	11
166	Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. <i>Cellular Immunology</i> , 1992 , 141, 253-9	4.4	11
165	Chronic T-cell leukaemias. III. T-colonies, PHA response and correlation with membrane phenotype. <i>Leukemia Research</i> , 1982 , 6, 809-14	2.7	11

164	Mitochondrial apoptosis is induced by Alkoxy phenyl-1-propanone derivatives through PP2A-mediated dephosphorylation of Bad and Foxo3A in CLL. <i>Leukemia</i> , 2019 , 33, 1148-1160	10.7	11
163	Dominant cytotoxic NK cell subset within CLPD-NK patients identifies a more aggressive NK cell proliferation. <i>Blood Cancer Journal</i> , 2018 , 8, 51	7	11
162	EUTOS score predicts long-term outcome but not optimal response to imatinib in patients with chronic myeloid leukaemia. <i>Leukemia Research</i> , 2013 , 37, 1457-60	2.7	10
161	Spontaneous resolution of p58/EB6 antigen restricted NK-type lymphoproliferative disease of granular lymphocytes: role of Epstein Barr virus infection. <i>British Journal of Haematology</i> , 1997 , 99, 215-21	4.5	10
160	T-cell type lymphoproliferative disease of granular lymphocytes (LDGL) is equipped with a phenotypic pattern typical of effector cytotoxic cells. <i>Leukemia Research</i> , 2007 , 31, 371-7	2.7	10
159	Heterogeneous intracellular expression of B-cell receptor components in B-cell chronic lymphocytic leukaemia (B-CLL) cells and effects of CD79b gene transfer on surface immunoglobulin levels in a B-CLL-derived cell line. <i>British Journal of Haematology</i> , 2005 , 130, 878-89	4.5	10
158	Immunology of idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1996 , 2, 364-9	3	10
157	The Immunology of Sarcoidosis. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1986 , 8, 17-29	3.9	10
156	Expression and functional role of the p75 interleukin 2 receptor chain on leukemic hairy cells. <i>Cancer Research</i> , 1992 , 52, 5223-8	10.1	10
155	Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982 , 59, 688-95	2.2	10
154	The isopeptidase inhibitor 2cPE triggers proteotoxic stress and ATM activation in chronic lymphocytic leukemia cells. <i>Oncotarget</i> , 2016 , 7, 45429-45443	3.3	10
153	Insight into the mechanism of cytotoxicity of membrane-permeant psoralenic Kv1.3 channel inhibitors by chemical dissection of a novel member of the family. <i>Redox Biology</i> , 2020 , 37, 101705	11.3	10
152	Peripheral neuropathies in chronic lymphocytic leukemia: a single center experience on 816 patients. <i>Haematologica</i> , 2017 , 102, e140-e143	6.6	9
151	Bortezomib-based regimens in patients with POEMS syndrome: a case series in newly diagnosed and relapsed patients. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2067-2070	1.9	9
150	p66Shc deficiency in the E μ 2CL1 mouse model of chronic lymphocytic leukemia enhances leukemogenesis by altering the chemokine receptor landscape. <i>Haematologica</i> , 2019 , 104, 2040-2052	6.6	9
149	Profiling B cell chronic lymphocytic leukemia by reverse phase protein array: Focus on apoptotic proteins. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 1061-1070	6.5	9
148	KIR/HLA-I mismatching and risk of relapse in paediatric patients undergoing non-haploidentical allogeneic haematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2011 , 15, 198-204	1.8	9
147	Overexpression of HOXB7 and homeobox genes characterizes multiple myeloma patients lacking the major primary immunoglobulin heavy chain locus translocations. <i>American Journal of Hematology</i> , 2011 , 86, E64-6	7.1	9

146	Coexistence of primary AL amyloidosis and POEMS syndrome: efficacy of melphalan-dexamethasone and role of biochemical markers in monitoring the diseases course. <i>American Journal of Hematology</i> , 2010 , 85, 131-2	7.1	9
145	The Italian quality control study for evaluation of CD4 cells in centres involved in the treatment of HIV-1 patients. Italian CD4 Quality Control Group. <i>Clinical and Experimental Immunology</i> , 1998 , 111, 564-73	6.2	9
144	Immune responses in the lung: basic principles. <i>Lung</i> , 1990 , 168 Suppl, 1001-12	2.9	9
143	Bronchoalveolar lavage and the immunology of lung cancer. <i>Lung</i> , 1990 , 168 Suppl, 1041-9	2.9	9
142	Clonally expanded CD3+, CD4-, CD8- cells bearing the alpha/beta or the gamma/delta T-cell receptor in patients with the lymphoproliferative disease of granular lymphocytes. <i>Clinical Immunology and Immunopathology</i> , 1991 , 60, 371-83		9
141	Definition by CB12 monoclonal antibody of a differentiation marker specific for human monocytes and their bone marrow precursors. <i>Cellular Immunology</i> , 1986 , 97, 276-85	4.4	9
140	T-cell leukaemia-lymphoma virus and heterogeneity of chronic T-cell malignancies. <i>Lancet, The</i> , 1982 , 2, 1273	4.0	9
139	Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984 , 63, 1271-7	2.2	9
138	Lights and Shade of Next-Generation Pi3k Inhibitors in Chronic Lymphocytic Leukemia. <i>OncoTargets and Therapy</i> , 2020 , 13, 9679-9688	4.4	9
137	Pulmonary complications in patients with hematological disorders: pathobiological bases and practical approach. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2005 , 26, 439-44	3.9	8
136	HLA-Gm/kappam interaction in sarcoidosis. Suggestions for a complex genetic structure. <i>European Respiratory Journal</i> , 2000 , 16, 74-80	13.6	8
135	Cheese workersPlung. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996 , 51, 959-60	9.3	8
134	Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993 , 23, 34-7		8
133	Chronic lymphocytosis due to the expansion of granular lymphocytes. <i>British Journal of Haematology</i> , 1985 , 60, 771-3	4.5	8
132	Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997 , 89, 201-211	2.2	8
131	The complex karyotype landscape in chronic lymphocytic leukemia allows to refine the risk of Richter syndrome transformation. <i>Haematologica</i> , 2021 ,	6.6	8
130	Second primary malignancy in myelofibrosis patients treated with ruxolitinib. <i>British Journal of Haematology</i> , 2021 , 193, 356-368	4.5	8
129	Identification of a -Fas ligand axis in the development of neutropenia in T large granular lymphocyte leukemia. <i>Haematologica</i> , 2020 , 105, 1351-1360	6.6	7

128	Risk factors for progression to blast phase and outcome in 589 patients with myelofibrosis treated with ruxolitinib: Real-world data. <i>Hematological Oncology</i> , 2020 , 38, 372-380	1.3	7
127	Upregulation of CXCR1 by proliferating cells in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 2003 , 120, 765-73	4.5	7
126	Alveolar macrophages in HIV-1 infection express accessory molecules, activation markers, and release increased biological response modifiers. <i>Chest</i> , 1993 , 103, 108S-111S	5.3	7
125	Immunopathology of ocular sarcoidosis. <i>International Ophthalmology</i> , 1990 , 14, 1-11	2.2	7
124	Heterogeneous expression of dipeptidyl-amino-peptidase (DAP IV) in T-cell chronic lymphocytic leukemia. <i>Acta Haematologica</i> , 1984 , 71, 277-81	2.7	7
123	Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1990 , 76, 2080-5	2.2	7
122	Detection of a soluble form of the receptor for interleukin 2 in the serum of patients with hairy cell leukaemia. <i>International Journal of Biological Markers</i> , 1986 , 1, 101-4	2.8	7
121	Synthesis and release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages of patients with sarcoidosis. <i>Sarcoidosis</i> , 1993 , 10, 147-8		7
120	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993 , 81, 2723-7	2.2	7
119	Efficacy and Safety of Ibrutinib (IBR) after Venetoclax (VEN) Treatment in IBR-Naïve Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL): Follow-up of Patients from the MURANO Study. <i>Blood</i> , 2018 , 132, 5548-5548	2.2	7
118	CX-4945, a Selective Inhibitor of Casein Kinase 2, Synergizes with B Cell Receptor Signaling Inhibitors in Inducing Diffuse Large B Cell Lymphoma Cell Death. <i>Current Cancer Drug Targets</i> , 2018 , 18, 608-616	2.8	7
117	Ibrutinib in relapsed hairy cell leukemia variant: A case report and review of the literature. <i>Hematological Oncology</i> , 2020 , 38, 823-826	1.3	7
116	Ruxolitinib rechallenge in resistant or intolerant patients with myelofibrosis: Frequency, therapeutic effects, and impact on outcome. <i>Cancer</i> , 2021 , 127, 2657-2665	6.4	7
115	Chemotactic cytokines: from the molecular level to clinical use. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1998 , 15, 131-3	1.1	7
114	Impact factor as measure of scientific quality. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 169, 1070; author reply 1070-1	10.2	6
113	Detection of identical T-cell clonotype expansions in both the donor and recipient after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1999 , 106, 119-27	4.5	6
112	IL-12 is involved in the activation of CD3+ granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 1996 , 92, 308-14	4.5	6
111	Independent expression of p55 and p75 interleukin-2 receptors (IL-2R) during intravenous or subcutaneous administration of recombinant interleukin-2 (rIL-2) by T-lymphocytes and natural killer cells. <i>Cancer</i> , 1994 , 74, 2562-9	6.4	6

110	Expression of a functional p75 interleukin-2 receptor on lung lymphocytes from patients with human immunodeficiency virus type 1 (HIV-1) infection. <i>Journal of Clinical Immunology</i> , 1992 , 12, 371-80	5.7	6
109	Lymphoproliferative disease of granular lymphocytes in a patient with concomitant hepatitis B virus infection of CD4 lymphocytes. <i>Journal of Clinical Immunology</i> , 1989 , 9, 401-8	5.7	6
108	Degradation of immobilized soluble elastin by tumor cells in culture: quantitation by ELISA. <i>International Journal of Cancer</i> , 1990 , 46, 552-8	7.5	6
107	Rearrangement for the T-cell receptor gene and co-expression of immature T-cell markers and natural killer cell phenotype, in a patient with acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 1987 , 65, 17-22	4.5	6
106	Non-T, non-B childhood acute lymphoblastic leukemia. Correlation between cytochemical markers and first complete remission. <i>Cancer</i> , 1984 , 54, 981-5	6.4	6
105	T-helper phenotype leukaemias: role of HTLV-I. <i>Lancet, The</i> , 1985 , 2, 1367-8	4.0	6
104	Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. <i>Blood</i> , 1986 , 68, 293-6	2.2	6
103	The immunological approach to the enigma of sarcoidosis. <i>Sarcoidosis</i> , 1984 , 1, 24-35		6
102	Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 1994 , 84, 4249-56	2.2	6
101	Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993 , 81, 2381-5	2.2	6
100	Serum free light chains in the differential diagnosis and prognosis of primary and secondary hypogammaglobulinemia. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1075-1077.e6	11.5	5
99	Idelalisib plus rituximab is effective in systemic AL amyloidosis secondary to chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2018 , 36, 366-369	1.3	5
98	High-dose melphalan and autologous stem cell transplantation for AL amyloidosis: recent trends in treatment-related mortality and 1-year survival at a single institution. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011 , 18 Suppl 1, 127-9	2.7	5
97	Molecular therapeutic approaches to acute myeloid leukemia: targeting aberrant chromatin dynamics and signal transduction. <i>Expert Review of Anticancer Therapy</i> , 2004 , 4, 387-400	3.5	5
96	Telomerase activity and clinical progression in chronic lymphoproliferative disorders of B-cell lineage. <i>Leukemia and Lymphoma</i> , 2001 , 41, 35-45	1.9	5
95	Lysis of pulmonary fibroblasts by lymphokine (IL-2)-activated killer cells--a mechanism affecting the human lung microenvironment?. <i>Clinical and Experimental Immunology</i> , 1996 , 105, 383-8	6.2	5
94	Cytotoxic in vitro function in patients with metastatic renal cell carcinoma before and after alpha-2b-interferon therapy. Effects of activation with recombinant interleukin-2. <i>Cancer</i> , 1992 , 69, 2525-31	6.4	5
93	Release of natural killer cytotoxic factor in patients with lymphoproliferative disease of granular lymphocytes. <i>Leukemia Research</i> , 1989 , 13, 315-22	2.7	5

92	Serum levels of soluble CD8 are increased in patients with B chronic lymphocytic leukemia. <i>European Journal of Cancer & Clinical Oncology</i> , 1989 , 25, 1577-81		5
91	Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia [letter; comment]. <i>Blood</i> , 1991 , 77, 2540-2542	2.2	5
90	Current concepts on bronchoalveolar lavage cells in extrinsic allergic alveolitis. <i>Respiration</i> , 1988 , 54 Suppl 1, 59-65	3.7	5
89	D cells with cytotoxic activity in acute lymphoblastic leukemia. <i>Clinical Immunology and Immunopathology</i> , 1980 , 16, 238-44		5
88	Binding of sheep erythrocytes in chronic lymphocytic leukemias of B-cell origin. <i>Journal of Clinical Immunology</i> , 1982 , 2, 296-302	5.7	5
87	Transbronchial biopsy in sarcoidosis: the role of immunohistochemical analysis for granuloma detection. <i>Sarcoidosis</i> , 1992 , 9, 95-100		5
86	Immunohistochemical characterization of sarcoid granuloma: differentiation antigens and adhesion molecules. <i>Sarcoidosis</i> , 1991 , 8, 171-2		5
85	Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. <i>Blood</i> , 1990 , 75, 1525-30	2.2	5
84	Cellular immune responses in the lung of hypersensitivity pneumonitis. <i>European Respiratory Journal</i> , 1990 , 3, 357-9	13.6	5
83	Increased levels of soluble interleukin-2 receptor in the serum of patients with human immunodeficiency virus infection. <i>Diagnostic and Clinical Immunology</i> , 1987 , 5, 180-3		5
82	Human retroviruses and their aetiological link to pulmonary diseases. <i>European Respiratory Journal</i> , 1993 , 6, 925-9	13.6	5
81	Abnormal regulation of BCR signalling by c-Cbl in chronic lymphocytic leukaemia. <i>Oncotarget</i> , 2018 , 9, 32219-32231	3.3	5
80	New responsibilities for aged kinases in B-lymphomas. <i>Hematological Oncology</i> , 2020 , 38, 3-11	1.3	5
79	Integration of B-cell receptor-induced ERK1/2 phosphorylation and mutations of gene refines prognosis in treatment-naïve chronic lymphocytic leukemia. <i>Haematologica</i> , 2017 , 102, e144-e147	6.6	4
78	Successful control of <i>Blastoschizomyces capitatus</i> infection in three consecutive acute leukaemia patients despite initial unresponsiveness to liposomal amphotericin B. <i>Mycoses</i> , 2011 , 54, 365-9	5.2	4
77	Global monitoring of influenza: potential contribution of national networks from a French perspective. <i>Expert Review of Anti-Infective Therapy</i> , 2006 , 4, 387-93	5.5	4
76	Circulating soluble ICAM-1 in patients with Hodgkin's disease. <i>Trends in Immunology</i> , 1994 , 15, 140-1		4
75	Cytotoxic in vitro function in the lymphoproliferative disease of granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1987 , 70, 222-30	6.2	4

74	GSK-3 Inhibition Modulates Metalloproteases in a Model of Lung Inflammation and Fibrosis. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 633054	5.6	4
73	Impact of comorbidities and body mass index in patients with myelofibrosis treated with ruxolitinib. <i>Annals of Hematology</i> , 2019 , 98, 889-896	3	4
72	Possible neuroleukemiosis in two patients with acute myeloid leukemia in complete bone marrow remission. <i>Journal of the Neurological Sciences</i> , 2018 , 392, 63-64	3.2	3
71	Dabigatran in ibrutinib-treated patients with atrial fibrillation and lymphoproliferative diseases: Experience of 4 cases. <i>Hematological Oncology</i> , 2018 , 36, 801-803	1.3	3
70	A scoring system to predict the risk of atrial fibrillation in chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2019 , 37, 508-512	1.3	3
69	Serine-Threonine Protein Kinases CK1, CK2 and GSK3 in Normal and Malignant Haematopoiesis. <i>Current Signal Transduction Therapy</i> , 2011 , 6, 88-98	0.8	3
68	The raft marker GM1 identifies functional subsets of granular lymphocytes in patients with CD3+ lymphoproliferative disease of granular lymphocytes. <i>Leukemia</i> , 2004 , 18, 771-6	10.7	3
67	CD40 activation of B-CLL cells is associated with augmented intracellular levels of CD79b and increased BCR expression in a subset of patients. <i>Leukemia</i> , 2005 , 19, 1099-101	10.7	3
66	B-ly-7, a monoclonal antibody labeling of activated lung lymphocytes [letter]. <i>Blood</i> , 1991 , 77, 1855-1856	2	3
65	Immunoregulation in farmer's lung disease. Correlation between the surface phenotype and functional evaluations at pulmonary level. <i>Chest</i> , 1986 , 89, 1335-1355	5.3	3
64	B cells in chronic lymphocytic leukaemia. Comparative analysis of blood and bone marrow. <i>Blut</i> , 1984 , 49, 69-73		3
63	N-acetyl-beta-D-glucosaminidase activity in T chronic lymphocytic leukaemia. <i>Acta Haematologica</i> , 1981 , 66, 69-70	2.7	3
62	Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000 , 96, 647-654	2.2	3
61	Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997 , 90, 1115-1123	2.2	3
60	Serum Anti-Heart and Anti-Intercalated Disk Autoantibodies: Novel Autoimmune Markers in Cardiac Sarcoidosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
59	Cortactin expression in non-Hodgkin B-cell lymphomas: a new marker for the differential diagnosis between chronic lymphocytic leukemia and mantle cell lymphoma. <i>Human Pathology</i> , 2019 , 85, 251-259	3.7	3
58	Bias toward use of T-cell receptor variable regions in the lung: research tool or clinically useful technique?. <i>European Respiratory Journal</i> , 1997 , 10, 767-9	13.6	3
57	Cytogenetic Impact on Lenalidomide Treatment in Relapsed/Refractory Multiple Myeloma: A Real-Life Evaluation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015 , 15, 592-8	2	2

56	CD5+ leukemic monocytoid B-cell lymphoma and lymphocytic lymphomas. <i>American Journal of Clinical Pathology</i> , 1993 , 100, 187-8	1.9	2
55	High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. <i>Leukemia and Lymphoma</i> , 1992 , 6, 385-388	1.9	2
54	Prognostic significance of soluble CD8 serum levels in HIV-1 infection. <i>Aids</i> , 1992 , 6, 133-4	3.5	2
53	Determinants of HIV disease progression. <i>Lancet, The</i> , 1992 , 339, 130	4.0	2
52	Hairy cell sensitivity to the lysis in vitro. Role of the anti-CD3 antibody in generating a susceptibility to the lysis. <i>Cancer Immunology, Immunotherapy</i> , 1989 , 30, 254-6	7.4	2
51	Impaired gamma interferon production by cells from patients with lymphoproliferative disorders of mature T and NK cells. <i>Scandinavian Journal of Immunology</i> , 1985 , 21, 315-20	3.4	2
50	Immunological features in chronic lymphocytic leukaemia (CLL) of T cell origin. <i>Journal of Clinical & Laboratory Immunology</i> , 1979 , 2, 45-50		2
49	Stimulation induced by autologous lymphocyte subpopulations from healthy subjects in mixed lymphocyte reaction (MLR). <i>Transplantation Proceedings</i> , 1979 , 11, 1373-4	1.1	2
48	Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia. <i>Blood</i> , 1991 , 77, 2540-2	2.2	2
47	The clinical use of BAL in patients with pulmonary infections. <i>European Respiratory Journal</i> , 1990 , 3, 954-5, 961-9	13.6	2
46	Infections in Patients with Myelodysplastic Syndrome/Acute Myeloid Leukemia Treated with Azacitidine: Report from a Single Center. <i>Blood</i> , 2014 , 124, 5622-5622	2.2	2
45	T cell subpopulations in B cell chronic lymphocytic leukaemias. <i>Clinical and Experimental Immunology</i> , 1984 , 57, 752-4	6.2	2
44	Clinical Characteristics and Outcome of West Nile Virus Infection in Patients with Lymphoid Neoplasms: An Italian Multicentre Study. <i>HemaSphere</i> , 2020 , 4, e395	0.3	2
43	Enhanced IL-9 secretion by p66Shc-deficient CLL cells modulates the chemokine landscape of the stromal microenvironment. <i>Blood</i> , 2021 , 137, 2182-2195	2.2	2
42	Benign TdT-positive cells in pediatric and adult lymph nodes: a potential diagnostic pitfall. <i>Human Pathology</i> , 2018 , 81, 131-137	3.7	2
41	B7 costimulatory molecules from malignant cells in patients with b-cell chronic lymphoproliferative disorders trigger t-cell proliferation. <i>Cancer</i> , 2000 , 89, 1259-68	6.4	2
40	Combination of EUTOS score and 3-month BCR-ABL transcript level identifies a group of good-risk chronic myeloid leukemia patients with favorable response to frontline imatinib therapy. <i>American Journal of Hematology</i> , 2015 , 90, E135-7	7.1	1
39	A Noninterventional, Observational, European Post-Authorization Safety Study of Patients With Relapsed/Refractory Multiple Myeloma Treated With Lenalidomide. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, e629-e644	2	1

38	Granuloma Formation 2007 , 87-100		1
37	Images in cardiovascular medicine. Right atrial mass in a patient with T-cell chronic lymphocytic leukemia: an unusual mechanism of thrombus formation. <i>Circulation</i> , 2007 , 116, e569-72	16.7	1
36	Cellular Immunity in Sarcoidosis and Hypersensitivity Pneumonitis. <i>Chest</i> , 1993 , 103, 139S-143S	5.3	1
35	Cultured T cells from patients with T cell chronic lymphocytic leukemia demonstrate a normal phenotype. <i>Immunobiology</i> , 1985 , 169, 186-97	3.4	1
34	Conjunctival biopsy in sarcoidosis. <i>American Journal of Ophthalmology</i> , 1985 , 100, 347-9	4.9	1
33	Complex Karyotype Subtypes at Chronic Lymphocytic Leukemia Diagnosis Refine the Risk of Developing a Richter Syndrome. the Richter Syndrome Scoring System. <i>Blood</i> , 2020 , 136, 33-34	2.2	1
32	Evaluation of Integrated CLL Scoring System (ICSS) in 420 Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016 , 128, 5563-5563	2.2	1
31	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993 , 81, 2723-2727	2.2	1
30	CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cells-Cell Interaction. <i>Blood</i> , 1999 , 93, 1277-1286	2.2	1
29	A case of "double hit" mantle cell lymphoma carrying CCND1 and MYC translocations relapsed/refractory to rituximab bendamustine cytarabine (R-BAC) and ibrutinib. <i>Annals of Hematology</i> , 2020 , 99, 2715-2717	3	1
28	Multicentre survey to explore current survival of patients with acute myeloid leukaemia who failed induction chemotherapy. <i>European Journal of Haematology</i> , 2016 , 96, 586-92	3.8	1
27	Lack of Viral Load Within Chronic Lymphoproliferative Disorder of Natural Killer Cells: What Is Outside the Leukemic Clone?. <i>Frontiers in Oncology</i> , 2020 , 10, 613570	5.3	1
26	The Importance of Alliance between Hematologists and Dentists: A Retrospective Study on the Development of Bisphosphonates Osteonecrosis of the Jaws (Bronj) in Multiple Myeloma Patients. <i>Dentistry Journal</i> , 2021 , 9,	3.1	1
25	Identification of novel STAT5B mutations and characterization of TCR signatures in CD4+ T-cell large granular lymphocyte leukemia.. <i>Blood Cancer Journal</i> , 2022 , 12, 31	7	1
24	Actionable Strategies to Target Multiple Myeloma Plasma Cell Resistance/Resilience to Stress: Insights From "Omics" Research. <i>Frontiers in Oncology</i> , 2020 , 10, 802	5.3	0
23	The Italian Society of Immunology: past, present and future. <i>European Journal of Immunology</i> , 2010 , 40, 2664-6	6.1	0
22	Protein Kinase CK1 δ Sustains B-Cell Receptor Signaling in Mantle Cell Lymphoma. <i>Frontiers in Oncology</i> , 2021 , 11, 733848	5.3	0
21	Hypocellular myelodysplastic syndromes (h-MDS): From clinical description to immunological characterization in the Italian multi-center experience. <i>Leukemia</i> ,	10.7	0

20	Splenic marginal zone lymphoma with a de novo t(8;14)(q24;q32) and a prolymphocytoid evolution responsive to rituximab-bendamustine. <i>Annals of Hematology</i> , 2018 , 97, 2001-2003	3
19	Serum vascular endothelial growth factor (VEGF) in the differential diagnosis of amyloid neuropathy and POEMS syndrome. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011 , 18 Suppl 1, 106-8	2.7
18	SYSTEMIC DISEASE Sarcoidosis 2006 , 196-202	
17	Prognostic factors in malignant transformation of monoclonal gammopathy of undetermined significance. <i>Leukemia and Lymphoma</i> , 2002 , 43, 1713-4	1.9
16	Why antiviral CD8 T lymphocytes fail to prevent progressive immunodeficiency in HIV-1 infection. <i>Blood</i> , 2002 , 99, 1876-7	2.2
15	Immunology of Extrapulmonary Sarcoid Lesions. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1992 , 13, 380-392	3.9
14	Retrospective Real-Life Comparison of Obinutuzumab Plus Chlorambucil Versus Ibrutinib in Previously Untreated and Unfit Patients with Chronic Lymphocytic Leukemia without TP53 Disruptions. Interim Results from the Italian CLL Campus. <i>Blood</i> , 2020 , 136, 30-31	2.2
13	Ruxolitinib Rechallenge in Resistant/Intolerant MF Patients: Frequency, Therapeutic Effects, and Impact on Outcome. <i>Blood</i> , 2020 , 136, 49-50	2.2
12	Lymphocytes 2002 , 119-130	
11	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 631-664	
10	Mechanisms of Granuloma Formation. <i>Lung Biology in Health and Disease</i> , 2005 , 65-78	
9	Lymphocytic Aspects. <i>Lung Biology in Health and Disease</i> , 2005 , 79-96	
8	Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993 , 81, 2363-2368	2.2
7	Human Immunodeficiency Virus and the Lung 1998 , 141-165	
6	HSP70-HSF1 Interplays Has a Role in the Pathogenesis of Chronic Lymphocytic Leukemia and Is a Druggable Target. <i>Blood</i> , 2016 , 128, 4368-4368	2.2
5	Effects of CK2 Inhibition on Multiple Signaling Pathways in Myeloma Cells. <i>Blood</i> , 2008 , 112, 5163-5163	2.2
4	Modulation of ER Stress/Unfolded Protein Response (UPR) Pathways in Multiple Myeloma Cells by Inhibition of Hsp90 and Serine-Threonine Kinase CK2.. <i>Blood</i> , 2009 , 114, 3840-3840	2.2
3	Signalling Molecules as Selective Targets for Therapeutic Strategies in Multiple Myeloma 2012 , 87-108	

- 2 R-Vemp Is a Safe and Effective Chemo-Immunotherapeutic Regimen In Elderly Unfit DLBCL Patients: Report From a Single Center-Experience. *Blood*, **2013**, 122, 3042-3042 2.2
- 1 Large Granular Lymphocyte Leukemia. *Hematologic Malignancies*, **2021**, 231-246 0