

Haidan Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5297041/publications.pdf>

Version: 2024-02-01

25
papers

785
citations

430874

18
h-index

580821

25
g-index

26
all docs

26
docs citations

26
times ranked

1045
citing authors

#	ARTICLE	IF	CITATIONS
1	Skp2 stabilizes Mcl-1 and confers radioresistance in colorectal cancer. <i>Cell Death and Disease</i> , 2022, 13, 249.	6.3	20
2	MYD88 L265P elicits mutation-specific ubiquitination to drive NF- κ B activation and lymphomagenesis. <i>Blood</i> , 2021, 137, 1615-1627.	1.4	21
3	RIP1/RIP3/MLKL-mediated necroptosis contributes to vinblastine-induced myocardial damage. <i>Molecular and Cellular Biochemistry</i> , 2021, 476, 1233-1243.	3.1	20
4	Targeting Aurora B kinase with Tanshinone IIA suppresses tumor growth and overcomes radioresistance. <i>Cell Death and Disease</i> , 2021, 12, 152.	6.3	26
5	Identification and Integrate Analysis of Key Biomarkers for Diagnosis and Prognosis of Non-Small Cell Lung Cancer Based on Bioinformatics Analysis. <i>Technology in Cancer Research and Treatment</i> , 2021, 20, 153303382110602.	1.9	17
6	Cdh1-mediated Skp2 degradation by dioscin reprogrammes aerobic glycolysis and inhibits colorectal cancer cells growth. <i>EBioMedicine</i> , 2020, 51, 102570.	6.1	58
7	Ubiquitination of the DNA-damage checkpoint kinase CHK1 by TRAF4 is required for CHK1 activation. <i>Journal of Hematology and Oncology</i> , 2020, 13, 40.	17.0	16
8	Deguelin suppresses non-small cell lung cancer by inhibiting EGFR signaling and promoting GSK3 β /FBW7-mediated Mcl-1 destabilization. <i>Cell Death and Disease</i> , 2020, 11, 143.	6.3	39
9	Skp2-mediated ubiquitination and mitochondrial localization of Akt drive tumor growth and chemoresistance to cisplatin. <i>Oncogene</i> , 2019, 38, 7457-7472.	5.9	58
10	Xanthohumol inhibits colorectal cancer cells via downregulation of Hexokinases II-mediated glycolysis. <i>International Journal of Biological Sciences</i> , 2019, 15, 2497-2508.	6.4	58
11	Oxymatrine inhibits non-small cell lung cancer via suppression of EGFR signaling pathway. <i>Cancer Medicine</i> , 2018, 7, 208-218.	2.8	42
12	Repression of Noxa by Bmi1 contributes to deguelin-induced apoptosis in non-small cell lung cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 6213-6227.	3.6	29
13	Deguelin attenuates non-small cell lung cancer cell metastasis through inhibiting the CtsZ/FAK signaling pathway. <i>Cellular Signalling</i> , 2018, 50, 131-141.	3.6	40
14	Deguelin suppresses angiogenesis in human hepatocellular carcinoma by targeting HGF-c-Met pathway. <i>Oncotarget</i> , 2018, 9, 152-166.	1.8	25
15	Neolbaconol inhibits angiogenesis and tumor growth by suppressing EGFR-mediated VEGF production. <i>Molecular Carcinogenesis</i> , 2017, 56, 1414-1426.	2.7	35
16	Deguelin, an Aurora B Kinase Inhibitor, Exhibits Potent Anti-Tumor Effect in Human Esophageal Squamous Cell Carcinoma. <i>EBioMedicine</i> , 2017, 26, 100-111.	6.1	34
17	Targeting MCL-1 sensitizes human esophageal squamous cell carcinoma cells to cisplatin-induced apoptosis. <i>BMC Cancer</i> , 2017, 17, 449.	2.6	42
18	AID expression increased by TNF- α is associated with class switch recombination of Ig μ gene in cancers. <i>Cellular and Molecular Immunology</i> , 2016, 13, 484-491.	10.5	10

#	ARTICLE	IF	CITATIONS
19	EZH2-mediated <i>Puma</i> gene repression regulates non-small cell lung cancer cell proliferation and cisplatin-induced apoptosis. <i>Oncotarget</i> , 2016, 7, 56338-56354.	1.8	41
20	Eupafolin suppresses prostate cancer by targeting phosphatidylinositol 3-kinase-mediated Akt signaling. <i>Molecular Carcinogenesis</i> , 2015, 54, 751-760.	2.7	27
21	Activation of the Ig λ 1 promoter by the transcription factor Ets-1 triggers Ig λ 1 germline transcription in epithelial cancer cells. <i>Cellular and Molecular Immunology</i> , 2014, 11, 197-205.	10.5	19
22	A Derivative of Chrysin Suppresses Two-Stage Skin Carcinogenesis by Inhibiting Mitogen- and Stress-Activated Kinase 1. <i>Cancer Prevention Research</i> , 2014, 7, 74-85.	1.5	20
23	A Chrysin Derivative Suppresses Skin Cancer Growth by Inhibiting Cyclin-dependent Kinases. <i>Journal of Biological Chemistry</i> , 2013, 288, 25924-25937.	3.4	38
24	EBV-Encoded LMP1 Upregulates Ig λ 3 Enhancer Activity and Ig λ Expression in Nasopharyngeal Cancer Cells by Activating the Ets-1 through ERKs Signaling. <i>PLoS ONE</i> , 2012, 7, e32624.	2.5	10
25	LMP1-augmented kappa intron enhancer activity contributes to upregulation expression of Ig kappa light chain via NF-kappaB and AP-1 pathways in nasopharyngeal carcinoma cells. <i>Molecular Cancer</i> , 2009, 8, 92.	19.2	40